

State Water Resources Control Board

FEB 17 2016

[via U.S. Mail and email]

Mary Anne Skorpanich, Deputy Director
Attn: Chris Crompton
OC Public Works
County of Orange
2301 N. Glassell Street
Orange, CA 92865
Maryanne.skorpanich@ocpw.ocgov.com
Chris.crompton.@ocpw.ocgov.com

Shane Silsby, Director
OC Public Works
County of Orange/Orange County Flood
Control District
PO Box 4048
Santa Ana, CA 92702-4048
Shane.silsby@ocpw.ocgov.com

Dear Ms. Skorpanich and Messrs. Crompton and Silsby:

PETITION OF COUNTY OF ORANGE AND ORANGE COUNTY FLOOD CONTROL DISTRICT, FOR REVIEW OF ORDER NO. R9-2015-0100, AN ORDER AMENDING ORDER NO. R9-2013-0001, NPDES NO. CAS0109266, NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT AND WASTE DISCHARGE REQUIREMENTS FOR DISCHARGES FROM THE MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4s) DRAINING THE WATERSHEDS WITHIN THE SAN DIEGO REGION ISSUED BY SAN DIEGO REGIONAL WATER QUALITY CONTROL BOARD: ACKNOWLEDGMENT OF PETITION RECEIVED
SWRCB/OCC FILE A-2456(d)

This will acknowledge the State Water Resources Control Board's (State Water Board's) receipt of your petition. It is important that you review the relevant dates below carefully because they identify timelines for State Water Board review of your petition, but also affect your ability to seek judicial review of the regional water quality control board's action or inaction.

Please note that, unless one of the following events occurs, this petition will be dismissed pursuant to State Water Board regulations on the 91st day following receipt of the petition. This petition will be deemed dismissed on the 91st day **unless**:

- (1) the State Water Board has notified the petitioner, the regional water quality control board, and interested persons that they have 30 days to respond to the petition;
- (2) the State Water Board has received a written request from the petitioner to hold this petition in abeyance; or

- (3) the State Water Board has notified the petitioner prior to the 91st day that the petition is dismissed.

If none of these events occurs prior to 5:00 p.m. on the last business day before the 91st day, this petition will be automatically dismissed without further action by the State Water Board. Dismissal of a petition, whether by operation of law or by a letter issued by the State Water Board, is a final agency action for purposes of seeking judicial review of the regional water quality control board's action or inaction.

If this petition challenges the assessment of administrative civil liability or penalties, the State Water Board must also receive written agreement from the regional water quality control board that this petition be held in abeyance prior to 5:00 p.m. on the last business day before the 91st day, or this petition will be automatically dismissed without further action by the State Water Board. (Cal. Code Regs, tit.23, § 2050, subd. (e).) Requests that petitions be held in abeyance must be sent to waterqualitypetitions@waterboards.ca.gov or to the mailing address below.

For a summary of information related to your petition, please see table below:

| | |
|---|---|
| SWRCB/OCC FILE NO. <i>(please use on all future correspondence)</i> | A-2456(d) |
| PETITION RECEIVED BY SWRCB | December 18, 2015 |
| 91st DAY AFTER RECEIPT OF PETITION | March 17, 2016 |
| PETITIONER(S) | County of Orange & Orange County Flood Control District |
| DISCHARGER(S) <i>(if not the petitioner)</i> | Same |
| RWQCB | San Diego Regional Water Board |
| RWQCB ACTION/INACTION BEING PETITIONED | Review of Order No. R9-2015-0100, an Order Amending Order No. R9-2013-0001, NPDES No. CAS0109266, National Pollutant Discharge Elimination System (NPDES) Permit and Waste Discharge Requirements For Discharges From The Municipal Separate Storm Sewer Systems (MS4s) Draining The Watersheds Within The San Diego Region |
| STAY REQUESTED | No |
| NPDES NO. <i>(if applicable)</i> | CAS0109266 |
| DATE OF ACTION OR INACTION | November 18, 2015 |

Mary Anne Skorpanich
Chris Crompton
Shane Silsby

- 3 -

FEB 17 2016

If you did not receive an electronic copy of this correspondence and you would like to receive future correspondence from the State Water Board regarding this petition electronically, please send your email address to waterqualitypetitions@waterboards.ca.gov and include our **SWRCB/OCC File A-2456(d)** in the subject line. Correspondence will also be sent in hard copy to those persons whose addresses appear on this letter. You will be notified of any further action on this petition by the State Water Board.

***IN ALL FUTURE CORRESPONDENCE, PLEASE REFER TO
SWRCB/OCC FILE A-2456(d)***

Sincerely,



Philip G. Wyels
Assistant Chief Counsel

cc: See next page

Mary Anne Skorpanich
Chris Crompton
Shane Silsby

- 4 -

FEB 17 2016

cc: **[via U.S. Mail and email]**

Ryan M. F. Baron
Senior Deputy County Counsel
333 W. Santa Ana Blvd., Suite 407
Post Office Box 1379
Santa Ana, CA 92702-1379
Ryan.baron@coco.ocgov.com

Wayne Chiu **[via email only]**
Water Resources Control Engineer
San Diego Regional Water Quality
Control Board
2375 Northside Drive #100
San Diego, CA 92108
Wayne.Chui@waterboards.ca.gov

David W. Gibson **[via email only]**
Executive Officer
San Diego Regional Water Quality
Control Board
2375 Northside Drive, Suite 100
San Diego, CA 92108
david.gibson@waterboards.ca.gov

James Smith **[via email only]**
Assistant Executive Officer
San Diego Regional Water Quality
Control Board
2375 Northside Drive, Suite 100
San Diego, CA 92108
james.smith@waterboards.ca.gov

Lori T. Okun, Esq. **[via email only]**
Office of Chief Counsel
State Water Resources Control Board
1001 I Street, 22nd Floor [95814]
P.O. Box 100
Sacramento, CA 95812-0100
lori.okun@waterboards.ca.gov

Catherine George Hagan, Esq. **[via email only]**
Office of Chief Counsel, State Water Board
c/o San Diego Region, Regional Water Quality
Control Board
2375 Northside Drive, Suite 100
San Diego, CA 92108
catherine.hagan@waterboards.ca.gov

Adriana Nunez, Esq. **[via email only]**
Office of Chief Counsel
State Water Resources Control Board
1001 I Street, 22nd Floor [95814]
P.O. Box 100
Sacramento, CA 95812-0100
adriana.nunez@waterboards.ca.gov

Philip G. Wyels, Esq. **[via email only]**
Office of Chief Counsel
State Water Resources Control Board
1001 I Street, 22nd Floor [95814]
P.O. Box 100
Sacramento, CA 95812-0100
philip.wyels@waterboards.ca.gov

Mr. David W. Smith, Chief **[via email only]**
Permits Office
U.S. EPA, Region 9
75 Hawthorne Street
San Francisco, CA 94105
smith.davidw@epa.gov

Mr. Ken Greenberg, Chief **[via email only]**
Clean Water Act Compliance (NPDES)
U.S. EPA, Region 9
75 Hawthorne Street
San Francisco, CA 94105
greenberg.ken@epa.gov