



**Linda S. Adams**  
Acting Secretary for  
Environmental Protection

# State Water Resources Control Board

## Executive Office

**Charles R. Hoppin, Chairman**  
1001 I Street • Sacramento, California 95814 • (916) 341-5603  
Mailing Address: P.O. Box 100 • Sacramento, California • 95812-0100  
Fax (916) 341-5621 • <http://www.waterboards.ca.gov>



**Edmund G. Brown Jr.**  
Governor

## NOTICE OF PUBLIC WORKSHOP

The State Water Resources Control Board will conduct  
a workshop to consider comments on the

### **DRAFT GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT FOR STORM WATER DISCHARGES FROM SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEMS (MS4)**

The Public Workshop will commence on  
**Wednesday, August 17, 2011, at 9:00 a.m.**

Coastal Hearing Room – Second Floor  
Joe Serna, Jr. Cal/EPA Headquarters Building  
1001 “I” Street, Sacramento, CA 95814

### **SUBJECT OF THE WORKSHOP**

The State Water Resources Control Board (State Water Board) released for public comment a draft General NPDES Permit for Storm Water Discharges from Small MS4s (Tentative Order). The State Water Board will hold a public workshop to consider oral comments on the Tentative Order. This workshop is being held in addition to, not in place of, the Public Hearing on the Tentative Order, which is still expected to be held in November.

### **BACKGROUND**

On December 8, 1999, U.S. EPA promulgated the Storm Water Phase II Final Rule under authority of the Clean Water Act (CWA) § 402(p)(6). The regulations require the State Water Board to issue an NPDES permit for operators of Small MS4s. The Tentative Order updates the existing General Permit, SWRCB, Water Quality Order No. 2003-0005-DWQ, NPDES General Permit CAS000004.

### **PROCEDURAL MATTERS**

A quorum of the State Water Board may be present at the workshop, but no formal Board action will be taken. After receiving information from the public, the State Water Board may provide direction to staff regarding modifications to the Tentative Order.

The Tentative Order was noticed for public comment on June 7, 2011. Written comments are due by noon, August 8, 2011. **Please note that this notice does not extend the public comment period.** Interested parties are encouraged to summarize their written comments at the workshop. The Board may impose time limits on oral comments. Documents related to this workshop are available electronically at

[http://www.waterboards.ca.gov/water\\_issues/programs/stormwater/phase\\_ii\\_municipal.shtml](http://www.waterboards.ca.gov/water_issues/programs/stormwater/phase_ii_municipal.shtml)

Live video broadcast of the workshop will be available at <http://www.calepa.ca.gov/Broadcast/>

*California Environmental Protection Agency*

In an effort to reduce reliance on paper mailings, notices and other information distributed by the State Water Board are provided primarily by email. To receive the follow-up information on this workshop, you must subscribe to the Storm Water Municipal Permitting Issues notification list located on the State Water Board's website: [http://www.waterboards.ca.gov/resources/email\\_subscriptions/swrcb\\_subscribe.shtml](http://www.waterboards.ca.gov/resources/email_subscriptions/swrcb_subscribe.shtml). An interested party that does not have access to e-mail must contact the staff member listed below to request paper copies of future notices.

**PARKING AND ACCESSIBILITY**

A parking garage is located across from the Joe Serna Jr./Cal/EPA building with entrances on 10th and 11th Streets between "I" and "J" Streets. Metered parking spaces are also available near the building. For a map, refer to the State Water Board's Web site: <http://www.calepa.ca.gov/EPAbldg/location.htm>.


Please note: All visitors to the Joe Serna Jr./Cal/EPA Building are required to sign in and receive a badge at the Visitor Services Center located inside the main entrance (10th Street entrance). Valid picture identification may be required due to the security level. Please allow up to 15 minutes for receiving clearance before proceeding to the Coastal Hearing Room on the 2nd floor.

The Joe Serna Jr./Cal/EPA Building is accessible to persons with disabilities. Individuals who require special accommodations are requested to call (916) 341-5880 at least five working days prior to the meeting date. Persons with hearing or speech impairments can contact us by using the California Relay Service Telecommunications Device for the Deaf (TDD). TDD is reachable only from phones equipped with a TDD Device.

HEARING IMPAIRED RELAY SERVICE: TDD to voice 1 800-735-2929; voice to TDD 1-800-735-2922.

Questions regarding this notice may be directed to Ms. Christine Sotelo at (916) 322-1400 or [csotelo@waterboards.ca.gov](mailto:csotelo@waterboards.ca.gov).

July 18, 2011  
\_\_\_\_\_  
Date

  
\_\_\_\_\_  
Jeanine Townsend  
Clerk to the Board