


# Memorandum

Date: November 1, 2016

To: Thomas Howard, Executive Director  
State Water Resources Control Board  
1001 I Street  
Sacramento, California 95814



From: Department of Water Resources

Subject: Report of Salinity Levels at South Delta Water Quality Monitoring Station October 2016.

In accordance with the Quarterly Status Report, May 2009, Cease and Desist WR 2006-0006, the Department is providing a monthly summary of the salinity measured at the four required compliance locations. The four locations (stations) include San Joaquin River at Vernalis, San Joaquin River at Brandt Bridge, Old River near Tracy Road Bridge, and Old River near Middle River.

The monthly summary for October 2016 is provided in the attached table.

If you have any questions, please contact me at (916) 654-9426.

Joel Ledesma, Chief  
Assistant Division Chief 2  
Division of Operations and Maintenance  
Department of Water Resources

Attachment

cc: (see attached list)

cc: Amy L. Aufdemberge  
Assistant Regional Solicitor  
2800 Cottage Way, Room E-1712  
Sacramento, California 95825

Dante John Nomellini, Esq.  
Nomellini, Grilli and McDaniel  
Post Office Box 1461  
Stockton, California 95201

Carl P. A. Nelson  
Bold, Polisner, Maddow, Nelson and Judson  
500 Ygnacio Valley Road, Suite 325  
Walnut Creek, California 94596-3840

Thomas J. Shephard, Sr.  
Post Office Box 20  
Stockton, California 95201

John Herrick, Esq.  
South Delta Water Agency  
4255 Pacific Avenue, Suite 2  
Stockton, California 95207

Michael Jackson  
Post Office Box 207  
Quincy, California 95971

Stefanie Morris, General Counsel  
State Water Contractors  
1121 L Street, Suite 1050  
Sacramento, California 95814

Thomas Gibson, General Counsel  
California Department of Fish and Wildlife  
1416 9th Street, Suite 1341  
Sacramento, California 95814

Carl Wilcox  
California Department of Fish and Wildlife  
1416 9<sup>th</sup> Street  
Sacramento, California 95814

Tim O'Laughlin  
O'Laughlin and Paris LLP  
117 Meyers Street, Suite 110  
Chico, California 95928

Jon D. Rubin  
San Luis & Delta-Mendota Water Authority  
400 Capitol Mall, 27<sup>th</sup> Floor  
Sacramento, California 95814

Daniel Sodergren  
City Attorney  
City of Tracy  
333 Civic Center Plaza  
Tracy, California 95376

Patricia D. Fernandez  
Division of Water Rights  
1001 I Street, 14th Floor  
Sacramento, California 95814

Michael George, Delta Watermaster  
Office of Delta Watermaster  
State Water Resources Control Board  
1001 I Street  
Sacramento, California 95814

Christine Rico  
Office of Delta Watermaster  
State Water Resources Control Board  
1001 I Street  
Sacramento, California 95814

# Delta Water Quality Conditions\*

October 2016

Date	Vernalis		Brandt Bridge		Old River Near Tracy		Old River Near Middle	
	VERec	VER30ec	BDTec	BDT30ec	OLDec	OLD30ec	UNIec	UNI30ec
01-Oct-16	0.6	0.5	0.6	0.6	1.0	0.9	0.6	0.7
02-Oct-16	0.6	0.5	0.6	0.6	0.9	0.9	0.6	0.7
03-Oct-16	0.6	0.6	0.6	0.6	0.9	0.9	0.6	0.7
04-Oct-16	0.5	0.6	0.7	0.6	0.9	0.9	0.7	0.7
05-Oct-16	0.5	0.6	0.7	0.6	0.9	0.9	0.7	0.7
06-Oct-16	0.5	0.6	0.7	0.6	0.9	0.9	0.7	0.7
07-Oct-16	0.5	0.5	0.7	0.6	0.9	0.9	0.7	0.7
08-Oct-16	0.5	0.5	0.7	0.6	0.9	0.9	0.7	0.7
09-Oct-16	0.5	0.5	0.7	0.6	0.9	0.9	0.6	0.7
10-Oct-16	0.4	0.5	0.7	0.6	0.9	0.9	0.6	0.7
11-Oct-16	0.5	0.5	0.6	0.6	1.0	0.9	0.6	0.7
12-Oct-16	0.4	0.5	0.6	0.6	1.0	0.9	0.6	0.7
13-Oct-16	0.4	0.5	0.6	0.6	0.9	0.9	0.6	0.7
14-Oct-16	0.4	0.5	0.6	0.6	1.0	0.9	0.5	0.7
15-Oct-16	0.4	0.5	0.5	0.6	1.0	0.9	0.5	0.7
16-Oct-16	0.3	0.5	0.5	0.6	0.9	0.9	0.5	0.6
17-Oct-16	0.2	0.5	0.5	0.6	1.0	0.9	0.4	0.6
18-Oct-16	0.3	0.5	0.4	0.6	0.9	0.9	0.4	0.6
19-Oct-16	0.2	0.5	0.3	0.6	0.8	0.9	0.2	0.6
20-Oct-16	0.2	0.5	0.3	0.6	0.7	0.9	0.3	0.6
21-Oct-16	0.2	0.4	0.2	0.6	0.5	0.9	0.2	0.6
22-Oct-16	0.2	0.4	0.2	0.6	0.4	0.9	0.2	0.6
23-Oct-16	0.2	0.4	0.2	0.5	0.4	0.9	0.2	0.6
24-Oct-16	0.2	0.4	0.2	0.5	0.3	0.8	0.2	0.5
25-Oct-16	0.2	0.4	0.2	0.5	0.3	0.8	0.2	0.5
26-Oct-16	0.2	0.4	0.2	0.5	0.3	0.8	0.2	0.5
27-Oct-16	0.2	0.4	0.2	0.5	0.4	0.8	0.2	0.5
28-Oct-16	0.2	0.4	0.2	0.5	0.6	0.8	0.2	0.5
29-Oct-16	0.2	0.4	0.2	0.5	0.6	0.8	0.2	0.5
30-Oct-16	0.2	0.3	0.2	0.5	0.5	0.8	0.2	0.4
31-Oct-16	0.2	0.3	0.2	0.4	0.4	0.7	0.2	0.4

\* Salinity reported as electrical conductivity in milliSiemens per centimeter (mS/cm)

XXXec	XXX30ec	Daily average and 30-day running average electrical conductivity
-------	---------	--