

**STATE WATER RESOURCES CONTROL BOARD
BOARD MEETING SESSION – DIVISION OF WATER QUALITY
FEBRUARY 15, 2011**

ITEM 4

SUBJECT

CONSIDERATION OF ADOPTION OF THE STATEWIDE GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT FOR RESIDUAL PESTICIDE DISCHARGES FROM AQUATIC ANIMAL INVASIVE SPECIES CONTROL APPLICATIONS (AAIS CONTROL PERMIT)

DISCUSSION

The proposed AAIS Control Permit has been prepared in response to the *National Cotton Council of America vs. USEPA* decision by the Sixth Circuit Court of Appeals which requires that pesticide applications at, near, or over water that could result in a discharge of pollutants to waters of the United States must be covered by an NPDES permit.

Applicability: The proposed AAIS Control Permit covers discharges of residual pesticides from aquatic animal invasive species control applications. The proposed permit does not authorize the discharge of residual pesticides and their degradation byproducts to waters of the United States that are impaired by chlorine, the active ingredient, of the products covered in the proposed permit. Impaired waters are those waters not meeting water quality standards pursuant to Section 303(d) of the CWA. California impaired waters are listed on http://www.waterboards.ca.gov/water_issues/programs/tmdl/2010state_ir_reports/2010_combo303d.xls.

Enrollment Process: To obtain authorization under the proposed AAIS Control Permit, dischargers must submit a complete application package [Notice of Intent (NOI) Form, Aquatic Pesticide Application Plan (APAP), and an application fee] to the State Water Board. Permit coverage will be effective when (1) the discharger has submitted a complete permit application; (2) the APAP has been posted on the State Water Board's website for a 30-day public comment period; and (3) the State Water Board Deputy Director of the Division of Water Quality (Deputy Director) has approved the APAP and issued a Notice of Applicability (NOA). The discharger is authorized to discharge starting on the date of the NOA. Alternatively, the Deputy Director may: (1) issue a Notice of Exclusion, which either terminates coverage under the AAIS Control Permit; or (2) require submittal of an application for an individual permit or an alternative general permit.

Effluent Limitations: It is infeasible for the State Water Board to establish numeric effluent limitations because: (1) in pesticide applications, there is no effluent per se because the pesticide products do not become pollutants until after they become residuals; (2) at which point the pesticide products become residuals and, therefore, pollutants is unknown because of the varying amounts of pesticides applied and different environmental conditions when they are applied; (3) it would be impractical to treat numerous short duration intermittent pesticide residue releases to surface waters from many different locations; and (4) treatment, in many cases, may render the pesticide useless for aquatic animal invasive species control. Therefore, the effluent limitations contained in the proposed AAIS Control Permit are narrative and include requirements to develop and implement an APAP that describes appropriate Best Management Practices (BMPs), including compliance with all pesticide label instructions and narrative receiving water limitations.

Receiving Water Limitations: Chlorine is a toxicant that results from the use of sodium hypochlorite-based pesticide products that are used to control aquatic animal invasive species. To protect all designated beneficial uses of the receiving water from chlorine residual, the most protective (lowest) and appropriate limitations for chlorine are selected as the water quality objective for a particular water body. The freshwater chlorine receiving water limitations are 10 ug/l as a monthly average and 20 µg/l as a daily maximum; a daily maximum of nondetect or <10 µg/l is appropriate to protect marine aquatic life.

Monitoring and Reporting Program: The AAIS Control Permit requires dischargers to submit a monitoring and reporting program to determine compliance with permit requirements. The monitoring program shall include chemical and toxicity testing. Chemical testing will be used to determine if chlorine in the residual pesticide exceeds the receiving water limits. For chemical testing, the discharger shall collect in each environmental setting (agricultural, urban, or wetland), six samples for chlorine testing if the pesticide is applied six or more times a year. If applying less than six times a year, the discharger shall collect a sample for chlorine testing every time the product is applied in each environmental setting (agricultural, urban, or wetland). For toxicity testing, the discharger must comply with the requirements that the State Water Board will adopt at the Board meeting. The State Water Board may choose one of the five options shown below or decide on its own motion what the toxicity requirements should be, if any. Staff recommends Option D of the five options:

A. Toxicity Testing

This General Permit does not require toxicity testing.

B. Toxicity Testing

This General Permit does not require toxicity testing. However, the discharger shall conduct a priority pollutant scan and a pesticide scan of each product to determine if priority pollutants and/or pesticides [constituents of concern (COCs)] are present in the formulation that may pose a threat to water quality. If the scan shows the presence of COCs, besides the active ingredient, this General Permit may be reopened to set receiving water limits or triggers on the COCs to protect water quality. If the scan shows no COCs, this General Permit will require continued testing for the active ingredient only.

C. Toxicity Testing

The discharger shall meet the following toxicity testing requirements:

1. Monitoring Frequency – Each discharger shall conduct toxicity testing at each environmental setting (agricultural, urban, or wetland) in conjunction with the chemical testing for each active ingredient to determine whether residual pesticides including active ingredients, inert ingredients, and degradation byproducts, in any combination, are causing or contributing toxicity to the receiving water. If feasible, the required six consecutive samples specified below shall be collected in the same water body.

For the first application, the discharger shall collect samples only for Post-Event toxicity testing. If the Post-Event toxicity testing shows no toxicity, the discharger shall continue taking only Post-Event samples until a total of six consecutive Post-Event sample results show no toxicity in the receiving water. Thereafter, no further testing for toxicity will be required for the active ingredient used at that representative site. However, the presence of toxicity in the Post-Event sample at anytime indicates that: (1) there is pre-existing toxicity in the receiving water, but the application is not adding to the pre-existing toxicity; (2) there is pre-existing toxicity in the receiving water and

the application is adding toxicity to the pre-existing toxicity; or (3) there is no pre-existing toxicity in the receiving water, but the application itself is responsible for the toxicity. To determine whether the discharger is causing or adding toxicity in the receiving water, the discharger shall collect paired Background and Post-Event samples. When a total of six consecutive paired Background and Post-Event sample results show that the discharger is not causing or adding toxicity to the receiving water, no further testing for toxicity will be required for the active ingredient used at that representative site. However, if any paired Background and Post-Event sample result shows that the discharger is causing or adding toxicity to the receiving water, the discharger shall evaluate its application methods, BMPs, or the use of alternative products. The purpose of the evaluation is to identify corrective actions to be taken to eliminate any toxicity caused by the pesticide application.

2. Requirements C.2 through C.7 (Sample Types, Sample Volumes, Test Species, Methods, Quality Assurance, and Dilution Series, respectively) remain the same as presented in the draft permit posted for public comment.

D. Toxicity Testing

The discharger shall meet the following toxicity testing requirements:

1. *Monitoring Frequency* – Each discharger shall conduct toxicity testing at each environmental setting (agricultural, urban, or wetland) in conjunction with chemical testing to determine whether residual pesticides including active ingredients, inert ingredients, and degradation byproducts, in any combination, are causing or contributing toxicity to the receiving water. If feasible, the required six consecutive samples specified below shall be collected in the same water body.

For the first application, the discharger shall collect one Background sample and one Post-Event sample in the application area for toxicity testing. If the Background sample result shows no toxicity, the discharger shall continue taking only Post-Event samples until a total of six consecutive Post-Event sample results show no toxicity in the receiving water. Thereafter, no further testing for toxicity will be required for the active ingredient used at that representative site. However, the presence of toxicity in the Post-Event sample at anytime indicates that: (1) there is pre-existing toxicity in the receiving water, but the application is not adding to the pre-existing toxicity; (2) there is pre-existing toxicity in the receiving water and the application is adding toxicity to the pre-existing toxicity; or (3) there is no pre-existing toxicity in the receiving water, but the application itself is responsible for the toxicity. To determine whether the discharger is causing or adding toxicity to the receiving water, the discharger shall collect paired Background and Post-Event samples. When a total of six consecutive paired Background and Post-Event sample results show that the discharger is not causing or adding toxicity to the receiving water, no further testing for toxicity will be required for the active ingredient used at that representative site. However, if any paired Background and Post-Event sample result shows that the discharger is causing or adding toxicity to the receiving water, the discharger shall evaluate its application methods, BMPs, or the use of alternative products.

2. Requirements C.2 through C.7 (Sample Types, Sample Volumes, Test Species, Methods, Quality Assurance, and Dilution Series, respectively) remain the same as presented in the draft permit posted for public comment.

E. Toxicity Testing

This is the language in the draft permit posted for public comment: This test is not required if chlorine is the only active ingredient in the aquatic pesticide used.

POLICY ISSUE

Should the State Water Board adopt the proposed AAIS Control Permit?

FISCAL IMPACT

State Water Board staff work associated with or resulting from this action will be addressed with existing and future budgeted resources.

REGIONAL BOARD IMPACT

Yes. The Regional Water Boards have the responsibility to enforce the proposed AAIS Control Permit.

STAFF RECOMMENDATION

The State Water Board should adopt the proposed AAIS Control Permit.

State Water Board action on this item will assist the Water Boards in reaching Goal 6 of the Strategic Plan Update: 2008-2012 to enhance consistency across the Water Boards, on an ongoing basis, to ensure our processes are effective, efficient, and predictable, and to promote fair and equitable application of laws, regulations, policies, and procedures. In particular, approval of this item will assist in fulfilling Objective 6.2 to target consistency improvements in program delivery identified through past input, and solicit input to identify consistency issues as they arise.

STATE WATER RESOURCES CONTROL BOARD

1001 I Street, Sacramento, California 95814

http://www.waterboards.ca.gov/water_issues/programs/npdes/aquatic.shtml

**WATER QUALITY ORDER NO. 2011-XXXX-DWQ
GENERAL PERMIT NO. CAG XXXXXX**

**STATEWIDE GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION
SYSTEM (NPDES) PERMIT FOR RESIDUAL PESTICIDE DISCHARGES
TO WATERS OF THE UNITED STATES
FROM AQUATIC ANIMAL INVASIVE SPECIES CONTROL APPLICATIONS**

The following Dischargers may apply for coverage under this General Permit in compliance with the waste discharge requirements as set forth in this General Permit:

Table 1. Discharger Information

Dischargers	Dischargers of residual pesticides to waters of the United States (US) for aquatic animal invasive species control.
--------------------	---

Table 2. Administrative Information

This General Permit was adopted by the State Water Resources Control Board (hereinafter State Water Board) on:	<Adoption Date>
This General Permit shall become effective on:	<Effective Date>
This General Permit shall expire on:	<Expiration Date>
The U.S. Environmental Protection Agency (USEPA) and the State Water Board have classified this discharge as a minor discharge.	

I, Jeanine Townsend, Clerk to the Board, do hereby certify that this General Permit with all attachments is a full, true, and correct copy of the General Permit adopted by the State Water Board on <Adoption Date>.

AYE: _____

NO: _____

ABSENT: _____

ABSTAIN: _____

Table of Contents

I. Discharge Information 4

II. Permit Coverage and Application Requirements 4

A. General Permit Coverage 4

B. Discharger 5

C. General Permit Application 5

D. Fees 6

E. Terminating Coverage 6

III. Findings 7

A. Background 7

B. Legal Authorities 7

C. Background and Rationale for Requirements 8

D. California Environmental Quality Act (CEQA) 8

E. Related Pesticide Regulations 8

 1. USEPA 8

 2. DPR 9

 3. County Agricultural Commissioners 9

F. Technology-Based Effluent Limitations 9

G. Water Quality-Based Effluent Limitations 9

H. Receiving Water Limitations 10

I. Beneficial Uses in Basin Plans 11

J. National Toxics Rule (NTR) and California Toxics Rule (CTR) 11

K. State Implementation Policy (SIP) 11

L. Antidegradation Policy 11

M. Endangered Species Act 13

N. Monitoring and Reporting 13

O. Standard and Special Provisions 13

P. Notification of Interested Parties 13

Q. Consideration of Public Comment 13

IV. Discharge Prohibitions 14

V. Effluent Limitations 14

VI. Receiving Water Limitations 14

VII. Pesticide Use Requirements 15

A. Application Schedule 15

B. Public Notice Requirements 15

C. Aquatic Pesticides Application Plan (APAP) 16

D. APAP Processing, Approval, and Modifications 18

E. Pesticide Application Log 18

VIII. Provisions 18

A. Standard Provisions 18

B. Monitoring and Reporting Program (MRP) Requirements 20

C. Special Provisions 20

TENTATIVE ORDER

List of Tables

Table 1. Discharger Information 1

Table 2. Administrative Information 1

Table 3. Receiving Water Limitations 15

List of Attachments

Attachment A – Definitions A-1
Attachment B – Standard Provisions B-1
Attachment C – Monitoring and Reporting Program C-1
Attachment D – Fact Sheet D-1
Attachment E – List of Products D-32
Attachment F – Notice of Intent F-1
Attachment G – Notice of Termination G-1

TENTATIVE ORDER

I. DISCHARGE INFORMATION

Pesticide formulations may include “active ingredients”^{*1} and “inert ingredients”^{*2}. Adjuvants^{*3} or surfactants may be added to the ingredients in the application equipment that is used in the delivery of the pesticide. As part of the registration process of pesticides for use in California, USEPA and the California Department of Pesticide Regulation (DPR) evaluate data submitted by registrants to ensure that a product used according to label instructions will cause no harm or adverse impact on non-target organisms that cannot be reduced or mitigated with protective measures or use restrictions. The Clean Water Act (CWA), at section 301(a), broadly prohibits the discharge of any pollutant to waters of the United States, except in compliance with an NPDES permit. Residual pesticides^{*} discharged into surface waters constitute pollutants within the meaning of the CWA even if the discharge is in compliance with the registration requirements of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). Therefore, coverage under an NPDES permit is required.

The discharge of residual pesticides to surface waters from direct applications for aquatic animal invasive species^{*4} control throughout the State of California may pose a threat to existing and potential beneficial uses of waters of the United States if not properly controlled and regulated. Therefore, this General Permit incorporates discharge prohibitions contained in water quality control plans (Basin Plans), as implemented by the State Water Board and the nine [Regional Water Quality Control Boards](#) (Regional Water Boards). However, this General Permit does not cover eradication programs that use rotenone. Such use requires detailed site specific information and additional limitations by Regional Water Board Basin Plans that cannot be included in this General Permit.

II. PERMIT COVERAGE AND APPLICATION REQUIREMENTS

A. General Permit Coverage

This General Permit covers the point source discharge of pesticide residues resulting from direct applications for aquatic animal invasive species control using pesticides containing sodium hypochlorite. State Water Board staff’s review of DPR’s database found that sodium hypochlorite is the only active ingredient used in pesticide products for the control of invasive mollusks. Users of products containing sodium hypochlorite for the control of aquatic animal invasive species are required to obtain coverage

¹ Active ingredients are manufacturer disclosed ingredients that yield toxic effects on target organisms.
² Inert ingredients are additional ingredients and are often trade secrets; therefore, they are not always disclosed by the manufacturer.
³ Adjuvants are ingredients that are added to pesticides during an application event and are often trade secrets. These ingredients are chosen by the Discharger, based on site characteristics, and typically increase the effectiveness of pesticides on target organisms.
^{*} Defined in Attachment A – Definitions.
⁴ Aquatic animal invasive species refer to species that establish and reproduce rapidly in a waterbody outside of their native range and may threaten the diversity or abundance of native species through competition for resources, predation, parasitism, hybridization with native populations, introduction of pathogens, or physical or chemical alteration of the invaded habitat.

under this General Permit prior to application. Attachment E, which is a part of this General Permit, lists products containing this active ingredient.

[This General Permit does not apply to vessels covered by the USEPA's NPDES Vessel General Permit for Discharges Incidental to the Normal Operation of Vessels.](#)

B. Discharger

A Discharger under this General Permit ~~is includes~~ any entity involved in the application of aquatic animal invasive species control pesticides that results in a discharge of pesticide residuals to waters of the US, and meets either or both of the following two criteria:

1. The entity has control over the financing for or the decision to perform pesticide applications that result in discharges including the ability to modify those decisions; or
2. The entity has day-to-day control of [the pesticide application](#) or performs activities that are necessary to ensure compliance with this General Permit. For example, the entity is authorized to direct workers to carry out activities authorized by this General Permit or perform such activities themselves.

C. General Permit Application

To obtain authorization under this General Permit, Dischargers must submit a complete application ~~as described below~~ to the State Water Board [as described below](#):

1. A Notice of Intent (NOI shown as Attachment F) signed in accordance with the signatory requirements of the Standard Provisions in Attachment B;
2. An application fee; and
3. An Aquatic Pesticide Application Plan (APAP).

State and Regional Water Board staff will review the application package for completeness and applicability under this General Permit. Additionally, the State Water ~~Board~~[Board's Deputy Director of the Division of Water Quality \(Deputy Director\)](#) may issue a Notice of Exclusion (NOE)⁵, which either terminates coverage under this General Permit or requires submittal of an application for an individual permit or alternative general permit.

Permit coverage will be effective when all of the following have occurred:

1. The Discharger has submitted a complete permit application;

⁵ An NOE is a one-page notice that indicates and justifies why the Discharger or proposed Discharger is not eligible for coverage under this General Permit. This justification can include, but is not limited to, the necessity to comply with a total maximum daily load (~~TDML~~[TMDL](#)) or to protect sensitive water bodies. The NOE can also indicate that the coverage is denied if feasible alternatives to the selected pesticide application project are not analyzed.

2. The APAP has been ~~accepted by~~posted on the State Water ~~Board~~Board's website for a 30-day comment period⁶ and approved by the Deputy Director ~~of the Division of Water Quality~~; and
3. The ~~State Water Board~~ Deputy Director ~~of the Division of Water Quality~~ has issued a Notice of Applicability (NOA). The NOA will specify the pesticide products or type(s) of pesticides that may be used and any Regional Water Board specific conditions and requirements not stated in this General Permit. ~~In addition to issuing an NOA~~Any such region-specific conditions and requirements shall be enforceable. ~~may have to grant a prohibition exemption to allow discharges of residual pesticides to surface waters from aquatic animal invasive species. The~~ ~~Any such Region-specific conditions and requirements shall be enforceable.~~ The Discharger is authorized to discharge starting on the date of the NOA.

D. Fees

~~Under~~The annual fee for enrollment under this General Permit, ~~pesticide discharges require minimal or no treatment systems to meet the limits and pose no significant threat to water quality. As such, they are eligible for~~ shall be based on Category 3 in section 2200(b)(8) of Title 23, California Code of Regulations (CCR). This category is appropriate because pesticide applications incorporate best management practices (BMPs) to control potential impacts to beneficial uses, and this General Permit prohibits the discharge of residual pesticides causing exceedance of water quality objectives. The annual fee associated with this rating can be found in section 2200(b)(8) of Title 23, CCR, which is available at http://www.waterboards.ca.gov/resources/fees/http://www.waterboards.ca.gov/resources/fees/docs/fy10_11_fee_schedule.pdf and is payable to the State Water Board.

E. Terminating Coverage

To terminate permit coverage, a Discharger must submit a complete and accurate Notice of Termination (NOT) provided in Attachment G. The Discharger's authorization to discharge under this General Permit terminates on the date of the coverage termination letter issued by the State Water Board. Prior to the termination effective date, a Discharger is subject to the terms and conditions of this General Permit and is responsible for submitting the annual fee and all reports associated with this General Permit.

A Discharger must submit an NOT when one of the following conditions occurs:

1. The Discharger has ceased all discharges from the application of pesticides for which it obtained General Permit coverage and does not expect to discharge during the remainder of the permit term; or
2. The Discharger has obtained coverage under an individual permit or an alternative general permit for all discharges required to be covered by an NPDES permit.

⁶ [See Waterkeeper Alliance, Inc. v. EPA, 399 F.3d 486 \(2nd Cir. 2005\).](#)

III. FINDINGS

The State Water Board finds:

A. Background

1. An NPDES Permit is required for applications of pesticides that result in a discharge of pollutants to waters of the US. Courts have determined that pesticides may constitute chemical wastes or biological materials within the meaning of the CWA.⁷ Under current case law, whether a permit is required depends upon whether it is a biological or chemical pesticide and, for chemical pesticides, whether there is any residue or unintended effect from its application.
2. USEPA's 2006 regulation attempting to exempt certain FIFRA-compliant applications of pesticides was invalidated and vacated by the Sixth Circuit Court of Appeals in 2009.⁸ A two-year stay of the effect of that decision was granted, such that the invalidated regulation will remain in effect until April 9, 2011.
3. Although the point at which a pesticide becomes a pollutant may not be known, a permit is required if a pollutant will be deposited into waters of the US. This General Permit is intended to regulate applications of pesticides that result in a discharge of pollutants to waters of the US, consistent with the Clean Water Act (CWA).
4. In 2001, the State Water Board adopted Water Quality Order No. 2001-12-DWQ, Statewide General NPDES Permit for Discharges of Aquatic Pesticides to Waters of the US. Issued in response to a Ninth Circuit Court of Appeals decision,⁹ Order No. 2001-12-DWQ covered broad categories of aquatic pesticide use in California. When that permit expired in 2004, it was replaced by Order Nos. 2004-0008-DWQ (larvicide discharges for vector control) and 2004-0009-DWQ (aquatic herbicide discharges for weed control).
5. This General Permit was drafted with input on aquatic pesticide used for control of aquatic animal invasive species from staff of the California Department of Fish and Game, DPR, California Department of Water Resources, Metropolitan Water District, ~~Regional Water Boards~~, and U. S. Fish and Wildlife Services. This General Permit was also drafted with input from the Regional Water Boards.

B. Legal Authorities

This General Permit is issued pursuant to section 402 of the federal CWA and implementing regulations adopted by the USEPA and chapter 5.5, division 7 of the California Water Code (commencing with section 13370). Section 122.28(a)(1) of Title 40 of the Code of Federal Regulations [40 C.F.R. §122.28(a)(1)] allows NPDES permits to be written to cover a category of discharges within the State political

⁷ Headwaters, Inc. v. Talent Irrigation District, (9th Cir. 2001) 243 F.3d 526; League of Wilderness Defenders v. Forsgren (9th Cir. 2002) 309 F.3d 526; Fairhurst v. Hagener (9th Cir. 2005) 422 F.3d. 1146.

⁸ National Cotton Council v. U.S. EPA (6th Cir. 2009) 553 F.3d 927.

⁹ Headwaters, Inc. v. Talent Irrigation District (9th Cir. 2001) 243F.3d 526.

boundaries as a general NPDES permit. USEPA Region 9 has granted the State Water Board the authority to issue general NPDES permits.

This General Permit shall serve as a General NPDES permit for point source discharges of residual pesticides from direct applications for aquatic animal invasive species control. This General Permit also serves as general Waste Discharge Requirements pursuant to article 4, chapter 4, division 7 of the California Water Code (commencing with section 13260).

C. Background and Rationale for Requirements

The State Water Board developed the requirements in this General Permit based on information obtained from the aforementioned agencies and publicly available information on animal invasive species control programs on the Internet. The Fact Sheet (Attachment D), which contains background information and rationale for General Permit requirements, is hereby incorporated into this General Permit and constitutes part of the Findings for this General Permit. Attachments A through H are all incorporated into this General Permit.

D. California Environmental Quality Act (CEQA)

Pursuant to California Water Code section 13389, State and Regional Water Boards are exempt from the requirement to comply with Chapter 3, Division 13 of the Public Resources Code when adopting NPDES permits.

E. Related Pesticide Regulations

USEPA, DPR, County Agricultural Commissioners, and California Department of Public Health (CDPH) regulate pesticide uses in California. The applicable responsibility of each agency is summarized below:

1. USEPA

USEPA has the sole jurisdiction of pesticide label language according to the FIFRA. Label language and any changes thereto must be approved by USEPA before the product can be sold in this country.

As part of the labeling process, USEPA evaluates data submitted by registrants to ensure that a product, if it is used in accordance with label instructions, will cause no harm (or "adverse impact") on non-target organisms. Pesticide registrants are required to submit data on the effects of pesticides on target pests (efficacy) as well as effects on non-target pests. Data on non-target effects include plant effects (phytotoxicity), fish and wildlife hazards (ecotoxicity), impacts on endangered species, effects on the environment, environmental fate, breakdown products, leachability, and persistence. However, FIFRA is not necessarily as protective of water quality as the CWA.

2. DPR

DPR regulates the sale and use of pesticides in California. DPR is responsible for reviewing the toxic effects of pesticide formulations and determining whether a pesticide is suitable for use in California through a registration process. DPR also reviews data submitted by the registrants. Although DPR cannot require manufacturers to make changes in labels, it can refuse to register products in California unless manufacturers address unmitigated hazards by amending the pesticide label. Consequently, many pesticide labels that are already approved by USEPA also contain California-specific requirements.

DPR also conducts scientific evaluations of potential health and environmental impacts and provides County Agricultural Commissioners with information in the form of suggested permit conditions for the Use Permit if the proposed use is a restricted material¹⁰. DPR's suggested permit conditions reflect minimum measures necessary to protect people and the environment.

3. County Agricultural Commissioners

County Agricultural Commissioners also regulate sale and use of pesticides in California. In addition, County Agricultural Commissioners issue Use Permits for applications of pesticides that are deemed as restricted materials by DPR.

During the Use Permit permitting process, County Agricultural Commissioners determine if the pesticide use will result in substantial adverse environmental impact, whether appropriate alternatives were considered, and if any potential adverse effects are mitigated. The Use Permit conditions contain minimum measures necessary to protect people and the environment. The County Agricultural Commissioners also conduct pre-project inspections on at least five percent of projects.

F. Technology-Based Effluent Limitations

Section 301(b) of the CWA and implementing USEPA permit regulations at section 122.44, title 40 of the Code of Federal Regulations (40 C.F.R. §122.44), require that permits include conditions meeting applicable technology-based requirements at a minimum, and any more stringent effluent limitations necessary to meet applicable water quality standards.

G. Water Quality-Based Effluent Limitations

Section 301(b) of the CWA and 40 C.F.R § 122.44(d) require that permits include limitations more stringent than applicable federal technology-based requirements where necessary to achieve applicable water quality standards. The federal

¹⁰ DPR designates a pesticide as a restricted material in California if it poses hazards to public health, farm workers, domestic animals, honeybees, the environment, wildlife, or crops other than those being treated ("Regulating Pesticides: A Guide to Pesticide Regulation in California," October 2001, CDPR).

regulation mandates that permits include effluent limitations for all pollutants that are or may be discharged at levels that have the reasonable potential to cause or contribute to an excursion of a water quality standard, including numeric and narrative objectives within a standard. Section 122.44(k)(3) of 40 C.F.R. allows the use of other requirements such as BMPs in lieu of numeric effluent limits if the latter are infeasible. The State Water Board finds that numeric effluent limits for pollutant discharges associated with the application of pesticides are infeasible because:

1. This General Permit regulates residual pesticides which are pesticide ingredients or ~~breakdown-degradation by-~~products that are present after the use of the pesticide for aquatic animal invasive species control. Therefore, the exact effluent is unknown;
2. It would be impracticable to provide effective treatment of the pesticide residue to protect water quality, given ~~the-that typically, pesticide applications consist of~~ numerous short duration intermittent pesticide releases to surface waters from many different locations; and
3. Treatment may render the pesticides useless for pest control.

The effluent limitations contained in this General Permit are narrative and include requirements to develop and implement an APAP that describes appropriate BMPs, including compliance with all pesticide label instructions, as well as requirements to comply with receiving water limitations.

The BMPs required herein ~~constitute Best Available Technology Economically Achievable (BAT) and Best Conventional Pollutant Control Technology (BCT) and~~ are intended to: 1) minimize the area and duration of impacts caused by the discharge of residual pesticides in the target area* and 2) allow for restoration of water quality and protection of beneficial uses of the receiving waters to pre-application quality following completion of an application event*.

H. Receiving Water Limitations

Chlorine is ~~the-only-a~~ toxicant that results from the use of sodium hypochlorite-based pesticide products that are used to control aquatic animal invasive species. To protect all designated beneficial uses of the receiving water from chlorine residual, the most protective (lowest) and appropriate limitation for chlorine should be selected as the water quality objective for a particular water body. The USEPA National Recommended Ambient Water Quality Criteria for freshwater aquatic life protection and the California Ocean Plan water quality objectives for chlorine are applicable. USEPA has recommended ambient water quality criteria of 11 µg/l as a continuous concentration (four-day average) and 19 µg/l as the maximum concentration (one-hour average) for freshwater aquatic life protection for chlorine. The California Ocean Plan has established effluent limitations for chlorine with 2 µg/l as a six month median, 8 µg/l as the daily maximum, and 60 µg/l as the instantaneous maximum.

However, because of the lack of precision with current chlorine residual measuring instruments, it would be more appropriate to set the freshwater chlorine receiving

water limitations to 10 µg/l as a monthly average and 20 µg/l as a daily maximum; a daily maximum of nondetect or <10 µg/l is appropriate to protect marine aquatic life.

I. Beneficial Uses in Basin Plans

The typical relevant beneficial uses identified in the Regional Water Boards' Basin Plans include: municipal and domestic supply, agricultural irrigation, stock watering, process supply, service supply, hydropower supply, water contact recreation, canoeing and rafting recreation, other non-contact water recreation, warm freshwater aquatic habitat, cold freshwater habitat, warm fish migration habitat, cold fish migration habitat, warm and cold spawning habitat, wildlife habitat, navigation, rare, threatened, or endangered species habitat, groundwater recharge, and freshwater replenishment. Requirements of this General Permit implement the applicable Basin Plans.

J. National Toxics Rule (NTR) and California Toxics Rule (CTR)

USEPA adopted the NTR on December 22, 1992, and later amended it on May 4, 1995 and November 9, 1999. About 40 criteria in the NTR were applicable in California. On May 18, 2000, USEPA adopted the CTR. The CTR promulgated new toxics criteria for California and, in addition, incorporated the previously adopted NTR criteria that were applicable in the state. The CTR was amended on February 13, 2001. These rules contain water quality standards for priority pollutants*.

K. State Implementation Policy (SIP)

The State Water Board adopted the *Policy for Implementation of Toxics Standards for Inland Surface Waters*, Enclosed Bays*, and Estuaries* of California* (State Implementation Policy or SIP) in March 2000 and amended it in February 2005. The SIP establishes implementation provisions for priority pollutant criteria and objectives and provisions for chronic toxicity control. This General Permit includes narrative Receiving Water Limitation for toxicity and acute and chronic toxicity testing requirements for residual pesticides of concern. Therefore, this General Permit is consistent with the SIP.

L. Antidegradation Policy

Section 131.12 of 40 C.F.R. requires that the state water quality standards include an antidegradation policy consistent with the federal policy. The State Water Board established California's antidegradation policy in State Water Board Resolution No. 68-16. Resolution No. 68-16 incorporates the federal antidegradation policy where the federal policy applies under federal law. Resolution No. 68-16 requires that existing highwater quality ~~of waters~~ be maintained unless degradation is justified based on specific findings. The ~~Regional Water Boards'~~ Basin Plans implement, and incorporate by reference, both the state and federal antidegradation policies.

This General Permit requires that discharges must be consistent with the provisions of 40 C.F.R. § 131.12 and Resolution No. 68-16. The conditions of this General Permit

require residual pesticide discharges to meet applicable water quality objectives. Specifically, the General Permit sets receiving water limitations for chlorine to protect aquatic life from the toxic effects of chlorine. The General Permit also requires toxicity testing to determine if residues, including active ingredients, inert ingredients, and degradation byproducts, in any combination, from pesticide applications cause toxicity to the receiving water or add toxicity to it if there is pre-existing toxicity prior to pesticide applications. If residues cause toxicity or add to an existing toxicity, the Discharger is required to perform an iterative process of evaluating its application methods, BMPs, or alternatives to the pesticide causing toxicity until the applications no longer cause or add toxicity. The BMPs and other controls required pursuant to the General Permit constitute Best Available Technology Economically Achievable (BAT) and Best Conventional Pollutant Control Technology (BCT).

The General Permit requirements are protective of the broad range of beneficial uses set forth in basin plans throughout the state, constituting best control available consistent with the purposes of the pesticide application in order to ensure that pollution or nuisance will not occur. The conditions also ensure maintenance of the highest water quality consistent with maximum benefit to the people of state. The nature of pesticides is to be toxic in order to protect beneficial uses such as human health or long-term viability of native aquatic life. Lake Davis and Silver King Creek are examples of water bodies where the Department of Fish and Game has used chemical pesticides to eradicate the Northern Pike and non-native trout, respectively. Waters of exceptional quality may be degraded due to the application of pesticides; however, it would only be temporary and in the best interest of the people of the State. While surface waters may be temporarily degraded, water quality standards and objectives will not be exceeded. ~~The nature of pesticides is to be toxic in order to protect human health.~~ after project completion.

Another example of the benefits of pesticide application and any temporary degradation of water quality occurring as a result is the Asian clam infestation in Lake Tahoe which may require the use of pesticides to eradicate the pest. The Asian clam is undesirable because it: (1) displaces native clams, snails, and other organisms living on the lake bottom, which are important members of the lake's native food web; (2) fosters the growth of bright green algae, which change the look of the water, and smell when they decompose; and (3) could help foster an invasion of quagga mussels, another aggressive non-native species, by creating desirable habitat for them. Eradication of these species is important to protect beneficial uses, including habitat for native species, and water conveyance. Discharges in compliance with this permit will maintain existing levels of water quality over the long term.

Given the nature of a General Permit and the broad range of beneficial uses to be protected across the state, data analysis of specific water bodies is infeasible. However, compliance with receiving water limitations is required and other permit requirements will ensure that degradation of the State's waters will be temporary and that the waters will be returned to pre-application conditions after project completion. Therefore, this General Permit is consistent with State and federal antidegradation policies.

TENTATIVE ORDER

M. Endangered Species Act

This General Permit does not authorize any act that results in the taking of a threatened or endangered species or any act that is now prohibited, or becomes prohibited in the future, under either the California Endangered Species Act (Fish and Game Code sections 2050 et. seq) or the Federal Endangered Species Act (16 U.S.C.A. sections 1531 et. seq). This General Permit requires compliance with effluent limitations, receiving water limitations, and other requirements to protect the beneficial uses of waters of the state. The Discharger is responsible for meeting all requirements of the applicable Endangered Species Act.

N. Monitoring and Reporting

Section 122.48 of Title 40 C.F.R. requires that all NPDES permits specify requirements for recording and reporting monitoring results. California Water Code sections 13267 and 13383 authorize the State and Regional Water Board to require technical and monitoring reports. The Monitoring and Reporting Program establishes monitoring and reporting requirements to implement federal and State requirements. The Monitoring and Reporting Program is provided in Attachment C.

O. Standard and Special Provisions

Attachment B provides the Standard Provisions which apply to all NPDES permits in accordance with 40 C.F.R. § 122.41, and additional conditions applicable to specified categories of permits in accordance with 40 C.F.R. § 122.42. The Discharger must comply with all standard provisions and with those additional conditions that are applicable under 40 C.F.R. § 122.42. In addition, the Discharger must comply with all the Special Provisions which are provided in Section VIII.C of this General Permit.

P. Notification of Interested Parties

The State Water Board has notified interested agencies and persons of its intent to prescribe WDRs and has provided them with an opportunity to submit comments. Details of the notifications are provided in the Fact Sheet of this General Permit.

Q. Consideration of Public Comment

The State Water Board, in a public meeting, heard and considered all comments pertaining to discharges to be regulated by this General Permit. Details of the Public Hearing are provided in the Fact Sheet of this General Permit.

THEREFORE, IT IS HEREBY ORDERED, that in order to meet the provisions contained in Division 7 of the California Water Code (commencing with section 13000) and regulations adopted thereunder, and the provisions of the federal CWA and regulations and guidelines adopted thereunder, the Discharger shall comply with the requirements in this General Permit.

TENTATIVE ORDER

IV. DISCHARGE PROHIBITIONS

- A. The discharge of residual pesticides at a location or in a manner different from that described in this General Permit is prohibited.
- B. The discharge of residual pesticides shall not create a nuisance as defined in section 13050 of the California Water Code.
- C. The discharge of residual pesticides shall not cause, have a reasonable potential to cause, or contribute to an in-stream excursion above any applicable standard or criterion promulgated by USEPA pursuant to Section 303 of the CWA, or water quality objective adopted by the State or Regional Water Boards. This prohibition shall apply outside the treatment area during treatment, and in the treatment area after treatment has been completed.

V. EFFLUENT LIMITATIONS

- A. The discharge of residual pesticides must meet applicable water quality standards; and
- B. Dischargers shall implement BMPs when applying pesticides. The BMPs must be provided in the APAP, which is described in Section VII.C.

VI. RECEIVING WATER LIMITATIONS

The discharge shall not result in any of the following:

- A. **Floating Material.** Floating material to be present in amounts that cause nuisance or adversely affect beneficial uses.
- B. **Settleable Substances.** Substances to be present in concentrations that result in the deposition of material that causes nuisance or adversely affects beneficial uses.
- C. **Suspended Material.** Suspended material to be present in concentrations that cause nuisance or adversely affect beneficial uses.
- D. **Taste and Odors.** Taste- or odor-producing substances to be present in concentrations that impart undesirable tastes or odors to fish flesh or other edible products of aquatic origin, or that cause nuisance, or otherwise adversely affect beneficial uses or domestic or municipal water supplies.
- E. **Toxic Pollutants.** Toxic pollutants to be present in the water column, sediments, or biota in concentrations that adversely affect beneficial uses; that produce detrimental response in human, plant, animal, or aquatic life; or that bioaccumulate in aquatic resources at levels which are harmful to human health.
- F. **Temperature.** The ambient temperature to increase more than 5°F.
- G. **Color.** Esthetically undesirable discoloration.

TENTATIVE ORDER

- H. **Aquatic Communities.** Aquatic communities and populations, including native vertebrates, invertebrates, and plant species to be degraded unless the aquatic animal invasive species to be controlled coexist with the aquatic community and project goal is to restore the native assemblage.
- I. The numeric Receiving Water Limitations shown in Table 3 below will be used to assess compliance of residual pesticide discharges resulting from pesticide applications used to control animal aquatic invasive species.

Table 3. Receiving Water Limitations

Constituent	Limitation	Basis
Chlorine	10 ug/l - Monthly Average	USEPA's Ambient Water Quality Criteria for Freshwater Aquatic Life Protection
Chlorine	20 ug/l - Daily Maximum	USEPA's Ambient Water Quality Criteria for Freshwater Aquatic Life Protection
Chlorine	<10 ug/l - Daily Maximum	California Ocean Plan

VII. PESTICIDE USE REQUIREMENTS

A. Application Schedule

The Discharger shall provide a phone number or other specific contact information to all persons who request the Discharger’s application schedule. The Discharger shall provide the requester with the most current application schedule and inform the requester if the schedule is subject to change. Information may be made available by electronic means, including posting prominently on a well-known web page.

B. Public Notice Requirements

Every calendar year, prior to the first application of pesticides, the Discharger shall notify potentially affected governmental agencies and post the notification at its website. The notification shall include the following information:

1. A statement of the Discharger’s intent to apply pesticide(s);
2. Name of pesticide(s);
3. Purpose of use;
4. General time period and locations of expected use;
5. Any water use restrictions or precautions during treatment; and
6. A phone number that interested persons may call to obtain additional information from the Discharger.

TENTATIVE ORDER

C. Aquatic Pesticides Application Plan (APAP)

The Discharger shall develop an APAP that contains the following elements:

1. Description of ALL the water body(ies) or water body systems in which pesticides are being planned to be applied or may be applied to control aquatic animal invasive species;
2. Discussion of the factors influencing the decision to select pesticide applications for aquatic animal invasive species control;
3. Pesticide products or T~~type(s) expected to be of pesticides~~ used and if known, their degradation by-products, the method in which they are applied, and if applicable, the adjuvants and surfactants used;
4. Description of ALL the application areas* and the target areaareas in the system that are being planned to be applied or may be applied. Provide a map showing these areas;
5. Other control methods used (alternatives) and their limitations;
6. How much product is needed and how this amount was determined;
- ~~7. Monitoring Plan (see Attachment C), including the location of representative area(s)*;~~
7. Representative monitoring locations* and the justification for selecting these locations;
8. If applicable, list the gates or control structures and inspection schedule of those gates or control structures to ensure that they are not leaking;
9. Evaluation of available BMPs to determine if there are feasible alternatives to the selected pesticide application project that could reduce potential water quality impacts;
- ~~10. Description of the BMPs to be implemented.~~
10. ~~Identify~~ The BMPs shall include, at the Problem minimum:
 - a. measures to prevent pesticide spill;
 - b. measures to ensure that only a minimum and consistent amount is used;
 - c. a plan to educate Discharger's staff and pesticide applicator on any potential adverse effects from the pesticide application;
 - d. descriptions of specific BMPs for each pesticide product used; and
 - e. descriptions of specific BMPs for each type of environmental setting (agricultural, urban, and wetlands).
11. Identification of the problem. Prior to the first pesticide application covered under this General Permit that will result in a discharge of residual pesticides to waters of the US, and at least once each calendar year thereafter prior to the first pesticide application for that calendar year, the Discharger must do the following for each pest management area:

TENTATIVE ORDER

- a. If applicable, establish densities for pest populations to serve as action threshold(s) for implementing pest management strategies;
- b. Identify each target pest species to develop species-specific pest management strategies based on developmental and behavioral considerations for each species;
- c. Identify known breeding areas for source reduction, larval control program, and habitat management; and
- d. Analyze existing surveillance data to identify new or unidentified sources of each pest problem as well as areas that have recurring pest problems.

~~12. Examine the Possibility of Alternatives~~

12. ~~Dischargers should continue to examine the possibility~~Examination of alternatives~~Alternatives. Dischargers shall examine alternatives to pesticide use~~ to reduce the need for applying pesticides. Such methods include:

- a. Evaluating the following management options, in which the impact to water quality, impact to non-target organisms, pesticide resistance, feasibility, and cost effectiveness should be considered:

- No action
- Prevention
- Mechanical or physical methods
- Cultural methods
- Biological control agents
- Pesticides

If there are no alternatives to pesticides, dischargers shall use the least toxic pesticide necessary to control the target pest.

- b. Using the least intrusive method of pesticide application.

~~e. Public education efforts to reduce transport of aquatic animal invasive species.~~

~~e. Applying a decision matrix concept to the choice of the most appropriate formulation.~~

13. Correct Use of Pesticides

~~Users of pesticides~~Dischargers must ensure that all reasonable precautions are taken to minimize the impacts caused by pesticide applications. Pesticide applicators should be trained in the proper application of pesticides and handling of spills. All errors in application and spills must be reported to the proper authority.

14. Specify a website where public notices, required in Section VII.B, may be found.

TENTATIVE ORDER

D. APAP Processing, Approval, and Modifications

Upon receipt of an APAP, staff will post it on the State Water Board's website for a 30-day public comment period¹¹. If no comments are received and staff deems the APAP complete, the Deputy Director will issue an NOA within three (3) working days following closure of the comment period. If comments are received, staff will try to address the comments as expeditiously as possible to allow the Deputy Director to issue an NOA within 10 working days.

Major changes to the APAP shall be submitted to the Deputy Director for approval. Examples of major changes include using a different product other than what is specified in the APAP, changing an application method that may result in different amounts of pesticides being applied, or adding or deleting BMPs. Since the APAP shall include (1) ALL the water bodies or water body systems in which pesticides are being planned to be applied or may be applied to control aquatic animal invasive species and (2) ALL the application areas and the target areas in the system that are being planned to be applied or may be applied, changes in monitoring locations are not considered major changes. However, these changes need to be reported in the annual report.

G.E. Pesticide Application Log

The Discharger shall maintain a log for each pesticide application. The application log shall contain, at a minimum, the following information:

1. Date of application;
2. Location of application;
3. Name of applicator;
4. The names of the water bodies treated (e.g., specific canal, creek, lake, etc);
5. Application details, such as time application started and stopped, and pesticide application rate and concentration, ~~temperature, pH, turbidity, and electrical conductivity; and~~
6. Visual monitoring assessment; and
- 6.7. Certification that applicator(s) followed the APAP.-

VIII. PROVISIONS

A. Standard Provisions

1. All Dischargers authorized to discharge under this General Permit shall comply with the Federal Standard Provisions included in Attachment B of this General Permit.
2. This General Permit does not authorize the discharge of residual pesticides or their ~~breakdown-degradation~~ by-products to waters of the US that are impaired by

¹¹ See *Waterkeeper Alliance, Inc. v. EPA*, 399 F.3d 486 (2nd Cir. 2005).

the pesticides used for aquatic animal invasive species control. Impaired waters are those waters not meeting water quality standards pursuant to Section-section 303(d) of the CWA. California impaired waters, as approved by the State Water Board, are listed on http://www.waterboards.ca.gov/water_issues/programs/tmdl/integrated20102010s_tate_ir_reports/2010_combo303d.xls (to be reviewed and adopted by USEPA).

- ~~3.1.~~ The State Water Board may use this General Permit to regulate the discharge of residual pesticides to waters of the US classified as Outstanding National Resource Waters (Lake Tahoe and Mono Lake) or as a water body impaired by unknown toxicity only after the following conditions are satisfied: 1) ~~a project-specific antidegradation analysis was completed and found that the proposed pesticide application is consistent with State and federal antidegradation policies;~~ 2) the proposed project will comply with the limitations and discharge requirements specified in the General Permit; and ~~3.2)~~ if required, the proposed pesticide application qualifies for and has been granted a Basin Plan prohibition exception prior to discharge.
- ~~4.2.~~ This General Permit does not authorize the use of rotenone for invasive fish species control. Such a control program requires site-specific information and additional limitations required by Regional Water Board Basin Plans that cannot be included in this General Permit.
- ~~5.3.~~ The Discharger must follow all FIFRA pesticide label instructions and any Use Permits issued by a County Agricultural Commissioner.
- ~~6.4.~~ The Discharger must be licensed by DPR if such licensing is required for the pesticide application project.
- ~~7.5.~~ The Discharger must comply with effluent limitations and must develop and implement an APAP.
- ~~8.6.~~ In accordance with the APAP, Section VII.C.12, the Discharger shall implement the identified alternative measures that are feasible and effective to the selected pesticide application project that could reduce potential water quality impacts.
- ~~9.7.~~ This General Permit incorporates discharge prohibitions contained in water quality control plans, as implemented by the State and the nine Regional Water Boards.
- ~~10.8.~~ All Dischargers authorized to discharge under this General Permit shall comply with the following provisions:
 - a. After notice and opportunity for a hearing, this General Permit may be terminated or modified for cause, including, but not limited to:
 - i. violation of any term or condition contained in this General Permit;
 - ii. obtaining this General Permit by misrepresentation or by failing to disclose fully all relevant facts;
 - iii. a change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge; and

TENTATIVE ORDER

- iv. a material change in the character, location, or volume of discharge (if applicable).
- b. The provisions of this General Permit are severable. If any provision of this General Permit is found invalid, the remainder of this General Permit shall not be affected.
- c. The Discharger shall maintain a copy of this General Permit and make it available at all times to operating personnel. Key operating personnel shall be familiar with its content.
- d. To demonstrate compliance with Title 16, CCR, sections 415 and 3065, all technical reports must contain a statement of the qualifications of the responsible registered professional(s). As required by these laws, completed technical reports must bear the signature(s) and seal(s) of the registered professional(s) in a manner such that all work can be clearly attributed to the professional responsible for the work.
- e. Laboratories that perform sample analyses must be identified in all monitoring reports submitted to the State and Regional Water Board.
- f. All monitoring and analysis instruments and devices used by the Discharger to fulfill the prescribed monitoring program shall be properly maintained and calibrated as necessary, at least yearly, to ensure their continued accuracy.
- g. Each Discharger shall file with the State Water Board and the appropriate Regional Water Board technical reports on self-monitoring performed according to the detailed specifications contained in the Monitoring and Reporting Program attached to this General Permit.
- h. The State and Regional Water Board is authorized to enforce the terms of this General Permit under several provisions of the California Water Code, including, but not limited to, sections 13385, 13386, and 13387.

B. Monitoring and Reporting Program (MRP) Requirements

1. The Discharger shall comply with the MRP, and future revisions thereto, in Attachment C of this General Permit.
2. The ~~State Water Board~~ Deputy Director ~~of the Division of Water Quality~~ may add monitoring and reporting requirements to the ~~Monitoring and Reporting Program~~ MRP.
3. The ~~State Water Board~~ Deputy Director ~~of the Division of Water Quality~~ may approve reductions in monitoring frequencies if the Discharger makes a request and the request is backed by statistical trends of monitoring data submitted.

C. Special Provisions

1. Reopener Provisions

- a. This General Permit may be reopened for modification, or revocation and reissuance in accordance with the provisions contained in 40 C.F.R. § 122.62. This General Permit may also be re-opened to add pesticide

products for aquatic animal invasive species control that are newly-registered by DPR.

- b. Conditions that necessitate a major modification of a permit are described in 40 C.F.R. § 122.62, including:
 - i. If new or amended applicable water quality standards are promulgated or approved pursuant to section 303 of the CWA, or amendments thereto, this General Permit may be reopened and modified in accordance with the new or amended standards.
 - ii. When new information, that was not available at the time of permit issuance, would have justified different permit conditions at the time of issuance.
- c. **Acute and Chronic Toxicity.** If the State Water Board revises ~~the SIP's~~ toxicity control provisions that would require the establishment of numeric acute and chronic toxicity limitations, this General Permit may be reopened to include numeric acute and chronic toxicity receiving water limitations based on the new provisions.
- d. **Receiving Water Limitations.** This General Permit may be re-opened to add or modify receiving water limitations in Table 3 if additional constituents are added from pesticide product additions or accuracy of constituent analyzing technology allows for implementation of more protective limitations.
- e. **Endangered Species Act.** If USEPA develops biological opinions regarding pesticides included in this General Permit, this General Permit may be re-opened to add or modify Receiving Water Limitations/Monitoring Triggers for residual pesticides of concern, if necessary.
- f. **Pesticide Products.** This General Permit may be re-opened to add additional pesticide products registered by DPR to control aquatic animal invasive species.

2. Special Studies, Technical Reports, and Additional Monitoring Requirements

Each Discharger shall conduct additional investigations when toxicity testing shows toxicity or increased toxicity in the receiving water, or when the chemical monitoring shows exceedance of the receiving water limitation. The additional investigations shall identify corrective actions to eliminate toxicity and or exceedance of monitoring trigger caused by the pesticide application. The investigation should include, but not be limited to, revising and improving the existing BMPs, revising mode of application, using less toxic pesticide products, or selecting alternative methods for pest control.

2.3. Reporting

a. Twenty-Four Hour Report

The Discharger shall report to the State Water Board and appropriate Regional Water Board any noncompliance, including any effect of a

TENTATIVE ORDER

pesticide's use that is unexpected or unintended, that may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the Discharger becomes aware of the circumstances and must include the following information:

- i. The caller's name and telephone number;
- ii. Applicator name and mailing address;
- iii. WDID number;
- iv. The name and telephone number of a contact person, if different than the person providing the 24-hour notice;
- v. How and when the Discharger become aware of the noncompliance;
- vi. Description of the location of the noncompliance;
- vii. Description of the noncompliance identified and the USEPA pesticide registration number for each product the Discharger applied in the area of the noncompliance; and
- viii. Description of any steps the Discharger has taken or will take to correct, repair, remedy, cleanup, or otherwise address any adverse effects.

If the Discharger is unable to notify the State Water Board and appropriate Regional Water Board within 24 hours, the Discharger must do so as soon as possible and also provide the rationale for why the Discharger was unable to provide such notification within 24 hours.

b. **Five-Day Written Report**

The Discharger shall also provide a written submission within five (5) days of the time the Discharger becomes aware of the noncompliance. The written submission shall contain the following information:

- i. Date and time the Discharger contacted the State Water Board and the appropriate Regional Water Board notifying of the noncompliance and any instructions received from the Regional Water Board ;
- ii. Information required to be provided in Section C.23.a above;
- iii. A description of the noncompliance and its cause, including exact date and time and species affected, estimated number of individual and approximate size of dead or distressed organisms (other than the target species);
- iv. Location of incident, including the names of any waters affected and appearance of those waters (sheen, color, clarity, etc);
- v. Magnitude and scope of the affected area (e.g. aquatic square area or total stream distance affected);

- vi. Pesticide application rate, intended use site (e.g., banks, above, or direct to water), method of application, and name of pesticide product, description of pesticide ingredients, and USEPA registration number;
- vii. Description of the habitat and the circumstances under which the noncompliance activity occurred (including any available data on ambient water (which is the water in the immediate surrounding area) ~~data~~ for pesticides applied);
- viii. Laboratory tests performed, if any, and timing of tests. Provide a summary of the test results within five days after they become available;
- ix. If applicable, explain why the Discharger believes the noncompliance could not have been caused by exposure to the pesticide from the Discharger's application; and
- x. Actions to be taken to prevent recurrence of adverse incidents.

~~The State Water Board may waive the above-required written report under this provision on a case-by-case basis if an oral report has been received within 24 hours.~~

3.4. Corrective Action

- a. **Situations Requiring Revision of Control Measures.** If any of the following situations occur, the Discharger must review and, as necessary, revise the evaluation and selection of the control measures to ensure that the situation is eliminated and will not be repeated in the future:
 - i. An unauthorized release or discharge associated with the application of pesticides (e.g., spill, leak, or discharge not authorized by this or another NPDES permit) occurs;
 - ii. The Discharger becomes aware, or the State Water Board concludes, that the control measures are not adequate/sufficient for the discharge to meet applicable water quality standards or Receiving Water Limitations for the concerned pesticides;
 - iii. Any monitoring activities indicate that the Discharger failed to:
 - ~~α.~~ Follow the label instructions for the product used;
 - ~~β.~~ Perform regular maintenance activities to reduce leaks, spills, or other unintended discharges of pesticides associated with the application of pesticides covered under this General Permit; or
 - ~~γ.~~ Maintain pesticide application equipment in proper operating condition by adhering to any manufacturer's conditions and industry practices, and by calibrating, cleaning, and repairing such equipment on a regular basis to ensure effective pesticide application and aquatic animal invasive species control. The Discharger must ensure that the equipment's rate of pesticide application is calibrated to deliver the precise minimum quantity of pesticide needed to achieve greatest efficacy against aquatic animal invasive species.

- b. **Corrective Action Deadlines.** If the Discharger determines that changes to the control measures are necessary to eliminate any situation identified in Section C.34 above, the Discharger shall make such changes ~~must be made~~ within 60 days. The Discharger shall take the corrective action before the next pesticide application that results in a further discharge if practicable, or if not, as soon as possible thereafter of the residual pesticides will be allowed.
- c. **Effect of Corrective Action.** The occurrence of a situation identified in Section C.34.a above may constitute a violation of this General Permit. Correcting the situation according to Section C.34.b does not absolve the Discharger of liability for any original violation. However, failure to comply with Section C.34.b constitutes an additional permit violation. The State Water Board will consider the appropriateness and promptness of corrective action in determining enforcement responses to permit violations.

The State Water Board and the appropriate Regional Water Boards may impose additional requirements and schedules of compliance, including requirements to submit additional information concerning the condition(s) triggering corrective action or schedules and requirements more stringent than specified in this General Permit. Those requirements and schedules will supersede those of Section C.34.b if such requirements conflict.

4.5. Adverse Incident to Threatened or Endangered Species or Critical Habitat

If the Discharger becomes aware of an adverse incident* to a federally-listed threatened or endangered species or its federally-designated critical habitat that may have resulted from the Discharger's pesticide application, the Discharger must immediately notify the National Marine Fisheries Service (NMFS) in the case of an anadromous or marine species, or the U.S. Fish and Wildlife Service (FWS) in the case of a terrestrial or freshwater species. This notification must be made by telephone or email immediately when the Discharger becomes aware of the adverse incident and must include at least the following information:

- a. The caller's name, telephone number, and email address;
- b. Applicator name and mailing address;
- c. The name of the affected species;
- d. How and when the Discharger became aware of the adverse incident;
- e. Description of the location of the adverse incident;
- f. Description of the adverse incident, including the USEPA pesticide registration number for each product applied in the area of the adverse incident; and
- g. Description of any steps that have been taken or will be taken to alleviate the adverse impact to the species.

Additional information on federally-listed threatened or endangered species and federally-designated critical habitat is available from NMFS (www.nmfs.noaa.gov)

for anadromous or marine species or FWS (www.fws.gov) for terrestrial or freshwater species.

5.6. Other Special Provisions

In the event of any change in control or ownership of land or waste discharge facilities presently owned or controlled by the Discharger, the Discharger shall notify the succeeding Discharger of the existence of this General Permit by letter, a copy of which shall be immediately forwarded to the State Water Board.

To assume operation under this General Permit, the succeeding Discharger must apply in writing to the ~~State Water Board~~ Deputy Director ~~of the Division of Water Quality~~ requesting transfer of the General Permit. The request must contain the requesting entity's full legal name, the State of incorporation if a corporation, address and telephone number of the persons responsible for contact with the State Water Board and a statement. The statement shall comply with the signatory and certification requirements in the federal Standard Provisions (Attachment B) and state that the new Discharger assumes full responsibility for compliance with this General Permit. Failure to submit the request shall be considered a discharge without requirements, a violation of the California Water Code.

TENTATIVE ORDER

ATTACHMENT A – DEFINITIONS

Active Ingredient

Active ingredients are manufacturer disclosed ingredients that yield toxic effects on target organisms.

Adjuvants

Adjuvants are ingredients that are added to pesticides during an application event and are often trade secrets. These ingredients are chosen by the Discharger, based on site characteristics, and typically increase the effectiveness of pesticides on target organisms.

Adverse Incident

Adverse Incident means a situation where the Discharger observes upon inspection or becomes aware of in which:

- A person or non-target organism may have been exposed to a pesticide residue, and
- The person or non-target organism suffered an adverse or toxic effect.

Adverse or Toxic Effect

An “adverse or toxic effect” includes impacts that occur within US waters on non-target plants, fish, or wildlife that are unusual or unexpected (e.g., effects are to organisms not otherwise described on the pesticide product label or otherwise not expected to be present) as a result of exposure to a pesticide residue, and may include:

- Distressed or dead juvenile and small fishes
- Washed up or floating fish
- Fish swimming abnormally or erratically
- Fish lying lethargically at water surface or in shallow water
- Fish that are listless or nonresponsive to disturbance
- Stunting, wilting, or desiccation of non-target submerged or emergent aquatic plants
- Other dead or visibly distressed non-target aquatic organisms (amphibians, turtles, invertebrates, etc.)

An “adverse or toxic effect” also includes any adverse effects to humans (e.g., skin rashes) or domesticated animals that occur either directly or indirectly from a discharge to waters of the U.S. that are temporally and spatially related to exposure to a pesticide residue (e.g., vomiting, lethargy).

Agricultural Supply

Uses of water for farming, horticulture, or ranching including, but not limited to, irrigation, stock watering, or support of vegetation for range grazing.

Application Area

The application area is the area to which pesticides are directly applied. It is the responsibility of the Discharger to determine the application area. The application area may be synonymous with the target area.

Application Event

The application event is the time that introduction of the pesticide to the application area takes place, not the length of time that the environment is exposed to the pesticide.

Aquatic Animal Invasive Species

Aquatic animal invasive species refers to species that establish and reproduce rapidly in a waterbody outside of their native range and may threaten the diversity or abundance of native species through competition for resources, predation, parasitism, hybridization with native populations, introduction of pathogens, or physical or chemical alteration of the invaded habitat.

Cold Freshwater Habitat

Uses of water that support cold water ecosystems including, but not limited to, preservation or enhancement of aquatic habitats, vegetation, fish, or wildlife, including invertebrates.

Enclosed Bays

Enclosed Bays means indentations along the coast that enclose an area of oceanic water within distinct headlands or harbor works. Enclosed bays include all bays where the narrowest distance between the headlands or outermost harbor works is less than 75 percent of the greatest dimension of the enclosed portion of the bay. Enclosed bays do not include inland surface waters or ocean waters.

Estuaries

Estuaries means waters, including coastal lagoons, located at the mouths of streams that serve as areas of mixing for fresh and ocean waters. Coastal lagoons and mouths of streams that are temporarily separated from the ocean by sandbars shall be considered estuaries. Estuarine waters shall be considered to extend from a bay or the open ocean to a point upstream where there is no significant mixing of fresh water and seawater. Estuaries do not include inland surface waters or ocean waters.

Freshwater Replenishment

Uses of water for natural or artificial maintenance of surface water quantity or quality.

Groundwater Recharge

Uses of water for natural or artificial recharge of ground water for purposes of future extraction, maintenance of water quality, or halting of saltwater intrusion into freshwater aquifers.

Half-Life

Half-life is the time required for half of the compound introduced into an ecosystem to be eliminated or disintegrated by natural processes.

Hydropower Supply

Uses of water for hydropower supply.

Industrial Process Supply

Uses of water for industrial activities that depend primarily on water quality.

Inert Ingredients

Inert ingredients are additional ingredients and are often trade secrets; therefore, they are not always disclosed by the manufacturer.

Inland Surface Waters

All surface waters of the State that do not include the ocean, enclosed bays, or estuaries.

Migration of Aquatic Organisms

Uses of water that support habitats necessary for migration or other temporary activities by aquatic organisms, such as anadromous fish.

Municipal and Domestic Supply (MUN)

Uses of water for community, military, or individual water supply systems including, but not limited to, drinking water supply.

Navigation

Uses of water for shipping, travel, or other transportation by private, military, or commercial vessels.

Non-Contact Water Recreation

Uses of water for recreational activities involving proximity to water, but where there is generally no body contact with water, nor any likelihood of ingestion of water. These uses include, but are not limited to, picnicking, sunbathing, hiking, beachcombing, camping, boating, tidepool and marine life study, hunting, sightseeing, etc.

Point Source

Any discernible, confined, and discrete conveyance, including but not limited to, any pipe, ditch, channel, tunnel, conduit, well, discrete fissure, container, rolling stock concentrated animal feeding operation, landfill leachate collection system, vessel or other floating craft from which pollutants are or may be discharged. This term does not include return flows from irrigated agriculture or agricultural storm water runoff.

Priority Pollutants

Priority pollutants are listed within the California Toxics Rule in 40 Code of Federal Regulations, section 131.38(b)(1). Criteria to protect aquatic life and human health are set for priority pollutants in the California Toxics Rule.

Rare, Threatened, or Endangered Species Habitat

Uses of water that support aquatic habitats necessary, at least in part, for the survival and successful maintenance of plant or animal species established under state or federal law as rare, threatened or endangered.

~~Representative Area~~

~~The representative area is an area within and near the application area that is typical of the hydrologic and vegetative conditions present at the application area.~~

Receiving Waters

See Waters of the US.

TENTATIVE ORDER

Representative Monitoring Location

To be considered "representative," at a minimum, a location must be similar in hydrology, pesticide use, and other factors that affect the biological and residual discharge to the areas being represented in that environmental setting.

Residual Pesticides

Residual pesticides are those portions of the pesticides that remain in the water after the application and its intended purpose (elimination of targeted pests) have been completed~~Residual pesticides are pesticide ingredients or breakdown products that are present after the use of the pesticide for aquatic animal invasive species control.~~

Source of Drinking Water

Any water designated as municipal or domestic supply (MUN) in a Regional Water Board Basin Plan and/or as defined in SWRCB Resolution No. 88-63.

Spawning, Reproduction, and/or Early Development

Uses of water that support high quality aquatic habitats suitable for reproduction and early development of fish.

Target Area

The target area is the area designated for aquatic animal invasive species control. This may be synonymous with the application area.

Warm Freshwater Habitat

Uses of water that support warm water ecosystems including, but not limited to, preservation or enhancement of aquatic habitats, vegetation, fish, or wildlife, including invertebrates.

Water Contact Recreation

Uses of water for recreational activities involving body contact with water, where ingestion of water is reasonably possible. These uses include, but are not limited to, swimming, wading, water-skiing, skin and scuba diving, surfing, white water activities, fishing, or use of natural hot springs.

Waters of the United States (Waters of the U.S.)

(a) All waters which are currently used, were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide;

(b) All interstate waters, including interstate "wetlands;"

(c) All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, "wetlands," sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds the use, degradation, or destruction of which would affect or could affect interstate or foreign commerce including any such waters:

(1) Which are or could be used by interstate or foreign travelers for recreational or other purposes;

(2) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce; or

(3) Which are used or could be used for industrial purposes by industries in interstate commerce;

(d) All impoundments of waters otherwise defined as waters of the United States under this definition;

(e) Tributaries of waters identified in paragraphs (a) through (d) of this definition;

(f) The territorial sea; and

(g) "Wetlands" adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs (a) through (f) of this definition. Waste treatment systems, including treatment ponds or lagoons designed to meet the requirements of CWA (other than cooling ponds as defined in 40 CFR 423.11(m) which also meet the criteria of this definition) are not waters of the United States. This exclusion applies only to manmade bodies of water which neither were originally created in waters of the United States (such as disposal area in wetlands) nor resulted from the impoundment of waters of the United States. [See Note 1 of this section.] Waters of the United States do not include prior converted cropland. Notwithstanding the determination of an area's status as prior converted cropland by any other federal agency, for the purposes of the Clean Water Act, the final authority regarding Clean Water Act jurisdiction remains with EPA.

Wildlife Habitat

Uses of water that support terrestrial or wetland ecosystems including, but not limited to, preservation and enhancement of terrestrial habitats or wetlands, vegetation, wildlife (e.g., mammals, birds, reptiles, amphibians, invertebrates), or wildlife water and food sources.

TENTATIVE ORDER

ATTACHMENT B – STANDARD PROVISIONS

I. STANDARD PROVISIONS – PERMIT COMPLIANCE (IF APPLICABLE)

A. Duty to Comply

1. The Discharger must comply with all of the conditions of this General Permit. Any noncompliance constitutes a violation of the CWA and the California Water Code and is grounds for enforcement action, for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. (40 C.F.R. §122.41(a).)
2. The Discharger shall comply with effluent standards or prohibitions established under Section 307(a) of the CWA for toxic pollutants within the time provided in the regulations that establish these standards or prohibitions, even if this General Permit has not yet been modified to incorporate the requirement. (40 C.F.R. § 122.41(a)(1).)

B. Need to Halt or Reduce Activity Not a Defense

It shall not be a defense for a Discharger in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this General Permit. (40 C.F.R. § 122.41(c).)

C. Duty to Mitigate

The Discharger shall take all reasonable steps to minimize or prevent any discharge in violation of this General Permit that has a reasonable likelihood of adversely affecting human health or the environment. (40 C.F.R. § 122.41(d).)

~~D. Proper Operation and Maintenance~~

~~The Discharger shall at all times properly operate and maintain all facilities and systems of control (and related appurtenances) which are installed or used by the Discharger to achieve compliance with the conditions of this General Permit. Proper operation and maintenance also includes adequate laboratory controls and appropriate quality assurance procedures. (40 C.F.R. § 122.41(e).)~~

D. Property Rights

1. This General Permit does not convey any property rights of any sort or any exclusive privileges. (40 C.F.R. § 122.41(g).)
2. The issuance of this General Permit does not authorize any injury to persons or property or invasion of other private rights, or any infringement of state or local law or regulations. (40 C.F.R. § 122.5(c).)

TENTATIVE ORDER

E. Inspection and Entry

The Discharger shall allow the Regional Water Board, State Water Board, United States Environmental Protection Agency (USEPA), and/or their authorized representatives (including an authorized contractor acting as their representative), upon the presentation of credentials and other documents, as may be required by law, to (40 C.F.R. § 122.41(i); Wat. Code, § 13383) to:

1. Enter upon the Discharger's premises where a regulated facility or activity is located or conducted, or where records are kept under the conditions of this General Permit (40 C.F.R. § 122.41(i)(1));
2. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this General Permit (40 C.F.R. § 122.41(i)(2));
3. Inspect and photograph, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this General Permit (40 C.F.R. § 122.41(i)(3)); and
4. Sample or monitor, at reasonable times, for the purposes of assuring General Permit compliance or as otherwise authorized by the CWA or the Water Code, any substances or parameters at any location. (40 C.F.R. § 122.41(i)(4).)

II. STANDARD PROVISIONS – PERMIT ACTION

A. General

This General Permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the Discharger for modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance does not stay any General Permit condition. (40 C.F.R. § 122.41(f).)

B. Duty to Reapply

If the Discharger wishes to continue an activity regulated by this General Permit after the expiration date of this General Permit, the Discharger must apply for and obtain a new permit. (40 C.F.R. § 122.41(b).)

C. Transfers

This General Permit is not transferable to any person except after notice to the State Water Board. The State Water Board may require modification or revocation and reissuance of the General Permit to change the name of the Discharger and incorporate such other requirements as may be necessary under the CWA and the Water Code. (40 C.F.R. § 122.41(l)(3); § 122.61.)

III. STANDARD PROVISIONS – MONITORING

- A. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. (40 C.F.R. § 122.41(j)(1).)

TENTATIVE ORDER

- B. Monitoring results must be conducted according to test procedures under Part 136 unless other test procedures have been specified in this General Permit. (40 C.F.R. § 122.41(j)(4); § 122.44(i)(1)(iv).)

IV. STANDARD PROVISIONS – RECORDS

- A. The Discharger shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart recordings for continuous monitoring instrumentation, copies of all reports required by this General Permit, and records of all data used to complete the application for this General Permit, for a period of at least three (3) years from the date of the sample, measurement, report or application. This period may be extended by request of the State Water Board Deputy Director of the Division of Water Quality (Deputy Director) at any time. (40 C.F.R. § 122.41(j)(2).)
- B. Records of monitoring information shall include:
 - 1. The date, exact place, and time of sampling or measurements (40 C.F.R. § 122.41(j)(3)(i));
 - 2. The individual(s) who performed the sampling or measurements (§ 122.41(j)(3)(ii));
 - 3. The date(s) analyses were performed (40 C.F.R. § 122.41(j)(3)(iii));
 - 4. The individual(s) who performed the analyses (40 C.F.R. § 122.41(j)(3)(iv));
 - 5. The analytical techniques or methods used (40 C.F.R. § 122.41(j)(3)(v)); and
 - 6. The results of such analyses. (40 C.F.R. § 122.41(j)(3)(vi).)
- C. Claims of confidentiality for the following information will be denied (40 C.F.R. § 122.7(b)):
 - 1. The name and address of any permit applicant or Discharger (40 C.F.R. § 122.7(b)(1)); and
 - 2. Permit applications and attachments, permits and effluent data. (40 C.F.R. § 122.7(b)(2).)

V. STANDARD PROVISIONS – REPORTING

A. Duty to Provide Information

The Discharger shall furnish to the Regional Water Board, State Water Board, or USEPA within a reasonable time, any information which the Regional Water Board, State Water Board, or USEPA may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this General Permit or to determine compliance with this General Permit. Upon request, the Discharger shall also furnish to the Regional Water Board, State Water Board, or USEPA copies of records required to be kept by this General Permit. (40 C.F.R. § 122.41(h); Wat. Code, § 13267.)

B. Signatory and Certification Requirements

All applications, reports, or information submitted to the Regional Water Board, State Water Board, and/or USEPA shall be signed and certified in accordance with Standard Provisions – Reporting V.B.1, V.B.2, V.B.3, and V.B.4 below. (40 C.F.R. § 122.41(k).)

1. **For a municipality, State, federal, or other public agency:** All permit applications shall be signed by either a principal executive officer or ranking elected official. For purposes of this provision, a principal executive officer of a federal agency includes: (i) the chief executive officer of the agency, or (ii) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrators of USEPA). (40 C.F.R. § 122.22(a)(3).)
2. All reports required by this General Permit and other information requested by the Regional Water Board, State Water Board, or USEPA shall be signed by a person described in Standard Provisions – Reporting V.B.1 above, or by a duly authorized representative of that person. A person is a duly authorized representative only if:
 - a. The authorization is made in writing by a person described in Standard Provisions – Reporting V.B.1 above (40 C.F.R. § 122.22(b)(1));
 - b. The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity ~~such as the position of plant manager, operator of a well or a well field, superintendent, position of equivalent responsibility,~~ or an individual or a position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.) (40 C.F.R. § 122.22(b)(2)); and
 - c. The written authorization is submitted to the Regional Water Board and State Water Board. (40 C.F.R. § 122.22(b)(3).)
3. If an authorization under Standard Provisions – Reporting V.B.1 above is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of Standard Provisions – Reporting V.B.1 above must be submitted to the Regional Water Board and State Water Board prior to or together with any reports, information, or applications, to be signed by an authorized representative. (40 C.F.R. § 122.22(c).)
4. Any person signing a document under Standard Provisions – Reporting V.B.1 or V.B.3 above shall make the following certification:

“I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the

TENTATIVE ORDER

system or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.” (40 C.F.R. § 122.22(d).)

C. Monitoring Reports

1. Monitoring results shall be reported at the intervals specified in the Monitoring and Reporting Program (Attachment C) in this General Permit. (40 C.F.R. § 122.41(l)(4).)
2. Monitoring results must be reported on a ~~Discharge~~ Self Monitoring Report (~~DMR~~) ~~form~~ SMR or forms as agreed by provided or specified by the Regional Water Board or State Water Board Deputy Director and the Discharger for reporting results of monitoring of sludge use or disposal practices. ~~(40 C.F.R. § 122.41(l)(4)(i).)~~
3. If the Discharger monitors any pollutant more frequently than required by this General Permit using test procedures approved under Part 136 or as specified in this General Permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the ~~DMR~~ SMR or sludge ~~other~~ reporting form specified by the State Water Board. (40 C.F.R. § 122.41(l)(4)(ii).)
4. Calculations for all limitations, which require averaging of measurements, shall utilize an arithmetic mean unless otherwise specified in this General Permit. (40 C.F.R. § 122.41(l)(4)(iii).)

D. Compliance Schedules

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this General Permit, shall be submitted no later than 14 days following each schedule date. (40 C.F.R. § 122.41(l)(5).)

E. Planned Changes

The Discharger shall give notice to the State Water Board and the appropriate Regional Water Board as soon as possible of any planned physical alterations or additions to the permitted activity or discharge. Notice is required under this provision (40 C.F.R. § 122.41(l)(1)) only when the alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants that are subject neither to effluent limitations in this General Permit nor to notification requirements under section 122.42(a)(1) (see Additional Provisions—Notification Levels VII.A.1). (40 C.F.R. § 122.41(l)(1)(ii).)

F. Anticipated Noncompliance

The Discharger shall give advance notice to the Regional Water Board and State Water Board of any planned changes in the permitted discharge or activity that may result in noncompliance with General Permit requirements. (40 C.F.R. § 122.41(l)(2).)

TENTATIVE ORDER

G. Other Noncompliance

The Discharger shall report all instances of noncompliance not reported under Standard Provisions – Reporting V.C, V.D, and V.F above at the time monitoring reports are submitted. The reports shall contain the information listed in Standard Provision – Reporting V.F above. (40 C.F.R. § 122.41(l)(7).)

H. Other Information

When the Discharger becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Regional Water Board, State Water Board, or USEPA, the Discharger shall promptly submit such facts or information. (40 C.F.R. § 122.41(l)(8).)

VI. STANDARD PROVISIONS – ENFORCEMENT

The State Water Board and Regional Water Board is authorized to enforce the terms of this General Permit under several provisions of the Water Code, including, but not limited to, sections 13385, 13386, and 13387.

TENTATIVE ORDER

ATTACHMENT C – MONITORING AND REPORTING PROGRAM

Table of Contents

I. General Monitoring ProvisionsC-2
II. Monitoring Locations and Sample Types.....C-3
III. Toxicity Testing RequirementsC-4
IV. Receiving Water Monitoring Requirements – Surface WaterC-8
V. Reporting Requirements.....C-12
 A. General Monitoring and Reporting Requirements.....C-12
 B. Annual ReportsC-13
 C. Reporting ProtocolsC-14

List of Tables

Table C-1. Monitoring RequirementsC-11
Table C-2. Reporting Schedule.....C-14

TENTATIVE ORDER

ATTACHMENT C – MONITORING AND REPORTING PROGRAM

Title 40 of the Code of Federal Regulations (C.F.R.), § 122.48 requires that all NPDES permits specify monitoring and reporting requirements. California Water Code sections 13267 and 13383 also authorize the State Water Board and Regional Water Quality Control Board to require technical and monitoring reports. This Monitoring and Reporting Program (MRP) establishes monitoring and reporting requirements which implement federal and California laws and regulations.

This Monitoring and Reporting Program MRP is designed to address the two key questions shown below. ~~It also encourages Dischargers to form monitoring coalitions with others doing similar applications within a given watershed or doing applications of similar use patterns (urban, agricultural, and wetlands). If a Discharger elects in its APAP to undertake monitoring and reporting through a Coalition, then the Coalition will act on behalf of the Discharger with respect to monitoring and reporting.~~

Question No. 1: Does the pesticide residue from applications cause an exceedance of receiving water limitations ~~or monitoring triggers?~~

Question No. 2: Does the pesticide residue, including active ingredients, inert ingredients, and ~~breakdown degradation~~ by-products, in any combination cause or contribute to an exceedance of the “no toxics in toxic amount” narrative toxicity objective?

~~Each Coalition’s or individual Discharger’s APAP must demonstrate how this will be accomplished by including the following information:~~

- ~~a. Evaluation of the Coalition’s or Discharger’s ability to answer the two key questions listed above with the information presently available, with the understanding that the ability to answer may vary from waterbody to waterbody.~~
- ~~b. Identification of critical gaps in knowledge (e.g., inability to document impacts, lack of knowledge about potential sources, absence of trend monitoring components) relevant to the coalition’s circumstances.~~
- ~~1. Description of how the APAP will be used as a framework for filling in the data gaps and for developing monitoring components suited to the coalition’s circumstances, documenting how the two key questions will be answered.~~

~~If a Discharger elects in its APAP to undertake monitoring and reporting through a Coalition, then the APAP should reference and attach the Coalition monitoring plan.~~

I. GENERAL MONITORING PROVISIONS

- A. Samples and measurements taken as required herein shall be representative of the nature of the monitored discharge. All samples shall be taken at the anticipated monitoring locations specified in the Discharger’s ~~or Coalition’s~~ Aquatic Pesticide Application Plan (APAP), unless otherwise specified. ~~The Discharger shall modify the~~

~~APAP to include specific monitoring locations, recognizing that with aquatic animal invasive species control, the precise monitoring locations may not be available until after surveillance. The revised APAP, including the updated monitoring locations, shall be submitted to the State Water Board for approval.~~

- B. All laboratory analyses shall be conducted at a laboratory certified for such analyses by the Department of Public Health (CDPH, formerly Department of Health Services). Laboratories that perform sample analyses shall be identified in all monitoring reports. A manual containing the steps followed in this program must be kept in the laboratory and shall be available for inspection by the State Water Board and appropriate Regional Water Board staff. The Quality Assurance-Quality Control Program must conform to USEPA guidelines or to procedures approved by the State Water Board and the appropriate Regional Water Board.
- C. All analyses shall be conducted in accordance with the latest edition of "Guidelines Establishing Test Procedures for Analysis of Pollutants" (Guidelines), promulgated by the USEPA (40 C.F.R. Part 136). Any procedures to prevent the contamination of samples as described by the APAP shall be implemented.
- D. Records of monitoring information shall include the following:
1. The date, exact place, and time of sampling or measurements;
 2. The individuals who performed the sampling or measurements;
 3. The dates analysis were performed;
 4. The individuals who performed the analyses;
 5. The analytical techniques or methods uses; and
 6. The results of such analyses.
- E. All monitoring instruments and devices used by the Discharger to fulfill the prescribed monitoring program shall be properly maintained and calibrated as necessary to ensure their accuracy.
- F. All Monitoring monitoring results, including noncompliance, shall be reported at intervals and in a manner specified in this ~~Monitoring and Reporting Program~~ MRP.
- G. Laboratories that conduct the analysis analyzing monitoring samples shall be certified by CDPH, in accordance with the provision of California Water Code section 13176, and must include quality assurance/quality control data with their reports.

II. MONITORING LOCATIONS AND SAMPLE TYPES

A. Monitoring Locations

Each Discharger ~~or Coalition~~ shall establish monitoring locations specified in the APAP to demonstrate compliance with the receiving water limitations, discharge specifications, and other requirements in this General Permit. The number and location of samples shall be selected to answer the two key questions. A Discharger

TENTATIVE ORDER

may use representative monitoring locations to characterize water quality for all waters of the US within the Discharger's boundaries for each environmental setting (agriculture, urban, and wetland). However, the Discharger must provide justification for the selection of the representative monitoring locations. To be considered "representative," at a minimum, a location must be similar in hydrology, pesticide use, and other factors that affect the discharge of residual pesticides to surface waters as a result of applications to the areas being represented in that environmental setting. Each Discharger must provide technical justification and identify which areas are to be considered representative. Monitoring location information shall include a description of the treatment area, GPS coordinates, and pesticides being applied.

B. Sample Types

- 1. Background Monitoring.** Background samples shall be collected in the application area or target area within 24-hours before application.
- 2. Event Monitoring.** Event monitoring samples shall be collected downstream of the application area or the target area immediately after the application event but shall not exceed 24 hours after the application event.
- 3. Post-Event Monitoring.** Post-event samples shall be collected within the application area or the target area within one week after project completion, as determined by the Discharger.

III. TOXICITY TESTING REQUIREMENTS

Sections A-E provide the toxicity testing requirements the State Water Board may choose from. State Water Board staff recommends Section D. This paragraph will be deleted after the State Water Board chooses one of the options below or decides on its own motion what the toxicity requirements should be, if any.

A. Toxicity Testing

This General Permit does not require toxicity testing.

B. Toxicity Testing

This General Permit does not require toxicity testing. However, the Discharger shall conduct a priority pollutant scan and a pesticide scan of each product to determine if priority pollutants and/or pesticides [constituents of concern (COCs)] are present in the formulation that may pose a threat to water quality. If the scan shows the presence of COCs, besides the active ingredient, this General Permit may be reopened to set receiving water limits or triggers on the COCs to protect water quality. If the scan shows no COCs, this General Permit will require continued testing for the active ingredient only.

C. Toxicity Testing

The Discharger shall meet the following toxicity testing requirements:

1. *Monitoring Frequency* – Each Discharger shall conduct toxicity testing at each environmental setting (agricultural, urban, or wetland) in conjunction with the chemical testing for each active ingredient to determine whether residual pesticides including active ingredients, inert ingredients, and degradation by-products, in any combination, are causing or contributing toxicity to the receiving water. If feasible, the required six consecutive samples specified below shall be collected in the same water body.

For the first application, the Discharger shall collect samples only for Post-Event toxicity testing. If the Post-Event toxicity testing shows no toxicity, the Discharger shall continue taking only Post-Event samples until a total of six consecutive Post-Event sample results show no toxicity in the receiving water. Thereafter, no further testing for toxicity will be required for the active ingredient used at that representative site. However, the presence of toxicity in the Post-Event sample at anytime indicates that: (1) there is pre-existing toxicity in the receiving water, but the application is not adding to the pre-existing toxicity; (2) there is pre-existing toxicity in the receiving water and the application is adding toxicity to the pre-existing toxicity; or (3) there is no pre-existing toxicity in the receiving water, but the application itself is responsible for the toxicity. To determine whether the Discharger is causing or adding toxicity to the receiving water, the Discharger shall collect paired Background and Post-Event samples. When a total of six consecutive paired Background and Post-Event sample results show that the Discharger is not causing or adding toxicity to the receiving water, no further testing for toxicity will be required for the active ingredient used at that representative site. However, if any paired Background and Post-Event sample result shows that the Discharger is causing or adding toxicity to the receiving water, the Discharger shall evaluate its application methods, BMPs, or the use of alternative products. The purpose of the evaluation is to identify corrective actions to be taken to eliminate any toxicity caused by the pesticide application.

2. *Sample Types* – Receiving water samples shall be grab samples and shall be taken at receiving water monitoring locations specified in the APAP submitted by the Discharger. The receiving water control shall be a grab sample taken within the application area 24 hours before application.
3. *Sample Volumes* – The sample volume is determined by the specific test methods to be used. Sufficient sample volume shall be collected to perform the required toxicity tests.
4. *Test Species* – Each Discharger shall conduct acute and chronic toxicity tests with *Ceriodaphnia dubia* to measure survival and reproduction endpoints to *C. dubia* exposed to the receiving water that contains residual pesticides compared to that of the control organisms.
5. *Methods* – The presence of chronic toxicity shall be estimated as specified in Short-term Method for Estimating the Chronic Toxicity of Effluents and Receiving

TENTATIVE ORDER

Waters to Freshwater Organisms, Fourth Edition, EPA/821-R-02-013, October 2002; Table IA, 40 C.F.R. Part 136 and its subsequent amendments or revisions. The test endpoint data are analyzed using a standard t-test approach. Statistical analysis methods shall be consistent with USEPA test method manuals (EPA/821/R-02/012013) or in USEPA's NPDES Test of Significant Toxicity Implementation Document June 2010.

The presence of acute toxicity shall be estimated as specified in Methods for Measuring the Acute Toxicity of Effluent and Receiving Waters to Freshwater and Marine Organisms, Fifth Edition, EPA/821-R-02-012, October 2002, Table 1A, 40 C.F.R. Part 136 and its subsequent amendments or revisions. The test endpoint data are analyzed using a t-test approach as described in USEPA test method manuals (see EPA/821/R-02/012, page 86), or in USEPA's NPDES Test of Significant Toxicity Implementation Document June 2010.

6. Quality Assurance – The toxicity test must meet all test acceptability criteria as specified in the Short-term Method for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, Fourth Edition, EPA/821-R-02-013, October 2002.
7. Dilution Series – None. The tested sample must be 100% receiving water of the representative areas.

D. Toxicity Testing

The Discharger shall meet the following toxicity testing requirements:

1. Monitoring Frequency – Each Discharger shall conduct toxicity testing at each environmental setting (agricultural, urban, or wetland) in conjunction with chemical testing to determine whether residual pesticides including active ingredients, inert ingredients, and degradation by-products, in any combination, are causing or contributing toxicity to the receiving water. If feasible, the required six consecutive samples specified below shall be collected in the same water body.

For the first application, the Discharger shall collect one Background sample and one Post-Event sample in the application area for toxicity testing. If the Background sample result shows no toxicity, the Discharger shall continue taking only Post-Event samples until a total of six consecutive Post-Event sample results show no toxicity in the receiving water. Thereafter, no further testing for toxicity will be required for the active ingredient used at that representative site. However, the presence of toxicity in the Post-Event sample at anytime indicates that: (1) there is pre-existing toxicity in the receiving water, but the application is not adding to the pre-existing toxicity; (2) there is pre-existing toxicity in the receiving water and the application is adding toxicity to the pre-existing toxicity; or (3) there is no pre-existing toxicity in the receiving water, but the application itself is responsible for the toxicity. To determine whether the Discharger is causing or adding toxicity to the receiving water, the Discharger shall collect paired Background and Post-Event samples. When a total of six consecutive paired Background and Post-Event sample results show that the Discharger is not causing or adding toxicity to the receiving water, no further testing for toxicity will be required for the active

TENTATIVE ORDER

ingredient used at that representative site. However, if any paired Background and Post-Event sample result shows that the Discharger is causing or adding toxicity to the receiving water, the Discharger shall evaluate its application methods, BMPs, or the use of alternative products. The purpose of the evaluation is to identify corrective actions to be taken to eliminate any toxicity caused by the pesticide application.

2. Add Sections III.C.2-III.C.7 for the remaining toxicity testing requirements.

E. Toxicity Testing (Public Notice Draft Permit Language)

This test is not required if chlorine is the only active ingredient in the aquatic pesticide used.

Each Coalition or Discharger shall conduct toxicity testing to determine whether residual pesticides are contributing toxicity to the receiving water. The Coalition or Discharger shall meet the following toxicity testing requirements:

1. Monitoring Frequency – Each Discharger or Coalition shall perform toxicity testing in conjunction with the Background and Post-Event Monitoring for active ingredients and at testing frequency specified in specified in Table C-1.
2. Sample Types – Receiving water samples shall be grab samples and shall be taken at receiving water monitoring locations specified in the APAP submitted by the Coalition or Discharger. The receiving water control shall be a grab sample taken from a receiving water sampling location (outside of the application influence) as specified in the APAP or within the application area 24 hours before application.
3. Sample Volumes – The sample volume is determined by the specific test methods to be used. Sufficient sample volume shall be collected to perform the required toxicity tests.
4. Test Species – Each Coalition or Discharger shall conduct acute and chronic toxicity tests with *Ceriodaphnia dubia* to measure survival and reproduction endpoints to *C.dubia* exposed to the receiving water that contains residual pesticides compared to that of the control organisms.
5. Methods – The presence of chronic toxicity shall be estimated as specified in Short-term Method for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, Fourth Edition, EPA/821-R-02-013, October 2002; Table IA, 40 C.F.R. Part 136 and its subsequent amendments or revisions. The test endpoint data are analyzed using a standard t-test approach. Statistical analysis methods shall be consistent with USEPA test method manuals (see EPA/821/R-02/012, page 86), or in USEPA's NPDES Test of Significant Toxicity Implementation Document June 2010.

The presence of acute toxicity shall be estimated as specified in Methods for Measuring the Acute Toxicity of Effluent and Receiving Waters to Freshwater and Marine Organisms, Fifth Edition, EPA/821-R-02-012, October 2002, Table 1A, 40 C.F.R. Part 136 and its subsequent amendments or revisions. The test endpoint data are analyzed using a t-test approach as described in USEPA test method

TENTATIVE ORDER

manuals (see EPA/821/R-02/012, page 86), or in USEPA's NPDES Test of Significant Toxicity Implementation Document June 2010.

6. Quality Assurance – The toxicity test must meet all test acceptability criteria as specified in the Short-term Method for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, Fourth Edition, EPA/821-R-02-013, October 2002.
7. Dilution Series – None. The tested sample must be 100% receiving water of the representative areas.

E.F. Toxicity Testing Notification Requirements

Each ~~Coalition or~~ Discharger shall notify the State Water Board and the appropriate Regional Water Board within 24 hours after the receipt of any test result indicating a "fail" result.

1. **Toxicity Reporting.** Acute and chronic toxicity monitoring results shall be reported to the State Water Board and the appropriate Regional Water Board within 30 days following completion of the test, and shall contain, at minimum:
 - a. The results expressed as either pass or fail using the standard t-test statistics;
 - b. The dates of sample collection and initiation of each toxicity test;
 - c. The results compared to the numeric toxicity monitoring trigger, in which the numeric monitoring trigger is any sample that shows a statistically significant difference compared to the control.
 - d. Any toxicity test result indicating toxicity within the receiving stream must be immediately reported to the State Water Board and the appropriate Regional Water Board as a potential violation of this General Permit.

Additionally, the annual discharger self-monitoring reports shall contain the following:

- a. A full laboratory report for all toxicity testing and monitoring frequency;
 - b. The dates of sample collection and initiation of each toxicity test; and
 - c. All results for receiving water parameters monitored concurrently with the toxicity test(s).
2. **Quality Assurance (QA).** The ~~Coalition or~~ Discharger must provide the following information for QA purposes:
 - a. Toxicity data with the statistical output page giving the species, statistical endpoints, dilution water used, and dates tested.
 - b. Any information on deviations or problems encountered and how they were dealt with.

IV. RECEIVING WATER MONITORING REQUIREMENTS – SURFACE WATER

A. Watershed Monitoring

TENTATIVE ORDER

~~The State Water Board and Regional Water Boards have been implementing a Watershed Management Approach (WMA) to address water quality protection in the state following USEPA's guidance in *Watershed Protection: A Project Focus* (EPA841-R-95-003, August 1995). The objective of the WMA is to provide a more comprehensive and integrated strategy resulting in water resource protection, enhancement, and restoration while balancing economic and environmental impacts within a hydrologically defined drainage basin or watershed. The WMA emphasizes cooperative relationships between regulatory agencies, the regulated community, environmental groups, and other stakeholders in the watershed to achieve the greatest environmental improvements with the resources available.~~

~~To foster the implementation of the WMA approach, this General Permit encourages animal invasive species control agencies to participate in the development and implementation of a watershed wide monitoring program to determine the water quality impacts of their aquatic animal invasive species control activities. Whether conducting monitoring through the Coalition approach or individually, Dischargers must submit an APAP for the State Water Board before they can proceed with their application activities.~~

B. Monitoring Requirements

The APAP shall be designed to answer the two key questions stated above. The APAP shall describe the tasks and time schedules in which these two key questions will be addressed. ~~Selection of monitoring areas must be scientifically based and sufficiently representative to characterize water quality for all surface waters of the US that may be affected by applications within the Coalition or individual Discharger boundaries.~~

~~The APAP must consider watershed specific attributes and waste constituents, based on the natural characteristics of applications within the Coalition's or Discharger's area, as well as the receiving water quality conditions. Watershed specific requirements will include follow-up sampling and analyses on exceedances that may be unique for specific pesticides.~~

~~Monitoring area information shall include a description of the study area, GPS coordinates, and pesticides being applied. The numbers and take place at locations of the monitoring areas must be sufficient to characterize water quality, based on specific watershed characteristics, and be supported by a detailed discussion of these characteristics that are planned for pesticide applications or locations at which pesticides may be applied, as described in the Discharger's APAP.~~

~~Monitoring areas shall be selected for water bodies in order to answer the two key questions. The selected water bodies must contain residual pesticides as a result of pesticide applications.~~

~~The following monitoring is required for each sampling:~~

- ~~1. **Background Monitoring.** Background samples shall be collected at in the application area or target area, just prior (up to within 24 hours in advance of before application) to the application event.~~

~~2. **Event Monitoring.** Event monitoring samples shall be collected in downstream of the application area or the target area immediately after the application event but shall not exceed 24 hours after the application event.~~

~~3. **Post-Event Monitoring.** Post-event samples shall be collected within the application area or the target area within one week after the application event and after project completion, as determined by the Coalition or Discharger.~~

Developing the details of a monitoring design requires clearly defining several inputs to the design and then organizing these in a logical framework that supports effective decision-making about indicators, monitoring ~~area~~-locations, and monitoring frequency. The logical framework should describe:

~~a.A.~~ The basic geographic and hydrographic features of the area, particularly application points and the pathways(s) of residue flows;

~~4.B.~~ Pesticide application practices and how they are distributed in space and time;

~~5.C.~~ Relevant knowledge about the transport, fates, and effects of pesticides, including best- and worst-case scenarios;

~~6.D.~~ Description of the designated uses in each water body;

~~7.E.~~ Relevant knowledge about the action of cumulative and indirect effects, and of other sources of impact;

~~8.F.~~ Mechanisms through which pesticide applications could lead to designated use impacts, given the basic features of the area;

~~9.G.~~ Known and potential impacts of pesticide applications on water quality, ranked in terms of relative risk, based on factors such as magnitude, frequency and duration;

~~10.H.~~ Sufficient number of sampling areas to assess the entire ~~Coalition's/Discharger's~~ area of influence; and

~~I.~~ The approach, including a schedule, to sample monitoring ~~areas~~locations.

~~I. Monitoring shall also be used to provide supporting data that may allow consideration of the use of monitoring areas to be representative of other locations within the Coalition's or Discharger's boundaries. In order to be considered "representative," each Coalition or Discharger must provide technically valid justification for the representative nature of the monitoring locations to include similarities in hydrology, pesticide use, and other factors that affect the discharge of residual pesticides to surface waters as a result of applications. Each Coalition or Discharger must provide technical justification and identify which areas are to be considered representative in its APAP.~~

In conducting the receiving water sampling, a log shall be kept of the receiving water conditions throughout the reach bounded by the treatment area. Attention shall be given to the presence or absence of:

- ~~11.A.~~ Floating or suspended matter;
- ~~12.B.~~ Discoloration;
- ~~13.C.~~ Bottom deposits;
- ~~14.D.~~ Aquatic life;
- ~~15.E.~~ Visible films, sheens, or coatings;
- ~~16.F.~~ Fungi, slimes, or objectionable growths; and
- ~~17.G.~~ Potential nuisance conditions.

Notes on receiving water conditions shall be summarized in the monitoring report.

~~C. Coalition or Individual Monitoring Requirements~~

~~A Discharger that does not belong to a coalition must fulfill monitoring requirements as described below.~~

~~Monitoring shall take place at locations that are described and scheduled in the Coalition's or Discharger's APAP.~~

Monitoring ~~areas~~ must include frequent and routine monitoring on a pre-determined schedule, as summarized in the Table C-1 below:

Table C-1. ~~Coalition or Individual~~ Monitoring Requirements

Sample Type	Constituent/Parameter	Units	Sample Method	Minimum Sampling Frequency	Sample Type Requirement	Required Analytical Test Method
Visual	1. Monitoring area description (pond, lake, open waterway, channel, etc.) 2. Appearance of waterway (sheen, color, clarity, etc.) 3. Weather conditions (fog, rain, wind, etc.)	Not applicable	Visual Observation	All applications at all application areas	Background, Event, and Post-Event Monitoring	Not applicable
Physical	1. Temperature ¹	°F	Grab ³	4	Background, Event, and Post-Event Monitoring	5
	2. pH ²	Number				
	3. Turbidity ²	NTU				

TENTATIVE ORDER

Sample Type	Constituent/Parameter	Units	Sample Method	Minimum Sampling Frequency	Sample Type Requirement	Required Analytical Test Method
	4. Electrical Conductivity ² @ 25°C	µmhos/cm				
Chemical	1. Chlorine	µg/L	Grab ³	4	Background, Event, and Post-Event Monitoring	5
	2. Dissolved Oxygen ²	mg/L				
Toxicity ⁶	Toxicity	Pass/Fail	Grab ³	⁴ See Section III.A.1.	Background and Event Monitoring See Section III.A.1.	5

¹ Field testing.
² Field or laboratory testing.
³ Samples shall be collected at three feet below the surface, or mid-depth if water body is less than six feet deep.
⁴ ~~A minimum of six samples per application season for the life of the General Permit shall be required for each type of representative sites (urban, agricultural, and wetlands) as specified in the Coalition's or Individual Discharger's APAP.~~
⁴ ~~If applying six or more times a year, collect six samples for each environmental setting (agricultural, urban, or wetland). If applying less than six times a year, collect a sample during each application for each environmental setting (agricultural, urban, or wetland).~~
⁵ Pollutants shall be analyzed using the analytical methods described in 40 C.F.R. Part 136.
⁶ ~~Toxicity testing shall be taken in conjunction with the Background and Event Monitoring (Not required if chlorine is the only active ingredient in pesticide used).~~

TENTATIVE ORDER

V. REPORTING REQUIREMENTS

A. General Monitoring and Reporting Requirements

1. The Discharger ~~or Coalition~~ shall inform the State Water Board and the appropriate Regional Water Board 24 hours or the earliest feasible time before the start of ~~the each~~ application.
2. The Discharger ~~or Coalition~~ shall comply with all Standard Provisions (Attachment B) related to monitoring, reporting, and recordkeeping.
3. Upon written request of the State Water Board or the appropriate Regional Water Board, the Discharger ~~or Coalition~~ shall submit a summary monitoring report.
4. The Discharger ~~or Coalition~~ shall report to the State Water Board and the appropriate Regional Water Board any toxic chemical release data it reports to the State Emergency Response Commission within 15 days of reporting the data to the Commission pursuant to section 313 of the "Emergency Planning and Community Right to Know Act" of 1986 (42 U.S.C. §11001 et. seq.)
5. Monitoring frequencies may be adjusted by the appropriate State Water Board Deputy Director of the Division of Water Quality (Deputy Director) to a less frequent basis if the Discharger makes a request and the request is backed by statistical trends of monitoring data submitted.

6. Additional monitoring and reporting requirements may be added to the **APAP MRP** by the ~~State Water Board~~ Deputy Director ~~of the Division of Water Quality~~.

B. Annual Reports

1. Annual reports shall contain the following information:
 - a. An Executive Summary discussing compliance or violation of this General Permit and the effectiveness of the APAP to reduce or prevent the discharge of pollutants associated with pesticide applications;
 - b. A summary of monitoring data, including the identification of water quality improvements or degradation, and recommendations for improvements to the APAP (including proposed BMPs) and monitoring program based on the monitoring results. All receiving water monitoring data shall be compared to applicable water quality standards;
 - c. Identification of BMPs currently in use and a discussion of their effectiveness in meeting the requirements in this General Permit;
 - d. A discussion of BMP modifications addressing violations of this General Permit;
 - e. A map showing the location of each application area and the target area.
 - f. Types and amounts of pesticides used at each application event during each application;
 - g. Information on surface area and/or volume of application and target areas and any other information used to calculate dosage, concentration, and quantity of each pesticide used;
 - h. Sampling results shall indicate the name of the sampling agency or organization, detailed sampling location information (including latitude and longitude or township/range/section if available), detailed map or description of each sampling area (i.e., address, cross roads, etc.), collection date, name of constituent/parameter and its concentration detected, minimum levels, method detection limits for each constituent analysis, name or description of water body sampled, and a comparison with applicable water quality standards, description of analytical QA/quality control plan. Sampling results shall be tabulated so that they are readily discernible; and
 - i. Recommendations to improve the monitoring program, BMPs, and APAP to ascertain compliance with this General Permit.
 - j. Pesticide Application Log.
2. The Discharger ~~or the Coalition~~ shall include in the Annual Report any updated information regarding specific monitoring locations from its APAP.
3. At any time during the term of this General Permit, the State Water Board or the appropriate Regional Water Board may notify Dischargers of the requirement to electronically submit Self-Monitoring Reports (SMRs) using the State Water Board's California Integrated Water Quality System (CIWQS) Program Web site

(<http://www.waterboards.ca.gov/ciwqs/index.html>). Until such notification is given, each ~~Coalition or~~ Discharger shall submit hard copy SMRs. The CIWQS Web site will provide additional directions for SMR submittal in the event there will be service interruption for electronic submittal.

4. Dischargers shall report the results for all monitoring specified in this ~~Monitoring and Reporting Program MRP~~ in the SMR. Dischargers shall submit annual SMRs including the results of all required monitoring using USEPA-approved test methods or other test methods specified in this General Permit. If a Discharger monitors any pollutant more frequently than required by this General Permit, the results of this monitoring shall be included in the calculations and reporting of the data submitted in the SMR.
5. Monitoring reports shall be submitted to the ~~State Water Board~~ Deputy Director of ~~the Division of Water Quality~~ and the appropriate Regional Water Board Executive Officer in accordance with the following schedule:

Table C-2. Reporting Schedule

Reporting Frequency	Reporting Period	Annual Report Due
Annual	1 January through 31 December	1 March

C. Reporting Protocols

Dischargers shall report with each sample result the applicable reported Minimum Level (ML) and the current Method Detection Limit (MDL), as determined by the procedure in 40 C.F.R. Part 136.

The Discharger shall report the results of analytical determinations for the presence of chemical constituents in a sample using the following reporting protocols:

1. Sample results greater than or equal to the reported ML shall be reported as measured by the laboratory (i.e., the measured chemical concentration in the sample).
2. Sample results less than the Reporting Limit (RL), but greater than or equal to the laboratory’s MDL, shall be reported as “Detected, but Not Quantified,” or DNQ. The estimated chemical concentration of the sample shall also be reported.

For the purposes of data collection, the laboratory shall write the estimated chemical concentration next to DNQ as well as the words “Estimated Concentration” (may be shortened to “Est. Conc.”). The laboratory may, if such information is available, include numerical estimates of the data quality for the reported result. Numerical estimates of data quality may be percent accuracy (plus a percentage of the reported value), numerical ranges (low to high), or any other means considered appropriate by the laboratory.

3. Sample results less than the laboratory’s MDL shall be reported as “<” followed by the MDL.

TENTATIVE ORDER

4. Dischargers are to instruct laboratories to establish calibration standards so that the ML value (or its equivalent if there is differential treatment of samples relative to calibration standards) is the lowest calibration standard. At no time is the Discharger to use analytical data derived from extrapolation beyond the lowest point of the calibration curve.
5. Multiple Sample Data: If two or more sample results are available, each Discharger shall compute the arithmetic mean unless the data set contains one or more reported determinations of “Detected, but Not Quantified” (DNQ) or “Not Detected” (ND). In those cases, the Discharger shall compute the median in place of the arithmetic mean in accordance with the following procedure:
 - a. The data set shall be ranked from low to high, ranking the reported ND determinations lowest, DNQ determinations next, followed by quantified values (if any). The order of the individual ND or DNQ determinations is unimportant.
 - b. The median value of the data set shall be determined. If the data set has an odd number of data points, then the median is the middle value. If the data set has an even number of data points, then the median is the average of the two values around the middle unless one or both of the points are ND or DNQ, in which case the median value shall be the lower of the two data points where DNQ is lower than a value and ND is lower than DNQ.
6. Dischargers shall submit the Annual Report in accordance with the following requirements:
 - a. The Discharger shall arrange all reported data in a tabular format. The data shall be summarized to clearly illustrate whether the facility is operating in compliance with effluent and receiving water limitations. The Discharger is not required to duplicate the submittal of data that is entered in a tabular format within CIWQS. When electronic submittal of data is required and CIWQS does not provide for entry into a tabular format within the system, the Discharger shall electronically submit the data in a tabular format as an attachment.
 - b. Each Discharger shall attach a cover letter to the Annual Report. The information contained in the cover letter shall clearly identify violations of the permit; discuss corrective actions taken or planned; and the proposed time schedule for corrective actions. Identified violations must include a description of the requirement that was violated and a description of the violation.
 - c. Annual Report must be submitted to the State Water Board and the appropriate Regional Water Board, signed and certified as required by the Standard Provisions (Attachment B).

ATTACHMENT D – FACT SHEET

Table of Contents

I. Permit InformationD-2
A. Background.....D-2
B. General CriteriaD-15
II. Notification RequirementsD-15
A. General Permit ApplicationD-15
B. Fees.....D-16
C. Public NotificationD-16
III. Discharge DescriptionD-16
A. Discharge Description.....D-16
B. Pesticide Applications.....D-17
IV. Applicable Plans, Policies, and Regulations.....D-17
A. Legal AuthoritiesD-17
B. California Environmental Quality Act (CEQA)D-18
C. State and Federal Regulations, Policies, and PlansD-18
D. Impaired Water Bodies on CWA 303(d) ListD-20
E. Other Plans, Polices, and Regulations.....D-21
V. Rationale For Effluent Limitations and Discharge Specifications.....D-21
A. Discharge Prohibitions.....D-22
B. Effluent LimitationsD-22
C. Best Management Practices.....D-23
D. Water Quality-Based Effluent Limitations (WQBELs)D-24
VI. Rationale for Receiving Water Limitations.....D-26
A. Groundwater.....D-26
B. Surface Water.....D-26
VII. Rationale for Monitoring and Reporting Requirements.....D-29
A. Effluent Monitoring.....D-29
B. Toxicity Testing Requirements.....D-29
C. Receiving Water Monitoring.....D-29
VIII. Rationale for Provisions.....D-30
A. Standard Provisions.....D-30
B. Reopener Provisions.....D-30
IX. Public ParticipationD-31
A. Notification of Interested PartiesD-31
B. Written CommentsD-31
C. Public Hearing and Meeting.....D-32
D. Information and Copying.....D-32
E. Register of Interested PersonsD-32
F. Additional InformationD-32

TENTATIVE ORDER

List of Tables

Table D-1. Summary of Receiving Water Limitations.....D-28

ATTACHMENT D – FACT SHEET

As described in the Findings in section III of this General Permit, this Fact Sheet includes the legal requirements and technical rationale that serve as the basis for the requirements of this General Permit.

This General Permit has been prepared under a standardized format to accommodate a broad range of discharge requirements for Dischargers in California.

I. PERMIT INFORMATION

A. Background

1. The Regulatory Background

In 1972, the Federal Water Pollution Control Act (also referred to as the Clean Water Act) was amended to provide that the discharge of pollutants to waters of the US from any point source is effectively prohibited unless the discharge is in compliance with a National Pollutant Discharge Elimination System (NPDES) Permit.

On September 22, 1989, the USEPA granted the State of California, through the State Water Resources Control Board (State Water Board) and the Regional Water Quality Control Boards (Regional Water Boards), the authority to issue general NPDES permits pursuant to 40 Code of Federal Regulations (C.F.R.) Parts 122 and 123.

Section 122.28 of 40 C.F.R. provides for issuance of general permits to regulate a category of point sources if the sources involve the same or substantially similar types of operations; discharge the same type of waste; require the same type of effluent limitations or operating conditions; require similar monitoring; and are more appropriately regulated under a general order rather than individual ~~orders~~permits.

On March 12, 2001, the Ninth Circuit Court of Appeals held that discharges of pollutants from the use of aquatic pesticides in waters of the United States require coverage under an NPDES permit. (*Headwaters, Inc. v. Talent Irrigation District*)¹². The *Talent* decision was issued just prior to the major season for applying aquatic pesticides.

Because of the serious public health, safety, and economic implications of delaying pesticide applications, in 2001 the State Water Board adopted Water Quality Order (Order) No. 2001-12-DWQ, Statewide General NPDES Permit for Discharges of Aquatic Pesticides to Waters of the US on an emergency basis to provide immediate NPDES permit coverage for broad categories of aquatic pesticide use in California.

¹² 243 F.3d 526 (9th Cir 2001).

Order No. 2001-12-DWQ imposed requirements on any discharge of aquatic pesticides from public entities to waters of the US in accordance with the State Water Board's *Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California* (Policy). The Policy establishes procedures for implementing water quality standards for priority pollutants in NPDES permits.

Section 5.3 of the Policy allows for short-term or seasonal exceptions from its requirements for resource or pest management conducted by public entities. In order to qualify for an exception from meeting priority pollutant standards, a public entity must fulfill the requirements listed in section 5.3 and the State Water Board must decide to grant the exception. Among other requirements, entities seeking an exception to complying with water quality standards for priority pollutants must submit documents in compliance with California Environmental Quality Act (CEQA)¹³. Because of the emergency adoption of Order No. 2001-12-DWQ, the State Water Board invoked an exemption to the requirements of section 5.3 of the SIP and issued the permit incorporating a categorical exception to water quality standards for priority pollutants.

Order No. 2001-12-DWQ required that Dischargers develop a best management practices (BMPs) plan that minimizes adverse impacts to receiving waters and a monitoring and reporting plan that is representative of each type of aquatic pesticide application.

In August 2001, Waterkeepers Northern California (Waterkeepers) filed a lawsuit against the State Water Board challenging several aspects of Order No. 2001-12-DWQ. Major aspects of the challenge included the emergency adoption of the Order without compliance with CEQA and other exception requirements of the State Water Board's *Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California* (SIP); failure to address cumulative impacts; and failure to comply with the California Toxics Rule (CTR)¹⁴.

In a settlement of the Waterkeepers' lawsuit, the State Water Board agreed to fund a comprehensive aquatic pesticide monitoring program that would assess receiving water toxicity caused by aquatic pesticide residues. Pesticide formulations may include "active ingredients" and "inert ingredients".

In November 2002, the Ninth Circuit issued another opinion concerning the need for an NPDES permit for pesticide application. (*League of Wilderness Defenders v. Forsgren*¹⁵.) In this case, the court held that the U.S. Forest Service must obtain an NPDES permit before it sprays insecticides from an aircraft directly into or over rivers as part of silvicultural activities. The court found that the insecticides are pollutants under the CWA. The court also defined found the

¹³ Cal. Pub. Resources Code §§ 21000 et. seq.

¹⁴ § 131.38.

¹⁵ 309 F.3d 1181 (9th Cir. 2002).

exemption for silvicultural pest control from the definition of “point source” in USEPA’s regulations to be limited to pest control activities from which there is natural runoff.

Also in 2002, the Second Circuit issued an unpublished decision regarding the need for an NPDES permit for application of pesticides for mosquito control in federal wetland areas. (*Altman v. Town of Amherst*.) The lower court had dismissed a citizens’ suit, holding that pesticides, when used for their intended purpose, do not constitute a “pollutant” for purposes of the CWA, and are more appropriately regulated under Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA). The appeals court vacated the trial court’s decision and remanded the matter. In its unpublished decision, the Second Circuit expressed concern that: [u]ntil the EPA articulates a clear interpretation of current law - among other things, whether properly used pesticides released into or over waters of the United States can trigger the requirements for NPDES permits - the question of whether properly used pesticides can become pollutants that violate the [Clean Water Act] will remain open.

Order No. 2001-12-DWQ expired on January 31, 2004. In May 2004, it was replaced by two general permits: a vector control permit for larvicides (Order No. 2004-0008-DWQ) and a weed control permit (Order No. 2004-0009-DWQ). The State Water Board determined that adoption of these two permits was consistent with the Ninth Circuit decisions.

In 2005, the Ninth Circuit held that a pesticide that is applied consistent with FIFRA is not a “chemical waste” (*Fairhurst v. Hager*¹⁶), but also stated that it would not change its decision in *Headwaters*. The court stated that whether an NPDES permit was required depends on whether there was any “residue or unintended effect” from application of the pesticide. In *Fairhurst*, the court found neither residue nor unintended effect was present. Therefore, the pesticide application at issue did not require an NPDES permit.

USEPA’s Final Rule: On November 20, 2006, USEPA adopted a final regulation providing that NPDES permits are not required for pesticide applications as long as the discharger follows FIFRA label instructions. According to this new regulation, pesticides applied under the following two circumstances are not pollutants and, therefore, are not subject to NPDES permitting requirements:

(1) The application of pesticides directly to waters of the United States in order to control pests. Examples of such applications include applications to control mosquito larvae, aquatic weeds, or other pests that are present in waters of the United States.

(2) The application of pesticides to control pests that are present over waters of the United States, including near such waters, where a portion of the pesticides will unavoidably be deposited to waters of the United States in order to target the

¹⁶ 422 F.3d 1146 (9th Cir. 2005).

pests effectively; for example, when insecticides are aerially applied to a forest canopy where waters of the United States may be present below the canopy or when pesticides are applied over or near water for control of adult mosquitoes or other pests.

Lawsuits Against USEPA's Final Rule: After USEPA's new regulation was adopted in 2006, lawsuits were filed by both the pesticide industry and environmental groups in 11 of the 13 Circuits, including the Ninth Circuit Court, challenging USEPA's Final Rule.

The National Cotton Council of America v. USEPA¹⁷: The petitions for review were consolidated in the Sixth Circuit Court by an order of the Judicial Panel on Multidistrict Litigation.

On January 7, 2009, the Sixth Circuit Court determined that USEPA's Final Rule is not a reasonable interpretation of the CWA and vacated the Final Rule. USEPA did not request reconsideration of the decision, but did file a motion for a two-year stay of the effect of the decision in order to provide agencies time to develop, propose, and issue NPDES general permits for pesticide applications covered by the ruling. On June 8, 2009, the Sixth Circuit granted the motion, such that the USEPA exemption will remain in place until April 9, 2011.

2. **Drafting of the Aquatic Animal Invasive Species Control General Permit:**

In July 2010, State Water Board staff conducted a search for pesticide products used for aquatic animal invasive species control. Government agency websites were browsed to find pesticide products that are used in California.

Representatives were contacted for more information. Findings from the agencies and organizations are summarized below.

- a. The Animal Nuisance Species Task Force (ANSTF) is an intergovernmental organization established by the Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990 (NANPCA, P.L.101-636) and chartered by the Federal Advisory Committee Act. The ANSTF is charged with developing and implementing a program to prevent the introduction and dispersal of animal invasive species in U.S. waters, to monitor, control and research such species, and to disseminate information regarding animal invasive species. The Task Force is co-chaired by U.S. Fish and Wildlife Service and the National Oceanic and Atmospheric Administration, consists of 13 Federal agency representatives, including U.S. Army Corps of Engineers, Environmental Protection Agency, United States Forest Service, United States National Park Service, United States Coast Guard, United States Geological Survey, and 12 Ex-officio members, including the San Francisco Estuary Project. Several regional panels, including Western and Great Lakes, with separate membership also advise ANSTF. The private sector and other North American interests via regional panels and issue specific

¹⁷ 553 F.3d 927 (6th Cir. 2009).

committees coordinate with the Task Force in governmental efforts dealing with animal invasive species in the United States. Working groups in the ANSTF have written animal invasive species management/control plans. Management techniques were found in the ANSTF website for control of zebra and quagga mussels, New Zealand mudsnails, Chinese Mitten Crabs but pesticide products were not. Lampricides, like TFM, were suggested as the primary method for control of sea lampreys. The pesticide carbaryl was suggested as a likely effective chemical control of the European Green Crab.

- b. The California Department of Fish and Game (CDFG) Invasive Species Program is involved in efforts to prevent the introduction of invasive species into the state, detect and respond to introductions when they occur, and prevent the spread of invasive species that have become established. Training, information, outreach, and educational resources are provided for boaters and the general public. Treatment methods to reduce the risk of quagga/zebra mussels transport were also provided. The CDFG were aware of pesticide products still in development for control of zebra/ quagga mussels.
- c. The California Department of Pesticide Regulation (DPR) is responsible for regulating pesticides in California. State Water Board staff searched the public database on the DPR website to look for pesticide products registered in California that are used for aquatic animal invasive species control. Staff searched for products by water body type such as lakes, ponds, or impounded water. Staff also searched for products by the type of aquatic animal invasive species to be controlled. State Water Board staff found that only products for zebra mussels and invasive fish species control are listed in the DPR database. Staff also found that sodium hypochlorite is the only active ingredient in all the pesticide products used to control zebra mussels.
- d. The California Department of Water Resources (DWR) has been actively monitoring the State Water Project for invasive quagga and zebra mussels. Zebra mussels are not present in the State Water Project, therefore, DWR does not use pesticides to control this aquatic animal invasive species.
- e. The Metropolitan Water District's Colorado River Aqueduct is one of the first sites that zebra and quagga mussels invaded in California. Sodium hypochlorite is used to kill quagga mussel larvae in the aqueduct. Since they require copious amounts of chlorine ~~are required to kill~~be killed, adult quagga mussels, ~~they~~ are controlled instead by mechanical methods such as scrapping and water jetting, instead.
- f. The United States Fish and Wildlife Services (USFWS) Regional Aquatic Invasive Species Program's mission is to protect and restore healthy ecosystems in the states of California and Nevada by being accountable for providing decision support and guidance to partners, including state and federal agencies, municipal and local governments, private industries, conservation and sportsmans organizations, and the general public. They are not aware of any pesticide products used to control aquatic animal invasive species in California water bodies.

TENTATIVE ORDER

Based on State Water Board staff's review of DPR's database, ~~chlorine is the only sodium hypochlorite-based pesticide products are registered to control aquatic animal invasive species, except for Rotenone. This General Permit does not cover eradication programs that use rotenone. Such use requires detailed site specific information and additional by Regional Water Board Basin Plans that cannot be included in this General Permit.~~

Chlorine is a toxicant that results from the use of sodium hypochlorite-based pesticide products ~~that are used to control aquatic animal invasive species~~. To protect all designated beneficial uses of the receiving water from chlorine residual, the most protective (lowest) and appropriate limitation for chlorine should be selected as the water quality limitation for a particular water body. The USEPA National Recommended Ambient Water Quality Criteria for freshwater aquatic life protection and California Ocean Plan water quality objectives for chlorine are applicable. USEPA has recommended ambient water quality criteria of 11 µg/l as a continuous concentration (four-day average) and 19 µg/l as the maximum concentration (one-hour average) for freshwater aquatic life protection for chlorine. The California Ocean Plan Water Quality Objectives, which protect human health and marine aquatic life from constituents in marine waters of California, list 2 µg/l as the six month median, 8 µg/l as the daily maximum, and 60 µg/l as the instantaneous maximum for chlorine.

However, because of the lack of precision with current chlorine residual measuring instruments, it would be more appropriate to set the freshwater chlorine effluent limitations to 10 µg/l as a monthly average and 20 µg/l as a daily maximum; a daily maximum of nondetect or <10 µg/l is appropriate to protect marine aquatic life.

3. **Related Aquatic Pesticide Regulation Information**

Pesticide formulations may include "active ingredients" and "inert ingredients". Adjuvants or surfactants may be added to the ingredients in the application equipment that is used in the delivery of the pesticide.

As part of the registration process of pesticides for use in California, USEPA and DPR evaluate data submitted by registrants to ensure that a product used according to label instructions will cause no harm or adverse impact on non-target organisms that cannot be reduced or mitigated with protective measures or use restrictions. Registrants are required to submit data on the effects of pesticides on target pests (efficacy) as well as non-target effects. Data on non-target effects include plant effects (phytotoxicity), fish and wildlife hazards (ecotoxicity), impacts on endangered species, effects on the environment, environmental fate, breakdown products, leachability, and persistence. Requirements that are specific to use in California are included in many pesticide labels that are approved by USEPA. Use must be reported to the County Agricultural Commissioner where required by law or by agreement with DPR.

TENTATIVE ORDER

The Clean Water Act (CWA), at section 301(a), broadly prohibits the discharge of any pollutant to waters of the US, except in compliance with an NPDES permit. Pesticides discharged into surface waters may constitute pollutants within the meaning of the CWA even if the discharge is in compliance with the registration requirements of FIFRA, thus, requiring coverage under a valid NPDES permit.

DPR and the County Agricultural Commissioners regulate the sale and use of pesticides in California. Pesticide applications subject to this General Permit must be consistent with permits issued by County Agricultural Commissioners and the pesticide label instructions approved by USEPA under FIFRA. According to federal law, pesticide label language is under the sole jurisdiction of USEPA. Label language and any changes thereto must be approved by USEPA before the product can be sold in this country. DPR cannot require manufacturers to make changes on labels; however, DPR can refuse to register products unless manufacturers address unmitigated hazards by amending the pesticide label.

State regulations require that the County Agricultural Commissioners determine if a substantial adverse environmental impact will result from the proposed use of a restricted material. If the County Agricultural Commissioner determines that this is likely, the commissioner may deny the Use Permit or may issue it under the condition that site-specific use practices be followed (beyond the label and applicable regulations) to mitigate potentially adverse effects. DPR conducts scientific evaluations of potential health and environmental impacts and provides commissioners with information in the form of suggested permit conditions. DPR's suggested permit conditions reflect minimum measures necessary to protect people and the environment. County Agricultural Commissioners use this information and its evaluation of local conditions to set site-specific limits in permits.

4. **Aquatic Animal Invasive Species Background Information**

Aquatic animal invasive species negatively affect aquatic biodiversity, human health, and economic stability. Aquatic animal invasive species decrease populations of native aquatic species including threatened and endangered species. Aquatic animal invasive animals can reduce aquatic biodiversity by preventing desirable species growth and unbalancing desirable aquatic species populations and development. Social, economic, and human health are all affected by a lower aesthetic appeal of water bodies, an increased cost of agricultural irrigation water, and an increase in the risk of human diseases. In addition, the reduction in the utility of water can have social and economic impacts due to reduced hydroelectric operations, impeded opportunity for recreational activities (e.g., fishing, boating, and swimming), and disruption of water transport (e.g., agricultural irrigation), to name a few. As a result, if or when aquatic animal invasive species become established and impede the environmental stability and use goals for a body of water, control measures will become necessary.

TENTATIVE ORDER

a. Mollusks

Invasive mollusks may cause damage to freshwater ecosystems, degrade drinking water, clog water-intake/discharge pipes for utilities and industries, and negatively impact commercial and recreational activities. Examples found in California include but are not limited to Zebra mussels, Asian clams, and New Zealand Mudsnails.

Zebra mussels are the most prominent and widely studied aquatic animal invasive species. Due to their preference of attaching onto hard surfaces, zebra mussels are major contributors to damage of utilities. Zebra mussels clog pipes by attaching themselves to the surface and creating a high density population as they reproduce quickly and can survive a wide range of environmental conditions. Preventing spread, most notably by trailored boat traffic, is the best way to control invasion of this species.

Use of sodium hypochlorite is one of several methods of control for these aquatic invasive animals; however, it is important to consider the impacts of mechanical, biological, and/or chemical pesticide use for control of mussels and other aquatic nuisance mollusk species. For zebra mussels, mechanical methods of control include scrapping and water/power jetting. Application of pesticide paint coatings on boats may be used to prevent mussels from attaching onto the boat surface and getting transported. An innovative approach for controlling Asian clams carried out in Lake Tahoe is to deplete oxygen needed for survival by placing rubber sheets over them.

b. Lampreys

There are approximately 40 species of lamprey, which are aquatic vertebrates. The sea lamprey is an example of a problematic non-native parasitic species that feeds on native fish species in U.S. waters.

Effective management techniques such as mechanical and biological methods can be considered for lamprey control. To decrease a population in a water body, female lampreys can be caught and removed thus inhibiting reproduction. Currently, a contraceptive is being developed for female lampreys by the University of California, San Diego School of Medicine.

c. Other Aquatic Animal Invasive Species

There may be aquatic animal invasive species of concern in addition to mollusks and lampreys. In California, Chinese mitten crabs and European green crabs are invasive species that fall into this category. Chinese mitten crabs are found in the San Francisco Bay and Sacramento/San Joaquin Delta, where they are an economic burden and pose threats for public health. According to the Department of Fish and Game, the European green crab likely arrived in seaweed packed with bait worms shipped from the Atlantic to the Pacific Coast. First detected in the San Francisco Bay in the late 1980s, the green crab has spread along 300 miles of coastal California (Lafferty and

Kurtis, 1996). Bodega Bay is one of the locations where green crabs were sighted.

Control of other aquatic animal invasive species may include mechanical, biological, and/or chemical pesticides options. Extensive trapping is the most attractive mechanism to control crabs.

References:

Birth control for sea lamprey. Debra Kain. 25 June 2005. University of California. 06 August 2010. <http://www.universityofcalifornia.edu/news/article/21406>

Lafferty, KD and AM Kuris. 1996. "Biological Control of Marine Pests." *Ecology* 77 (7): 1989-2000

Life History and Background Information on the Chinese Mitten Crab. 05 August 1998. Department of Fish and Game. 06 August 2010. http://www.dfg.ca.gov/delta/mittencrab/life_hist.asp

Grosholz, Edwin and Gregory Ruiz. Management Plan for the European Green Crab. 13 November 2002. Aquatic Nuisance Species Task Force. 06 August 2010. <http://www.anstaskforce.gov/Species%20plans/GreenCrabManagementPlan.pdf>

Petromyzon marinus (fish). Shyama Pagad. 24 January 2005. Invasive Species Specialist Group. 06 August 2010. <http://www.issg.org/database/species/ecology.asp?si=50&fr=1&sts=sss&lang=EN>

Scientists roll out 'not-welcome' mats to kill Tahoe clams. 09 July 2010. Sylvia Wright. UC Davis News Service. 06 August 2010. http://news.ucdavis.edu/search/news_detail.lasso?id=9549

Dreissena polymorpha (mollusc). Shyama Pagad. 22 September 2009. Invasive Species Specialist Group. 06 August 2010. <http://www.issg.org/database/species/ecology.asp?si=50&fr=1&sts=sss&lang=EN>

Zebra Mussels and Quagga Mussels. David Britton. ANS Task Froce. 06 August 2010. http://www.anstaskforce.gov/spoc/zebra_mussels.php

California Aquatic Invasive Species Management Plan. State of California Resources Agency Department of Fish and Game. January 2008.

5. Life Cycles

Control of aquatic animal invasive species may be more effective if treatment strategies are implemented by taking advantage of certain stages in their life cycle.

a. Chinese Mitten Crab

The life cycle of Chinese mitten crabs is depicted in Figure 1. Mating and fertilization occur in late fall and winter, generally at salinities greater than 20 percent. Female crabs carry 100,000-1,000,000 eggs until hatching, which occurs from winter through summer. Larvae are planktonic for one to two months in marine waters. Juvenile crabs are found in tidal brackish and freshwater areas. Crabs mature in about 1-4 years, depending on water temperature. Adult crabs migrate to brackish and salt water to mate.




Figure 1. Chinese mitten crab life cycle. Courtesy of California Department of Fish and Game.

Control strategies for Chinese mitten crabs can take advantage of their migratory behavior by placing traps along their route from salt water to brackish or freshwaters. In Germany, traps were placed on the upstream side of dams to capture juvenile crabs as they migrated downstream.

b. Zebra Mussel

The life cycle of a zebra mussel is depicted in Figure 2. Mature eggs are fertilized by sperm in the water column where temperature is a major trigger in initiating gamete release. After fertilization, larvae develop to the trochophore stage, which is rapid and rarely seen outside of laboratory cultures, of 80-100 microns.

The veliger or planktonic stages, which peak in midsummer in North America, are during the straight hinged, umbonal, and pediveliger stages as seen in Figure 2. The D-shaped shell is formed within 2-9 days after fertilization. The

umbonal stage, completely planktonic, occurs 7-9 days after fertilization. The pediveliger stage, final larval form, can either swim or crawl on its foot and attach onto a substrate. Primary settlement occurs between 18-90 days after fertilization. After attachment, the plantigrade transforms into a juvenile zebra mussel.

Zebra mussels are considered adults when they become sexually mature, which occurs within their initial 12 months of life. Adults have been known to produce over one million eggs or 10 billion sperms annually. Mussels settling in late spring or early summer typically grow quicker during the warm summer months. The typical life span ranges from 2-3 years.




Figure 2. Zebra mussel life cycle. Courtesy of USACE.

Control strategies that target the larval stages, especially during summer months, may limit or prevent spread to other water bodies. Compared with adult mussels, smaller amounts of chemicals are needed to control larvae.

References

Chinese Mitten Crab – *Eriocheir sinensis*. United States Army Corp of Engineers. 06 August 2010. http://el.erdc.usace.army.mil/ansrp/eriocheir_sinensis.pdf

Life Cycle. United States Army Corp of Engineers. 06 August 2010. http://el.erdc.usace.army.mil/zebra/zmis/zmishelp4/life_cycle.htm

TENTATIVE ORDER

Life History and Background Information on the Chinese Mitten Crab. 05 August 1998. Department of Fish and Game. 06 August 2010.
http://www.dfg.ca.gov/delta/mittencrab/life_hist.asp

6. Public Health Impacts

Zebra mussels' consumption behavior and shell characteristics pose risks to public health. Known as filter feeders, zebra mussels accumulate harmful pollutants that may not be healthy for human consumption. However, zebra mussels do not taste good and are not typically consumed. The shell characteristics of zebra mussels are dangerous to humans and small animals because they are small in size and have sharp edges that can cut beach goers.

According to the Department of Fish and Game, Chinese mitten crabs are the secondary intermediate hosts for the Oriental lung fluke. Also known as paragonimus, the Oriental long fluke is parasite which can cause a sub-acute to chronic inflammatory disease of the lung. Humans and other mammals may become infested with the Oriental lung fluke if these crabs are consumed raw or poorly cooked. Fortunately, lung fluke hosts have not yet been sighted in the Pacific Northwest or California. However, Chinese mitten crabs often inhabit in areas with high levels of contaminants, which can be bioaccumulated and transferred to humans and other predators.

References

Benson, Amy. Frequently Asked Questions about the Zebra Mussel. 02 December 2009. United States Geological Survey. 06 August 2010.
http://fl.biology.usgs.gov/Nonindigenous_Species/Zebra_mussel_FAQs/zebra_mussel_faqs.html

Life History and Background Information on the Chinese Mitten Crab. 05 August 1998. Department of Fish and Game. 06 August 2010.
http://www.dfg.ca.gov/delta/mittencrab/life_hist.asp

Patterson, Jennifer, S. Rosebaum, and A. C Roboli. "Paragonimiasis" 10 April 2009. eMedicine. 26 August 2010.
<http://emedicine.medscape.com/article/999188-overview>

7. Ecosystem Impacts

Aquatic animal invasive species have a significant impact on the health of the ecosystems they invade. Their aggressive nature decreases populations of native species including threatened and endangered species, by competing for food and consuming the native species. For example, European green crabs feed on many organisms including oysters, mussels, marine worms, and small crustaceans. As filter feeders, zebra mussels and Asian clams are in competition with native species for suspended sediment and phytoplankton food sources. As a result, aquatic animal invasive species can reduce aquatic biodiversity by preventing desirable species growth, populations, and development.

References

Life History and Background Information on the Chinese Mitten Crab. 05 August 1998. Department of Fish and Game. 06 August 2010.

http://www.dfg.ca.gov/delta/mittencrab/life_hist.asp

Western Regional Panel of Aquatic Nuisance Species. Quagga-Zebra Mussel Action Plan for Western U.S. Waters. Aquatic Nuisance Species Task Force. 06 August 2010. http://www.anstaskforce.gov/QZAP/QZAP_FINAL_Feb2010.pdf

8. Economic Impacts

Control of aquatic animal invasive species has large economic impacts. According to ANSTF, biofoulers, such as zebra mussels, occlude in municipal and industrial water system pipes, which require millions of dollars to treat annually. U.S. Congressional researchers have estimated that zebra mussel infestations in the Great Lakes area have cost the power industry \$3.1 billion between 1993-1999, with an economic impact to industries, businesses, and communities of more than \$5 billion. Halts in operations during treatment periods can disrupt water transport and decrease water utility, such as agricultural irrigation. However, few studies were conducted to project increased water delivery costs resulting from mussel invasions.

Aquatic animal invasive species disrupt business operations and recreation activities which may affect local economies. According to the Department of Fish and Game, invasive crabs have been known to get caught in commercial shrimp trawlers and fishing nets in the San Francisco Bay. Removing the crabs from the nets requires time and damages to nets cost money for replacement. Aquatic animal invasive species that affect fishing, boating, and swimming activities may cause closure of lakes and rivers, which reduces revenue. Degraded habitats reduce sport fishing opportunities and tourism, a dependent flux of income for some communities.

References

Western Regional Panel of Aquatic Nuisance Species. Quagga-Zebra Mussel Action Plan for Western U.S. Waters. Aquatic Nuisance Species Task Force. 06 August 2010. http://www.anstaskforce.gov/QZAP/QZAP_FINAL_Feb2010.pdf

Life History and Background Information on the Chinese Mitten Crab. 05 August 1998. Department of Fish and Game. 06 August 2010.

http://www.dfg.ca.gov/delta/mittencrab/life_hist.asp

B. General Criteria

1. This General Permit serves as a general NPDES Permit for the discharge of residual pesticides to surface waters as a result of direct applications for aquatic animal invasive species control.
2. Dischargers who submit a complete application under this General Permit are not required to submit an individual permit application. The State Water Board may request additional information and determine that a Discharger is not eligible for coverage under this General Permit and would be better regulated under an individual or other general NPDES permits issued by the appropriate Regional Water Board. If the discharge becomes covered by Regional Water Board issues an individual or another General NPDES permit, the applicability of this General Permit to the specified discharge is immediately terminated on the effective date of the NPDES individual NPDES permit or coverage under the other General NPDES permit.

II. NOTIFICATION REQUIREMENTS

A. General Permit Application

To obtain authorization under this General Permit, Dischargers must submit ~~to the State Water Boards~~ a complete application to the State Water Board as described below:

1.3. A Notice of Intent (NOI shown as Attachment G) signed in accordance with the signatory requirements of the Standard Provisions in Attachment B;

2.4. An application fee; and

3.5. An Aquatic Pesticide Application Plan (APAP).

State and Regional Water Board staff will review the application package for completeness and applicability ~~to under~~ this General Permit. Additionally, the State Water Board's Deputy Director of the Division of Water Quality (Deputy Director) may issue a Notice of Exclusion (NOE)¹⁸, which either terminates permit coverage or requires submittal of an application for an individual permit or alternative general permit.

Permit coverage will be effective when all of the following have occurred:

1. The Discharger has submitted a complete permit application;

¹⁸ An NOE is a one-page notice that indicates and justifies why the Discharger or proposed Discharger is not eligible for coverage under this General Permit. This justification can include, but is not limited to, the necessity to comply with a total maximum daily load (TDML) or to protect sensitive water bodies. The NOE can also indicate that the coverage is denied if feasible alternatives to the selected pesticide application project are not analyzed.

- ~~2. The APAP has been accepted by the posted on the State Water Board's website for a 30-day comment period¹⁹ and approved by the Deputy Director of the Division of Water Quality; and~~
2. ~~The State Water Board (Deputy Director of the Division of Water Quality); and~~
3. ~~The Deputy Director~~ has issued a Notice of Applicability (NOA). The NOA will specify the pesticide products or type(s) of pesticides that may be used and any Regional Water Board specific conditions and requirements not stated in this General Permit. Any such Region-specific conditions and requirements shall be enforceable. In addition to issuing an NOA, some Regional Water Boards may have to grant a prohibition exemption to allow discharges of residual pesticides to surface waters from aquatic animal invasive species control applications. The prohibition exemption will be included in the NOA. Any such specific conditions and requirements shall be enforceable. The Discharger is authorized to discharge starting on the date of the NOA.

B. Fees

~~Under The annual fee for enrollment under~~ this General Permit, ~~pesticide residue discharges require minimal or no treatment systems to meet limits and pose no significant threat to water quality. As such, they are eligible for shall be based on~~ Category 3 in section 2200(b)(8) of Title 23, California Code of Regulations (CCR). This category is appropriate because pesticide applications incorporate BMPs to control potential impacts to beneficial uses, and this General Permit prohibits pollutant discharge associated with pesticide applications from causing exceedance of CTR criteria or water quality objectives. Information concerning the applicable fees can be found at http://www.waterboards.ca.gov/resources/fees/docs/fy10_11_fee_schedule.pdf and is payable to the State Water Board <http://www.waterboards.ca.gov/resources/fees/>.

C. Public Notification

~~The public comment period is generally limited to 30 days upon notice of the Discharger's proposed action.~~ The State Water Board has notified interested agencies and persons of its intent to prescribe waste discharge requirements in this General Permit and provided them with an opportunity to submit their written comments and recommendations.

III. DISCHARGE DESCRIPTION

A. Discharge Description

1. The use of aquatic pesticides by control agencies is necessary to manage resources and maintain beneficial uses, such as to ensure the proper operation of municipal and agricultural irrigation water distribution systems, maintain capacity in flood control channels, maintain boating access, and control invasive species. Aquatic animal invasive species control projects are undertakings necessary to

¹⁹ See [Waterkeeper Alliance, Inc. v. EPA, 399 F.3d 486 \(2nd Cir. 2005\)](#).

control a specific type of aquatic animal invasive species to an acceptable level in the treatment area. The need for aquatic pesticide ~~application events~~applications as part of a project can vary from week to week and from season to season due to such things as temperature, flow of the receiving water, and the type of aquatic animal invasive species being controlled. It is a balancing act between managing resources and impairing resources. This General Permit and other governmental regulatory programs described previously provide different pieces to ensure this balancing act is successful.

2. Aquatic animal invasive species control agencies in California follow an integrated pest management (IPM) approach that strives to minimize the use of pesticides and their impact on the environment while managing water resources. These agencies generally determine what is appropriate in their areas of responsibility, and many follow response plans that use surveillance tools to determine the extent of the problem and guide treatment decisions, with an emphasis on source reduction and control of aquatic animal invasive species.
3. The presence of residual pesticides in surface waters from direct application of pesticides for aquatic animal invasive species control at various areas throughout the State of California may pose a threat to existing and potential beneficial uses of waters of the US if not properly controlled and regulated. This General Permit covers the discharge to waters of the US of residual pesticides related to the direct application of pesticides containing sodium hypochlorite.
4. This General Permit requires toxicity monitoring of residual discharges from pesticide applications to control aquatic animal invasive species.
5. The discharge is necessary only when no feasible alternative to the discharge (alternative treatment methods, alternative application techniques, etc) is available and the discharge is limited to that increment of waste that remains after implementation of all reasonable alternatives for avoidance is employed.

B. Pesticide Applications

Aquatic animal invasive species control pesticides are applied directly to water. Applications may be performed in a single, semi-continuous, or continuous treatment dosage.

IV. APPLICABLE PLANS, POLICIES, AND REGULATIONS

The requirements contained in this General Permit are based on the applicable plans, policies, and regulations identified in the Findings in Section III of this General Permit. This section provides supplemental information, where appropriate, for the plans, policies, and regulations relevant to the discharge.

A. Legal Authorities

This General Permit is issued pursuant to section 402 of the federal Clean Water Act (CWA) and implementing regulations adopted by the U.S. Environmental Protection Agency (USEPA) and chapter 5.5, division 7 of the California Water Code; commencing with section 13370). It shall serve as an NPDES permit for point source

TENTATIVE ORDER

discharges of residual pesticides to surface waters. This General Permit also serves as WDRs pursuant to article 4, chapter 4, division 7 of the California Water Code (commencing with section 13260).

B. California Environmental Quality Act (CEQA)

Pursuant to California Water Code section 13389, State and Regional Water Boards are exempt from the requirement to comply with Chapter 3, Division 13 of the Public Resources Code when adopting NPDES permits.

C. State and Federal Regulations, Policies, and Plans

1. Water Quality Control Plans

The Regional Water Boards have adopted Water Quality Control Plans (hereinafter Basin Plans) that designate beneficial uses, establish water quality objectives, and contain implementation programs and policies to achieve those objectives for all waters subject to the plans. In addition, the Basin Plans implement State Water Board Resolution No. 88-63, which established state policy that all waters, with certain exceptions, should be considered suitable or potentially suitable for municipal or domestic supply. The Basin Plans identify typical beneficial uses as follows: municipal and domestic supply, agricultural irrigation, stock watering, process supply, service supply, hydropower supply, water contact recreation, canoeing and rafting recreation, other non-contact water recreation, warm freshwater aquatic habitat, cold freshwater habitat, warm fish migration habitat, cold fish migration habitat, warm and cold spawning habitat, wildlife habitat, navigation, rare, threatened, or endangered species habitat, groundwater recharge, and freshwater replenishment.

Requirements of this General Permit implement provisions contained in the applicable Basin Plans.

2. National Toxics Rule (NTR) and California Toxics Rule (CTR)

USEPA adopted the NTR on December 22, 1992, and later amended it on May 4, 1995 and November 9, 1999. About 40 criteria in the NTR applied in California. On May 18, 2000, USEPA adopted the CTR. The CTR promulgated new toxics criteria for California and, in addition, incorporated the previously adopted NTR criteria that were applicable in the state. The CTR was amended on February 13, 2001. These rules contain water quality criteria for priority pollutants.

3. State Implementation Policy (SIP)

On March 2, 2000, the State Water Board adopted the *Policy for Implementation of Toxics Standards for Inland Surface Waters, Enclosed Bays, and Estuaries of California* (State Implementation Policy or SIP). The SIP became effective on April 28, 2000 with respect to the priority pollutant criteria promulgated for California by USEPA through the NTR and to the priority pollutant objectives established by the Regional Water Boards in the Basin Plans. The SIP became effective on May 18, 2000 with respect to the priority pollutant criteria promulgated

by USEPA through the CTR. The State Water Board adopted amendments to the SIP on February 24, 2005 that became effective on July 13, 2005. The SIP establishes implementation provisions for priority pollutant criteria and objectives and provisions for chronic toxicity control. Requirements of this General Permit implement the SIP.

4. Antidegradation Policy

Section 131.12 of 40 C.F.R. requires that the state water quality standards include an antidegradation policy consistent with the federal policy. The State Water Board established California's antidegradation policy in State Water Board Resolution No. 68-16. Resolution No. 68-16 incorporates the federal antidegradation policy where the federal policy applies under federal law. Resolution No. 68-16 requires that existing water quality be maintained unless degradation is justified based on specific findings. The Basin Plans implement, and incorporate by reference, both the state and federal antidegradation policies.

The permitted discharge

This General Permit requires that discharges must be consistent with the antidegradation provision provisions of 40 C.F.R. § 131.12 and Resolution No. 68-16. The conditions of this General Permit require residual pesticide discharges to meet applicable water quality objectives. Specifically, the General Permit sets receiving water limitations for chlorine to protect aquatic life from the toxic effects of chlorine. The General Permit also requires toxicity testing to determine if residues, including active ingredients, inert ingredients, and degradation byproducts, in any combination, from pesticide applications cause toxicity to the receiving water or add toxicity to it if there is pre-existing toxicity prior to pesticide applications. If residues cause toxicity or add to an existing toxicity, the Discharger is required to perform an iterative process of evaluating its application methods, BMPs, or alternatives to the pesticide causing toxicity until the applications no longer cause or add toxicity. The BMPs and other controls required pursuant to the General Permit constitute Best Available Technology Economically Achievable (BAT) and Best Conventional Pollutant Control Technology (BCT).

The General Permit requirements are protective of the broad range of beneficial uses set forth in basin plans throughout the state, constituting best control available consistent with the purposes of the pesticide application in order to ensure that pollution or nuisance will not occur. The conditions also ensure maintenance of the highest water quality consistent with maximum benefit to the people of state. The nature of pesticides is to be toxic in order to protect beneficial uses such as human health or long-term viability of native aquatic life. Lake Davis and Silver King Creek are examples of water bodies where the Department of Fish and Game has used chemical pesticides to eradicate the Northern Pike and non-native trout, respectively. Waters of exceptional quality may be degraded due to the application of pesticides; however, it would only be temporary and in the best interest of the people of the State. While surface waters may be temporarily degraded, water quality standards and objectives will

not be exceeded. ~~The nature of pesticides is to be toxic in order to protect beneficial uses such as human health.~~ after project completion.

Another example of the benefits of pesticide application and any temporary degradation of water quality occurring as a result is the Asian clam infestation in Lake Tahoe which may require the use of pesticides to eradicate the pest. The Asian clam is undesirable because it: (1) displaces native clams, snails, and other organisms living on the lake bottom, which are important members of the lake's native food web; (2) fosters the growth of bright green algae, which change the look of the water, and smell when they decompose; and (3) could help foster an invasion of quagga mussels, another aggressive non-native species, by creating desirable habitat for them. Eradication of these species is important to protect beneficial uses, including habitat for native species, and water conveyance. Discharges in compliance with this permit will maintain existing levels of water quality over the long term.

Given the nature of a General Permit and the broad range of beneficial uses to be protected across the state, data analysis of specific water bodies is infeasible. However, compliance with receiving water limitations ~~is required~~ and other permit requirements will ensure that degradation of the State's waters will be temporary and that the waters will be returned to pre-application conditions after project completion. Therefore, this General Permit is consistent with State and federal antidegradation policies.

5. **Endangered Species Act**

This General Permit does not authorize any act that results in the taking of a threatened or endangered species or any act that is now prohibited, or becomes prohibited in the future, under either the California Endangered Species Act (Fish and Game Code sections 2050 et. seq) or the Federal Endangered Species Act (16 U.S.C.A. sections 1531 et. seq). This General Permit requires compliance with effluent limitations, receiving water limitations, and other requirements to protect the beneficial uses of waters of the state. The Discharger is responsible for meeting all requirements of the applicable Endangered Species Act.

D. **Impaired Water Bodies on CWA 303(d) List**

Under section 303(d) of the 1972 CWA, states, territories, and authorized tribes are required to develop lists of water quality limited segments. The waters on these lists do not meet water quality standards, even after point sources of pollution have installed the minimum required levels of pollution control technology. On November 30, 2006 USEPA gave final approval to California's 2006 section 303(d) List of Water Quality Limited Segments. The Basin Plans reference this list of Water Quality Limited Segments (WQLSs), which are defined as "...those sections of lakes, streams, rivers or other fresh water bodies where water quality does not meet (or is not expected to meet) water quality standards even after the application of appropriate limitations for point sources (40 C.F.R. §130.2(j))." The Basin Plans also state, "Additional treatment beyond minimum federal standards will be imposed on dischargers to [WQLSs]. Dischargers will be assigned or allocated a maximum

allowable load of critical pollutants so that water quality objectives can be met in the segment.” Impaired waters do not support beneficial uses.

This General Permit does not authorize the discharge of residual pesticides or their breakdown-degradation by-products to waters of the US that are impaired by the pesticides used for aquatic animal invasive species control. Impaired waters are those waters not meeting quality standards pursuant to Section 303(d) of the CWA. California impaired waters, as approved by the State Water Board, are listed on http://www.waterboards.ca.gov/water_issues/programs/tmdl/integrated20102010state_ir_reports/2010_combo303d.xls (to be reviewed and adopted by USEPA).

E. Other Plans, Polices, and Regulations

The State Water Board adopted the *Water Quality Control Policy for the Enclosed Bays and Estuaries of California*. The requirements within this General Permit are consistent with the Policy.

V. RATIONALE FOR EFFLUENT LIMITATIONS AND DISCHARGE SPECIFICATIONS

Effluent limitations and toxic and pretreatment effluent standards established pursuant to sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 304 (Information and Guidelines), and 307 (Toxic and Pretreatment Effluent Standards) of the CWA and amendments thereto are applicable to the discharge.

The CWA mandates the implementation of effluent limitations that are as stringent as necessary to meet water quality standards established pursuant to state or federal law [33 U.S.C., §1311(b)(1)(C); 40 C.F.R. 122.44(d)(1)]. NPDES permits must incorporate discharge limits necessary to ensure that water quality standards are met. This requirement applies to narrative criteria as well as to numeric criteria specifying maximum amounts of particular pollutants. Pursuant to 40 C.F.R. § 122.44(d)(1)(i), NPDES permits must contain limits that control all pollutants that “*are or may be discharged at a level which will cause, have the reasonable potential to cause, or contribute to an excursion above any state water quality standard, including state narrative criteria for water quality.*” Section 122.44(d)(1)(vi) of 40 C.F.R. further provides that “[w]here a state has not established a water quality criterion for a specific chemical pollutant that is present in an effluent at a concentration that causes, has the reasonable potential to cause, or contributes to an excursion above a narrative criterion within an applicable State water quality standard, the permitting authority must establish effluent limits.”

The CWA requires point source dischargers to control the amount of conventional, non-conventional, and toxic pollutants that are discharged into the waters of the United States. The control of pollutants discharged is established through effluent limitations and other requirements in NPDES permits. There are two principal bases for effluent limitations in 40 C.F.R.: Section 122.44(a) requires that permits include applicable technology-based limitations and standards; and Section 122.44(d) requires that permits include water quality-based effluent limitations to attain and maintain applicable numeric and narrative water quality criteria to protect the beneficial uses of the receiving water where numeric water quality objectives have not been established.

TENTATIVE ORDER

With respect to narrative objectives, the State Water Board must establish effluent limitations using one or more of three specified sources: (1) USEPA’s published water quality criteria; (2) a proposed state criterion (i.e., water quality objective) or an explicit state policy interpreting its narrative water quality criteria; or (3) an indicator parameter (i.e., 40 C.F.R. 122.44(d)(1)(vi)(A), (B) or (C)). Basin Plans contain a narrative objective requiring that: “*All waters shall be maintained free of toxic substances in concentrations that produce detrimental physiological responses in human, plant, animal, or aquatic life.*” Basin Plans require the application of the most stringent objective necessary to ensure that surface water and groundwater do not contain chemical constituents, discoloration, toxic substances, radionuclides, or taste and odor producing substances that adversely affect beneficial uses. Basin Plans state that material and relevant information, including numeric criteria, and recommendations from other agencies and scientific literature will be utilized in evaluating compliance with the narrative toxicity objective. Basin Plans also limit chemical constituents in concentrations that adversely affect surface water beneficial uses. Basin Plans further state that, to protect all beneficial uses, the Regional Water Board may apply limits more stringent than MCLs.

A. Discharge Prohibitions

1. The discharge of residual pesticides at a location or in a manner different from that described in the Findings is prohibited.
2. The discharge of residual pesticides shall not create a nuisance as defined in section 13050 of the California Water Code.
3. The discharge of residual pesticides shall not cause, have a reasonable potential to cause, or contribute to an in-stream excursion above any applicable criterion promulgated by USEPA pursuant to Section 303 of the CWA, or any water quality objective adopted by the State or Regional Water Boards. This prohibition shall apply outside the treatment area during treatment, and in the treatment area after treatment has been completed.

B. Effluent Limitations

NPDES permits for discharges to surface waters must meet all applicable provisions of sections 301 and 402 of the CWA. These provisions require controls that use BAT, BCT, and any more stringent controls necessary to reduce pollutant discharge and meet water quality standards.

Title 40, C.F.R. § 122.44 states that if a discharge causes, has the reasonable potential to cause, or contributes to an excursion above a numeric or narrative water quality criterion, the permitting authority must develop effluent limits as necessary to meet water quality standards. Section 122.44(k)(3) of 40 C.F.R. allows the use of other requirements such as BMPs in lieu of numeric effluent limits if the latter are infeasible. It is infeasible for the State Water Board to establish numeric effluent limitations in this General Permit because:

1. The application of pesticides is not necessarily considered a discharge of pollutants according to the *National Cotton Council of America v. USEPA* 553

TENTATIVE ORDER

F.3d 927 (6th Cir. 2009) and other applicable case law. The Sixth Circuit Court of Appeals ruled that residual pesticides associated with the application of pesticides at, over, or near water constitute pollutants within the meaning of the CWA and that the discharge of such pollutants must be regulated under an NPDES permit;

2. This General Permit regulates residual pesticides which are ~~breakdown degradation by-~~products or other pesticide ingredients that are present after the use of the pesticide for aquatic animal invasive species control. Pesticides are applied directly to the water body and/or to aquatic animal invasive species in the water or on the water surface and are not considered pollutants until some time after actual discharge. However, at what point the pesticide becomes a residue is not precisely known, ~~and varies depending on the type of spray system, wind speed and direction, temperature, droplet size distribution, droplet drift, water chemistry, etc.~~ Therefore, in the application of pesticides, the exact effluent is unknown;
3. It would be impractical to ~~treat~~provide effective treatment of the pesticide residue to protect water quality, given typically, pesticide applications consist of numerous short duration intermittent pesticide residue releases to surface waters from many different locations; and
4. Treatment, ~~in many cases,~~ may render the pesticide useless for pest control.

Therefore, the effluent limitations contained in this General Permit are narrative and include requirements to develop and implement an APAP that describes appropriate BMPs, including compliance with all pesticide label instructions, and to comply with narrative receiving water limitations.

The BMPs required herein constitute BAT and BCT and will be implemented to minimize the area and duration of impacts caused by the discharge of residual pesticides in the target area and to allow for restoration of water quality and protection of beneficial uses of the receiving waters to pre-application quality following completion of an application event.

C. Best Management Practices

The development of BMPs provides the flexibility necessary to establish controls to minimize the area extent and duration of impacts caused by the discharge of residual pesticides. This flexibility allows dischargers to implement appropriate BMPs for different types of applications and different types of waters.

Much of the BMP development has been incorporated into the pesticide regulation process by the USEPA, DPR, CDPH, and County Agricultural Commissioners. The Dischargers must be licensed by DPR or CDPH if such licensing is required for the pesticide application project. The pesticide use must be consistent with the pesticide label instructions and any Use Permits issued by County Agricultural Commissioners.

USEPA and DPR scientists review pesticide labels to ensure that a product used according to label instructions will cause no harm (or “adverse impact”) on non-target organisms that cannot be reduced (or “mitigated”) with protective measures or use

restrictions. Many of the label directions constitute BMPs to protect water quality and beneficial uses. Label directions may include: precautionary statements regarding toxicity and environmental hazards; directions for proper handling, dosage, application, and disposal practices; prohibited activities; spill prevention and response measures; and restrictions on type of water body and flow conditions.

A Use Permit issued by the County Agricultural Commissioner incorporates applicable suggested permit conditions from DPR and local site-specific conditions necessary to protect the environment. State regulations require that specific types of information be provided in an application to the County Agricultural Commissioners for a pesticide use permit. The County Agricultural Commissioners review the application to ensure that appropriate alternatives were considered and that any potential adverse effects are mitigated. The County Agricultural Commissioners also conduct pre-project inspections on at least five percent of projects.

This General Permit requires that Dischargers use BMPs when implementing control programs in order to mitigate effects to water quality ~~resulting due to residual pesticide discharges~~ from pesticide applications. Dischargers are required to ~~consider alternative control measures to~~ determine ~~if there are and implement~~ feasible ~~non-toxic and least toxic~~ alternatives to the selected pesticide application project that ~~could reduce would minimize~~ potential water quality impacts. ~~If the Discharger identifies alternative control measures to the selected pesticide application project that could reduce potential water quality impacts and that are also feasible, practicable, and cost-effective, the discharger shall implement the identified alternative measures.~~ The selection of ~~control measures that use~~ non-toxic and ~~less~~least toxic alternatives is an example of an effective BMP.

D. Water Quality-Based Effluent Limitations (WQBELs)

1. Scope and Authority

Section 122.44(d)(1)(i) of 40 C.F.R. mandates that permits include effluent limitations for all pollutants that are or may be discharged at levels that have the reasonable potential to cause or contribute to an exceedance of a water quality standard, including numeric and narrative objectives within a standard. Where reasonable potential has been established for a pollutant, but there is no numeric criterion or objective for the pollutant, WQBELs must be established using: (1) USEPA criteria under CWA section 304(a), supplemented where necessary by other relevant information; (2) an indicator parameter for the pollutant of concern; or (3) a calculated numeric water quality criterion, such as a proposed state criterion or policy interpreting the state's narrative criterion, supplemented with other relevant information, as provided in 40 C.F.R. § 122.44(d)(1)(vi).

The process for determining reasonable potential and calculating WQBELs when necessary is intended to protect the designated uses of the receiving water as specified in the Basin Plans, and achieve applicable water quality objectives and criteria that are contained in other state plans and policies, or any applicable water quality criteria contained in the CTR and NTR.

2. Receiving Water Beneficial Uses

Direct applications of pesticides for aquatic animal invasive species control may potentially deposit residual pesticides to surface waters. Beneficial uses of receiving waters may include the following: municipal and domestic supply, agricultural irrigation, agricultural stock watering, process water supply, service water supply, and hydropower supply, water contact recreation, canoeing and rafting recreation, other non-contact water recreation, warm freshwater aquatic habitat, cold freshwater aquatic habitat, warm fish migration habitat, cold fish migration habitat, warm and cold spawning habitat, wildlife habitat, navigation, groundwater recharge, and freshwater replenishment.

3. Determining the Need for WQBELs

- a. Water quality standards include Regional Water Board Basin Plan beneficial uses and narrative and numeric water quality objectives, State Water Board-adopted standards, and federal standards, including the CTR and NTR, as well as antidegradation policies. The Basin Plans include numeric site-specific water quality objectives and narrative objectives for toxicity, chemical constituents, and tastes and odors. The narrative toxicity objective states: *“All waters shall be maintained free of toxic substances in concentrations that produce detrimental physiological responses in human, plant, animal, or aquatic life.”* With regard to the narrative chemical constituents objective, the Basin Plans state that waters shall not contain chemical constituents in concentrations that adversely affect beneficial uses. At minimum, *“...water designated for use as domestic or municipal supply (MUN) shall not contain concentrations of chemical constituents in excess of the maximum contaminant levels (MCLs)” in Title 22 of CCR.* The narrative tastes and odors objective states: *“Water shall not contain taste- or odor-producing substances in concentrations that impart undesirable tastes or odors to domestic or municipal water supplies or to fish flesh or other edible products of aquatic origin, or that cause nuisance, or otherwise adversely affect beneficial uses.”*
- b. Federal regulations require effluent limitations for all pollutants that are or may be discharged at a level that will cause or have the reasonable potential to cause, or contribute to an in-stream excursion above a narrative or numerical water quality standard.

4. Antidegradation Policy

The permitted discharge is consistent with the antidegradation provisions of 40 C.F.R. § 131.12 and State Water Board Resolution No. 68-16. Compliance with these requirements will result in the use of best practicable treatment or control of the discharge. Due to the low volume of discharge expected from discharges regulated under this General Permit, the impact on existing water quality will be insignificant. Dischargers seeking authorization to discharge under this General Permit are required to demonstrate compliance with receiving water limitations during the application. If, however, the State Water Board or the appropriate

Regional Water Board, subsequent to review of any application, finds that the impact of a discharge will be significant, then authorization for coverage under this General Permit will be denied and coverage under an individual permit will be required (including preparation of an anti-degradation analysis).

VI. RATIONALE FOR RECEIVING WATER LIMITATIONS

A. Groundwater

[Not Applicable]

B. Surface Water

CWA section 303(a-c), requires states to adopt water quality standards, including criteria necessary to protect beneficial uses. Regional Water Boards adopted water quality criteria as water quality objectives in the Basin Plans. The Basin Plans state that “[t]he numerical and narrative water quality objectives define the least stringent standards that the Regional Water Board will apply to regional waters in order to protect the beneficial uses.” The Basin Plans include numeric and narrative water quality objectives for various beneficial uses and water bodies. This General Permit contains receiving surface water limitations based on the Basin Plans’ numerical and narrative water quality objectives for biostimulatory substances, chemical constituents, color, temperature, floating material, settleable substances, suspended material, tastes and odors, and toxicity. This General Permit also requires compliance with any amendment or revision to the water quality objectives contained in the Basin Plans adopted by Regional Water Boards subsequent to adoption of this General Permit.

Once a pesticide has been applied to an application area, the pesticide product can actively control aquatic animal invasive species within the application area. Discharge of residual pesticides produced by the application to surface water must meet applicable water quality criteria and objectives. The receiving water limitations ensure that an application event does not result in an exceedance of a water quality standard in the receiving water. Receiving water is defined as any surface water or drainage courses where the pesticide may be deposited as a result of direct ~~or spray~~ applications.

To protect all designated beneficial uses of the receiving water, the most protective (lowest) and appropriate (to implement the CTR criteria and WQOs in the *Water Quality Control Plans*) limit should be selected as the water quality limit for a particular water body and constituent. In many cases, water quality standards include narrative, rather than numerical, water quality objectives. In such cases, numeric water quality limits from the literature or publicly available information may be used to ascertain compliance with these standards.

Pesticide formulations contain disclosed “active” ingredients that yield toxic effects on target organisms and may also have toxic effects on non-target organisms. Residual active ingredients that do not contain pollutants for which there are applicable numeric

CTR criteria may still have toxic effects on receiving water bodies. In addition, the inactive or “inert” ingredients of pesticides, some of which are trade secrets and have not been publicly disclosed, may also contain toxic pollutants or pollutants that could affect water quality.

DPR is responsible for reviewing toxic effects of product formulations and determining whether a pesticide is suitable for use in California’s waters. In this General Permit, inert ingredients are also considered on a constituent-by-constituent basis. USEPA regulates pesticide use through strict labeling requirements in order to mitigate negative impacts to human health and the environment, and DPR environmental and medical toxicologists review toxicity data on formulations and can deny registration or work with registrants or County Agricultural Commissioners to impose additional requirements in order to protect human health or the environment.

USEPA and DPR require that pesticides undergo toxicity testing and meet specific toxicity requirements before registering the pesticide for application to surface waters. USEPA has found that the application of properly registered pesticides pose a minimum threat to people and the environment. In addition, the effects of these residual pesticides on water quality will be mitigated through application of BMPs and compliance with FIFRA label requirements, application of BMPs, and monitoring requirements, and receiving water limitations.

Basin Plan water quality objectives to protect the beneficial uses of surface water and groundwater include numeric objectives and narrative objectives, including objectives for chemical constituents, toxicity, and tastes and odors. The toxicity objective requires that surface water and groundwater be maintained free of toxic substances in concentrations that produce detrimental physiological responses in humans, plants, animals, or aquatic life. The chemical constituent objective requires that surface water and groundwater shall not contain chemical constituents in concentrations that adversely affect any beneficial use or that exceed the maximum contaminant levels (MCLs) set forth in Title 22, CCR. The tastes and odors objective states that surface water and groundwater shall not contain taste- or odor-producing substances in concentrations that cause nuisance or adversely affect beneficial uses. The Basin Plans require the application of the most stringent objective necessary to ensure that surface water and groundwater do not contain chemical constituents, toxic substances, radionuclides, or taste and odor producing substances in concentrations that adversely affect domestic drinking water supply, agricultural supply, or any other beneficial use.

Establishing Receiving Water Limitations

State Water Board staff’s review of DPR’s database found that sodium hypochlorite is the only active ingredient used in pesticide products for the control of invasive mollusks. Sodium hypochlorite, also known as liquid bleach, came into widespread use about 1930 for laundry, household, and general disinfecting uses. It is commercially available at strengths of five to 15% but is typically 10% or 12.5%

TENTATIVE ORDER

available chlorine. It is more widely used than its dry counter part, calcium hypochlorite, due to its lower cost for transport, and is more easily handled.²⁰

Chlorine is the only toxicant that results from the use of sodium hypochlorite-based pesticide products that are used to control aquatic animal invasive species. To protect all designated beneficial uses of the receiving water from chlorine residual, the most protective (lowest) and appropriate limitation for chlorine should be selected as the water quality limitation for a particular water body. The USEPA National Recommended Ambient Water Quality Criteria for freshwater aquatic life criteria and California Ocean Plan water quality objectives for chlorine are applicable. USEPA has recommended ambient water quality criteria of 11 µg/l as a continuous concentration (four-day average) and 19 µg/l as the maximum concentration (one-hour average) for freshwater aquatic life protection for chlorine. The California Ocean Plan Water Quality Objectives, which protect human health and marine aquatic life from constituents in marine waters of California, list 2 µg/l as the six month median, 8 µg/l as the daily maximum, and 60 µg/l as the instantaneous maximum for chlorine.

However, because of the lack of precision with current chlorine residual measuring instruments, it would be more appropriate to set the freshwater chlorine receiving water limitations to 10 µg/l as a monthly average and 20 µg/l as a daily maximum; a daily maximum of nondetect or <10 µg/l is appropriate to protect marine aquatic life.

Summary of Receiving Water Limitations

Table D-1 below summarizes the Receiving Water Limitations for chlorine.

Table D-1. Summary of Receiving Water Limitations

Constituent	Limitation	Basis
Chlorine	10 ug/l - Monthly Average	USEPA's Ambient Water Quality Criteria for Freshwater Aquatic Life Protection
Chlorine	20 ug/l - Daily Maximum	USEPA's Ambient Water Quality Criteria for Freshwater Aquatic Life Protection
Chlorine	<10 ug/l - Daily Maximum	California Ocean Plan

Toxicity

The narrative toxicity objective contained in the Regional Water Boards' Basin Plans states that *"All waters shall be maintained free of toxic substances in concentrations that produce detrimental physiological responses in human, plant, animal, or aquatic life."* For compliance with that objective, this General Permit requires each ~~Coalition or individual~~ Discharger to conduct toxicity testing as specified in the Monitoring and Reporting Program. This General Permit also contains a receiving water limitation for toxicity and requires the ~~Coalition or individual~~ Discharger to implement BMPs to identify corrective actions to reduce or eliminate any toxicity caused by residual pesticides from applications for aquatic animal invasive species control.

²⁰ G. C. White, Handbook of Chlorination, 2nd ed. (New York: Van Nostrand Reinhol Company Inc, 1986) 63-70.

VII. RATIONALE FOR MONITORING AND REPORTING REQUIREMENTS

Section 122.48 of 40 C.F.R. requires that all NPDES permits specify requirements for recording and reporting monitoring results. Water Code sections 13267 and 13383 authorize the State Water Board and Regional Water Boards to require technical and monitoring reports. The Monitoring and Reporting Program (Attachment C) for this General Permit establishes monitoring and reporting requirements to implement federal and state requirements. The following provides the rationale for the requirements contained in the Monitoring and Reporting Program for discharges of residual pesticides from direct applications for aquatic animal invasive species control.

A. Effluent Monitoring

Pursuant to the requirements of 40 C.F.R. § 122.44(i) effluent monitoring is required for all constituents with effluent limitations. Effluent monitoring is necessary to assess compliance with effluent limitations, assess the effectiveness of the treatment process, and to assess the impacts of the discharge on the receiving water and groundwater.

The application of pesticides for aquatic animal invasive species control is not necessarily considered a discharge of pollutants according to the *National Cotton Council of America v. USEPA* decision and other applicable case law. The regulated discharge is the discharge of residual pesticides. At what point the pesticide becomes a residue is not precisely known. Therefore, in the application of pesticides, the exact effluent is unknown. Thus, effluent monitoring requirement is not applicable for applications of pesticides for aquatic animal invasive species control.

B. Toxicity Testing Requirements

Acute and chronic toxicity performed in conjunction with the Background and Post-Event Monitoring for active ingredients and at a monitoring frequency specified in Tables C-1 and C-2 is required to demonstrate compliance with the Basin Plans' narrative toxicity objective.

C. Receiving Water Monitoring

Receiving water monitoring is necessary to determine the impacts of the discharge on the receiving stream.

All testing for both toxicity and individual chemicals have some degree of uncertainty associated with them. The more limited the amount of test data available, the larger the uncertainty. The intent of this General Permit's sampling program is to select a number that will detect most events of noncompliance without requiring needless or burdensome monitoring. Table 3-1 of the EPA Region 9 and 10 Toxicity Training Tool provides guidance on the selection of the appropriate sample number. It shows that six is the minimum number of samples where there is about a 50 percent chance of detecting at least one toxic event for the three probabilities of occurrence shown on the table.

TENTATIVE ORDER

Staff also used EPA's Technical Support Document for Water Quality-Based Toxics Control (TSD) to determine the appropriate number of samples that would be needed to characterize the impacts of the residual pesticide discharge from pesticide applications. Page 53 of the TSD recommends using a coefficient of variation (CV) 0.6 when the data set contains less than 10 samples. Table 3-1 of the TSD shows that with a CV of 0.6, the multiplying factors used to determine whether a discharge causes, has the reasonable potential to cause, or contributes to an excursion above a State water quality standard begin to stabilize when the sample number is six.

Thus, this General Permit requires six samples to characterize the effects of residual pesticide discharge from pesticide applications.

VIII. RATIONALE FOR PROVISIONS

A. Standard Provisions

Standard Provisions, which apply to all NPDES permits in accordance with 40 C.F.R. § 122.41, and additional conditions applicable to specified categories of permits in accordance with 40 C.F.R. § 122.42, are provided in Attachment B. The Discharger must comply with applicable standard provisions and with those additional conditions that are applicable under 40 C.F.R. § 122.42.

Sections 122.41(a)(1) and (b) through (n) of 40 C.F.R. establish conditions that apply to all State-issued NPDES permits. These conditions must be incorporated into the permits either expressly or by reference. If incorporated by reference, a specific citation to the regulations must be included in the General Permit.

Section 123.25(a)(12) of 40 C.F.R. allows the state to omit or modify conditions to impose more stringent requirements. In accordance with 40 C.F.R. § 123.25, this General Permit omits federal conditions that address enforcement authority specified in 40 C.F.R. § 122.41(j)(5) and (k)(2) because the enforcement authority under the California Water Code is more stringent. In lieu of these conditions, this General Permit incorporates by reference California Water Code section 13387(e).

B. Reopener Provisions

1. The reopener provisions allow the State Water Board to reopen this General Permit in accordance with 40 C.F.R. §122.62.
2. Conditions that necessitate a major modification of a permit are described in 40 C.F.R. §122.62, including:
 - a. If new or amended applicable water quality standards are promulgated or approved pursuant to section 303 of the CWA, or amendments thereto, this General Permit may be reopened and modified in accordance with the new or amended standards.
 - b. When new information, that was not available at the time of permit issuance, would have justified different permit conditions at the time of issuance.

TENTATIVE ORDER

3. **Acute and Chronic Toxicity.** If the State Water Board revises the SIP's toxicity control provisions that would require the establishment of numeric acute and chronic toxicity limitations, this General Permit may be reopened to include numeric acute and chronic toxicity receiving limitations based on the new provisions.
4. **Receiving Water Limitations.** This General Permit may be re-opened to add or modify receiving water limitations in Table 3 if additional constituents are added from pesticide product additions or accuracy of constituent analyzing technology allows for implementation of more protective limitations.
- ~~e.5.~~ **Endangered Species Act.** -If USEPA develops biological opinions regarding pesticides included in this General Permit, this General Permit may be re-opened to add or modify Receiving Water Limitations/Monitoring Triggers for residual pesticides of concern, if necessary.
6. **Pesticide Products.** This General Permit may be re-opened to add additional pesticide products registered by DPR to control aquatic animal invasive species.

IX. PUBLIC PARTICIPATION

The State Water Board is considering the issuance of WDRs that will serve as a general NPDES permit for direct ~~and spray~~ applications of pesticides for aquatic animal invasive species control. As a step in the WDR adoption process, the State Water Board staff has developed tentative WDRs. The State Water Board encourages public participation in the WDR adoption process.

A. Notification of Interested Parties

The State Water Board has notified interested agencies, parties, and persons of its intent to prescribe general WDRs for direct ~~and spray~~ applications of pesticides for aquatic animal invasive species control and has provided them with an opportunity to submit their written comments and recommendations. Notification was provided to interested parties through specific mailings, distribution through the State Water Board Lyris Email System and through publication in major newspapers ~~for the following~~ communities:

~~throughout California.~~

B. Written Comments

~~The staff determinations are tentative.~~ Interested persons ~~are~~ were invited to submit written comments concerning this tentative WDR. Comments ~~must be submitted either in person or by mail to the State Water Board at the address listed on the cover page of this General Permit.~~

~~To be fully responded to by staff and considered by the State Water Board, written comments must be received~~ were due at the State Water Board offices by 12:00 noon. on November 16, 2010. Nine comment letters were received.

C. Public Hearing and Meeting

The State Water Board ~~will hold held~~ a public hearing on the tentative WDRs during its regular Board meeting on ~~the following date and time and at the following location: November 2, 2010. The State Water Board will consider adoption of the WDRs at a public meeting on the following date, time, and location:~~

Date: November February 152, 20110
Time: 9:00 a.m.
Location: State Water Resources Control Board
1001 I Street
Sacramento, CA 95814

~~Interested persons are invited to attend. At the public hearing, the State Water Board will hear testimony, if any, pertinent to the discharge, WDRs, and permit. Oral testimony will be heard; however, for accuracy of the record, important testimony should be in writing.~~

Please be aware that dates and venues may change. Our web address is www.waterboards.ca.gov where you can access the current agenda for changes in dates and locations.

D. Information and Copying

The tentative effluent limitations, receiving water limitations, and special provisions, comments received, and other information are on file and may be inspected at the address above at any time between 8:30 a.m. and 4:45 p.m., Monday through Friday. Copying of documents may be arranged through the State Water Board by calling ~~Lydia Deller at~~ (916) 341319-55069152.

E. Register of Interested Persons

Any person interested in being placed on the mailing list for information regarding this general WDRs and NPDES permit should contact the State Water Board, reference the general WDRs and NPDES permit, and provide a name, address, and phone number.

F. Additional Information

Requests for additional information or questions regarding this General Permit should be directed to Philip Isorena at (916) 341-5544 or at pisorena@waterboards.ca.gov.

TENTATIVE ORDER

ATTACHMENT E – LIST OF PRODUCTS

Product Name	Active Ingredient	Registration Number
Dixichlor	Sodium hypochlorite	813-16-AA
Dixichlor Max	Sodium hypochlorite	813-15-AA

TENTATIVE ORDER

ATTACHMENT F – NOTICE OF INTENT

**WATER QUALITY ORDER NO. 2011-XXXX-DWQ
GENERAL PERMIT NO. CAG XXXXXX**

**STATEWIDE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT
FOR RESIDUAL PESTICIDE DISCHARGES TO WATERS OF THE UNITED STATES
FROM AQUATIC ANIMAL INVASIVE SPECIES CONTROL APPLICATIONS**

I. NOTICE OF INTENT STATUS (see Instructions)

Mark only one item A. <input type="checkbox"/> New Applicator B. <input type="checkbox"/> Change of Information: WDID# _____ C. <input type="checkbox"/> Change of ownership or responsibility: WDID# _____
--

II. DISCHARGER INFORMATION

A. Name			
B. Mailing Address			
C. City	D. County	E. State	F. Zip
G. Contact Person	H. Email address	I. Title	J. Phone

III. BILLING ADDRESS (Enter Information only if different from Section II above)

A. Name			
B. Billing Address			
C. City	D. County	E. State	F. Zip
G. Email address	H. Title	I. Phone	

IV. RECEIVING WATER INFORMATION

A. Pesticide residue discharge to (check all that apply)*:

1. Canals, ditches, or other constructed conveyance facilities owned and controlled by Discharger.
Name of the conveyance system: _____

2. Canals, ditches, or other constructed conveyance facilities owned and controlled by an entity other than the Discharger.
Owner's name: _____
Name of the conveyance system: _____

3. Directly to river, lake, creek, stream, bay, ocean, etc.
Name of water body: _____

~~A map showing the affected areas for items 1 to 3 above may be included~~

B. Regional Water Quality Control Board(s) where application areas are located
(REGION 1, 2, 3, 4, 5, 6, 7, 8, or 9): Region _____
~~(List all regions where pesticide application is proposed.)~~

A map showing the locations of A1-A3 in each Regional Water Board shall be included.

V. PESTICIDE APPLICATION INFORMATION

A. Target Organisms:

B. Pesticides Used: List ~~name~~ name, and active ingredients and, if known, degradation by-products.

C. Period of Application: Start Date _____ End Date _____

D. Types of Adjuvants Added by the Discharger:

VI. AQUATIC PESTICIDES APPLICATION PLAN

A. Has an Aquatic Pesticides Application Plan been prepared?"
 Yes No
If not, when will it be prepared? _____

* A copy of the APAP shall be included with the NOI.

B. Is the applicator familiar with its contents?
 Yes No

VII. NOTIFICATION

Have potentially affected public and governmental agencies been notified? Yes No

If yes, a copy of the notifications shall be attached to the NOI.

TENTATIVE ORDER

VIII. FEE

Have you included payment of the filing fee (for first-time enrollees only) with this submittal? ...
 YES NO NA

IX. CERTIFICATION

"I certify under penalty of law that this document and all attachments were prepared under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Additionally, I certify that the provisions of the General Permit, including developing and implementing a monitoring program, will be complied with."

A. Printed Name: _____

B. Signature: _____ Date: _____

C. Title: _____

X. FOR STATE WATER BOARD USE ONLY

WDID:	Date NOI Received:	Date NOI Processed:
Case Handler's Initial:	Fee Amount Received*: \$	Check #:

P E N T A T I V E O R D E R

INSTRUCTIONS FOR COMPLETING THE NOI

WATER QUALITY ORDER NO. 2011-XXXX-DWQ GENERAL PERMIT NO. CAG XXXXXX

STATEWIDE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT FOR RESIDUAL PESTICIDE DISCHARGES TO WATERS OF THE UNITED STATES FROM AQUATIC ANIMAL INVASIVE SPECIES CONTROL APPLICATIONS

These instructions are intended to help you, the Discharger, to complete the Notice of Intent (NOI) form for the Statewide General National Pollutant Discharge Elimination System (NPDES) permit. **Please type or print clearly when completing the NOI form.** For any field, if more space is needed, submit a supplemental letter with the NOI.

Send the completed and signed form along with the filing fee and supporting documentation to the the State Water Resources Control Board (State Water Board).

Section I – Notice of Intent Status

Indicate whether this request is for the first time coverage under this General Permit or a change of information for the discharge already covered under this General Permit. For a change of information or ownership, please supply the eleven-digit Waste Discharge Identification (WDID) number for the discharge.

Section II – Discharger Information

- A. Enter the name of the Discharger.
- B. Enter the street number and street name where correspondence should be sent (P.O. Box is acceptable).
- C. Enter the city that applies to the mailing address given.
- D. Enter the county that applies to the mailing address given.
- E. Enter the state that applies to the mailing address given.
- F. Enter the zip code that applies to the mailing address given.
- G. Enter the name (first and last) of the contact person.
- H. Enter the email address of the contact person.
- I. Enter the contact person's title.
- J. Enter the daytime telephone number of the contact person.

Section III – Billing Address

Enter the information **only** if it is different from Section II above.

- A. Enter the name (first and last) of the person who will be responsible for the billing.
- B. Enter the street number and street name where the billing should be sent (P.O. Box is acceptable).
- C. Enter the city that applies to the billing address.
- D. Enter the county that applies to the billing address.

- E. Enter the state that applies to the billing address.
- F. Enter the zip code that applies to the billing address.
- G. Enter the email address of the person responsible for billing.
- H. Enter the title of the person responsible for billing.
- I. Enter the daytime telephone number of the person responsible for billing.

Section IV – Receiving Water Information

- A. Check all boxes that apply. At least one box must be checked.
 - 1. Check this box if the application area is a canal, ditch, or other constructed conveyance system. Print the name of the conveyance system.
 - 2. Check this box if the application area is not a constructed conveyance system (including application to river, lake, creek, stream, bay, ocean) and enter the name of the water body.
 - 3. Check this box if the application area is not listed in Items 1 and 2 above. Provide a description of the application area and the name of the water body(s) that pesticide residues discharge to.
- B. List all Regional Water Board numbers where pesticide application is proposed. Regional Water Board boundaries are defined in section 13200 of the California Water Code. The boundaries can also be found on our website at http://www.waterboards.ca.gov/waterboards_map.shtml. The numbers with corresponding Regional Water Board names are given below:

Regional Water Board Numbers	Regional Water Board Names
1	North Coast
2	San Francisco Bay
3	Central Coast
4	Los Angeles
5	Central Valley (Includes Sacramento, Fresno, Redding Offices)
6	Lahontan (South Lake Tahoe, Victorville offices)
7	Colorado River Basin
8	Santa Ana
9	San Diego

Section V – Pesticide Application Information

- A. List the target organisms.
- B. List the name and active ingredients of each pesticide to be used.
- C. List the start and end date of proposed pesticide application event.
- D. List the name(s) and type(s) of adjuvants that will be used.

Section VI – Pesticides Application Plan

The Discharger must prepare and complete an Aquatic Pesticides Application Plan (APAP). The minimum contents of APAP are specified in the permit under item VIII.C of the General

TENTATIVE ORDER

Permit. The Discharger must ensure that its applicator is familiar with the APAP contents before pesticide application.

If an APAP is not complete at the time of application, enter the date by which it will be completed.

Section VII – Notification

Have you notified potentially affected governmental agencies, as required under item VIII.B of the General Permit?

Section VIII – Fee

The amount of Annual fee shall be based on Category 3 discharge specified in Section 2200(b)(8) of Title 23, California Code of Regulations. Fee information can be found at http://www.waterboards.ca.gov/resources/fees/docs/fy10_11_fee_schedule.pdf <http://www.waterboards.ca.gov/resources/fees/>.

Check the YES box if you have included payment of the annual fee. Check the NO box if you have not included this payment.

NOTE: You will be billed annually and payment is required to continue coverage.

Section IX– Certification

- A. Print the name of the appropriate official. For a municipality, State, federal, or other public agency, this would be a principal executive officer, ranking elected official, or duly authorized representative. The principal executive officer of a federal agency includes the chief executive officer of the agency or the senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., Regional Administrator of USEPA).
- B. The person whose name is printed above must sign and date the NOI.
- C. Enter the title of the person signing the NOI.

Endangered Species Act

This General Permit does not authorize any act that results in the taking of a threatened or endangered species or any act that is now prohibited, or becomes prohibited in the future, under either the California Endangered Species Act (Fish and Game Code sections 2050 et. seq) or the Federal Endangered Species Act (16 U.S.C.A. sections 1531 et. seq). This General Permit requires compliance with effluent limitations, receiving water limitations, and other requirements to protect the beneficial uses of waters of the state. The Discharger is responsible for meeting all requirements of the applicable Endangered Species Act.

Additional information on federally-listed threatened or endangered species and federally-designated critical habitat is available from NMFS (www.nmfs.noaa.gov) for anadromous or marine species or FWS (www.fws.gov) for terrestrial or freshwater species.

Section 303(d) List

This General Permit does not authorize the discharge of residual pesticides or their breakdown degradation by-products to waters of the US that are impaired by the pesticide active ingredients included in Attachment E. Impaired waters are those waters not meeting quality standards pursuant to Section 303(d) of the CWA. California impaired waters, as approved by the State Water Board, are listed on http://www.waterboards.ca.gov/water_issues/programs/tmdl/2010state_ir_reports/2010_combo303d.xls (to be reviewed and adopted by USEPA).

TENTATIVE ORDER

IV. CERTIFICATION

"I certify under penalty of law that 1) I am not required to be permitted under the Aquatic Animal Invasive Species Control General Permit No. CAG____, and 2) this document and all attachments were prepared under my direction and supervision in accordance with a system designed to ensure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment. Additionally, I understand that the submittal of this Notice of Termination does not release a pesticide applicator from liability for any violations of the Clean Water Act."

A. Printed Name: _____

B. Signature: _____ **Date:** _____

C. Title: _____

V. FOR STATE WATER BOARD USE ONLY

Approved for Termination **Denied** and Returned to the Discharger

A. Printed Name: _____

B. Signature: _____

C. Date: _____

NOT Effective Date: / /

TEMPORARY ORDER