

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL COAST REGION**

895 Aerovista Place, Suite 101
San Luis Obispo, California 93401

**NOTICE OF PUBLIC HEARING - PUBLIC NOTICE NO. R3-2014-0029
REISSUANCE OF WASTE DISCHARGE REQUIREMENTS ORDER NO. R3-2014-0029**

DYNEGY MOSS LANDING, LLC

The California Regional Water Quality Control Board, Central Coast Region (Central Coast Water Board) proposes to authorize discharge of hazardous waste to Class I hazardous waste surface impoundments for the treatment and storage of wastes generated during operation of the power plant by reissuance of waste discharge requirements. The Central Coast Water Board will hold a public hearing to consider the issuance of the proposed waste discharge requirements on **July 31- August 1, 2014**, at the:

Santa Barbara County Offices
Supervisor's Board Hearing Rm. - 4th Floor
105 East Anapamu Street
Santa Barbara, CA 93101

Interested persons are invited to submit comments in writing to the Central Coast Water Board at its office in San Luis Obispo no later than **May 30, 2014**. All comments received prior to that date will be considered in the formulation of staff recommendations regarding the waste discharge. The Central Coast Water Board will not accept written comments or other written submittals on the draft Order after **May 30, 2014**, unless the Chair of the Central Coast Water Board rules that exclusion would create a hardship, and that the late submission will not prejudice any party or the Central Coast Water Board. Any person submitting late comments or other submittals must explain why such materials were not submitted by **May 30, 2014**. The Chair of the Central Coast Water Board will rule on late submittals at or before the hearing. Late submittals that consist of evidence (as opposed to policy statements or comments) are generally prejudicial unless all parties and Central Coast Water Board staff have time to consider the evidence before the hearing.

Interested persons are invited to attend the hearing and may make oral comments relevant to the proposed action. Oral comments should summarize written comments. The Chair of the Central Coast Water Board will impose time limits on oral comments.

The draft Order and related documents are available for review at the Central Coast Water Board office, 895 Aerovista Place, Suite 101, San Luis Obispo, California 93401-5427, on weekdays between the hours of 8:00 a.m. and 5:00 p.m or may be downloaded from our website after **April 15, 2014** at: <http://www.waterboards.ca.gov/centralcoast/Permits/Index.htm>

Please direct comments and questions to **David Schwartzbart at (805) 542-4643** (or david.schwartzbart@waterboards.ca.gov) or Thea Tryon at (805) 542-4776 at thea.tryon@waterboards.ca.gov. Please bring the foregoing to the attention of any persons known to you who would be interested in this matter.