Exhibit 11

PUBLICATION 8097 FWQP FACT SHEET 3.4

Management Goals and Management Practices:

Nutrient Management Goals and Management Practices for Cool-Season Vegetables

STUART PETTYGROVE is UC Cooperative Extension Soils Specialist, UC Davis; **TIM HARTZ** is UCCE Vegetable Crops Specialist, UC Davis; **RICHARD SMITH** is UCCE Farm Advisor, Monterey County; **TOM LOCKHART** is Watershed Coordinator, Cachuma Resource Conservation District; **BLAINE HANSON** is UCCE Irrigation and Drainage Specialist, UC Davis; **LOUISE JACKSON** is Professor, Plant Physiologist, and UCCE Specialist, UC Davis; and **STEVE GRATTAN** is UCCE Plant-Water Relations Specialist, UC Davis;

This Fact Sheet includes Management Goals and Management Practices for reduction of nutrient pollution in cool-season vegetables. For our purposes, we are defining a *Management Goal* (MG) as the best economically achievable technology or process for limiting the movement of nutrients, particularly nitrogen (N) and phosphorus (P), into ground or surface waters. Management Goals are general (for example, "Base the amount and timing of N fertilizer applied on crop needs").

As used here, a *Management Practice* (MP) is a specific practice to be used in accomplishing a Management Goal (for example, "Use plant tissue analysis to aid in fertilization decisions"). Growers and crop advisors have found these practices suitable for vegetable production in California's coastal region. Management Practices are not requirements and will not necessarily be feasible or necessary for pollution control in every situation. Rather, they are options for managing N and P fertilizers and water efficiently.

The development of a comprehensive farm plan for nutrient management on cool-season vegetable crops involves a series of ten Management Goals:

MG 1. Evaluate current irrigation and fertilization practices and plan improvements in management.

MG 2. Avoid fertilizer material spills during all phases of transport, storage, and application.

MG 3. Base the amount and timing of N fertilizer applications on crop needs and production goals.

MG 4. Place N fertilizer materials where maximum plant uptake will occur.

MG 5. Minimize leaching losses of nitrate during non-crop periods.

MG 6. Operate irrigation systems to minimize deep percolation and N losses.

MG 7. Improve the uniformity of existing furrow irrigation.

MG 8. Improve the uniformity of existing sprinkler irrigation.

MG 9. Improve the uniformity of existing drip irrigation.

MG 10. Evaluate and maintain nutrient management goals and recommended practices.

To implement the Management Practices, you may require specific technical information. Consult your local UCCE Farm Advisor or visit the UC Davis Vegetable Research and Information Center Web site for help with developing these practices.

UNIVERSITY OF CALIFORNIA
Division of Agriculture and Natural Resources
http://anrcatalog.ucdavis.edu

In partnership with
NRCS Natural Resources Conservation Service
http://www.nrcs.usda.gov

Farm Water Quality Planning
A Water Quality and Technical Assistance Program for California Agriculture
http://waterquality.ucanr.org

This FACT SHEET is part of the **Farm Water Quality Planning (FWQP)** series, developed for a short course that provides training for growers of irrigated crops who are interested in implementing water quality protection practices. The short course teaches the basic concepts of watersheds, nonpoint source pollution (NPS), self-assessment techniques, and evaluation techniques. Management goals and practices are presented for a variety of cropping systems.

UC PEER REVIEWED

MG 1. Evaluate current irrigation and fertilization practices and plan improvements in management

MP 1.1. Determine nitrate and salt contamination of ground water in existing wells; and assess the potential for transport of soluble contaminants such as nitrates and salts downward to the ground water and laterally to surface

MP 1.2. Develop and implement a system for keeping long-term records on each field for water and nutrient/soil amendment inputs, cultural operations, pest problems, land leveling or other improvements, and crop yield and quality. The Farm Water Quality Plan (ANR Pub 9002) gives one method for developing a long-term system.

MP 1.3. Review current cultural practices to develop improved nutrient and water management plans.

MG 2. Avoid fertilizer material spills during all phases of transport, storage, and application

MP 2.1. Have organized training sessions for field personnel.

MP 2.2. When transporting fertilizer, do not overfill trailers or tanks. Cover or cap loads properly and display appropriate placards on vehicles.

MP 2.3. When transferring fertilizer into on-farm storage or into a fertilizer applicator, take care not to allow materials to accumulate on the soil.

MP 2.4. Maintain all fertilizer storage facilities to meet government and industry standards and protect them from the weather.

MP 2.5. Clean up fertilizer spills promptly.

MP 2.6. Shut off fertilizer applicators during turns and use check valves on application equipment.

MP 2.7. Maintain proper calibration of fertilizer application equipment.

MP 2.8. Whenever injecting fertilizer into irrigation water, ensure that there is no backflow into wells or other water sources.

MP 2.9. Distribute rinse water from fertilizer application equipment evenly throughout the field.

MG 3. Base the amount and timing of N and P fertilizer applications on crop needs

MP. 3.1. Determine crop nutrient requirements and establish a crop nutrient budget.

MP 3.2. Measure nitrate levels in the irrigation water and adjust N fertilizer rate accordingly.

MP 3.3. Before applying N and P early in the growth cycle, assess the amount of nitrate and phosphorous already present through the use of soil sampling and analysis. For soils with pH > 6.2, the most appropriate soil test is the Olsen (or *bicarbonate*) procedure. The Olsen procedure is acceptable for soils with a lower pH, but some laboratories may recommend a different method.

MP 3.4. Use soil nitrate quick tests or plant tissue sampling to guide your decisions on N fertilization in the middle and late periods of the crop growth cycle.

MP 3.5. Make multiple small applications of N fertilizer.\

MP 3.6. Make efficient P fertilizer applications.

MP 3.6.1. When appropriate, apply injected bands of P fertilizer into the soil. P fertilizer is generally more available to the plants if it is injected in bands than if it is applied as a broadcast application.

MP 3.6.2. Apply P fertilizer as close to the time of planting as possible. The longer P fertilizer is in contact with the soil, the less accessible it is to plants.

MP 3.6. When applying manure before you plant a crop, determine the nutrient content and release rate of the manure and the amount of nitrate already present in the soil. Apply manure at a rate consistent with the crop nutrient requirements.

MP 3.7. When possible, avoid water-running N fertilizer in the furrows. If fertilizer N must be water-run, make sure to maximize the uniformity of the irrigation, inject the fertilizer during the last half of the irrigation set, and manage the tailwater.

MP 3.8. Do not apply fertilizer N or surface broadcast P less than 24 hours in advance of a predicted large storm event.

MG 4. Place N fertilizer materials where maximum plant uptake will occur

MP 4.1. Incorporate N fertilizer into the crop bed by placing fertilizer on the seed row and watering it in, by knifing fertilizer into the bed, or by broadcasting fertilizer and then listing it up into the bed.

MG 5. Minimize leaching losses of nitrate during non-crop periods

MP 5.1. If conditions permit, grow a cover crop rather than leave fields fallow during the rainy season.

MP 5.2. Use only low-N fertilizers (such as $N:P_2O_5:K_2O$ equal to 1:3:3) during bed preparation in the fall. Higher N materials may be appropriate if a crop is to be planted soon.

MG 6. Operate irrigation systems to minimize deep percolation and N and P losses (These practices apply to all system types.)

MP 6.1. Monitor soil moisture between irrigations and use that information to guide your irrigation timing decisions.

MP 6.2. Crop need should determine irrigation amount.

MP 6.3. Know the irrigation system flow rates and the time required to apply the desired inches of water.

MP 6.4. Use the minimum leaching fraction that will prevent stand establishment problems or yield reductions from salinity.

MP 6.5. When fertigating with a drip or sprinkler system, run the fertilizer in the later part of the set so as not to leach nutrients beyond the root zone. Avoid fertigating with furrow systems.

MP 6.6. Follow state regulatory requirements and industry guidelines for backflow prevention when injecting fertilizer into irrigation water (CCR Title 3). Schedule regular maintenance of backflow prevention devices.

MP 6.7. If irrigation uniformity remains low after all practical improvements have been made, consider converting to an irrigation system with a greater potential to improve uniformity in a way that minimizes deep percolation.

MP 6.8. Minimize the amount of tailwater leaving the farm during the irrigation season. Even tailwater from fields with only moderate soil nutrient levels can contain significant quantities of N and P that can lead to algal blooms and associated problems.

MG 7. Improve existing furrow irrigation uniformity

MP 7.1. Convert to surge irrigation.

MP 7.2. Where furrow runs are more than 1000 feet long, consider cutting the furrow run length in half with a corresponding decrease in set time.

MP 7.3. Use high irrigation flow rates initially to get water down the furrow and then cut the flow rates back to finish the irrigation.

MP 7.4. Reduce variations in slope when preparing irrigation furrows.

MP 7.5. Use practices that increase irrigation uniformity between furrows (e.g., by using torpedoes in furrows that don't get wheel traffic or by alternating wheel rows with each tractor pass, you can ensure greater uniformity in water advance time in all furrows).

MP 7.6. Recirculate, rechannel, or reuse surface water runoff.

MP 7.7. Keep records on a field-by-field basis of advance and recession times.

MP 7.8. Utilize the services of a mobile irrigation lab.

MG 8. Improve existing sprinkler irrigation uniformity

MP 8.1. Monitor flows and pressure variations throughout the system to detect non-uniform application.

MP 8.2. Maintain the irrigation system by repairing leaks, replacing malfunctioning sprinklers, monitoring nozzle performance for wear, and maintaining adequate water pressure through the entire set.

MP 8.3. Operate sprinklers during the least windy periods, whenever possible. When sprinkler irrigating under windy conditions, reduce the spacing between laterals when possible to optimize application uniformity.

MP 8.4. Use offset lateral moves on successive irrigations to improve distribution uniformity.

MP 8.5. Use flow-control nozzles when the pressure variation throughout the system is excessive.

MP 8.6. Make set times as short as possible during stand establishment.

MP 8.7. For very large blocks, consider converting to linear-move sprinkler systems.

MP 8.8. Utilize the services of a mobile irrigation lab.

MG 9. Improve existing drip irrigation uniformity

MP 9.1. Monitor flows and pressure variations throughout the system to detect non-uniform application.

MP 9.2. Use lateral hose lengths that ensure uniformity.

MP 9.3. Use drip tape that has a small emitter discharge exponent to reduce flow variations that result from pressure differences.

MP 9.4. Check for the potential for emitter clogging by conducting water analysis and fertilizer/water compatibility tests.

MP 9.5. Use filtration, chemical treatments, and flushing as needed to prevent or correct clogging problems.

MP 9.6. Maintain appropriate water pressure throughout the system.

MP 9.7. Utilize the services of a mobile irrigation lab.

MG 10. Evaluate and maintain nutrient management goals and recommended practices

MP 10.1. Periodically evaluate management goals and recommended practices implemented for nutrient management. Correct deficiencies as needed.

REFERENCE

Pettygrove, G. S., S. R. Grattan, B. R. Hanson, T. K. Hartz, L. E. Jackson, T. R. Lockhart, K. F. Schulbach, and R. Smith. 1998. Production guide: Nitrogen and water management for coastal cool-season vegetables. Oakland: University of California Division of Agriculture and Natural Resources, Publication 21581.

FOR MORE INFORMATION

You'll find detailed information on many aspects of field crop production and resource conservation in these titles and in other publications, slide sets, CD-ROMs, and videos from UC ANR:

Nutrients and Water Quality, slide set 90/104

Protecting Groundwater Quality in Citrus Production, publication 21521

Sediments and Water Quality, slide set 91/102

To order these products, visit our online catalog at http://anrcatalog.ucdavis.edu. You can also place orders by mail, phone, or FAX, or request a printed catalog of publications, slide sets, CD-ROMs, and videos from

University of California
Agriculture and Natural Resources
Communication Services
6701 San Pablo Avenue, 2nd Floor
Oakland, California 94608-1239

Telephone: (800) 994-8849 or (510) 642-2431
FAX: (510) 643-5470
E-mail inquiries: danrcs@ucdavis.edu

An electronic version of this publication is available on the ANR Communication Services Web site at http://anrcatalog.ucdavis.edu.

Publication 8097

rev-9/05-WJC/CR ISBN 978-1-60107-271-9

UC PEER REVIEWED

This publication has been anonymously peer reviewed for technical accuracy by University of California scientists and other qualified professionals. This review process was managed by the ANR Associate Editor for Natural Resources.

Exhibit 15

PUBLICATION 8332

The Farm Water Quality Plan

Plan components compiled by **MARY BIANCHI,** UC Cooperative Extension Farm Advisor, San Luis Obispo County; **DANIEL MOUNTJOY,** Area Resource Conservationist, USDA–NRCS; and **ALISON JONES,** Watershed Management Initiative Coordinator, Central Coast Regional Quality Control Board.

Use these sections to formalize a Farm Water Quality Plan for your farm.

This is the Farm Water Quality Plan for _____

Prepared by: _____

Date: _____

CONTENTS

UNIVERSITY OF CALIFORNIA
Division of Agriculture and Natural Resources
http://anrcatalog.ucdavis.edu

In partnership with
NRCS Natural Resources Conservation Service
http://www.nrcs.usda.gov

Farm Water Quality Planning

A Water Quality and Technical Assistance Program for California Agriculture
http://waterquality.ucanr.org

This PLAN is part of the **Farm Water Quality Planning (FWQP)** series, developed for a short course that provides training for growers of irrigated crops who are interested in implementing water quality protection practices. The short course teaches the basic concepts of watersheds, nonpoint source pollution (NPS), site-assessment techniques, and evaluation techniques. Management goals and practices are presented for a variety of cropping systems.

UC PEER REVIEWED

PROPERTY INFORMATION

Farm/Ranch

Farm/Ranch Name:	
Mailing Address or P.O. Box:	
City, State and Zip Code:	
Phone:	Size (acres):

Owner

Name(s):	
Mailing Address or P.O. Box: ☐Same as Farm/Ranch Address	
City, State and Zip Code:	
Phone:	E-mail:

Lessee/Manager

Name(s):	
Mailing Address or P.O. Box: ☐Same as Farm/Ranch Address	
City, State and Zip Code:	
Phone:	E-mail:

Location

County:
Legal Description (Township, Range, Sections):

OPERATIONS AND LAND USE

Current farm/ranch enterprises or activities and the acreage devoted to each

Land use activity	Area in acres/sq.ft.
farming (field production)	
farming (greenhouse/nursery production)	
grazing livestock	
dairy	
feedlot	
processing (winery, cold storage, etc.)	
public facilities (winery tasting rooms, etc.)	
forestry (timber)	
wildlife preserve	
camping	
hunt club	

Water sources for farming enterprises:
☐ Surface water ☐ Groundwater ☐ Municipal ☐ Reclaimed/Recycled

Operations and Land use, cont'd.

Farming Enterprises

Current farm/ranch enterprises or activities and the acreage devoted to each

☐ Alfalfa/other hay	☐ Cotton	☐ Strawberries
☐ Caneberries	☐ Field crops	☐ Tree/fruit/nut crops
☐ Corn (grain)	☐ Irrigated pasture	☐ Vegetable crops
☐ Corn (silage)	☐ Oil crops	☐ Vineyard
☐ Other silage	☐ Rice	☐ Wheat, barley, oats
☐ Greenhouse ☐ Container ☐ Ground	☐ Shade & temporary ☐ Container ☐ Ground	☐ Outdoor flowers ☐ Container ☐ Ground
☐	☐	☐
☐	☐	☐

Schedule for rotated crops:

Livestock Enterprises

Number of pastures for grazing _____

Types of livestock	Livestock access to water
☐ cow/calf–spring calving	☐ troughs and tanks
☐ cow/calf–fall calving	☐ springs
☐ cow/calf–year-round calving	☐ streams or creeks
☐ stocker production	☐ stock ponds
☐ goat production	☐ water gaps
☐ llama production	☐ wells
☐ horses	☐ river
☐ ratite (ostrich, emu, etc.) production	☐
☐	☐
☐	☐

STATEMENT OF GOALS

Production Goals

- ☐to pass the farm/ranch on to the next generation
- ☐to reduce family/farm debt so that only minor borrowing for operating capital is necessary in a typical year
- ☐to expand existing enterprises
- ☐to increase income by developing new enterprises
- ☐to increase profitability
- ☐to purchase or lease more property
- ☐to reduce short-term production costs
- ☐to achieve long-term reduced production costs
- ☐to increase the value of the land
- ☐
- ☐
- ☐

Quality of Life Goals

- ☐to reduce energy consumption in our home and in the farm/ranch operation
- ☐to reduce family debt
- ☐to provide support for our children's college education
- ☐to provide financial or other support to community organizations
- ☐to reduce household operating expenses
- ☐to build an emergency fund
- ☐to be involved in at least one significant community activity that is important to our family's goals, health, values, or well-being
- ☐to build a retirement fund
- ☐to grow crops or raise livestock during my retirement
- ☐to enhance relationships with neighbors and the community
- ☐to enhance health and well-being on the farm
- ☐
- ☐

Statement of Goals, cont'd.

Natural Resource/Water Quality Goals
☐to protect cropland, nursery area, rangeland, pastureland, and/or forestland from erosion
☐to manage farm or ranch roads to reduce movement of sediment into streams, and other water bodies
☐to reduce human-caused erosion of stream banks
☐to increase canopy and/or ground cover in riparian areas or along streams and other water bodies
☐to protect and enhance fish populations and other aquatic resources.
☐to reduce concentration of livestock in or near riparian areas, streams or other water bodies
☐to reduce the opportunity for nutrients, pesticides, and pathogens to enter streams or other water bodies.
☐to maintain and enhance riparian plant communities
☐to reduce wildfire hazard
☐to maintain and protect oak woodland and other upland native plant communities
☐to maintain or improve wildlife habitat
☐to reduce/manage invasive weeds
☐
☐
☐

REGIONAL AND LOCAL WATER QUALITY INFORMATION

This section is a place for you to document information about your watershed, groundwater basin, and downstream waterbodies that has been collected by a variety of agencies. This information is documented in the following resources:

California Coastal Commission (CCC)
CCAs http://www.coastal.ca.gov/nps/cca-nps.html

California Department of Pesticide Regulation (DPR)
GWPA Maps
http://www.cdpr.ca.gov/docs/gwp/gwpamaps.htm
GWPA Lists by Legal Description
http://www.cdpr.ca.gov/docs/gwp/gwpa_lists.htm

National Oceanic and Atmospheric Administration (NOAA) – National Marine Fisheries Service (NMFS) Protected Resources Division
ESUs http://swr.ucsd.edu/psd/ps1inf.htm#Salmon

State Water Resources Control Board (SWRCB) – Regional Water Quality Control Board (RWQCB)
Beneficial Uses - Basin Plan
http://www.swrcb.ca.gov/rwqcb3/BasinPlan/BP_text/chapter_2/figs_n_tables/table_2-1.doc
Beneficial Use Support - California Water Quality Assessment Report 1998 - Staff Report Part A
http://www.swrcb.ca.gov/general/publications/index.html#Cc
Clean Water Act Section 303(d) List
http://www.swrcb.ca.gov/tmdl/docs/2002reg3303dlist.pdf
CCAMP Monitoring Data http://www.ccamp.org/ca/3/3.htm

How to complete this section

Draw from the above resources to complete this section. If you don't have access to one of these resources, contact your Watershed Coordinator or contact the agency directly.

Regional and Local Water Quality Information, cont'd.

Location of the Operation — "Watershed Address"

Water Quality Control Board Region

- ☐ Region 1: North Coast
- ☐ Region 2: San Francisco Bay
- ☐ Region 3: Central Coast
- ☐ Region 4: Los Angeles
- ☐ Region 5: Central Valley
- ☐ Region 6: Lahontan
- ☐ Region 7: Colorado River Basin
- ☐ Region 8: Santa Ana
- ☐ Region 9: San Diego

Name of the Hydrologic Unit (HU):

Name of the Hydrologic Area (HA):

Downstream Waterbodies

Type(s) of streams on and adjacent to the farm/ranch:

- ☐ Perennial – flow all year
- ☐ Intermittent – flow during and for a period following rainfall
- ☐ Ephemeral – only flow in direct response to rainfall
- ☐ None

List names of all downstream waterbodies, beginning at the property and ending at the ocean:

Pollutants identified in downstream waterbodies:

- ☐ Sediment/Silt Waterbody: _____ Source: ☐ 303(d)*
  ☐ Cooperative Monitoring ☐ Other _____
- ☐ Nutrients/Nitrate Waterbody: _____ Source: ☐ 303(d)*
  ☐ Cooperative Monitoring ☐ Other _____
- ☐ Pesticides Waterbody: _____ Source: ☐ 303(d)*
  ☐ Cooperative Monitoring ☐ Other _____
- ☐ Other(s) Waterbody: _____ Source: ☐ 303(d)*
  ☐ Cooperative Monitoring ☐ Other _____

*Waterbodies on Federal 303(d) list are subject to Total Maximum Daily Loads.

Is the watershed you are in designated by the Department of Fish and Game as being within a known range of an Evolutionary Significant Unit (ESU) for Coho or Steelhead?

Coho ESU? ☐ Yes ☐ No
If yes, are the Coho Threatened or Endangered? ☐ T ☐ E

Steelhead ESU? ☐ Yes ☐ No
If yes, are the Steelhead Threatened or Endangered? ☐ T ☐ E

Regional and Local Water Quality Information, cont'd.

Is a coastal zone downstream of the operation designated by the California Coastal Commission as a proposed Critical Coastal Area (CCA)? ☐ Yes ☐ No
Groundwater Basin
Name and Number of the Groundwater Basin:
Is the farm/ranch within an area designated by the California Department of Pesticide Regulation as a Ground Water Protection Area (GWPA)? ☐ Yes ☐ No
Include maps that indicate your watershed, groundwater basin, and flow of water from your operation to the ocean.

FARM/RANCH MAP

Facilities and Resources
Keep maps and photographs with Plan for reference

Indicate the acres within the boundary, number of each facility and hydrologic feature, and miles of road and fencing. Rough estimates are adequate for miles.

Shown on map	Boundaries	Total Acres
☐	Farm or ranch boundary	
☐	Field boundaries	
☐		
	Buildings	**Total Number**
☐	Residence, offices — office	
☐	Barns/shops/outbuildings — barn	
☐	Pesticide storage — pesticide	
☐	Fertilizer storage — fertilizer	
☐	Petroleum storage — petroleum	
☐	Dairy or other animal handling facilities	
☐	Livestock waste management facilities	
☐	Greenhouses — greenhouse	
☐	Shade houses, other temporary structures	
☐	Soil handling/mixing, compost areas — stack yard	
☐	Boiler rooms	
☐	Cold storage, postharvest handling	
☐		
	Structures	**Total Number**
☐	Equipment yards	
☐	Corrals	
☐	Feedlots — feedlot	
☐	Septic tanks, other bathroom facilities — ST M W	
☐	Stockwater storage tanks — water tank	
☐	Stockwater troughs	
☐	Erosion control structures	
☐		

Farm/Ranch Map, cont'd.

	Fences and Roads		Total Miles
☐	Fences		
☐	Dirt road		
☐	Gravel road 59	gravel	
☐	Paved road		
☐			
	Hydrologic Features		**Total Number**
☐	Irrigation ditches		
☐	Irrigation ditches, lined 59	lined	
☐	Streams and creeks		
☐	Springs		
☐	Irrigation reservoirs	R	
☐	Recycling reservoirs 59	R recycling	
☐	Irrigation settling ponds 59	settling pond	
☐	Stockwater ponds		
☐	Tailwater recovery systems 59	tailwater recovery system	
☐	Bridges		
☐	Stream crossings	FORD	
☐	Domestic wells 59	domestic well	
☐	Irrigation wells		
☐	Stockwater wells 59	well	
☐			

Site Assessment and Practices Planning–Sediment, cont'd.

Managing Sediment

Soil erosion and sediment deposition are primary contributors to lowered surface water quality from farmlands. In areas where there are steep slopes, erodible soils, and intense storm characteristics, sediment delivery from farmlands can be relatively high. Roads and other areas of disturbed ground where bare soils are susceptible to the erosive action of water and wind can also be major contributors of sediment to waterbodies.

Upstream/Upslope Land Use

S1. Is your property affected by sediment from upstream/upslope land uses?
☐ **Yes** ☐ **No**

Notes:

Practices to Manage Sediment from Upstream/Upslope

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
A structure to collect the sediment is installed and maintained									
Sediment Basin #350									
Water and Sediment Control Basin #638									
A structure to divert the sediment is installed and maintained									
Diversion #362									
Grassed Waterway #412									
Lined Waterway #468									
Open Channel #582									
Structure for Water Control #587									
Surface Drainage Ditch #607 & #608									
Underground Outlet #620									
Vegetation is established to filter the sediment									
Conservation Cover #327									
Filter Strip #393									
Tree/Shrub Establishment #612									

SITE ASSESSMENT AND PRACTICES PLANNING

You have completed the basin water quality information that lists important water bodies in your area and the water quality problems that have been identified for these water bodies. You have also created a map of your farm or ranch that lists land uses, facilities, and resources.

The following section can help identify areas of your farm or ranch where you've already implemented management practices to protect water quality. It can also help determine what areas of your farm or ranch can receive the most benefit from the implementation of new management practices. These items can be added to your map.

A trip around the property in a vehicle or on foot may be necessary to complete this assessment. Some of the assessment may involve accessing your pesticide use reports, or operations budget for nutrients applied to specific fields. Keep this section and the following self-evaluation section as a working document to record your decisions and your progress. You should keep records or take photographs before and after implementation to document changes that occur as a result of practices or groups of practices.

If you conclude that you need to make some changes, it may take you a while to decide how to proceed. You may want to compare practices that can accomplish the same thing. Not all practices listed may be applicable or available for your situation. Discuss these options with other farmers, consultants, or technical advisors from UCCE, NRCS, RCDs or other organizations. You should estimate costs of implementation. You may want to seek cost share funding with NRCS or other sources.

How to complete this section:

If you answer "yes" to any of the questions, look at the following table(s) for Management Practices. Select Practices that you are currently using or that you think might be useful. Update annually and keep notes that help with record keeping. If you would like to be more specific, you can record block designations, square footage, or acres of each selected Practice in the "location(s)" column. NRCS Conservation Practice Standards that you might want to use are listed where applicable. 59

Site Assessment and Practices Planning–Sediment, cont'd.

Fields and Other Growing Areas

S2. Do you notice soil erosion from fields and other growing areas with steep slopes or long lengths of run?
☐ Yes ☐ No

Notes:

Develop a Field Layout to Minimize Erosion Potential									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Rows are placed on slopes and grades that minimize erosion									
Contour Farming #330									
Contour Orchard and Other Fruit Area #331									
Row Arrangement #557									
Long runs are broken up									
Access Road #560									
Contour Buffer Strip #332									
Diversion # 362									
Irregularities that cause concentrated runoff on slopes are removed									
Land Smoothing #466									

Site Assessment and Practices Planning–Sediment, cont'd.

S3. During rain events, do you notice soil erosion from fields with bare soil or sparse ground cover?
☐ Yes ☐ No

Notes:

Cover Bare Fields to Reduce Rainfall Runoff Potential									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Bare soil is covered with vegetation									
Conservation Crop Rotation #328									
Cover Crop #340									
Alternate rows are cultivated and cover cropped									
Cover Crop #340									
Plant residues or other materials are applied to or managed on the soil surface									
Mulching #484									
Residue Management #329									
Strips of vegetation are placed along rows that are farmed on the contour									
Contour Buffer Strip #332									
Critical Area Planting #342									

Site Assessment and Practices Planning–Sediment, cont'd.

S4. During irrigation, do you notice sediments in runoff from fields?
☐ Yes ☐ No

Notes:

Manage Irrigation Water to Minimize Erosion Potential									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Amendments are used to improve infiltration - PAM, gypsum, organic amendments									
Anionic Polyacrylamide (PAM) #450									
Deep tillage is performed to fracture restrictive soil layers and increase deep percolation where leaching of pollutants to groundwater is not a significant risk									
Deep Tillage #324									
Soil or substrate moisture status is monitored using tensiometers or other sensors									
The application rate of the irrigation system (in/hr) is known									
Irrigation system is redesigned or converted to another type									
Fields are graded for uniform application of irrigation water									
Irrigation Land Leveling #464									
Irrigation Water Management #449									

Site Assessment and Practices Planning–Sediment, cont'd.

S5. During high winds, do you notice dust blowing from fields with bare soil or sparse ground cover or from field roads?
☐ Yes ☐ No

Notes:

Reduce Wind Erosion Potential									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Vegetation is established along the field edges to shield the field from wind									
Hedgerow #422									
Herbaceous Wind Barrier #603									
Windbreak/Shelterbelt Establishment #380 & 650									
The bare soil is covered with vegetation									
Cover Crop #340									
Conservation Crop Rotation #328									
Residue Management #329									
The soil surface is roughened									
Cross Wind Ridges #589A									
Surface Roughening #609									
Road surfaces are protected with mulch, gravel, water or an environmentally safe dust suppressant									
Access Road #560									
Mulching #484									

Site Assessment and Practices Planning–Sediment, cont'd.

Container Grown Plants, Including Hydroponics

S6. Do you grow plants in containers in a system that doesn't recover all applied water?
☐ Yes ☐ No

Notes:

Reduce Erosion and Runoff in Container Grown Plants										
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Plants are grouped to increase water and nutrient use efficiency by container size, container design, age, canopy architecture, water and nutrient requirements and/or salt tolerance									
Plants are consolidated and irrigation is shut off in unused portions									
Containers are filled and packed uniformly									
Growing media and/or substrate is selected for high water holding capacity and adequate drainage and aeration									
Growing media and/or substrate is stored and mixed in a location sheltered from wind and away from drainage channels									
Mulch is used to protect ground surface below containers from erosion.									

Site Assessment and Practices Planning–Sediment, cont'd.

Roads and Roadside Ditches

S7. Do you notice rills, gullies or headcuts running down the road?
☐ Yes ☐ No

Notes:

S8. Do you notice water-loving vegetation present on the roadbed?
☐ Yes ☐ No

Notes:

S9. Is an outboard berm channeling water down the road?
☐ Yes ☐ No

Notes:

S10. Do you notice tension cracks on the road surface or outboard fill?
☐ Yes ☐ No

Notes:

Protect Road Surface from Concentrated Runoff									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Road placement, grade, and surface conditions are assessed for proper drainage									
Roads are graded to reduce erosion									
Access Road #560									
Roadbeds and/or banks are covered in the winter or during minimal use									
Cover Crop #340									
Critical Area Planting #342									
Erodible soil on the roadbed is permanently protected with road oil, gravel, mulch, or paving									
Access Road #560									
Mulching #484									
Outboard berms are removed									
Access Road #560									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Ditches and culverts are kept clean of debris									
Water is diverted away from unstable slopes									
Diversion #362									
Unstable slopes are treated									
Cut Bank Stabilization #742									

Site Assessment and Practices Planning–Sediment, cont'd.

Non-Cropped & Non-Road Areas

S14. Do you notice erosion or sediment loss from areas of bare soil in areas such as cut banks, field margins, between field blocks or greenhouses, on abandoned slopes, soil mixing/handling or compost areas, equipment yards, parking areas, and postharvest or cold storage facilities?
☐ Yes ☐ No

Notes:

S15. Do you see signs of or the potential for sheet erosion, rill erosion, gullies, headcuts, mudslides, or landslides in steep non-cropped areas?
☐ Yes ☐ No

Notes:

Reduce Erosion from Non-cropped Areas									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Protect Soil									
Bare soil is covered with vegetation or mulch									
Conservation Cover #327									
Critical Area Planting #342									
Filter Strip #393									
Hedgerow Planting #422									
Mulching #484									
Range Planting #550									
Tree/Shrub Establishment #612									
Vegetation is allowed to reestablish by excluding animals, people or vehicles									
Use Exclusion #472									
Regrade Potential Problem Areas									
Potential landslide areas are stabilized by reducing and/or supporting the slope									
Cut Bank Stabilization #742									
Landslide Treatment #453									
Gullies are stabilized or reshaped									
Critical Area Planting #342									
Grade Stabilization Structure #410									
Structure for Water Control #587									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Divert Water to a Stable Outlet									
Channels or conduits to divert water to a stable outlet are installed or improved									
Diversion #362									
Grassed Waterway #412									
Lined Waterway #468									
Open Channel #582									
Subsurface Drain #606									
Structure for Water Control #587									
Surface Drainage Ditch #607 & #608									
Underground Outlet #620									
Facilities roof runoff is collected and diverted to a stable outlet									
Roof Runoff Management #558									

Site Assessment and Practices Planning–Sediment, cont'd.

Sediment Leaving the Operation

S16. Do you notice sediment moving off the farm after irrigation and/or storm events?
☐ Yes ☐ No

Notes:

S17. Do you notice sediment accumulating in ditches, channels, ponds, or other waterways downstream of the farm?
☐ Yes ☐ No

Notes:

Detain or Filter Eroded Sediment Leaving the Operation

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Structures to divert sediment to settling areas are installed and maintained									
Diversion #362									
Lined Waterway #468									
Open Channel #582									
Structure for Water Control #587									
Surface Drainage Ditch #607 & #608									
Underground Outlet #620									
Structures to collect sediment are appropriately sized, installed and maintained									
Irrigation System, Tailwater Recovery #447									
Sediment Basin #350									
Water and Sediment Control Basin #638									
Vegetation is established to filter sediment									
Conservation Cover #327									
Filter Strip #393									
Grassed Waterway #412									

Site Assessment and Practices Planning–Sediment, cont'd.

Managing Irrigation

Efficient irrigation management maximizes water use for crop production and minimizes water losses caused by runoff, evaporation, and deep percolation. A portion of the water applied during an irrigation benefits crop growth by providing moisture for transpiration, preventing the build up of salts in the root zone, and moderating the air temperature around the crop. The remainder of the applied water that is lost through run-off and deep percolation not only wastes water, energy, and fertilizer, but can also transport sediments, nutrients and pesticides into ground and surface water supplies.

I1. Does tailwater or runoff water leave the operation during irrigation events?
☐ Yes ☐ No

Notes:

I2. Could you irrigate more efficiently to reduce the amount of water that leaches out of the root zone to eventually reach the groundwater?
☐ Yes ☐ No

Notes:

Manage Irrigation Water for Maximum Efficiency									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Maximize Irrigation System Efficiency									
Irrigation efficiency is evaluated by an irrigation mobile lab, UCCE, or a consultant									
Irrigation Water Management #449									
Regular system maintenance is performed									
Irrigators are trained in practices that promote efficient irrigation									
Amendments are used to improve infiltration - PAM, gypsum, organic amendments									
Anionic Polyacrylamide (PAM) #450									
Deep tillage is performed to fracture restrictive soil layers and increase deep percolation where leaching of pollutants to groundwater is not a significant risk									
Deep Tillage #324									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Optimize Irrigation Scheduling									
Daily water use is estimated using resources such as CIMIS data , evapotransporation (ET), atmometers and/or irrigation records									
Soil or substrate moisture status is monitored using tensiometers or other sensors									
Irrigations are scheduled during times that minimize ET losses									
The application rate of the irrigation system (in/hr) is known									
Plant rooting depths are known									
The irrigation schedule is adjusted to account for the leaching fraction and distribution uniformity of the system									
Timers automatically shut off irrigation after a prescribed time									
Records are kept of the irrigation schedule and water applied during each irrigation									
Optimize Irrigation System Design									
Irrigation system is properly designed and maintained or is converted to another type									
Irrigation Water Management #449									
Irrigation System, Microirrigation #441									
Irrigation System, Sprinkler #442									
Fields are graded for uniform application of irrigation water									
Irrigation Land Leveling #464									
Irrigation water conveyance system (main, canals, etc...) is properly designed and maintained or upgraded									
Irrigation Water Conveyance Pipeline #430									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Tailwater is recirculated									
Irrigation Regulation Reservoir #552B									
Irrigation System, Tailwater Recovery #447									
Subsurface drainage is installed and used in combination with other practices to redcue the potential for NPS pollution.									
Subsurface Drain #606									
Water wells no longer in use are sealed off									
Well Decommissioning #351									

Site Assessment and Practices Planning–Sediment, cont'd.

I3. Are some areas furrow or flood irrigated?
☐ Yes ☐ No

Notes:

Improve Furrow and Flood Irrigation Uniformity									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
A surge valve (surge irrigation) is used to reduce deep percolation losses									
Irrigation ditches are properly designed									
Irrigation Field Ditch #388									
Short furrow lengths or split fields are used									
Furrows are smoothed prior to irrigating (torpedo)									
Alternate furrows are irrigated to avoid over irrigating in sandy or loamy soils									
Inflow rates are adjusted to match field infiltration rate.									
Advance and recession times in furrows are recorded									
Ditches are lined or converted to pipe									
Irrigation Canal or Lateral #320									
Irrigation Water Conveyance Pipeline #430									
Cover crops are used to enhance soil aggregate structure and improve infiltration									
Cover Crop #340									

Site Assessment and Practices Planning–Sediment, cont'd.

I4. Are some areas irrigated with sprinklers or microsprinklers?
☐ **Yes** ☐ **No**

Notes:

Improve Sprinkler and Microsprinkler Irrigation Uniformity									
	Used or could be helpful	**Location(s)**	**Year(s) used**						
			2004	**2005**	**2006**	**2007**	**2008**	**2009**	**2010**
Pulse irrigation is used									
Appropriate system pressure is maintained									
System flow rate and pressures (head and tail) are recorded									
Leaks on mains and laterals are repaired									
Sprinkler heads are maintained									
Sprinkler heads with a high uniformity rating are used									
Appropriate nozzle sizes are selected for lateral spacing and head pattern									
Uniform nozzle sizes are used									
Flow control nozzles are used when pressure is too high or variable									
Consistent riser heights are used and risers are maintained to remain perpendicular to the ground									
Microsprinklers with low pressure shut-off valves are used to improve uniformity on sloping runs									
In greenhouses, traveling sprinkler booms are used to increase distribution uniformity									
Starting location of hand move lines are offset between irrigations to increase uniformity throughout the growing season									
Lateral hose runs are minimized									
System is operated in low-wind conditions									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Vegetation is established along field edges to shield from wind									
Herbaceous Wind Barrier #603									
Windbreak/Shelterbelt #380 & #650									
Irrigations are ended if significant runoff occurs									
Cover crops are used to enhance soil aggregate structure and improve infiltration									
Cover Crop #340									

Site Assessment and Practices Planning–Sediment, cont'd.

I5. Are some areas drip irrigated?
☐ **Yes** ☐ **No**

Notes:

Improve Drip Irrigation Uniformity									
	Used or could be helpful	**Location(s)**	**Year(s) used**						
			2004	**2005**	**2006**	**2007**	**2008**	**2009**	**2010**
Drip tape and emitters are used with an application rate that matches system design, soil or substrate type, and crop needs									
The water supply is evaluated for high bicarbonates that can cause clogging									
A filter is selected that filters the mineral and sand particles in the water supply									
Filters are regularly flushed/cleaned									
Lateral lines are flushed regularly									
Lateral lines are periodically chlorinated to prevent bacterial and algal build-up and root intrusion into emitters									
Emitters are regularly checked to ensure they are delivering water to plants									
Leaks on mains and laterals are repaired									
Emitters with shut-off valves to isolate unused containers or benches are used									
Drip tape with a small emitter discharge exponent is used									
Pulse irrigation is used									
A pressure regulator is used for each submain									
Pressures of submains are regularly adjusted									
Pressure compensating emitters are used									
Cover crops are used to enhance soil aggregate structure and improve infiltration									
Cover Crop #340									

Site Assessment and Practices Planning–Sediment, cont'd.

Managing Pesticides

Pesticides that move from their site of application into surface or groundwater can affect the beneficial uses of water through their potential impact on human and animal health, and on non-target organisms. Wind and water erosion of soil, or drift from pesticide applications may contribute to pesticide movement away from the target area. Pesticides may enter surface waters in irrigation return flows and tile drainage either as water-soluble residuals or adsorbed to sediments. Groundwaters in agricultural areas may also be subject to pollution from pesticides when deep percolation from irrigated land carries water-soluble pesticides to the groundwater. Many practices in this section fall under NRCS Conservation Practice Standard Pest Management #595. Consult other sources such as the UC Integrated Pest Management (IPM) Pest Management Guidelines for crop-specific IPM practices and alternatives to pesticide use http://www.ipm.ucdavis.edu.

Pesticide Management Program

P1. Does your pest management program have the potential to impact water quality?
☐ **Yes** ☐ **No**

Notes:

Use IPM to Make Informed Pesticide Management Decisions http://www.imp.ucdavis.edu									
	Used or could be helpful	**Location(s)**	**Year(s) used**						
			2004	**2005**	**2006**	**2007**	**2008**	**2009**	**2010**
Prepare Site and Use Plant Materials to Promote Crop Health									
Fields are designed or managed to reduce water related stress									
Bedding #310									
Irrigation Land Leveling #464									
Irrigation Water Management #449									
Container media is selected to reduce water related stress									
Resistant varieties are planted									
Crop rotations are used to break pest population cycles									
Conservation Crop Rotation #328									
Cover crops are used to promote soil health and reduce weeds, insects, and pathogens									
Cover Crops #340									
Non-cropped areas are managed (planted, paved or mulched) to discourage weeds									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Assess Pest Populations									
UC IPM Pest Management Guidelines are consulted for crop-specific assessment techniques http://www.ipm.ucdavis.edu									
Blocks are scouted regularly for early detection of pests and diseases									
"Hot spots" are identified									
Records of pests and beneficial insects are maintained									
Adopt Cultural Practices for Pest Management									
Sanitation - Plant material is certified and inspected for vigor, sanitation is practiced when handling plant material and equipment									
Pest-ridden and diseased plants are removed or rogued out									
Alternate host plants that are non-native and/or not harboring beneficial insects are replaced									
Dust from roads onto fields is reduced by mulching graveling, watering down, or treating with an environmentally safe dust suppressant									
Access Road #560									
Mulching #484									
Mechanical weeding such as mowing, tilling, disking, and hand weeding is used whenever practical									
Physical or environmental controls are used (changing humidity or temperature in greenhouses, switching to drip irrigation in row crops, etc.)									
Pest exclusion is performed in greenhouses									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Adopt Biological Control Practices for Pest Management									
Biological controls are used to control pest populations, where possible									
Populations of beneficial insects are considered when making pesticide selection									
Make Efficient Pest Control Decisions									
UC IPM Pest Management Guidelines are consulted for alternatives to chemical pest control, or for reduced risk pesticide selections. http://www.ipm.ucdavis.edu									
Compatible pesticides such as selective pesticides are used when beneficial insects are present									
Application decisions are based on scouting data, pest thresholds and/or risk assessment models									
Pesticides are selected for lower risk of runoff or leaching based upon site conditions, pesticide label warnings, or transport models www.wcc.nrcs.usda.gov/pestmgt/winpst.html									
"Hot spots" are treated independently									
Pesticides are applied at the lowest effective labeled rate									

Site Assessment and Practices Planning–Sediment, cont'd.

Pesticide Handling

P2. Are pesticides stored on site?
☐ Yes ☐ No

Notes:

P3. Are pesticides mixed and loaded on site?
☐ Yes ☐ No

Notes:

P4. Are pesticides (organic and/or synthetic) applied to crops, including ground applied, foliar applied, and chemigation?
☐ Yes ☐ No

Notes:

Implement Responsible Storage Application and Disposal Practices									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Handle Materials Safely									
Pesticide handlers and applicators receive yearly training									
Pesticide label instructions and environmental hazard warnings are followed									
Application equipment and/or injectors are checked and calibrated regularly									
Acreage to be treated and soil types are known									
Pesticides sprayers are turned off when equipment is making turns outside of rows									
Pesticides are not sprayed when winds could move pesticides off-target as 'drift'									
Greenhouse exhaust fans are turned off during applications									
Rain events are considered – pesticides are not applied prior to projected rain events									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Pesticide applications in ditches occur when water quality impacts are minimal and materials are used that are approved for use near aquatic habitat									
Disposal methods are environmentally safe									
Design Facilities Appropriately									
The pesticide storage facility includes a concrete pad and curb to contain spills and leaks									
Production wells are located on elevated, impervious bases and are upslope of pesticide storage and handling facilities									
Wellhead protection consists of an impermeable pad, sump or buffer area of 100' around the wellhead that excludes pesticide handling and pesticide laden drainage									
Containment basins are lined to prevent leaching of pesticides									
Mixing is performed on low runoff hazard sites – over 100 feet downslope of wells on an impermeable surface									
Agrichemical Handling Facility # 702									

Site Assessment and Practices Planning–Sediment, cont'd.

Reducing Pesticide Movement

P5. Do the pesticides applied to your crops have the potential to move offsite adsorbed to sediment, in runoff water and/or by leaching?
☐ Yes ☐ No

Notes:

P6. Are you aware of pesticides in the soil from historic applications?
☐ Yes ☐ No

Notes:

Reduce Pesticide Movement with Water and Eroding Soil									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Design Field Layout to Minimize Pesticide Movement									
The field is shaped to planned grades									
Irrigation Land Leveling #464									
Land Smoothing #466									
Rows are placed on slopes, grades, widths, or on the contour to minimize erosion and runoff									
Contour Farming #330									
Contour Orchard and other Fruit Area #331									
Row Arrangement #557									
Manage Field to Reduce Pesticide Movement									
Bare soil in the field has been covered with vegetation to reduce soil erosion, increase infiltration and build soil organic matter									
Conservation Cover #327									
Cover Crop #340									
Vegetative Barrier #601									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Plant residues are retained or other materials are applied to the soil or substrate surface									
Mulching #484									
Residue Management #329									
Deep tillage is performed to fracture restrictive soil layers and increase deep percolation where leaching of pollutants to groundwater is not a significant risk									
Deep Tillage #324									
Irrigations are managed to minimize leaching and runoff									
Irrigation Water Management #449									
Strips of perennial vegetation are placed along rows farmed on the contour									
Contour Buffer Strip #332									
A structure to collect sediment containing pesticides is installed and maintained									
Sediment Basin #350									
Water and Sediment Control Basin #638									
Irrigation System, Tailwater Recovery #447									
Vegetation is established along the downslope field edge to filter sediment containing pesticides									
Conservation Cover #327									
Filter Strip #393									
A vegetated channel is placed downslope of the field									
Grassed Waterway #412									

Site Assessment and Practices Planning–Sediment, cont'd.

Managing Nutrients

Nutrient sources associated with agricultural production practices include fertilizers and other amendments, nutrients in groundwater used in irrigation, biodegradation of crop residues, agricultural and municipal waste applied to land, and waste generated by animals directly. Nutrients from these sources become pollutants when they are transported offsite into nearby streams and lakes or percolate in excessive amounts to groundwater. Nitrates and phosphates in surface water bodies contribute to eutrophication. Eutrophication leads to increases in aquatic plants and algal blooms that deplete dissolved oxygen, impacting aquatic organisms. Nitrate pollution of groundwater is widespread and a serious problem statewide because of impacts to drinking water. Nitrates are water-soluble and have the potential to leach or to run off in surface water. Phosphates attach to soil particles and have the potential to move offsite with eroding soil. In areas with high concentrations of accumulated soil phosphorus, phosphorus can also be carried off as dissolved phosphate in runoff water. Many practices in this section fall under NRCS Conservation Practice Standard Nutrient Management #590.

Nutrient Management Program

N1. Do you apply sources of nitrogen (N) and/or phosphorus (P) (fertilizer, compost, manure)?
☐ Yes ☐ No

Notes:

Make Informed Nutrient Management Decisions									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Base Fertilizer Use on Crop Needs									
N and P requirements are determined for each crop									
N and P status of soil amendments or substrate is determined									
Well/irrigation water is monitored for N and P levels									
Pre sidedress nitrogen testing is used where applicable									
Tissue samples are taken for N and P status									
All N and P sources (irrigation water, amendments, crop residue, etc.) are considered in a nutrient budget									
Use a nutrient budget in determining fertilizer applications									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Make Efficient Fertilizer Decisions									
Fertilizer application is timed according to crop requirements									
Fertigation is used									
Split applications are made									
A controlled/slow release fertilizer is used alone or with a liquid feed									
Nitrogen accumulating species are used for cover cropping									
Cover Crop #340									
Irrigations are managed to avoid nutrient loss below the rootzone									
Irrigation Water Management #449									

Site Assessment and Practices Planning–Sediment, cont'd.

Nutrient Handling

N2. Are fertilizers stored and/or mixed on site?
☐ Yes ☐ No

Notes:

N3. Are fertilizers (organic and/or synthetic) applied to crops, including pre-mixing with soil substrates, ground applied, foliar applied, and fertigation?
☐ Yes ☐ No

Notes:

Implement Responsible Storage, Application, and Disposal Practices										
	Used or could be helpful	Location(s)	Year(s) used							
			2004	2005	2006	2007	2008	2009	2010
Handle Materials Safely										
Application equipment and/or injectors are checked and calibrated regularly										
Precision placement is used to apply fertilizer close to roots										
Fertilizer handlers and applicators receive training										
Rain and irrigation events are considered – Fertilizers are not applied prior to projected rain events or irrigations										
Design Facilities Appropriately										
The fertilizer storage facility includes a concrete pad and curb to contain spills and leaks										
Mixing is performed on low runoff hazard sites – over 100 feet downslope of the well on an impermeable surface										
Agrichemical Handling Facility #702										

Site Assessment and Practices Planning–Sediment, cont'd.

Reducing Nutrient Movement

N4. Does the fertilizer applied to your crops have the potential to move offsite attached to sediment, in runoff water or by leaching?
☐ **Yes** ☐ **No**

Notes:

Reduce Nutrient Movement with Water and Eroding Soil									
	Used or could be helpful	**Location(s)**	**Year(s) used**						
			2004	**2005**	**2006**	**2007**	**2008**	**2009**	**2010**
Field Layout									
The field is shaped to planned grades									
Irrigation Land Leveling #464									
Land Smoothing #466									
Rows are placed on slopes, grades, widths or on the contour to minimize erosion and runoff									
Contour Farming #330									
Contour Orchard and other Fruit Area #331									
Row Arrangement #557									
Plants in poorly drained soil are placed on parallel ridges or 'beds'									
Bedding #310									
Manage Field to Reduce Nutrient Movement									
Bare soil in the field has been covered with vegetation to reduce soil erosion, increase infiltration and build soil organic matter									
Conservation Cover #327									
Cover Crop #340									
Vegetative Barrier #601									
Plant residues or other materials are applied to the field soil surface									
Mulching #484									
Residue Management #329									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Deep tillage is performed to fracture restrictive soil layers and increase deep percolation where leaching of pollutants to groundwater is not a significant risk									
Deep Tillage #324									
Irrigations are managed to minimize leaching and runoff									
Irrigation Water Management #449									
Strips of perennial vegetation are placed along rows farmed on the contour									
Contour Buffer Strip #332									
A structure to collect sediment containing nutrients is installed and maintained									
Irrigation System, Tailwater Recovery #447									
Sediment Basin #350									
Water and Sediment Control Basin #638									
Vegetation is established along the downslope field edge to filter sediment containing nutrients									
Conservation Cover #327									
Filter Strip #393									
Vegetation is placed downslope of the field									
Grassed Waterway #412									
Constructed Wetland #656									

Site Assessment and Practices Planning–Sediment, cont'd.

Nutrient Waste

N5. Is there a septic system on the farm or operation?
☐ Yes ☐ No

Notes:

N6. Do livestock have access to a waterbody?
☐ Yes ☐ No

Notes:

N7. Is there a feedlot, loafing area, or concentration of livestock near a waterbody?
☐ Yes ☐ No

Notes:

Reduce Nutrient Pollution from Human and/or Livestock Waste									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Septic systems are inspected and maintained									
Portable toilets are regularly maintained to avoid spills									
Livestock are fenced off from waterways									
Fence #382									
Use Exclusion #472									
Livestock are directed away from waterbodies with placement of troughs, salt licks, dusters and/or trails.									
Animal Trails or Walkways #575									
Prescribed Grazing #528									
Watering Facility #614									

Site Assessment and Practices Planning–Sediment, cont'd.

Managing Salinity

Irrigation water is essential for crop production in the arid and semiarid regions of California. Irrigation water naturally contains a certain amount of dissolved minerals (salts) depending on its source. Typical irrigation water contains a substantial amount of salt. For example a water source with an EC of 1.0 mmho/cm, a quality suitable for irrigation of most crops, contains nearly a ton of salt in every ac-foot of water applied. In some coastal areas, increased groundwater pumping has resulted in salt water intrusion from the ocean, threatening the overall groundwater quality. In areas such as the Salinas Basin, surface water quality degradation of ponds and sloughs has resulted from high salt levels in irrigation return flow.

Salinity Management Program

1. Is salt accumulation from irrigation, fertilizer, and/or amendments a potential problem?
☐ **Yes** ☐ **No**

Notes:

Manage Soil Salinity										
	Used or could be helpful	**Location(s)**	**Year(s) used**						
			2004	**2005**	**2006**	**2007**	**2008**	**2009**	**2010**
Manage Salinity from Irrigation Water									
The salinity of irrigation water is evaluated									
The distribution uniformity of the irrigation system is improved or maintained									
Appropriate leaching fractions are used									
Fields are graded to improve irrigation uniformity									
Irrigation Land Leveling #464									
Saline wells are decommissioned and alternative water supplies are used									
Well Decommissioning #351									
Manage Salinity from Fertilizers and Amendments									
Fertilizers and amendments that have a low salt index are used									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Manage Saline Soils									
Soil salinity is evaluated									
Gypsum and other calcium containing amendments to reduce the build-up of exchangeable sodium (ESP) are used									
Sulfur amendments are used to reduce soil pH									
Where leaching of pollutants to groundwater is not a significant risk, deep tillage is used to break-up hardpan layers that prevent salts from leaching									
Deep Tillage #324									
A tile drain system is used to improve drainage									
Subsurface Drain #606									
Cover crops are used to improve water infiltration into soil									
Cover Crop #340									
Amendments are used to improve infiltration (PAM, gypsum, organic amendments)									
Anionic Polyacrylamide (PAM) #450									

Site Assessment and Practices Planning–Sediment, cont'd.

Practices to Improve Water Quality in Waterways

Waterways, streams, and riparian areas are sensitive to damage from agricultural, forest and other land use activities and practices. Healthy riparian areas protect farmland from erosion and flooding. They also buffer waterways from the effects of potential nutrient and pesticide runoff.

Land Management Impacts on Waterways

W1. Is there the potential for soil to fall into the waterway or riparian area from cultural operations along the banks (disking, road grading, etc...)?
☐ Yes ☐ No

Notes:

W2. Are there cattle trails along the waterway and/or do cattle graze in the waterway?
☐ Yes ☐ No

Notes:

W3. Do you see mud or sediment filling the waterway?
☐ Yes ☐ No

Notes:

Protect Waterbodies and Riparian Areas										
	Used or could be helpful	Location(s)	Year(s) used							
			2004	2005	2006	2007	2008	2009	2010
Minimize Physical Impacts										
Setbacks are established between cultural operations and waterways.										
Riparian Forest Buffer #391										
Roads have been placed away from waterways.										
Access Road #560										
Livestock access to waterways is controlled with fencing and/or management										
Fence #382										
Prescribed Grazing #528										
Use Exclusion #472										
Watering Facility #614										

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Filter Pollutants									
A herbaceous vegetative strip is placed between the operation and waterway to filter out pollutants									
Conservation Cover #327									
Filter Strip #393									
Riparian Herbaceous Cover #390									
Woody vegetation is planted near the natural waterway to filter out pollutants, reduce erosion, and provide wildlife habitat and shade									
Riparian Forest Buffer #391									
Channels carrying water from the farm operations to waterways are planted with vegetation to filter out pollutants									
Grassed Waterway #412									

Site Assessment and Practices Planning–Sediment, cont'd.

Waterway Bank and Channel Management

W4. Is there bare soil along banks and/or are there bank sections that are unstable (i.e. vertical banks) due to inadequate vegetation?
☐ Yes ☐ No

Notes:

W5. Do you notice the waterway depth is eroding or downcutting?
☐ Yes ☐ No

Notes:

W6. Do you notice bank erosion caused by the impacts of bank armoring?
☐ Yes ☐ No

Notes:

W7. Does concentrated runoff entering the waterway result in bank erosion or gullies?
☐ Yes ☐ No

Notes:

Stabilize Banks and Channels									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Vegetative cover is established on the banks to reduce erosion and enhance habitat									
Channel Bank Vegetation #322									
Critical Area Planting #342									
Streambank Protection #580									
Obstructions in the waterway are removed to improve water flow and prevent bank erosion									
Clearing and Snagging #326									
The channel bed is stabilized to prevent erosion									
Grade Stabilization Structure #410									
Stream Channel Stabilization #584									

Site Assessment and Practices Planning–Sediment, cont'd.

	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Structures to convey field drainage water into waterways are installed and maintained									
Diversion #362									
Grade Stabilization Structure #410									
Structure for Water Control #587									
Underground Outlet #620									

Site Assessment and Practices Planning–Sediment, cont'd.

Waterway Crossings

W7. Is the waterway crossing prone to washing out?
☐ Yes ☐ No

Notes:

W8. Do you notice channel or bank erosion caused by the impacts of structures such as bridges or crossings?
☐ Yes ☐ No

Notes:

W9. Do your culverts have problems with debris buildup or sediment accumulation?
☐ Yes ☐ No

Notes:

W10. Do you notice water collecting upstream from culvert inlets during storms?
☐ Yes ☐ No

Notes:

W11. Do you see sediment deposited from pooled water above the culvert inlet?
☐ Yes ☐ No

Notes:

W12. Do you see debris deposited upstream of the culvert inlet?
☐ Yes ☐ No

Notes:

W13. Are there high rust lines in any of the metal culvert pipes (this may indicate undersized pipe)?
☐ Yes ☐ No

Notes:

W14. Are any culvert inlet or outlets crushed, torn, jagged or with worn through bases?
☐ Yes ☐ No

Notes:

W15. Is there the potential for water to run down the road when the culvert plugs?
☐ Yes ☐ No

Notes:

Site Assessment and Practices Planning–Sediment, cont'd.

W16. Is the water that comes out of the culvert undercutting the road banik or scouring the channel downstream?
☐ **Yes** ☐ **No**

Notes:

Protect Waterway Crossings									
	Used or could be helpful	**Location(s)**	**Year(s) used**						
			2004	**2005**	**2006**	**2007**	**2008**	**2009**	**2010**
Road crossing and culverts have been assessed for proper flows and channel grades									
Access Road #560									
Structure for Water Control #587									
Stream banks are stabilized with vegetation and/or structural measures to reduce erosion									
Channel Vegetation #322									
Critical Area Planting #342									
Streambank Protection #580									
Obstructions are removed to improve water flow and reduce bank erosion									
Clearing and Snagging #326									
Channel crossings and culverts are sized, placed, and maintained to provide a stable channel grade									
Stream Channel Stabilization #584									
Structure for Water Control #587									
Undersized, worn/compacted, or improperly placed culverts are replaced									
Structure for Water Control #587									
Energy dissipaters are installed below culverts to prevent scouring									

Site Assessment and Practices Planning–Sediment, cont'd.

Stream Habitat

W12. Are sections of streamflow exposed to sun for more than half the day?
☐ Yes ☐ No

Notes:

W13. Are there potential impediments to fish passage in the stream?
☐ Yes ☐ No

Notes:

W14. Do you notice the encroachment of non-native invasive plant species and/or the loss of native riparian or wetland habitat?
☐ Yes ☐ No

Notes:

Maintain or Improve Stream Habitat									
	Used or could be helpful	Location(s)	Year(s) used						
			2004	2005	2006	2007	2008	2009	2010
Vegetative cover is established along banks to reduce erosion and enhance habitat									
Channel Bank Vegetation #322									
Riparian Forest Buffer #391									
Riparian Herbaceous Cover #390									
Tree/Shrub Establishment #612									
Wetland Wildlife Habitat Management #644									
Invasive plant species are identified, removed and replaced with native species									
Restoration and Management of Declining Habitats #643									
Stream conditions are improved for aquatic species									
Irrigation Storage Reservoir #436									
Obstruction Removal #500									
Barriers that restrict or prevent fish migration are removed									
Fish Passage #396									

SELF-EVALUATION

An essential element of a water quality site self-assessment is the tracking of land use and management activities on your agricultural operation. Self-evaluation data that you can provide can be important in explaining any water quality changes that may occur due to implementation of management practices. Self-evaluation techniques can help determine whether water quality changes can be attributed to implementing management practices and not to other confounding influences such as regional geology or a source upstream of the operation.

Simple field measurements are often undervalued and suspected of lacking scientific validity. When properly designed and carefully executed, however, they can provide sound data. Their strength lies in the possibility of taking large numbers of measurements inexpensively and with only semi-skilled assistance to obtain results that are more pertinent to your site than sophisticated measurements taking place at some distant monitoring station.

Record Keeping

Keep with Plan for reference

Do you keep a record of:

- ☐ **weather conditions such as air temperature, precipitation, and evapotranspiration**
- ☐ **extreme weather events such as severe storms, floods, and droughts**
- ☐ **natural vegetation and/or wildlife observations**
- ☐ **grazing (animal numbers, in and out pasture dates)**
- ☐ **natural vegetation and/or wildlife observations**

Photo Point Self-Evaluation

Keep photos and historic records with Plan for reference

Do you have any historic records and/or photographs that can help you document short or long term changes on the farm/ranch? ☐ **Yes** ☐ **No**

How many photo points are on your farm/ranch?

How many times per year will photographs be taken?

Other Self-Evaluation Techniques You Perform or Plan to Perform

Keep with Plan for reference

Technique	Location(s)	Dates or Schedule
Sediments		
☐ Erosion Pins		
☐ Erosion Pipes		
☐ Estimating Streambank Loss		
☐ Imhoff Cones		
☐ Paint Collars		
☐ Sediment Basin or Sand Trap - (record amount of sediment removed)		
☐ Staking Gullies or Streambanks		
☐ Walking the Runoff		
☐		

Self-Evaluation, cont'd.

Nutrients		
☐ Drainage Water Analysis		
☐ Irrigation Water Analysis		
☐ Plant Tissue Analysis		
☐ Record Fertilizer Use		
☐ Soil Analysis		
☐ Utilize Crop Budgets		
☐		
Pesticides		
☐ Monitor for Pests and Beneficial Insects		
☐ Review Use Reports		
☐ Assess Risk of Pesticide Loss		
☐		
Riparian Habitat		
☐ Percent Bare Soil Along Banks		
☐ Percent Canopy Cover over Stream		
☐ Staking Gullies or Streambanks		
☐ Streambank Erosion Measurements		
☐ Walking the Runoff		
☐		
Surface Water Quality		
☐ Ammonia		
☐ Conductivity		
☐ Dissolved Oxygen (DO)		
☐ Nitrate		
☐ pH		
☐ Phoshpates		
☐ Rapid Bioassessment Technique		
☐ Stream Flow		
☐ Stream Temperature		
☐ Stream Turbidity		
☐		

Self-Evaluation, cont'd.

Irrigation/Groundwater Quality		
☐ Electroconductivity (EC)		
☐ Nutrient Levels in Irrigation or Well Water (N, P, Na)		
☐ pH		
☐ Sodium Adsorption Ratio (SAR) or adjusted SAR		
☐ Toxicity Levels in Irrigation water (Sodium, Cl, B)		
☐		
Tailwater/Ditch Drainage Water Quality		
☐ Effluent flow		
☐ Electroconductivity (EC)		
☐ Nutrient Levels in Drainage Water (N, P, Na)		
☐ pH		
☐ Turbidity		
☐		

REFERENCES

Much of the information in the Farm Water Quality Plan has been adapted from the Ranch Water Quality Management Plan created by University of California Cooperative Extension and the USDA Natural Resources Conservation Service (unpublished).

Some practices in the Site Assessment and Practices Planning section were adapted from *Production guide: Nitrogen and water management for coastal cool-season vegetables.* 1998. G. S. Pettygrove, et al., Division of Agriculture and Natural Resources, University of California, Oakland CA; *Farm-A-Syst farmstead assessment system,* University of Wisconsin–Extension http://www.uwex.edu/farmasyst; and *The Positive Points System,* Central Coast Vineyard Team http://www.vineyardteam.org/pps/index.htm.

Numbered practices in the Site Assessment and Practices Planning section refer to USDA–NRCS *National handbook of conservation standards.* Individual practices can be found at http://www.ftw.nrcs.usda.gov/nhcp_2.html.

Site Assessment and Practices Planning questions E7 through E11 adapted from Downie, Scott, Dennis Halligan and Ross Taylor. 1998. *Watershed processes and erosion control: A workbook and compendium.* Fish, Farm, and Forest Communities Forum.

ACKNOWLEDGMENTS

The editors and workgroup wish to acknowledge Julie Fallon, Farm Water Quality Project Program Representative, for her commitment, creativity, and tenacity in the development of the Farm Water Quality curriculum and in particular the Template Farm Water Quality Plan. Julie guided every publication in the curriculum from peer review to publication while incorporating input form researchers, technical staff, and growers. Our thanks and appreciation to her for her work.

NPS Pollutant Information Collaborators

The following provided technical information in the Site Assessment and Practices Planning section for these specific areas:

Basin water quality information

Lisa McCann, Central Coast Regional Water Quality Control Board
Amanda Bern, Central Coast Regional Water Quality Control Board
Mark Angelo, Central Coast Regional Water Quality Control Board

Managing sediment

Giulio Ferruzzi, USDA–NRCS

Managing irrigation

Michael Cahn, UCCE Monterey County
Thomas Harter, UCCE Davis

Managing pesticides

Giulio Ferruzzi, USDA–NRCS
Jay Gan, UCCE Riverside
William Chaney, UCCE Monterey County

Managing nutrients

Giulio Ferruzzi, USDA–NRCS

Managing salinity

Michael Cahn, UCCE Monterey County
Giulio Ferruzzi, USDA–NRCS

Practices to improve water quality in waterways

Giulio Ferruzzi, USDA–NRCS
John Warner, USDA–NRCS
Richard Casale, USDA–NRCS

Self-evaluation

Terry Hall, USDA–NRCS

Commodity Information Collaborators

The following provided technical information in the Site Assessment and Practices Planning section for these commodities:

Cool-season vegetables

Richard Smith, UCCE Monterey County
Tim Hartz, UCCE Davis

Greenhouse/nursery

Ann King, UCCE San Mateo County
John Kabashima, UCCE South Coast Research and Extension Center
Darren Haver, UCCE Orange County
Richard Evans, UCCE Davis
Aziz Baameur, UCCE Santa Clara County
Julie Newman, UCCE Ventura County
Loren Oki, UCCE Davis
Steve Tjosvold, UCCE Santa Cruz County
J. Heinrich Lieth, UCCE Davis

Orchards and vineyards

Ben Faber, UCCE Ventura
Mark Battany, UCCE San Luis Obispo County

Strawberries and caneberries

Mark Bolda, UCCE Santa Cruz County

Reviewers

Special thanks for review of Farm Water Quality Plan sections –

Mel George, UCCE Davis
Michael Isensee, UCCE San Luis Obispo County
Royce Larson, UCCE San Luis Obispo County
Margy Lindquist, USDA–NRCS
Dan Johnson, USDA–NRCS
Rebecca Challender, USDA–NRCS
Robert Fry, USDA–NRCS
Albert Cerna, USDA–NRCS
David Robledo, USDA–NRCS
Tina Vander Hoek, USDA–NRCS
Marc Los Huertos, UC Santa Cruz
Mike Hill, California Department of Fish and Game

The Farm Water Quality Working Group would like to thank the growers from

Chualar/Quail Watershed Group Pilot Course January 2001, Monterey County
Los Osos/Chorro Watershed Group Pilot Course February 2001, San Luis Obispo County
Pescadero/Butano Watershed Group Pilot Course June 2001, San Mateo County

for contributions instrumental in the development of the Farm Water Quality Planning curriculum. Their participation and suggestions were invaluable in the process of building this final product.

Additionally we wish to acknowledge the efforts of Carolyn Richardson, whose energy and dedication is greatly missed.

The Farm Water Quality Plan has been made possible with funding through:

USDA Cooperative State Research, Education, and Extension Service Water Quality Program 1999-2000

David and Lucille Packard Foundation Conserving California Landscapes Initiative 2000-2001

DANR Water Quality Workgroup Farm Water Quality Task Force 2000-2003

California State Water Resources Control Board Section 319(h) Grant Program 2001-2004

FOR MORE INFORMATION

You'll find detailed information on many aspects of resource conservation in these titles and in other publications, slide sets, CD-ROMs, and videos from UC ANR:

Farm Water Quality Planning Short Course Objectives, publication 8052

Nonpoint Sources of Pollution in Irrigated Agriculture, publication 8055

Practices for Reducing Nonpoint Source Pollution from Irrigated Agriculture, publication 8075

To order these products, visit our online catalog at http://anrcatalog.ucdavis.edu. You can also place orders by mail, phone, or fax, or request a printed catalog of publications, slide sets, CD-ROMs, and videos from

University of California
Agriculture and Natural Resources
Communication Services
6701 San Pablo Avenue, 2nd Floor
Oakland, California 94608-1239

Telephone: (800) 994-8849 or (510) 642-2431, FAX: (510) 643-5470
e-mail inquiries: danrcs@ucdavis.edu
An electronic version of this publication is available on the ANR Communication Services website at http://anrcatalog.ucdavis.edu.

Publication 8332

For information about obtaining this publication, call (800) 994-8849.

pr-3/04-WJC/CR rev. 2009

This publication has been anonymously peer reviewed for technical accuracy by University of California scientists and other qualified professionals. This review process was managed by the ANR Associate Editor for Natural Resources.

ISBN-13: 978-1-60107-579-6