



Central Valley Regional Water Quality Control Board

14 November 2023

Mr. Bill Stoermer
Fremont Plaza Investments, LP
7015 Morton Court
Stockton, CA 95209

***NOTICE OF TERMINATION, APACHE PLASTICS (T0607700244),
2050 EAST FREMONT STREET, STOCKTON, SAN JOAQUIN COUNTY***

Dear Mr. Stoermer,

On 9 May 2017, the Executive Officer of the Central Valley Regional Water Quality Control Board issued to Fremont Plaza Investments, LP a Notice of Applicability (NOA) under Order No. R5-2015-0012, Waste Discharge Requirements General Order for In-Situ Groundwater Remediation and Discharge of Treated Groundwater to Land. In the NOA, the Monitoring and Reporting Program (MRP) was assigned site specific Order No. R5-2015-0012-028.

The in-situ groundwater remediation project consisted of injection of hydrogen peroxide into groundwater to treat petroleum hydrocarbon impacts to groundwater. AdvancedGeo, Inc. (AGI) injected a total of 12,700 gallons of diluted peroxide mixture between 23 September 2015 and 17 November 2017. AGI is not planning further injections. In an email dated 1 September 2023, AGI provided additional technical justification for termination of the NOA.

AGI performed five post-injection groundwater monitoring events. AGI concluded that they have performed sufficient post-injection groundwater monitoring, that secondary constituents' (MRP Table 2 Suite B) impacts to groundwater quality were not detected at more than 20% above background concentrations in transition and compliance wells, that the concentrations of secondary constituents remained stable in all wells, and that the remedial action injection events have not negatively impacted water quality outside of the treatment zone.

Based on the available Site data, Central Valley Water Board staff concurs that the most recent concentrations of secondary constituents in the treatment zone are allowable under the General Order, monitoring satisfies the MRP requirements, and termination of the NOA is appropriate. The Notice of Applicability under General Order R5-2015-0012 and the MRP requirements under R5-2015-0012-028 are hereby terminated as of the date of this letter.

MARK BRADFORD, CHAIR | PATRICK PULUPA, ESQ., EXECUTIVE OFFICER

If you have any questions, please contact Vera Fischer at (916) 464-4792 or vera.fischer@waterboards.ca.gov.

Sincerely,

For PATRICK PULUPA
Executive Officer

cc: Mr. Brian Millman, AdvancedGeo, Inc., Stockton (email)
CIWQS Program Support Staff (email)