

---

**Central Valley Regional Water Quality Control Board**

**NOTICE OF PUBLIC HEARING**

concerning

The 2014 Joint Triennial Review of the Water Quality Control Plans for the  
Sacramento River and San Joaquin River Basins  
and the  
Tulare Lake Basin

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board) will be holding a public hearing to complete the Triennial Review of the Water Quality Control Plans for the Sacramento River and San Joaquin River Basins and the Tulare Lake Basin (Basin Plans). The Basin Plans cover all the watersheds of the Central Valley from the Oregon state border to the northern tip of Los Angeles County. The Basin Plans identify beneficial uses of surface water and groundwater, establish water quality objectives to protect beneficial uses, and describe an implementation plan to achieve the water quality objectives.

The public hearing will be conducted during the December 2014 Central Valley Water Board meeting which is tentatively scheduled as follows:

Date: 4/5 December 2014 (Please contact the Central Valley Water Board office two weeks prior to the meeting for the exact date.)

Time: 8:30 a.m.

Place: California Regional Water Quality Control Board, Central Valley Region  
11020 Sun Center Drive, Suite 200  
Rancho Cordova, CA 95670

On 24 October and 6 December 2012, the Central Valley Water Board conducted workshops to receive comments from the public on issues that should be considered in the review of the Basin Plans and the priority that should be given to each issue. Based on comments received in writing and verbally at the workshops, staff has prepared a work plan for each Basin Plan. The work plans summarize the issues identified, prioritize the issues and present staff recommendations for addressing each issue.

Interested persons may download the draft triennial review work plans and the response to the triennial review comments in PDF format from the Central Valley Water Board's Internet website at:

[http://www.waterboards.ca.gov/centralvalley/water\\_issues/basin\\_plans/triennialreviews.shtml](http://www.waterboards.ca.gov/centralvalley/water_issues/basin_plans/triennialreviews.shtml)

Copies of these documents can also be obtained by contacting or visiting the Central Valley Water Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670 or 1685 E Street, Fresno, California 93706 weekdays between 8:00 a.m. and 5:00 p.m.

The deadline for written comments is **17 October 2014** and may be submitted either by mail or electronically. Please submit comments to:

Betty Yee  
Regional Water Quality Control Board, Central Valley Region  
11020 Sun Center Drive, #200  
Rancho Cordova, CA 95670  
[betty.yee@waterboards.ca.gov](mailto:betty.yee@waterboards.ca.gov)

or:  
Bethany Soto  
Regional Water Quality Control Board, Central Valley Region  
1685 E Street  
Fresno, CA 93706  
[bethany.soto@waterboards.ca.gov](mailto:bethany.soto@waterboards.ca.gov)

Interested persons will be provided the opportunity to present oral comments to the Water Board at the hearing, and are expected to orally summarize their written submittals. Oral testimony will be limited in time by the Board Chair.

Confirmation of the hearing date and any questions regarding the triennial review should be directed to Betty Yee at (916) 464-4643 or [betty.yee@waterboards.ca.gov](mailto:betty.yee@waterboards.ca.gov) or Bethany Soto at (559) 445-6077 or [bethany.soto@waterboards.ca.gov](mailto:bethany.soto@waterboards.ca.gov). The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Kiran Lanfranchi-Rizzardi at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of others who may be interested in these matters.

Original Signed by  
Kenneth D. Landau, Assistant Executive Officer

2 September 2014