

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

ADMINISTRATIVE CIVIL LIABILITY COMPLAINT R5-2016-0501

IN THE MATTER OF

CRUISER HAVEN, INC.
DELTA WATERWAYS LLC

HOLLAND RIVERSIDE MARINA
CONTRA COSTA COUNTY

This Complaint is issued to Cruiser Haven, Inc. and Delta Waterways LLC (hereafter collectively Dischargers) pursuant to California Water Code (Water Code) section 13268, which authorizes the imposition of Administrative Civil Liability (ACL) and Water Code section 13323, which authorizes the issuance of this Complaint. This Complaint is based on allegations that the Dischargers violated provisions of Waste Discharge Requirements (WDRs) Order 5-01-093 and an Order issued under the authority of Water Code section 13267.

The Assistant Executive Officer of the Central Valley Regional Water Quality Control Board (Central Valley Water Board or Board) alleges the following:

BACKGROUND

1. The Dischargers own and/or operates a wastewater collection, treatment, and disposal system, referred to as a Wastewater Treatment Facility (WWTF) that serves the Holland Riverside Marina. The marina and associated wastewater system are at 7000 Holland Tract Road in Brentwood, California on the Sacramento – San Joaquin Delta, near Knightsen, in Section 24, T2N, R3E, MDB&M.
2. Domestic wastewater from restrooms, showers, and laundry facilities, as well as wastewater from boat holding tanks, is discharged to a 1,300-square foot lined aeration basin. The waste then flows by gravity to 900-square foot lined facultative pond, and then into a two-celled percolation pond, which is used for effluent disposal.
3. On 27 April 2001, the Central Valley Water Board issued Waste Discharge Requirements (WDRs) Order 5-01-093 to Western Waterways, Inc., which prescribes requirements for the discharge of domestic wastewater to the WWTF. On 27 May 2010, the Central Valley Water Board issued Name Change Order R5-2010-0078 naming Delta Waterways LLC as the new owner and Cruiser Haven, Inc. as the new owner and operator of the facility.

PREVIOUS ENFORCEMENT

4. The facility has had a history of non-compliance with WDRs 5-01-093. On 6 April 2004, ACL Complaint R5-2004-0512 was issued to the previous owner and operator of the marina, Western Waterways, Inc. The Complaint was issued in the amount of \$40,000 for the failure to replace the badly damaged pond liners, install groundwater monitoring wells, and submit monthly and quarterly groundwater monitoring reports per the requirements in the WDRs. The matter was heard at the 4 June 2004 meeting of the Central Valley Regional Water Board. Based on testimony at the hearing, the Board adopted ACL Order R5-2004-0063 in the amount of \$60,000.
5. On 29 June 2004, Western Waterways, Inc. petitioned the ACL Order to the State Water Resources Control Board. The petition was denied in a letter dated 18 November 2004. On 17 December 2004, Western Waterways, Inc. filed a petition with the Superior Court of California, County of Contra Costa. Following confidential settlement negotiations, the ACL Order was settled with payment in the amount of \$60,000 on 26 December 2006.
6. Western Waterways Inc. subsequently complied with its WDRs and replaced the pond liners and installed two groundwater monitoring wells, and submitted monitoring reports.

CURRENT VIOLATIONS: A. FAILURE TO SUBMIT MONITORING REPORTS

7. The current Dischargers, Cruiser Haven, Inc. and Delta Waterways, LLC assumed control of the facility in 2010. This Complaint assesses liability for the failure of the current Dischargers to comply with the WDRs.
8. The WDRs contain a Monitoring and Reporting Program (MRP), which specifies monitoring and reporting requirements to be implemented by the Dischargers. The MRP requires the submittal of monthly, quarterly, and annual monitoring reports. The MRP requires that monthly monitoring reports are to be submitted by the first day of the second month following the sampling, quarterly monitoring reports by the first day of the second month after the sampling quarter, and annual reports by 1 February of each year.
9. The Dischargers have a history of failure to submit monitoring reports. Between June 2012 and January 2015, the Dischargers have been issued six Notices of Violation (NOVs) for failure to submit monitoring reports and for other violations of the WDRs. This Complaint only assesses civil liability for the failure to submit technical and monitoring reports, but the other violations are described to provide context.

10. On 15 June 2012, the Dischargers were issued an NOV for the non-submittal of two monitoring reports (2011 Annual and First Quarter 2012). The NOV informed the Dischargers that the maximum liability to date for the two delinquent monitoring reports was \$178,000. In addition, the NOV required the Dischargers to either submit the delinquent monitoring reports, or if the reports were not available, submit a report identifying actions to be taken to ensure future monitoring reports were submitted on time and complete. The Dischargers responded in a 20 June 2012 letter, and submitted the two missing monitoring reports. However, the reports did not include all of the information required by the MRP, and were therefore materially deficient.
11. On 3 August 2012, Board staff issued a second NOV to Dischargers following a site inspection. The inspector found that vegetation was floating in pond 2, in violation of Discharge Specification B.6 of the WDRs, which states: *"Ponds shall be managed to prevent breeding of mosquitos. In particular,... Dead algae, vegetation, and debris shall not accumulate on the water surface..."* The NOV required the Dischargers to provide a report showing that the vegetation had been removed from the pond. On 17 September 2012, the Dischargers provided a response stating that the vegetation had been removed.
12. On 3 August 2012, the Dischargers were issued a third NOV for submitting incomplete monthly and quarterly monitoring reports for the period of January 2010 through May 2012, as well as exceedances of the ammonia daily maximum limit on seven occasions. The NOV required the Dischargers to submit a report describing how the violations would be corrected, and the name of the qualified professional that would prepare the reports. In a letter dated 12 September 2012, the Dischargers indicated that they had increased the aeration time to reduce the ammonia concentrations in the pond, and that they were trying to obtain the services of a professional geologist to ensure that future monitoring reports included all of the information required by the MRP.
13. On 24 September 2013, a fourth NOV was issued to the Dischargers for the non-submittal of five monitoring reports, and the submittal of four late monitoring reports during the reporting period from June 2012 through July 2013. The delinquent reports included the April through July 2013 monthly reports, and Third Quarter 2013 report. The NOV informed the Dischargers that the maximum liability for the five delinquent monitoring reports was \$620,000. The NOV was also issued for three exceedances of the ammonia effluent limit, and for violation of Discharge Specification B. 9 of the WDRs for vegetation observed in wastewater ponds. The NOV indicated that because of the history of violations, an ACL Complaint of up to \$1,000 per day for late or inadequate reports would be proposed. The NOV informed the Dischargers to contact Board staff to discuss how they would get back into compliance, to avoid additional violations, and immediately begin submitting complete monitoring reports in accordance with the MRP. Following issuance of the NOV, Board staff discovered that the Second

Quarter 2013 monitoring report was also delinquent. The Dischargers did not provide a response to the NOV, nor begin submitting monitoring reports as required by the WDRs and MRP.

14. On 15 August 2014, Board staff met with the Dischargers to discuss the history of non-compliance. The Dischargers were informed that the following monitoring reports had not been received: April 2013 through June 2014 monthly reports, Second Quarter through Annual 2013/Fourth Quarter 2013, and First Quarter 2014. The Dischargers indicated that the monitoring and reporting had not been conducted since August 2013 because of financial problems, and stated that monitoring reports would be submitted in the future. Board staff stated that continued failure to submit monitoring reports would result in the issuance of an ACL Complaint.
15. In follow-up to the 15 August 2014 meeting, Board staff issued a fifth NOV on 27 August 2014 for delinquent monitoring reports. The NOV stated that the Dischargers were subject to maximum liability penalties of \$3,779,000 to date, but that Board staff would not recommend the issuance of an ACL Complaint if a report was submitted by 30 September 2014 explaining why the monitoring and reporting was not performed and included actions that would be taken to assure future monitoring reports would be submitted on time and complete. In addition, the NOV informed the Dischargers that they must immediately begin submitting monitoring reports, beginning with the September 2014 monthly monitoring report and the Third Quarter 2014 groundwater monitoring report.
16. On 24 August 2014, Board staff received an e-mail from the Dischargers which stated: *"From January 2013 through August 2014, medical and financial difficulties combined with divorce proceedings affected my ability to adhere to the permit regulating the testing requirements of the pond system at the Holland Riverside Marina 7000 Holland Tract Rd Brentwood, Ca 94548. We are currently back on track with Robbie Phillips at Alpha Analytical Labs Dublin Ca for the required testing. A detailed accounting of the events from January 2013 through August 2014 are available upon your request. Thank you for seeing me regarding this matter and for your patience with resolving this matter."*
17. The Dischargers continued to fail to submit reports, and therefore on 14 January 2015, Board staff issued a sixth NOV for the non-submittal of the September 2014 through November 2014 monthly reports and the Third Quarter 2014 report. This NOV informed the Dischargers that the maximum liability for non-submittal of these monitoring reports to date was \$205,000, with liability continuing to accrue on a daily basis. The NOV informed the Dischargers that Board staff would be preparing an ACL Complaint for up to \$1,000 per day for late or inadequate reports. The NOV also informed the Dischargers to immediately submit the delinquent monitoring reports to minimize the accrual of liability penalties, and that all future monitoring reports were to be submitted in

accordance with the WDRs and MRP. Board staff did not receive a response to the NOV.

18. On 1 September 2015, Board staff sent the Dischargers a letter containing an offer to enter into settlement negotiations prior to issuance of an administrative civil liability complaint.
19. On 18 September 2015, Board's Prosecution Team met with the Dischargers to discuss the Dischargers' prolonged non-compliance with the WDRs and the accruing administrative civil liabilities for failure to submit the required monitoring reports.
20. In follow-up to the meeting, on 24 September 2015 a Water Code Section 13267 Order was issued to the Dischargers for submittal of a technical report committing to one of three options which would result in compliance with Water Board requirements. The options were: (a) complying with the existing WDRs and submitting monitoring reports, (b) tanking and hauling the wastewater to a permitted facility while keeping WDRs in place for future expansion, or (c) tanking and hauling the wastewater, decommissioning the ponds and monitoring wells, and requesting rescission of the WDRs. The Dischargers were also informed that unless the WDRs were rescinded, he was responsible for complying with the WDRs and submitting monitoring reports.
21. In a 15 October 2015 email, Board staff reminded the Dischargers that the technical report required by the Water Code section 13267 Order was due on 16 October 2015. The Dischargers stated in a follow-up email dated 15 October 2015 that "...Alpha Analytical is coming out on Tuesday to perform the annual testing requirements and we are back on schedule for the testing regiment..." In addition, the Dischargers stated "...I'm upgrading the Pond 1 Aeration pump from 5 HP 3 phase pump to a 7.5 HP 3 phase pump and upgrading the Pond 2 aeration pump from 1 HP single phase pump to a 5 HP 3 phase pump which should reduce ammonia buildup considerable..." Board staff sent additional email reminders on 23 and 28 October 2015; however, to date Board staff has not received any monitoring reports, the technical report, or any information pertaining to upgrading the aeration system.
22. As of 25 January 2016, Board staff has not received the forty-two (42) delinquent monitoring reports shown in table below. The Dischargers continue to fail to comply with the monitoring and reporting requirements in the MRP. The table below outlines the date by which each monitoring report, as required by the WDRs, was to have been submitted.

Delinquent Monitoring Reports	Due Date	Days of Violation¹
April 2013 Monitoring Report	1 June 2013	968

Delinquent Monitoring Reports	Due Date	Days of Violation¹
May 2013 Monitoring Report	1 July 2013	938
June 2013 Monitoring Report	1 August 2013	907
Second Quarter 2013 Monitoring Report	1 August 2013	907
July 2013 Monitoring Report	1 September 2013	876
August 2013 Monitoring Report	1 October 2013	846
September 2013 Monitoring Report	1 November 2013	815
Third Quarter 2013 Monitoring Report	1 November 2013	815
October 2013 Monitoring Report	1 December 2013	785
November 2013 Monitoring Report	1 January 2014	754
December 2013 Monitoring Report	1 February 2014	723
Annual 2013/ Fourth Quarter 2013 Monitoring Report	1 February 2014	723
January 2014 Monitoring Report	1 March 2014	695
February 2014 Monitoring Report	1 April 2014	664
March 2014 Monitoring Report	1 May 2014	634
First Quarter 2014 Monitoring Report	1 May 2014	634
April 2014 Monitoring Report	1 June 2014	603
May 2014 Monitoring Report	1 July 2014	573
June 2014 Monitoring Report	1 August 2014	542
Second Quarter 2014 Monitoring Report	1 August 2014	542
July 2014 Monitoring Report	1 September 2014	511
August 2014 Monitoring Report	1 October 2014	481
September 2014 Monitoring Report	1 November 2014	450
Third Quarter 2014 Monitoring Report	1 November 2014	450
October 2014 Monitoring Report	1 December 2014	420
November 2014 Monitoring Report	1 January 2015	389
December 2014 Monitoring Report	1 February 2015	358

Delinquent Monitoring Reports	Due Date	Days of Violation¹
Annual 2014/Fourth Quarter 2014 Monitoring Report	1 February 2015	358
January 2015 Monitoring Report	1 March 2015	330
February 2015 Monitoring Report	1 April 2015	299
March 2015 Monitoring Report	1 May 2015	269
First Quarter 2015 Monitoring Report	1 May 2015	269
April 2015 Monitoring Report	1 June 2015	238
May 2015 Monitoring Report	1 July 2015	208
June 2015 Monitoring Report	1 August 2015	177
Second Quarter 2015 Monitoring Report	1 September 2015	146
July 2015 Monitoring Report	1 September 2015	146
August 2015 Monitoring Report	1 October 2015	116
September 2015 Monitoring Report	1 November 2015	85
Third Quarter 2015 Monitoring Report	1 November 2015	58
October 2015 Monitoring Report	1 December 2015	55
November 2015 Monitoring Report	1 January 2016	24
		Total: 20,808 days

As of 25 January 2016

CURRENT VIOLATIONS:

B. FAILURE TO COMPLY WITH WATER CODE SECTION 13267 ORDER

23. Water Code section 13267, subdivision (b)(1) states, in part,:

In conducting an investigation specified in subdivision (a), the regional board may require that any person who has discharged, discharges, or is suspected of having discharged or discharging or who proposed to discharge waste within its region ... that could affect the quality of waters within its region shall furnish, under penalty of perjury, technical or monitoring program reports which the regional board requires. The burden, including costs, of these reports shall bear a reasonable relationship to the need for the report and the benefits to be obtained from the reports. In requiring those reports, the regional board shall

provide the person with a written explanation with regard to the need for the reports, and shall identify the evidence that supports requiring that person to provide the reports.

24. As discussed in Finding 20, on 24 September 2015 a Water Code section 13267 Order was issued to the Dischargers requiring the submittal of a technical report by 16 October 2015 describing which of the three options they would commit to. Those options were (a) complying with the existing WDRs and submitting monitoring reports, (b) tanking and hauling the wastewater to a permitted facility while keeping WDRs in place for future expansion, or (c) tanking and hauling the wastewater, decommissioning the ponds and monitoring wells, and requesting rescission of the WDRs. The Dischargers were also informed that unless the WDRs were rescinded, he was responsible for complying with the WDRs and submitting monitoring reports.
25. The Dischargers have not submitted the technical report required by the Water Code section 13267 Order that was due on 16 October 2015. Board staff reminded the Dischargers in a 15 October 2015 email that the technical report was due by 16 October 2015. In addition, Board staff indicated in emails dated 23 and 28 October 2015 that the information provided in the Dischargers' 27 October 2015 email which stated "...I have found an engineer who indicated he can meet the permit requirement and am scheduling to meet with the engineer... I will have the permit fees caught up and work on getting the required reports submitted..." did not meet the requirements of the Water Code section 13267 Order. The emails also informed the Dischargers that they were accruing penalties of up to \$1,000 per day for not submitting the information required by the Water Code section 13267 Order, in addition to those penalties associated with not submitting the monitoring reports required by the WDRs. As of 25 January 2016, the technical report is 101 days late.

REGULATORY CONSIDERATIONS

26. As described above, the Dischargers have failed to conduct the monitoring and reporting, and have failed to submit the monitoring and technical reports as required by the WDRs and the Water Code section 13267 Order. The WDRs require that monitoring reports be submitted pursuant to Water Code section 13267.
27. The Regional Board relies on the submission of technical and monitoring reports required by the WDRs and MRP to assure compliance with WDRs, to protect the beneficial uses of waters of the state, to protect against nuisance, and to protect human health and the environment.
28. The *Water Quality Control Plan for the Sacramento River and San Joaquin River Basins, Fourth Edition* (Basin Plan) designates beneficial uses, establishes water

quality objectives, contains implementation plans and policies for protecting waters of the basin, and incorporates by reference plans and policies adopted by the State Water Resources Control Board. Surface water drainage from the facility is the Sacramento San Joaquin Delta. The designated beneficial uses of the Sacramento San Joaquin Delta are municipal and domestic supply; agricultural supply (excluding stock watering); water contact recreation; non-contact water recreation; warm freshwater habitat; cold freshwater habitat; migration of aquatic organisms; spawning, reproduction and/or early development; wildlife habitat; and navigation.

29. The beneficial uses of the groundwater are municipal and domestic supply, agricultural supply, industrial service supply and industrial process supply.
30. The Central Valley Regional Water Board may impose administrative civil liabilities for violations of a discharger's WDR permit and/or applicable Board orders pursuant to the procedures described in Water Code section 13323. This Complaint alleges the Dischargers violated WDRs 5-01-093 and the 24 September 2015 Water Code section 13267 Order, and seeks the imposition of administrative civil liability in accordance with Water Code section 13268.
31. Pursuant to Water Code section 13327, in determining the amount of civil liability, the regional board shall take into consideration the nature, circumstances, extent, and gravity of the violation or violations, whether the discharge is susceptible to cleanup or abatement, the degree of toxicity of the discharge, and, with respect to the violator, the ability to pay, the effect on the ability to continue in business, any voluntary cleanup efforts undertaken, any prior history of violations, the degree of culpability, economic benefit or savings, if any, resulting from the violation, and other matters as justice may require.
32. Issuance of this Complaint to enforce Division 7, Chapter 5.5 of the Water Code is exempt from the provisions of the California Environmental Quality Act (Pub. Resources Code § 21000 et seq.), in accordance with California Code of Regulations, title 14, sections 15307, 15308, 15321, subdivision (a)(2) and all applicable law.

CALCULATION OF CIVIL LIABILITIES UNDER WATER CODE SECTION 13268

33. Water Code section 13268, subdivision (a)(1) states: *Any person failing or refusing to furnish technical or monitoring program reports as required by subdivision (b) of Section 13267, or failing or refusing to furnish a statement of compliance as required by subdivision (b) of Section 13399.2, or falsifying any information provided therein, is guilty of a misdemeanor, and may be liable civilly in accordance with subdivision (b).*

34. Water Code section 13268, subdivision (b)(1) states: *Civil liability may be administratively imposed by a regional board in accordance with Article 2.5 (commencing with Section 13323) of Chapter 5 for a violation of subdivision (a) in an amount which shall not exceed one thousand dollars (\$1,000) for each day in which the violation occurs.*
35. As outlined in Finding 22, the Dischargers have failed to submit 42 monitoring reports. As of 25 January 2016, each report is delinquent between 1 and 945 days, and the total number of days that all reports are delinquent is 20,808 days.
36. As outlined in Finding 25, the Dischargers failed to submit the technical report required by the 24 September 2015 Water Code section 13267 Order. The report was due by 16 October 2015. As of 25 January 2016, the technical report is 101 days delinquent.
37. **Maximum Civil Liability:** Per Water Code section 13268, subdivision (b)(1) the maximum administrative civil liability that may be assessed for not submitting the monitoring reports required by the WDRs and the technical report required by the Water Code section 13267 Order is **twenty million nine hundred and nine thousand dollars (\$20,909,000).**
38. **Minimum Civil Liability:** Pursuant to the State Water Board Enforcement Policy, the minimum civil liability shall be at least 10 percent higher than the Economic Benefit Amount so that liabilities are not construed as the cost of doing business and that the assessed liability provides a meaningful deterrent to future violations. The Regional Board Prosecution Team calculates that the economic benefit of non-compliance plus 10% is \$26,963. This amount is subject to modification pending the Dischargers' subpoena response.

PROPOSED ADMINISTRATIVE CIVIL LIABILITY

39. On 17 November 2009, the State Water Board adopted Resolution No. 2009-0083 amending the Water Quality Enforcement Policy (Enforcement Policy). The Enforcement Policy was approved by the Office of Administrative Law and became effective on 20 May 2010. The Enforcement Policy establishes a methodology for assessing administrative civil liability. The use of this methodology addresses the factors that are required to be considered when imposing a civil liability as outlined in Water Code sections 13327 and 13385, subdivision (e). The entire Enforcement Policy can be found at:
http://www.waterboards.ca.gov/water_issues/programs/enforcement/docs/enf_policy_final11179.pdf.
40. The recommended administrative civil liability was derived from the use of the penalty methodology in the Enforcement Policy, and Water Code sections 13327 and 13268, as explained in detail in Attachment A to this Complaint. The proposed civil liability takes into account such factors as the Dischargers'

culpability, history of violations, ability to pay and continue in business, and other factors as justice may require.

41. As described above, the maximum penalty for the violations is \$20,909,000 and the minimum penalty is \$26,963. Based on consideration of the above facts, and after applying the penalty methodology, the Assistant Executive Officer of the Central Valley Water Board proposes that civil liability be imposed administratively on the Dischargers in the amount of **\$100,000**. The specific factors considered in this penalty are detailed in Attachment A.
42. Notwithstanding the issuance of this Complaint, the Central Valley Water Board retains the authority to assess additional penalties for violations of the requirements of the Dischargers' WDRs for which penalties have not yet been assessed or for violations that may subsequently occur.
43. On 14 February 2014, the Executive Officer designated Andrew Altevogt, Assistant Executive Officer, as the Lead Prosecution Officer for all enforcement matters originating in the Central Valley Region. The 14 February 2014 Delegation of Authority also authorizes Andrew Altevogt to issue administrative civil liability complaints.

CRUISER HAVEN, INC. AND DELTA WATERWAYS LLC ARE HEREBY GIVEN NOTICE THAT:

1. The Assistant Executive Officer of the Central Valley Water Board proposes that the Dischargers be assessed an administrative civil liability in the amount of **one hundred thousand dollars (\$100,000)**. The amount of the proposed liability is based upon a review of the factors cited in Water Code section 13327, as well as the State Water Resources Control Board's 2010 Water Quality Enforcement Policy.
2. A hearing on this matter will be conducted at the Central Valley Water Board meeting scheduled on **21/22 April 2016**, unless one of the following occurs by **24 February 2016**:
 - a) The Dischargers waive the hearing by completing the attached form (checking the box next to Option #1) and returning it to the Central Valley Water Board, along with payment for the proposed civil liability of **one hundred thousand dollars (\$100,000)**; or
 - b) The Central Valley Water Board agrees to postpone any necessary hearing after the Dischargers requests to engage in settlement discussions by checking the box next to Option #2 on the attached form, and returns it to the Board along with a letter describing the issues to be discussed; or

- c) The Central Valley Water Board agrees to postpone any necessary hearing after the Dischargers requests a delay by checking the box next to Option #3 on the attached form, and returns it to the Prosecution Team along with a letter describing the issues to be discussed.
3. If a hearing is held, the Central Valley Water Board will consider whether to affirm, reject, or modify the proposed administrative civil liability, or whether to refer the matter to the Attorney General for recovery of judicial civil liability.
4. If this matter proceeds to hearing, the Assistant Executive Officer reserves the right to amend the proposed amount of civil liability to conform to the evidence presented, including but not limited to, increasing the proposed amount to account for the costs of enforcement (including staff, legal and expert witness costs) incurred after the date of the issuance of this Complaint through completion of the hearing.
5. Payment of the assessed liability amount does not absolve the Dischargers from complying with WDRs Order 5-01-093 nor the 13267 Order, the terms of which remain in effect. Additional civil liability may be assessed in the future if the Dischargers fail to comply with these orders, and/or future orders issued by the Central Valley Water Board.

Original signed by

ANDREW ALTEVOGT, Assistant Executive Officer

25 January 2016

DATE

**WAIVER FORM
FOR ADMINISTRATIVE CIVIL LIABILITY COMPLAINT**

By signing this waiver, I affirm and acknowledge the following: I am duly authorized to represent Cruiser Haven Inc. and Delta Waterways LLC (hereafter Discharger) in connection with Administrative Civil Liability Complaint R5-2016-0501 (hereafter Complaint). I am informed that California Water Code section 13323, subdivision (b), states that, "a hearing before the regional board shall be conducted within 90 days after the party has been served. The person who has been issued a complaint may waive the right to a hearing."

- (OPTION 1: Check here if the Discharger waives the hearing requirement and will pay in full.)**
- a. I hereby waive any right the Discharger may have to a hearing before the Central Valley Water Board.
 - b. I certify that the Discharger will remit payment for the proposed civil liability in the full amount of **one hundred thousand dollars (\$100,000)** by check that references "ACL Complaint R5-2016-0501" made payable to the *State Water Board Cleanup and Abatement Account*. Payment must be received by the State Water Resources Control Board, Accounting Office, Attn: ACL Payment, P.O. Box 1888, Sacramento, California, 95812-1888 by **24 February 2016**. The waiver and a copy of the check must be submitted to the Central Valley Water Board at 11020 Sun Center Drive #200, Rancho Cordova, California, 95670 by **24 February 2016**.
 - c. I understand the payment of the above amount constitutes a proposed settlement of the Complaint, and that any settlement will not become final until after a 30-day public notice and comment period. Should the Central Valley Water Board receive significant new information or comments during this comment period, the Central Valley Water Board's Assistant Executive Officer may withdraw the complaint, return payment, and issue a new complaint. I also understand that approval of the settlement will result in the Discharger having waived the right to contest the allegations in the Complaint and the imposition of civil liability.
 - d. I understand that payment of the above amount is not a substitute for compliance with applicable laws and that continuing violations of the type alleged in the Complaint may subject the Discharger to further enforcement, including additional civil liability.
- (OPTION 2: Check here if the Discharger waives the 90-day hearing requirement in order to engage in settlement discussions.)** I hereby waive any right the Discharger may have to a hearing before the Central Valley Water Board within 90 days after service of the complaint, but I reserve the ability to request a hearing in the future. I certify that the Discharger will promptly engage the Central Valley Water Board Prosecution Team in settlement discussions to attempt to resolve the outstanding violation(s). By checking this box, the Discharger requests that the Central Valley Water Board delay the hearing so that the Discharger and the Prosecution Team can discuss settlement. It remains within the discretion of the Central Valley Water Board to agree to delay the hearing. Any proposed settlement is subject to the conditions described above under "Option 1."
- (OPTION 3: Check here if the Discharger waives the 90-day hearing requirement in order to extend the hearing date and/or hearing deadlines. Attach a separate sheet with the amount of additional time requested and the rationale.)** I hereby waive any right the Discharger may have to a hearing before the Central Valley Water Board within 90 days after service of the complaint. By checking this box, the Discharger requests that the Central Valley Water Board delay the hearing and/or hearing deadlines so that the Discharger may have additional time to prepare for the hearing. It remains within the discretion of the Central Valley Water Board to approve the extension.

(Print Name and Title)

(Signature)

(Date)