

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

ORDER NO. 88-124

RESCISSION OF WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

1. The below-listed Board Orders contain waste discharge requirements for wastewater disposal facilities that are no longer in use, were never constructed, or have a total discharge of less than 15,000 gallons per day.
2. It is desirable to rescind said below-listed Board Orders.
3. The Board forwarded timely notices by mail to persons responsible for each of the below-listed Orders, explaining the Board's considerations of rescinding the particular Order, and requesting timely comments.
4. The Board at a public meeting heard and considered all comments pertaining to the proposed rescission of the below-listed Orders.

IT IS HEREBY ORDERED, the following Orders containing waste discharge requirements are rescinded:

<u>Order</u>	<u>Name-Location</u>	<u>Date</u>
79-110 & 81-16	Occidental Geothermal, Inc. (NKA Santa Fe Geothermal, Inc.) - East of Brawley, Imperial County	11/28/79 & 01/28/81
84-55	Walters Camp - South of Palo Verde, Imperial County	05/16/84
87-8	Parkwood Apartments - Twentynine Palms, San Bernardino County	01/21/87

I, Arthur Swajian, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on SEP 22 1988.


Executive Officer

*Cancelled
1/17/90*