

**NEW Well WATER QUALITY MONITORING SCHEDULE**  
 Nontransient Noncommunity System, groundwater near development (NPSGD)  
 UPDATED - April 2018

*This schedule contains initial monitoring frequencies. Contact your district office after completing the initial monitoring for an updated schedule or if you have any questions.*

<b>Chemical - Title 22</b>	<b>MCL (mg/L)</b>	<b>Frequency (1)</b>
<b>Primary Inorganics - Section 64432</b>		
Aluminum	1	Every 3 years
Antimony	0.006	Every 3 years
Arsenic	0.010	Every 3 years
Barium	1	Every 3 years
Beryllium	0.004	Every 3 years
Cadmium	0.005	Every 3 years
Chromium (Total Chromium)	0.05	Every 3 years
Cyanide	0.15	Waived (2)
Fluoride	2.0	Every 3 years
Mercury	0.002	Every 3 years
Nickel	0.1	Every 3 years
Perchlorate	0.006	2 Samples, 5 to 7 months apart, then every 3 years (3)
Selenium	0.05	Every 3 years
Thallium	0.002	Every 3 years
<b>Asbestos - Section 64432.2</b>		
Asbestos - Source Water	7 MFL	Every 9 years
Asbestos - Distribution System sampling if Asbestos-Cement pipe used	7 MFL	Every 9 years if Aggressive Index $\leq$ 11.5
<b>Nitrate/Nitrite - Section 64432.1</b>		
<b>Nitrate (as N)</b>	10	Annually if $\leq$ 5 mg/L (4)
Nitrite (as nitrogen)	1	Every 3 years if $\leq$ 0.5 mg/L (5)
Nitrate + Nitrite (sum as nitrogen)	10	N/A
<b>Secondary Standards - Table 64449-A</b>		
Aluminum	0.2	See frequency for Primary IO above
Color	15	Once only
Copper	1.0	Once only
Foaming Agents	0.5	Once only
Iron	0.3	Once only
Manganese	0.05	Once only
Methyl- <i>tert</i> -butyl ether (MTBE)	0.005	See MTBE frequency on page 2
Odor	3	Once only
Silver	0.1	Once only
Thiobencarb	0.001	Waived (2)
Turbidity	5	Once only
Zinc	5	Once only
<b>General Minerals - Section 64449</b>		
Bicarbonate	N/A	Once only
Carbonate	N/A	Once only
Hydroxide Alkalinity	N/A	Once only
Calcium	N/A	Once only
Magnesium	N/A	Once only
Sodium	N/A	Once only
Hardness	N/A	Once only
pH	N/A	Once only
<b>Secondary Standards - Table 64449-B</b>		
TDS	500-1000;1500	Once only
Specific Conductance	900-1600; 2200	Once only
Chloride	250-500;600	Once only
Sulfate	250-500;600	Once only

MCL = Maximum Contaminant Level

**Contact your district office with any questions.**

- (1) Sampling shall be increased to quarterly following any result > MCL.
- (2) Use waiver granted.
- (3) Perchlorate: For initial monitoring, at least 1 of the 2 samples must be collected during the period from May 1 through Sept 30. If the results in both samples are not detectable (ND), subsequent monitoring frequency will be every 3 years.
- (4) Nitrate (as N) sampling shall increase to quarterly following any result  $\geq$  5 mg/L. Upon request to your district office, this may be reduced to an annual frequency after 4 quarters of monitoring.
- (5) Nitrite sampling shall be increased to quarterly following any result  $\geq$  0.5 mg/L. Upon request to your district office, this may be reduced to an annual frequency after 4 quarters of monitoring.

**NEW Well WATER QUALITY MONITORING SCHEDULE**  
 Nontransient Noncommunity System, groundwater near development (NPSGD)  
 UPDATED - April 2018

Chemical - Title 22	MCL (mg/L)	Frequency (6), (7) & (8)
<b>VOCs - Table 64444-A (a)</b>		
Benzene	0.001	4 Qtrs, then 3 annuals, then every 3 years
Carbon Tetrachloride	0.0005	4 Qtrs, then 3 annuals, then every 3 years
1,2-Dichlorobenzene	0.6	4 Qtrs, then 3 annuals, then every 3 years
1,4-Dichlorobenzene	0.005	4 Qtrs, then 3 annuals, then every 3 years
1,1-Dichloroethane	0.005	4 Qtrs, then 3 annuals, then every 3 years
1,2-Dichloroethane	0.0005	4 Qtrs, then 3 annuals, then every 3 years
1,1-Dichloroethylene	0.006	4 Qtrs, then 3 annuals, then every 3 years
cis-1,2-Dichloroethylene	0.006	4 Qtrs, then 3 annuals, then every 3 years
trans-1,2-Dichloroethylene	0.01	4 Qtrs, then 3 annuals, then every 3 years
Dichloromethane	0.005	4 Qtrs, then 3 annuals, then every 3 years
1,2-Dichloropropane	0.005	4 Qtrs, then 3 annuals, then every 3 years
1,3-Dichloropropene	0.0005	4 Qtrs, then 3 annuals, then every 3 years
Ethylbenzene	0.3	4 Qtrs, then 3 annuals, then every 3 years
Methyl- <i>tert</i> -butyl ether (MTBE)	0.013	4 Qtrs, then 3 annuals, then every 3 years
Monochlorobenzene	0.07	4 Qtrs, then 3 annuals, then every 3 years
Styrene	0.1	4 Qtrs, then 3 annuals, then every 3 years
1,1,1,2-Tetrachloroethane	0.001	4 Qtrs, then 3 annuals, then every 3 years
Tetrachloroethylene (PCE)	0.005	4 Qtrs, then 3 annuals, then every 3 years
Toluene	0.15	4 Qtrs, then 3 annuals, then every 3 years
1,2,4-Trichlorobenzene	0.005	4 Qtrs, then 3 annuals, then every 3 years
1,1,1-Trichloroethane	0.200	4 Qtrs, then 3 annuals, then every 3 years
1,1,2-Trichloroethane	0.005	4 Qtrs, then 3 annuals, then every 3 years
Trichloroethylene (TCE)	0.005	4 Qtrs, then 3 annuals, then every 3 years
Trichlorofluoromethane	0.15	4 Qtrs, then 3 annuals, then every 3 years
1,1,2-Trichloro-1,2,2-Trifluoroethane	1.2	4 Qtrs, then 3 annuals, then every 3 years
Vinyl Chloride	0.0005	4 Qtrs, then 3 annuals, then every 3 years
Xylenes (total)	1.750	4 Qtrs, then 3 annuals, then every 3 years
<b>SOCs - Table 64444-A (b)</b>		
1,2,3-Trichloropropane (1,2,3-TCP)	0.000005 mg/L	4 quarters, then every 3 years
Alachlor	0.002	Waived (2)
Atrazine	0.001	4 quarters, then every 3 years
Bentazon	0.018	Waived (2)
Benzo(a)pyrene	0.0002	Waived (2)
Carbofuran	0.018	Waived (2)
Chlordane	0.0001	Waived (2)
2,4-D	0.07	Waived (2)
Dalapon	0.2	Waived (2)
Dibromochloropropane (DBCP)	0.0002	Waived (2)
Di(2-ethylhexyl)adipate	0.4	Waived (2)
Di(2-ethylhexyl)phthalate	0.004	Waived (2)
Dinoseb	0.007	Waived (2)
Diquat	0.02	Waived (2)
Endothall	0.1	Waived (2)
Endrin	0.002	Waived (2)
Ethylene Dibromide (EDB)	0.00005	Waived (2)
Glyphosate	0.7	Waived (2)
Heptachlor	0.00001	Waived (2)
Heptachlor Epoxide	0.00001	Waived (2)
Hexachlorobenzene	0.001	Waived (2)
Hexachlorocyclopentadiene	0.05	Waived (2)
Lindane	0.0002	Waived (2)
Methoxychlor	0.03	Waived (2)
Molinate	0.02	Waived (2)
Oxamyl	0.05	Waived (2)
Pentachlorophenol	0.001	Waived (2)
Picloram	0.5	Waived (2)
Polychlorinated Biphenyls	0.0005	Waived (2)
Simazine	0.004	4 quarters, then every 3 years
Thiobencarb	0.07	Waived (2)
Toxaphene	0.003	Waived (2)
2,3,7,8-TCDD (Dioxin)	0.00000003	Waived (2)
2,4,5-TP (Silvex)	0.05	Waived (2)

(6) This frequency applies only to chemicals for which previous results have shown no detectable results (ND). **Contact your district office after 4 quarters of initial monitoring for a potential waiver.**

(7) Contact **your district office within 48 hours of receipt of any result exceeding the MCL** for a special monitoring schedule.

(8) Data substitution of up to 3 quarters of results allowed for initial monitoring compliance. Written request required with hard copy of laboratory report(s). At least 1 of 4 quarters must be sampled in initial monitoring year to comply w/initial monitoring.

**NEW Well WATER QUALITY MONITORING SCHEDULE**  
 Nontransient Noncommunity System, groundwater near development (NPSGD)  
 UPDATED - April 2018

**Radiological Monitoring**

**Initial Monitoring Requirements**

<b>Radioactivity - Section 64442</b>	<b>MCL</b>	<b>Frequency</b>
Gross Alpha particle activity (excluding radon & uranium)	15 pCi/L	4 quarters initial monitoring * (9)
Total Radium (Radium-223, Radium-224 and Radium-226)	5 pCi/L	When (GA-Uranium) > 5 pCi/L (10)
Uranium	20 pCi/L	When GA > 5 pCi/L (10)
<b>Man Made Radioactivity - Section 64443</b>		
Tritium	20000 pCi/L	Not Required
Strontium	8 pCi/L	Not Required
Gross Beta	50 pCi/L	Not Required

\* If the results from the first 2 quarters of initial monitoring are below the detection limit for the purposes of reporting (DLR), the final 2 quarters of initial monitoring may be waived.

**9. Routine Monitoring**

a) Subsequent monitoring frequency for Gross Alpha is based on last sample collected.

<b>Gross Alpha</b>	<b>Monitoring Frequency</b>
Less than 3 pCi/L	1 sample every 9 years
$\geq 3$ and $\leq 7.5$ pCi/L	1 sample every 6 years
$> 7.5$ and $\leq 15$ pCi/L	1 sample every 3 years

**10. Triggered Monitoring**

A frequency is generally not assigned to total radium or uranium as the monitoring for these constituents is dependent on the gross alpha results.

- a) If the Gross Alpha particle activity is less than or equal to 5 pCi/L, analysis for Uranium is not required.
- b) If the Gross Alpha particle activity for any single sample is greater than 5 pCi/L, analysis for Uranium in that same sample is required. If any single sample for Uranium is greater than 20 pCi/L, monitor at least 4 quarters for Uranium.
- c) If the Gross Alpha particle activity is  $> 5$  pCi/L, analysis for uranium may be used to estimate the total radium activity. If GA - Uranium  $> 5$ , analyze for total radium from the same sample or contact your district office. If GA - Uranium  $< 0$ , report only the GA and Uranium results.

**Important** - The analysis for any or all of the constituents noted above should be from **the same sample**. On the chain-of-custody, uranium can be noted as: 'Hold Uranium (only analyze if GA  $> 5$ pCi/L)'.  
 Contact your district office if the MCL is exceeded, or for clarification on monitoring frequencies.