



Lahontan Regional Water Quality Control Board

February 10, 2014

Craig Sullivan 65 Montclair Terrace San Francisco, CA 94106

BOARD ORDER NO. R6T-2014-0008 FOR CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION FOR THE SULLIVAN PIER MODIFICATION PROJECT AT 5526 NORTH LAKE BLVD., PLACER COUNTY, WDID 6A311309001

The California Regional Water Quality Control Board, Lahontan Region (Water Board) has received a complete Clean Water Act (CWA) section 401 Water Quality Certification (WQC) application and application filing fee for the Sullivan Pier Modification Project (Project) in Placer County. This Order for WQC hereby assigns this Project the following reference number: Waste Discharger Identification (WDID) No. 6A311309001. Please use this reference number in all future communications regarding this Project.

Any person aggrieved by this action of the Water Board may petition the State Water Resources Control Board (State Water Board) to review the action in accordance with Water Code section 13320 and California Code of Regulations (CCR), title 23, sections 2050 and following. The State Water Board must receive the petition by 5:00 p.m., 30 days after the date of this Order, except that if the thirtieth day following the date of this Order falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions may be found on the Internet at: http://www.waterboards.ca.gov/public notices/petitions/water quality or will be provided upon request.

PROJECT DESCRIPTION

Table of Project Information:

Table of Froject information.	
WDID Number	6A311309001
Applicant	Craig Sullivan
	65 Montclair Terrace
	San Francisco, CA 94106
Agent	Ogilvy Consulting/Ed Lupyak
	P.O. Box 1636
	Kings Beach, CA 96143
Project Name	Sullivan Pier Modification Project

AMY L. HORNE PHD, CHAIR | PATTY Z. KOUYOUMDJIAN, EXECUTIVE OFFICER



Table of Project Information Continued:

and Description boatlift, including the driving of one 10"X10" steel I-beam to support the relocated boatlift. Additionally, two 4"x8" steel pilings will be removed from the lake bed. Project Type Pier Modification Project Address or other Locating Information Location Latitude/Longitude Hydrologic Unit(s) Lake Tahoe Hydrologic Unit, 634.00 Project Area Receiving Water(s) Name Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) Boatlift, including the driving of one 10"X10" steel I-beam to support the relocated hostlift, Additionally, two 4"x8" steel pilings will be removed from the lake bed. Additionally, two 4"x8" steel pilings will be removed from the lake bed. Carnelian Bay, CA Latitude: 39° 22'92.08" Longitude: 120° 06'83.48" Lake Tahoe Hydrologic Unit, 634.00 Lake Tahoe Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.		ornation Continued.
Project County Project Address or other Locating Information Location Location Location Lotitude/Longitude Hydrologic Unit(s) Project Area Receiving Water(s) Name Water Body Type(s) Designated Beneficial Uses Protential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) Rocation Lake Water Body Type(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Pier Modification Placer Foscat North Lake Blvd., Carnelian Bay, CA Lake Blvd., Carnelian Bay, CA Lake Blvd., Carnelian Bay, CA Lake Uso., Carnelian Bay, CA Latitude: 39° 22'92.08" Longitude: 120° 06'83.48" Latitude: 1	Project Purpose and Description	relocated boatlift. Additionally, two 4"x8" steel pilings will be removed from the
Project County Project Address or other Locating Information Location Latitude/Longitude Hydrologic Unit(s) Project Area Receiving Water(s) Name Water Body Type(s) Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s)	Droject Type	
Project Address or other Locating Information Location Latitude/Longitude Hydrologic Unit(s) Project Area Receiving Water(s) Name Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) P526 North Lake Blvd., Carnelian Bay, CA Latitude: 39° 22'92.08" Longitude: 120° 06'83.48" Latitude: 39° 22'92.08" Lake Tahoe MUN, AGR, GWR, NAV, REC-1, REC-2, COMM, COLD, WILD, BIOL, Milgh, Old, Old, Old, Fall College of the state, of the permit of the lake from expansion of the pier (e.g., from welding, of the permit of the pier (e.g., from welding, of the pier (e.g., from welding, of the pier		
other Locating Information Location Latitude/Longitude Hydrologic Unit(s) Project Area Receiving Water(s) Name Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) S20 North Lake BIVC., Carnelian Bay, CA Latitude: 39° 22'92.08" Longitude: 120° 06'83.48" Lake Tahoe Lake Tahoe MUN, AGR, GWR, NAV, REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.		Placei
Latitude/Longitude Hydrologic Unit(s) Project Area Receiving Water(s) Name Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) Latitude: 39° 22′92.08″ Longitude: 120° 06′83.48″ Lake Tahoe Lake Tahoe Lake Tahoe MUN, AGR, GWR, NAV., REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Lake Tahoe MUN, AGR, GWR, NAV., REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilin	other Locating Information	·
Project Area Receiving Water(s) Name Lake Tahoe Water Body Type(s) Designated Beneficial Uses MIGR, SPWN Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) Non- Compensatory Mitigation MUN, AGR, GWR, NAV,, REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. 100 Square Feet The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation RON- Water Body MUN, AGR, GWR, NAV,, REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, text.) Project Impacts (Fill) to waters of the lake from expansion of the pier (e.g., from welding, text.) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404.		Latitude: 39° 22'92.08" Longitude: 120° 06'83.48"
Receiving Water(s) Name Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) Federal Permit(s) Receiving Water (S) Name Lake MUN, AGR, GWR, NAV., REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. 100 Square Feet The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	Hydrologic Unit(s)	Lake Tahoe Hydrologic Unit, 634.00
Water (s) Name Water Body Type(s) Designated Beneficial Uses Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Lake MUN, AGR, GWR, NAV., REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. 100 Square Feet The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	Project Area	100 square feet
Designated Beneficial Uses MUN, AGR, GWR, NAV., REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Potential Water Quality Impacts Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation MUN, AGR, GWR, NAV., REC-1, REC-2, COMM, COLD, WILD, BIOL, MIGR, SPWN Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. 100 Square Feet The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	Water(s) Name	Lake Tahoe
Potential Uses Potential Water Quality Impacts Discharge of materials into the lake from expansion of the pier (e.g., from welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	Type(s)	
Quality Impacts welding, deck and piling repair) and turbidity from hammering of pilings into the lakebed and removal of existing piers. Area of water(s) of the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	Beneficial Uses	
the U.S. (WOUS) within the Project area Project Impacts (Fill) to waters of the state, including WOUS Federal Permit(s) The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.7 square feet. No net loss of waters will occur as a result of the Project. The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.		welding, deck and piling repair) and turbidity from hammering of pilings into
(Fill) to waters of the state, including WOUS Federal Permit(s) The Applicant has applied for U.S. Army Corps of Engineers (USACOE) authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation The Project involves removal of fill over an area of 0.44 square feet, and new fill covering an area of 0.44 square feet, and new fill covering an area of 0.44 square feet, and new fill covering an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet, and new fill cover an area of 0.44 square feet. No net loss of waters will occur as a result of the Project. The Project involves femoval of fill over an area of 0.44 square feet. No net loss of waters will occur as a result of the Project.	the U.S. (WOUS) within the Project area	100 Square Feet
authorization to proceed under a Letter of Permission, pursuant to CWA section 404. Non- Compensatory Mitigation Best Management Practices (BMPs) will be employed on the site at all times, and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	(Fill) to waters of the state,	fill covering an area of 0.7 square feet. No net loss of waters will occur as a
Compensatory and throughout construction. Contractor will deploy turbidity curtains or other water quality protections as required by this Order.	. ,	authorization to proceed under a Letter of Permission, pursuant to CWA section 404.
Mitigation water quality protections as required by this Order.	Non-	
Compensatory Applicant has proposed to enhance one square foot of fish habitat for forage	Compensatory	Applicant has proposed to enhance one square foot of fish habitat for forage
Mitigation and cover.		
Applicable Fees \$944 (application fee)		
Fees Received \$944		

CEQA COMPLIANCE

The Water Board has determined that this Project is exempt from the California Environmental Quality Act (CEQA)(Public Resources Code Section 21000 et seq.). In accordance with section 15301(e)(1), the basis for CEQA exemption is "Existing facilities." A Notice of Exemption will be filed with the State Clearinghouse concurrently with issuing this Order.

SECTION 401 WATER QUALITY CERTIFICATION

Authority

Section 401 of the CWA (33 U.S.C., paragraph 1341) requires that any applicant for a CWA section 404 permit, who plans to conduct any activity that may result in discharge of dredged or fill materials to WOUS, must provide to the permitting agency a certification that the discharge will be in compliance with applicable water quality standards of the state in which the discharge will originate. No section 404 permit may be granted (or valid) until such certification is obtained. The Applicant submitted a complete application and the fees required for WQC under section 401 for the Project. The Applicant has applied for USACOE authorization to proceed under a Nationwide Permit pursuant to CWA section 404.

CCR title 23, section 3831(e) grants the Water Board Executive Officer the authority to grant or deny WQC for projects in accordance with CWA section 401. The Project qualifies for such WQC.

Standard Conditions

Pursuant to CCR title 23, section 3860, the following standard conditions are requirements of this certification:

- 1. This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330 and CCR title 23, section 3867.
- 2. This certification action is not intended and must not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license unless the pertinent certification application was filed pursuant to CCR title 23, section 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3. The validity of any non-denial certification action must be conditioned upon total payment of the full fee required under CCR title 23, section 3833, unless otherwise stated in writing by the certifying agency.
- 4. Neither Project construction activities nor operation of the Project may cause a violation of the Water Quality Control Plan for the Lahontan Region (Basin Plan), may cause a condition or threatened condition of pollution or nuisance, or cause any other violation of the Water Code.
- 5. The Project must be constructed and operated in accordance with the Project described in the application for WQC that was submitted to the Water Board. Deviation from the Project description constitutes a violation of the conditions upon which the certification was granted. Any significant changes to this Project that would have a significant or material effect on the findings, conclusions, or conditions of this certification, including Project operation, must be submitted to the Executive Officer for prior review and written approval.

- 6. This certification is subject to the acquisition of all local, regional, state, and federal permits and approvals as required by law. Failure to meet any conditions contained herein or any conditions contained in any other permit or approval issued by the state of California or any subdivision thereof may result in the revocation of this certification and civil or criminal liability.
- 7. The Water Board may add to or modify the conditions of this certification as appropriate to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act or section 303 of the CWA, or as appropriate to coordinate the operations of this Project with other projects where coordination of operations is reasonably necessary to achieve water quality standards or protect the beneficial uses of water. Notwithstanding any more specific conditions in this certification, the Project must be constructed and operated in a manner consistent with all water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act or section 303 of the CWA.
- 8. This certification does not authorize any act which results in the taking of a threatened or endangered species or any act which is now prohibited, or becomes prohibited in the future, under the California Endangered Species Act (Fish and Game Code section 2050 et seq.) or the federal Endangered Species Act (16 U.S.C. sections 1531 et seq.). If a "take" will result from any act authorized under this certification, the Applicant must obtain authorization for the take prior to construction or operation of the Project. The Applicant is responsible for meeting all applicable requirements of the Endangered Species Act for the Project authorized under this certification.

Additional Conditions

Pursuant to CCR title 23, section 3859(a), the following additional conditions are requirements of this certification:

- To minimize or avoid impacts to water quality, caissons, sleeves, or turbidity curtains
 must be used during Project implementation to prevent re-suspension and discharge
 of lakebed sediments. The control measures must be inspected and maintained as
 necessary to prevent discharge of suspended sediment outside the containment
 area.
- 2. Prior to initiating construction of the Project, the <u>Applicant must document whether there are any subsurface utilities in the area of construction</u>. This can be accomplished by: (1) contacting all utilities (both public and private) that provide service in the area and documenting these contacts; (2) contacting Underground Service Alert, and documenting this contact; or (3) some other equivalent affirmative action to determine and document whether or not there are any subsurface utilities in the area of construction. The area of construction is defined as any area within the Project boundaries where there will be excavation, construction of borings or driving of piles. If subsurface utilities are located in the construction area, the Applicant must also prepare a utility avoidance plan that will be followed during construction.

- 3. A copy of this WQC Order, a copy of the complete WQC application submitted to the Water Board, and the utility avoidance plan (if required by additional condition above) must be available at the Project site during construction of the Project.
- 4. No debris, cement, concrete (or wash water therefrom), oil or petroleum products must enter into or be placed where it may be washed from the Project site by rainfall or runoff into waters of the state. When operations are completed, any excess material must be removed from the Project work area, and from any areas adjacent to the work area where such material may be transported into waters of the state.
- 5. The Applicant must immediately (within two hours) notify Water Board staff by telephone whenever an adverse condition occurs as a result of this discharge. Such a condition includes, but is not limited to, a violation of the conditions of this Order, a significant spill of petroleum products or toxic chemicals, or damage to control facilities that would cause noncompliance. A written notification of the adverse condition must be provided to the Water Board within two weeks of occurrence. The written notification must identify the adverse condition, describe the actions necessary to remedy the condition, and specify a timetable, subject to any modifications by Water Board staff, for the remedial actions.
- 6. The Applicant must prevent discharge of any materials foreign to the lake water from implementation of this Project, including the discharge of welding metals during the welding process.
- 7. Construction equipment must be monitored for leaks, and removed from service if necessary to protect water quality.
- 8. An emergency spill kit must be at the Project site at all times.
- 9. New development must not result in impervious surface or other land disturbance in excess of the allowable amounts as determined by the Tahoe Regional Planning Agency.

Enforcement

- 1. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation must be subject to any remedies, penalties, process or sanctions as provided for under state law. For purposes of CWA section 401(d), the applicability of any state law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this certification.
- 2. In response to a suspected violation of any condition of this certification, the State Water Board or the Water Board may require the holder of any permit or license subject to this certification to furnish, under penalty of perjury, any technical or monitoring report the State Water Board or Water Board deems appropriate, provided that the burden, including costs, of the reports must be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.

3. In response to any violation of the conditions of this certification, the Water Board may add to or modify the conditions of this certification as appropriate to ensure compliance.

Section 401 Water Quality Certification Requirements Granted

I hereby issue an Order certifying that any discharge from the referenced Project will comply with the applicable provisions of CWA sections 301 (Effluent Limitations). 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards), and with other applicable requirements of state law. This discharge is also regulated under State Water Resources Control Board Order No. 2003-0017-DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification" which requires compliance with all conditions of this WQC.

Except insofar as may be modified by any preceding conditions, all WQC certification actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the Applicant's Project description and the terms specified in this WQC order, and (b) compliance with all applicable requirements of the Basin Plan.

We look forward to working with you in your efforts to protect water quality. If you have questions, please contact Dale Payne, Environmental Scientist, at (530) 542-5464, or Alan Miller, P.E., Chief, North Basin Regulatory Unit, at (530) 542-5430.

PATTY/Ź._KOUYOUMÓJIAN

EXECUTIVE OFFICER

CC: Ed Lupyak, Ogilvy Consulting

(via email at ed@ogilvylanduse.com)

Jason Brush, Wetlands Regulatory Office (WTR-8), US EPA, Region 9

(via email at R9-WTR8-Mailbox@epa.gov)

Kristine Hansen, U.S. Army Corps of Engineers, Reno Office

Bill Orme. State Water Resources Control Board, Division of Water Quality

(via email at Stateboard401@waterboards.ca.gov)

David L. Landry, Tahoe Regional Planning Agency

Ninette Lee, California State Lands Commission

Patrick Moezinger, California Department of Fish and Wildlife