APPENDIX F-I.2

Ivanpah Dry Lake

Huffman-Broadway Group, Inc.
Environmental Consultants

Investigation of the Presence of Wetlands and Other Waters of the United States DesertXpress Project HUC 8 Ivanpah - Pahrump Valleys Watershed Draining to Ivanpah Dry Lake San Bernardino County, California & Clark County, Nevada



July 2010

Prepared for

DESERTXPRESS ENTERPRISES, LLC
6750 Via Austi Parkway
Suite 250
Las Vegas, NV 89119

By

HUFFMAN-BROADWAY GROUP, INC.
828 Mission Avenue
San Rafael, CA 94901

TABLE OF CONTENTS

1.0 INTRODUCTION 1

1.1 Project Purpose and Scope of Work 1
1.2 Contact Information 2
1.3 Study Area 2
1.4 Environmental Setting 2
1.4.1 Topography 3
1.4.2 Land Use 3
1.4.3 Geology and Soils 3
1.4.4 Biological Resources 4
1.4.5 Climate 4
1.4.6 Hydrology 5
1.5 Disclaimer 5

2.0 REGULATORY FRAMEWORK 6

2.1 Definition of Wetlands and Other Waters of the U.S. 6
2.2 Limits of Jurisdiction 7
2.3 Identification of Ordinary High Water Marks (OHWM) 7
2.4 Wetlands Delineation Criteria 9
2.4.1 Wetland Hydrology 10
2.4.2 Hydric Soils 12
2.4.3 Prevalence of Wetland Vegetation 15

3.0 DELINEATION METHOD 18

3.1 Objective and Establishment of Study Area Boundary 18
3.2 Study Area Reconnaissance 18
3.3 Wetlands Identification and Delineation 19
3.3.1 Dominance of Wetland Vegetation 19
3.3.2 Presence of Hydric Soil Indicators 19
3.3.3 Presence of Wetland Hydrology Indicators 19
3.4 Identification and Delineation of Other Waters 20
3.5 Mapping 21

4.0 TECHNICAL FINDINGS 22

4.1 Field Indicators of Hydric Soils 22
4.2 Field Indicators of Wetland Hydrology Conditions 22
4.2.1 Field Indicators of Surface Flow 23
4.2.2 Landscape Features that Support Surface Flow 24
4.2.3 Landscape Features with a Recognizable OHWM 25
4.3 Field Indicators of Wetland Vegetation 25
4.4. Presence of Wetland Vegetation within Natural and Manmade Drainages 26

5.0 AREAS POTENTIALLY SUBJECT TO JURISDICTION 27

5.1 Wetlands 27
5.2 Other Waters of the U.S. 27

6.0 CWA JURISDICTIONAL ANALYSIS 28

6.1 Regulatory Background 28
6.2 Review Area 30
6.3 CWA Analysis 30
6.3.1 Are Jurisdictional Waters Present within the Study Area (Rapanos Guidance)? 30

6.3.2 Are There Isolated Waters within the Study Area? *32*
6.4 ARE NON-JURISDICTIONAL WATERS PRESENT WITHIN THE STUDY AREA? 35
6.5 JURISDICTIONAL ANALYSIS SUMMARY 35
6.6 DISCLAIMER 37
7.0 REFERENCES..... 38

LIST OF TABLES

Table 1a Potential Geomorphic Indicators of Ordinary High Water Marks for the Arid West
Table 1b Potential Vegetation Indicators of Ordinary High Water Marks for the Arid West
Table 2 Wetland Hydrology Indicators
Table 3 Wetland Hydrology Indicators for the Arid West
Table 4 Field Indicators of Hydric Soil Conditions
Table 5 Hydric Soil Indicators for the Arid West
Table 6 Summary of Process for Determining Jurisdiction Over Waters of the U.S. Under Section 404 of the Clean Water Act Following EPA and Corps Rapanos Guidance
Table 7 Summary of EPA and Corps Rapanos Analysis
Table 8 Interstate / Foreign Commerce Analysis
Table 9 Jurisdictional Analysis Summary

LIST OF EXHIBITS

Exhibit A Figures
Figure 1 DesertXpress Project Alignment Alternatives
Figure 2 Location of Alignment Alternatives Within HUC-8 Watershed
Figure 3 Location of Study Area
Figure 4 Location of Study Area Within HUC-8 / HUC-12 Watersheds
Figures 5-12 Typical Examples of Field Indicators of Active Surface Water Flow and Ordinary High Water Marks Found Within Ephemeral Drainages Occurring Within the DesertXpress Project Study Area.
Figures 13-42 Examples of Drainages Found Within HUC-8 Watershed
Exhibit B Field Data
Exhibit B1 Required Corps Waters Data Summary Table
Exhibit B2 Field Data
Exhibit C Representative Areas Potentially Excluded from Corps Jurisdiction Based on Corps-EPA *Rapanos Guidance*, DesertXpress Project, HUC 8 Ivanpah-Pahrump Valleys Watershed Draining to Ivanpah Dry Lake
Exhibit D Hydrology Maps for CWA Jurisdictional Analysis

This report should be cited as: Huffman-Broadway Group, Inc. 2010. *Investigation of the Presence of Wetlands and Other Waters of the United States, DesertXpress Project, HUC 8 Ivanpah - Pahrump Valleys Watershed Draining to Ivanpah Dry Lake, San Bernardino County, California & Clark County, Nevada.* Prepared for DesertXpress Enterprises, LLC, Las Vegas, Nevada. July. 39 pp. plus Exhibits.

1.0 INTRODUCTION

1.1 Project Purpose and Scope of Work

DesertXpress Enterprises, LLC (DXE) is proposing to construct and operate a dedicated two-tracked high speed passenger railway and associated operations and maintenance facilities between Victorville, California, and Las Vegas, Nevada (DesertXpress Project; Exhibit A, Figure 1). A Draft Environmental Impact Statement was issued for the project in March of 2009 and the Final EIS is nearing completion. A Supplemental Draft EIS has been prepared and will be issued shortly to address certain modifications to the proposed alignment and station locations made by the Applicant, DXE, in response to various comments made on the Draft. The U.S. Department of Transportation, Federal Railroad Administration (FRA) is the lead agency responsible for preparing the project Environmental Impact Statement (EIS).

In preparation for the permit phase of the project, DXE has retained Huffman-Broadway Group, Inc. (HBG) to investigate the presence of wetlands and other waters potentially subject to Corps and EPA regulation under Section 404 of the Clean Water Act (CWA) along the DesertXpress Project's preferred and alternative alignments and study areas for the stations and ancillary facilities.

For the purpose of the jurisdictional delineation study, the proposed DesertXpress Project alignments has been divided into six areas using the USGS HUC 8 [1] level of watershed classification. The scope of this report is to evaluate the presence or absence of wetlands and waters potentially subject to Corps CWA jurisdiction within the proposed DesertXpress Project alternatives and facilities located within the HUC 8 Ivanpah - Pahrump Valleys watershed draining to Ivanpah Lake (Exhibit A, Figure 2 and Exhibit D). Ivanpah Lake. an ephemeral dry lake with no outlet, is located within the States of California and Nevada.

This study was conducted in accordance with *Code of Federal Regulations* (CFR) definitions of jurisdictional waters, the Corps' 1987 *Wetlands Delineation Manual*, the Corps' 2008 *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)*, and supporting guidance documents. The remaining portions of Section 1.0 provide project contact information, describe the location of the Study Area and provide technical details regarding the general environmental conditions found within the Study Area, including relevant technical information from the Draft EIS regarding water resource data and biological and cultural resource information. Section 2.0 provides regulatory background information and details regarding the technical criteria and types of field indicators evaluated for during

[1] HUC = U.S. Geological Survey (USGS) Hydrologic Unit Code. The Hydrologic Unit system is a standardized watershed classification system developed by USGS in the mid 1970s. Hydrologic units are watershed boundaries organized in a nested hierarchy by size. They range in size from national regions, to the smaller cataloging units (HUCs), which are roughly equivalent to local watershed.

the study. Section 3.0 provides a detailed description of the methods used during this investigation. Section 4.0 provides a description of technical findings and Section 5.0 describes the types of areas found that potentially may be subject to Corps CWA jurisdiction. Section 6.0 is a Clean Water Act jurisdictional analysis using the Rapanos Guidance.

HBG is seeking, on behalf of DXE, a Verified Jurisdictional Determination pursuant to applicable Corps guidance documents.

1.2 Contact Information

Project Owner Contact	***Applicant's Agent & Wetland Regulatory Scientist***
DesertXpress Enterprises, LLC 6750 Via Austi Parkway Suite 250 Las Vegas, NV 89119 ***Contact:*** Tom Stone (702) 491-8940 tstone@transmaxgroup.com	**Huffman-Broadway Group, Inc** 828 Mission Avenue San Rafael, California 94901 ***Contact:*** Terry Huffman, Ph.D. (415) 925-2000 thuffman@h-bgroup.com

1.3 Study Area

The Study Area for this investigation is defined as the area where potential ground disturbing components of the proposed project would occur based on the alternatives identified and analyzed in conjunction with the EIS and Supplemental EIS prepared for the DesertXpress Project (Exhibit A, Figure 3). The Study Area begins between Mountain Pass on the west and Ivanpah (dry) Lake at the California-Nevada border (Exhibit A, Figures 3).

1.4 Environmental Setting

The Study Area encompasses those portions of the proposed DesertXpress Project alternatives and facilities located between Mountain Pass on the west and Ivanpah (dry) Lake at the California-Nevada border (Exhibit A, Figures 3 and 4). In general, the area described below comprises "Segment 4" Alternatives 4A and 4C of the alignment and a small portion of "Segment 3" Alternative 3B. This portion of the alignment lies within the southern portion of the Ivanpah-Pahrump Valleys watershed (HUC-8 watershed 16060015) and the following HUC-12 watersheds:

- Wheaton Wash-Frontal Ivanpah Lake – 34,373 acres
- Kokoweef Canyon-Frontal Ivanpah Lake – 23,868 acres
- Ivanpah Lake – 23,514 acres
- Whiskey Spring-Frontal Ivanpah Lake – 31,634 acres

These HUC-12 watersheds drain to Ivanpah Lake, a dry lake on the east side of I-15.

The Segment 3 Alternative 3B Alignment extends North of I-15 from Halloran Summit to east of Mountain Pass and the Segment 4 Alternative 4C Alignment leaves I-15 east of Mountain Pass and extends in a semi-circular arc west of I-15 on BLM land before re-joining the freeway on the west side of Primm. At its farthest point from I-15, this alignment alternative is approximately 6.5 miles west of the freeway. HBG also evaluated DEIS Segment 4 Alternative 4A, which passes along the west side of the I-15 freeway from Mountain Pass to Ivanpah Lake and across the dry bed of the lake.

1.4.1 Topography

Elevations along Segment 3 Alternative 3B Alignment within the Study range from approximately 4,100 feet to 4,450 feet msl. Elevations along the Segment 4 Alternative 4C Alignment within this Study Area range from approximately 4,450 feet msl just east of the Molycorp mine at Mountain Pass to approximately 2,650 feet msl at Primm. The roughly 16-mile-long Segment 4A alignment crosses an alluvial fan below the Clark Mountain Range as it descends toward Primm.

1.4.2 Land Use

Both Segment 3 Alternative 3B and Segment 4 Alternative 4A are within the I-15 right of way / transportation corridor. Segment 4 Alternative 4C crosses BLM land that lies within the Northern and Eastern Mojave Plan (NEMO) planning area, which covers 2.7 million acres of BLM-managed public lands in eastern San Bernardino and Inyo counties and the eastern edge of Mono County. The Plan manages sensitive species and habitats on public lands administered by the BLM.

1.4.3 Geology and Soils

The Alternative Alignment 4C in the Mountain Pass area is underlain by Precambrian age metamorphic rocks comprised chiefly of injection gneisses and granitic gneisses (epЄ, pЄg). The maps show that this area consists of former mining prospects, but no mines are located on the maps in this area. The maps indicate that tunneling through this area would pass through the metamorphic gneiss unit and cross the inactive North Fault in the Clark Mountains.

On the northeast flank of the Clark Mountains, Alternative Alignment 4C descends over younger alluvial fan deposits (Qal) which are underlain at a relatively shallow depth by metamorphic rocks. In the Ivanpah Valley, the alignment is underlain by younger valley alluvium (Qal).

In the Mountain Pass area, Segment 4 Alternate 4A is underlain by Precambrian age metamorphic rocks (epЄ, pЄg) composed chiefly of injection gneisses and granitic gneisses and is also underlain by valley alluvium (Qal) and shallow wash alluvium from Wheaton Wash (Qal). In Ivanpah Valley, it is underlain by younger valley alluvium (Qal) and lake deposits from Ivanpah Dry Lake (Ql).

These geologic units and associated soils are described below:

Geologic Unit (Symbol[s])	Geologic Age	Description
Younger alluvial deposits (Qal)	Holocene	Unconsolidated valley alluvial deposits of silt, sand and gravel; alluvial stream/wash deposits.
Younger lacustrine deposits (Ql)	Holocene	Lake and playa sediments including clay, silt and fine sand; Ivanpah Lake bed sediments.
Metamorphic rocks (epϵ, pϵg)	Precambrian	Undifferentiated injection gneiss, schist, granitic gneiss, granite augen gneiss complex.

Seismicity

According to the DEIS (Circle Point 2009), neither Segment 4 Alternative 4C nor the Segment 4 Alternative 4A would cross any active faults. Due to proximate active faults, both potential alignments have a moderate to high probability of experiencing strong ground shaking. Peak horizontal ground accelerations on the order of 0.3g to 0.4g could be anticipated along this project alignment segment near Mountain Pass; accelerations of 0.4g to 0.6g could be anticipated in the Ivanpah Valley.

1.4.4 Biological Resources

In the Mountain Pass area, this portion of the DesertXpress Project alignment is dominated by blackbrush shrubland. Blackbrush, an evergreen woody shrub, dominates the desert shrubland zone between 4,000 and 5,000 feet. Below this elevation lies creosote; above, is the zone where sagebrush, pinyon, and juniper grows.

Just east of Mountain Pass, Alternative Alignment 4C crosses the northeast flank of the Clark Mountains through steep, rocky, sparsely vegetated shrubland before descending into creosote bush scrub around Wheaton Wash. California Natural Diversity Data Base (CNDDB) records indicate suitable habitat for desert bighorn sheep occurs within the Study Area. Bighorn sheep maybe especially dependent on springs as a water source in the Clark Mountains.

Suitable habitat for desert tortoises occurs throughout project study area in desert scrub habitats. The tortoise was observed in the Study Area during 2007 surveys.

1.4.5 Climate

The Mojave Desert has an arid to semi-arid climate; the area is in the rain shadow of 5,000 to 11,000-foot high mountains west of the area. About 2/3 of average annual precipitation occurs between November and March, when winter storms move east from the Pacific Ocean. Precipitation amounts are higher in the mountains, ranging from about 4 inches annually in lower areas, with precipitation over 12 inches annually in the highest elevations. In the higher mountains, winter precipitation may occur as snow. Precipitation in the summer comes as short, intense, and localized thunderstorms; much of this rain is lost to evapotranspiration, particularly if the storm is a small one. The

farther east in the Mojave, summer storms are more frequent, as they arrive from Arizona to the south. (NPS 1999)

Average annual precipitation ranges from about 4 to 10 inches. (DWR, 2004).

1.4.6 Hydrology

Surface runoff from small unnamed washes and drainages from the bordering mountains extends toward Ivanpah Lake. Named drainages near I-15 include Wheaton Wash and Ivanpah Ditch. Drainages within the watershed where the Study Area is located are ephemeral.

The Study Area is in the Ivanpah Valley Groundwater Basin (CDWR Basin 6-30). The Ivanpah Valley Groundwater Basin covers 311 square miles. The basin underlies a north-trending valley along the California-Nevada border. Quaternary alluvium, which forms the primary water-bearing unit within the basin, includes unconsolidated younger alluvial fan material underlain by semi-consolidated, older alluvium. Maximum thickness of the alluvium is at least 825 feet (DWR 2004).

DWR Bulletin 118 (2004) describes recharge to the groundwater basin:

> The principal source of recharge to the basin is the percolation of runoff through alluvial deposits found in Wheaton Wash and at the base of the bordering mountains. Additional recharge may be derived from the infiltration of precipitation that falls to the valley floor. Groundwater in the alluvium moves, as does surface runoff, towards Ivanpah Lake where a pressure zone exist beneath the lacustrine deposits. From Ivanpah Lake, groundwater moves northwards into the Nevada portion of the basin. Discharge from the basin is mainly through pumping and underflow to the Las Vegas Valley to the north.

Several northwest-trending faults may impede the movement of groundwater. Among these are the State Line, Ivanpah, and Clark Mountain faults (Jennings 1961; DWR 1964).

FEMA flood maps identify the area including Ivanpah Dry Lake as Zone D. Zone D is used to designate areas where there are possible but undetermined flood hazards. In areas designated as Zone D, no analysis of flood hazards has been conducted.

1.5 Disclaimer

Huffman-Broadway Group, Inc. have conducted a thorough historic review and site investigation and made a good-faith effort herein to thoroughly describe and document the presence of potential factors that the Corps may consider in determining jurisdiction under their CWA jurisdiction as part of the Corps jurisdictional verification / determination process, however, DXE reserves the right to challenge or seek revision to any areas over which the Corps may assert jurisdiction.

2.0 REGULATORY FRAMEWORK

2.1 Definition of Wetlands and Other Waters of the U.S.

Section 404 of the Federal Clean Water Act authorizes the Corps to regulate activities that discharge dredged or fill material to wetlands and other waters of the United States. As described by EPA's and the Corps' regulations (40 CFR § 230.3(s) and 33 CFR § 328.3(a), respectively), the term "waters of the United States" encompasses the following resources:

(1) All waters which are currently used, or were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide;

(2) All interstate waters including interstate wetlands;

(3) All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, wetlands, sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds, the use, degradation or destruction of which could affect interstate or foreign commerce including any such waters:

(i) Which are or could be used by interstate or foreign travelers for recreational or other purposes; or

(ii) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce; or

(iii) Which are used or could be used for industrial purpose by industries in interstate commerce

(4) All impoundments of waters otherwise defined as waters of the United States under the definition;

(5) Tributaries of waters identified in paragraphs (a) (1) through (4) of this section;

(6) The territorial seas;

(7) Wetlands adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs (a) (1) through (6) of this section.

EPA and the Corps define wetlands as:

> …those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs, and similar areas. (EPA regulations at 40 CFR § 230.3(t); Corps regulations at 33 CFR § 328.3(b)).

2.2 Limits of Jurisdiction

The following provides the regulatory definitions and criteria followed in determining the geographic extent of potential EPA/Corps jurisdiction as applicable to inland waters.

The geographic limits of relevant federal jurisdiction for non-tidal waters of the U.S. are defined as follows at 33 CFR § 328.4(c):

> *Non-Tidal Waters of the United States*: The limits of jurisdiction in non-tidal waters:
>
> (1) In the absence of adjacent wetlands, the jurisdiction extends to the ordinary high water mark.
>
> (2) When adjacent wetlands are present, the jurisdiction extends beyond the ordinary high water mark to the limit of the adjacent wetlands.
>
> (3) When the water of the United States consists only of wetlands the jurisdiction extends to the limit of the wetland.

The terms "adjacent" and "ordinary high water mark," used in the above definition, are defined at 33 CFR § 328.3 as follows:

> The term *adjacent* means bordering, contiguous, or neighboring. Wetlands separated from other waters of the United States by man-made dikes or barriers, natural river berms, beach dunes and the like are "adjacent wetlands." (33 CFR § 328.3(c))
>
> The term *ordinary high water mark* means that line on the shore established by the fluctuations of water and indicated by physical characteristics such as clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas. (33 CFR § 328.3(e))

A site must meet certain water, soil, and vegetation criteria to qualify as a jurisdictional wetland. The Corps' 1987 *Wetlands Delineation Manual* and various regional supplements describe these criteria and the methods used to determine whether they are met and the geographic extent of wetland areas identified in the field.

2.3 Identification of Ordinary High Water Marks (OHWM)

The Corps definition of Ordinary High Water Mark (OHWM) provides the criterion by which the OHWM line can be identified which consists of "*that line on the shore established by fluctuations of water and indirect physical characteristics*" (33 CFR § 328.3(e)). The Corps has developed a delineation manual for the identification of OHWMs within the Arid West Region, entitled *A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, A Delineation Manual* (Lichvar and McColley 2008). Tables 1a and 1b, below provide a summarized listing from the manual of indicators associated with areas that become flood or ponded, but are not dominated by wetland vegetation and the duration of

flooding, ponding and/or near surface soil saturation (≤12 inches) is not sufficient to cause hydric soils to form or wetland hydrology conditions to occur.

Table 1a. Potential Geomorphic Indicators of Ordinary High Water Marks for the Arid West *

Potential Geomorphic OHWM Indicators		
(A) Below OHW	**(B) At OHW**	**(C) Above OHW**
1. In-stream dunes 2. Crested ripples 3. Flaser bedding 4. Harrow marks 5. Gravel sheets to rippled sands 6. Meander bars 7. Sand tongues 8. Muddy point bars 9. Long gravel bars 10. Cobble bars behind obstructions 11. Scour holes downstream of obstructions 12. Obstacle marks 13. Stepped-bed morphology in gravel 14. Narrow berms and levees 15. Streaming lineations 16. Dessication / mud cracks 17. Armored mud balls 18. Knick Points	1. Valley flat 2. Active floodplain 3. Benches: low, mid, most prominent 4. Highest surface of channel bars 5. Top of point bars 6. Break in bank slope 7. Upper limit of sand-sized particles 8. Change in particle size distribution 9. Staining of rocks 10. Exposed root hairs below intact soil layer 11. Silt deposits 12. Litter (organic debris, small twigs and leaves) 13. Drift (organic debris, larger than twigs)	1. Desert pavement 2. Rock varnish 3. Clast weathering 4. Salt splitting 5. Carbonate etching 6. Depositional topography 7. Caliche rubble 8. Soil development 9. Surface color/tone 10. Drainage development 11. Surface relief 12. Surface rounding

* Adapted from *A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, A Delineation Manual* (Lichvar and McColley 2008).

Table 1b. Potential Vegetation Indicators of Ordinary High Water Marks for the Arid West *			
Potential Vegetation OHWM Indicators			
	(D) Below OHW	**(E) At OHW**	**(F) Above OHW**
Hydroriparian indicators	1. Herbaceous marsh species 2. Pioneer tree seedlings 3. Sparse, low vegetation 4. Annual herbs, hydromesic ruderals 5. Perennial herbs, hydromesic clonals	1. Annual herbs, hydromesic ruderals 2. Perennial herbs, hydromesic clonals 3. Pioneer tree seedlings 4. Pioneer tree saplings	1. Annual herbs, xeric ruderals 2. Perennial herbs, non-clonal 3. Perennial herbs, clonal and non-clonal co-dominant 4. Mature pioneer trees, no young trees 5. Mature pioneer trees w/upland species 6. Late-successional species
Mesoriparian indicators	6. Pioneer tree seedlings 7. Sparse, low vegetation 8. Pioneer tree saplings 9. Xeroriparian species	5. Sparse, low vegetation Annual herbs, hydromesic 6. ruderals 7. Perennial herbs, hydromesic clonals 8. Pioneer tree seedlings 9. Pioneer tree saplings 10. Xeroriparian species 11. Annual herbs, xeric ruderals	7. Xeroriparian species 8. Annual herbs, xeric ruderals 9. Perennial herbs, non-clonal 10. Perennial herbs, clonal and non-clonal codominent 11. Mature pioneer trees, no young trees 12. Mature pioneer trees, xeric understory 13. Mature pioneer trees w/upland species 14. Late-successional species 15. Upland species
Xeroriparian indicators	10. Sparse, low vegetation 11. Xeroriparian species 12. Annual herbs, xeric ruderals	12. Sparse, low vegetation 13. Xeroriparian species 14. Annual herbs, xeric ruderals	16. Annual herbs, xeric ruderals 17. Mature pioneer trees w/upland species 18. Upland species

* Adapted from *A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, A Delineation Manual* (Lichvar and McColley 2008).

2.4 Wetlands Delineation Criteria

The Corps' 1987 *Wetlands Delineation Manual* identifies the key diagnostic criteria for determining the presence of wetlands. These include:

1. Wetland Hydrology: Inundation or saturation to the surface during the growing season.
2. Hydric Soils: Soils classified as hydric or that possess characteristics associated with reducing soil conditions.
3. Predominance of Wetland Vegetation: Vegetation classified as facultative, facultative wet, or obligate according to its tolerance of saturated (i.e., anaerobic) soil conditions.

Specific criteria used to determine the presence or absence of wetland hydrology, soil, and vegetation conditions are described in the sections below.

2.4.1 Wetland Hydrology

The 1987 Corps *Manual* states that wetland hydrology conditions occur when a "site is inundated either permanently or periodically at mean water depths less than or equal to 6.6 feet, or the soil is saturated to the surface at some time during the growing season of the prevalent vegetation." Whether a site meets either of these criteria is determined by the presence of diagnostic indicators of wetland hydrology, which include those listed in Table 2.

Table 2. Wetland Hydrology Indicators
(Based on 1987 Corps Manual and Corps Guidance Documents)

Primary Indicators	Secondary Indicators
Watermarks	Oxidized Rhizospheres Associated with Living Roots
Drift Lines	Water-Stained Leaves
Water-Borne Sediment Deposits	FAC-Neutral Test
Drainage Patterns Within Wetlands	Local Soil Survey Data

A March 8, 1992 Corps memorandum entitled *Clarification and Interpretation of the 1987 Manual* provides further clarification:

> Areas which are seasonally inundated and/or saturated to the surface for a consecutive number of days for more than 12.5 percent of the growing season are wetlands, provided the soil and vegetation parameters are met. Areas wet between 5 percent and 12.5 percent of the growing season in most years may or may not be wetlands. Sites saturated to the surface for less than 5 percent of the growing season are non-wetlands.

Wetland hydrology indicators have also been further defined and described in the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)* (Corps 2008). These indicators are similar to the indicators listed above from the 1987 Corps *Manual* and are presented in Table 3.

Table 3. Wetland Hydrology Indicators for the Arid West (Based on Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region, Version 2.0)		
	Primary Indicators (*any one indicator is sufficient to make a determination that wetland hydrology is present*)	**Secondary Indicators** (*two or more indicators are required to make a determination that wetland hydrology is present*)
Group A – Observation of Surface Water or Saturated Soils		
A1* – Surface Water	**X**	
A2 – High Water Table	**X**	
A3 – Saturation	**X**	
Group B – Evidence of Recent Inundation		
B1 – Water Marks	**X** (Nonriverine)	**X** (Riverine)
B2 – Sediment Deposits	**X** (Nonriverine)	**X** (Riverine)
B3 – Drift Deposits	**X** (Nonriverine)	**X** (Riverine)
B6 – Surface Soil Cracks	**X**	
B7 – Inundation Visible on Aerial Imagery	**X**	
B9 –Water-Stained Leaves	**X**	
B10 – Drainage		**X**
B11 – Salt Crust	**X**	
B12 – Biotic Crust	**X**	
B13 – Aquatic Invertebrates	**X**	
Group C – Evidence of Current or Recent Soil Saturation		
C1 – Hydrogen Sulfide Odor	**X**	
C2 – Dry-Season Water Table		**X**
C3 – Oxidized Rhizospheres along Living Roots	**X**	
C4 – Presence of Reduced Iron	**X**	
C6 – Recent Iron Reduction in Tilled Soils	**X**	
C7 – Thin Muck Surface	**X**	
C8 – Crayfish Burrows		**X**

Table 3. Wetland Hydrology Indicators for the Arid West (Based on Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region, Version 2.0)		
	Primary Indicators (*any one indicator is sufficient to make a determination that wetland hydrology is present*)	**Secondary Indicators** (*two or more indicators are required to make a determination that wetland hydrology is present*)
C9 – Saturation Visible on Aerial Imagery		**X**
Group D – Evidence from Other Site Conditions or Data		
D3 – Shallow Aquitard		**X**
D5 – FAC-Neutral Test		**X**
***** Denotes number of wetland hydrology indicator described in detail in the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0).*		

2.4.2 Hydric Soils

The 1987 Corps *Manual* states that the diagnostic environmental characteristics indicative of wetland soil conditions are met when "soils are present and have been classified as hydric, or they possess characteristics that are associated with reducing soil conditions." According to the Manual, indicators of soils developed under reducing conditions may include:

1. Organic soils (Histosols);
2. Histic epipedons;
3. Sulfidic material;
4. Aquic or peraquic moisture regime;
5. Reducing soil conditions;
6. Soil colors (chroma of 2 or less);
7. Soil appearing on hydric soils list; and
8. Iron and manganese concretions.

A February 20, 1992, Corps memorandum entitled *Regional Interpretation of the 1987 Manual* states that the most recent version of National Technical Committee for Hydric Soils (NTCHS) hydric soil criteria will be used (to make hydric soil determinations). These soil criteria specify at least 15 consecutive days of saturation or 7 days of inundation (flooding or ponding) during the growing season in most years.

The concept of hydric soils includes soils developed under sufficiently wet conditions to support the growth and regeneration of hydrophytic vegetation. Soils that are sufficiently wet because of artificial measures are included in the concept of hydric soils. Also, soils in which the hydrology has been artificially modified are hydric if the soil, in an unaltered state, was hydric. Some series, designated as hydric, have phases that are not hydric depending on water table, flooding, and ponding characteristics. As indicated above, like the NRCS, the Corps has typically accepted guidance for the identification of hydric soils developed by the National Technical Committee for Hydric Soils (NTCHS). The

NTCHS, a working group organized by NRCS, has developed criteria for identifying and mapping hydric soils throughout the United States and defines a hydric soil as "a soil that formed under conditions of saturation, flooding or ponding long enough during the growing season to develop anaerobic conditions in the upper part [of the soil profile]" (http://soils.usda.gov/use/hydric/intro.html). The most recent (2000) version of the NTCHS hydric soils criteria identifies those soils that are likely to meet this definition. These criteria, which are accepted by most state and federal agencies, are as follows (http://soils.usda.gov/use/hydric/criteria.html):

1. All Histels except Folistels and Histosols except Folists, or
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Andic, Vitrandic, and Pachic subgroups, or Cumulic subgroups that are:
    a. Somewhat poorly drained with a water table equal to 0.0 foot (ft) from the surface during the growing season, or
    b. poorly drained or very poorly drained and have either:
        (i.) water table equal to 0.0 ft during the growing season if textures are coarse sand, sand, or fine sand in all layers within 20 inches (in), or for other soils,
        (ii.) water table at less than or equal to 0.5 ft from the surface during the growing season if permeability is equal to or greater than 6.0 in/hour (h) in all layers within 20 in, or
        (iii.) water table at less than or equal to 1.0 ft from the surface during the growing season if permeability is less than 6.0 in/h in any layer within 20 in, or
3. Soils that are frequently ponded for a long duration or a very long duration (7 to 30 days) during the growing season, or
4. Soils that are frequently flooded for a long duration or a very long duration (7 to 30 days) during the growing season.

On the basis of computer database searches for soils meeting the second criterion, NRCS has developed hydric soils lists for many parts of the country. Although they are useful for determining whether a particular soil series *has the potential to support current hydric soil conditions*, caution should be used when using these lists for site-specific hydric soil determinations. Many soils on the lists have ranges in water table depths and other characteristics that allow them to be either hydric or nonhydric depending on landscape position and other site-specific factors (e.g., soil clay content, depth to bedrock). Accordingly, hydric soils lists are good ancillary tools to facilitate wetland determinations, but are not a substitute for onsite investigations.

Field indicators of hydric soils are morphological properties known to be associated with soils that meet the definition of a hydric soil. Presence of one or more field indicators suggests that processes associated with hydric soil formation have taken place on the site being observed. The field indicators are essential for hydric soil identification because

once formed, they persist in the soil during both wet and dry seasonal periods. However, few hydric soil indicators identify soils at a site as being currently hydric in accordance with the NTCHS hydric soils criteria described above. Field indicators of hydric soil conditions are listed in Table 4:

Table 4. Field Indicators of Hydric Soil Conditions
(Based on 1987 Corps Manual and Corps Guidance Documents)

1. Indicators of Historical Hydric Soil Conditions:	**2. Indicators of Current Hydric Soil Conditions:**
a. Histosols b. Histic epipedons; c. Soil colors (e.g., gleyed or low-chroma colors, soils with bright mottles (Redoximorphic features) and/or depleted soil matrix d. High organic content in surface of sandy soils e. Organic streaking in sandy soils f. Iron and manganese concretions g. Soil listed on county hydric soils list	a. Aquic or peraquic moisture regime (inundation and/or soil saturation for ≥7 continuous days) b. Reducing soil conditions (inundation and/or soil saturation for ≥ 7 continuous days) c. Sulfidic material (rotten egg smell)

The presence of one or more of the field indicators in "1 a, b, c, and/or d" above suggests that historical processes associated with hydric soil development have taken place at a given site. These indicators are useful in determining if soils at a site were historically formed under hydric soil conditions because the indicators persist in soils during both wet and dry periods and may remain for decades and even centuries after changes in site conditions occur that inhibit subsequent wetland development, such as the elimination of wetland hydrology (NRCS 1995). However, only the presence of field indicators "2 a, b, and/or c" confirms that hydric soils occur at a site during the period of observation.

Hydric soil indicators have also been further defined and described in the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)* (Corps 2008). These indicators are similar to those listed above from the 1987 Corps *Manual* and are presented below in Table 5.

Table 5. Hydric Soil Indicators for the Arid West
(Based on Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region, Version 2.0)

Hydric Soil Indicators			Hydric Soil Indicators for Problem Soils**
All Soils	**Sandy Soils**	**Loamy & Clayey Soils**	
A1* – Histosol	S1 – Sandy Mucky Mineral	F1 – Loamy Mucky Mineral	A9 – 1 cm Muck
A2 – Histic Epipedon	S4 – Sandy Gleyed Matrix	F2 – Loamy Gleyed Matrix	A10 – 2 cm Muck
A3 – Black Histic	S5 – Sandy Redox	F3 – Depleted Matrix	F18 – Reduced Vertic
A4 – Hydrogen Sulfide	S6 – Stripped Matrix	F6 – Redox Dark Surface	TF2 – Red Parent Material
A5 – Stratified Layers	--	F7 – Depleted Dark Surface	Other (See Section 5 of the Regional Supplement, Version 2.0)--
A9 – 1 cm Muck	--	F8 – Redox Depressions	--
A11 – Depleted Below Dark Surface	--	F9 – Vernal Pools	--
A12 – Thick Dark Surface	--	--	--

***** Denotes number of hydric soil indicator described in detail in *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0).*
****** Indicators of hydrophytic vegetation and wetland hydrology must be present.

It should also be noted for problematic areas that the 2008 Corps Regional Supplement specifies 14 days continuous ponding as an acceptable indicator of problematic hydric soils (USACE 2008, p. 101).

2.4.3 Prevalence of Wetland Vegetation

Species Classifications

Species classifications (e.g., tolerance of anaerobic soil conditions) are determined by consulting the *National List of Plant Species that Occur in Wetlands* (Reed 1988) and the relevant regional lists, which are published by FWS' National Wetlands Inventory (NWI). Regional Interagency Review Panels develop the lists by determining species' estimated probability of occurrence in wetlands vs. non-wetlands. Classifications are made by unanimous agreement of the Panel. If the Panel is unable to reach a unanimous decision on the status of a species, "no agreement" (NA) is recorded. If insufficient information exists to determine the status of a species, "no indicator" (NI) is recorded. Species that are not included in the NWI list are assigned a "not listed" (NL) designation in this report.

The resulting NWI lists include plants that grow in a range of soil conditions from permanently wet to dry. Species are divided into the following "indicator categories:"

1. "Obligate wetland" (OBL) species, which, under natural conditions, occur almost always in wetlands (estimated probability >99 percent);
2. "Facultative wetland" (FACW) species, which usually occur in wetlands (estimated probability 67 – 99 percent), but are occasionally found in non-wetlands;
3. "Facultative" (FAC) species, which are equally likely to occur in wetlands or non-wetlands (estimated probability 34 – 66 percent);
4. "Facultative upland" (FACU) species, which sometimes occur in wetlands (estimated probability 1 – 33 percent), but more often occur in non-wetlands; and
5. "Obligate upland" (UPL) species, which occur in wetlands in other regions, but, under natural conditions, occur almost always in non-wetlands in the region specified (estimated probability >99 percent).

Species that have an indicator status of OBL, FACW, and FAC are typically considered to be adapted for life in anaerobic soil conditions (Corps 1987) and are used as evidence of hydrophytic vegetation when they dominate plant community composition or cover. Despite widespread use of the lists for wetland delineations, it is important to note that wetland indicator species assignments are not based on the results of a statistical analysis of species occurrence. The indicator assignments are approximations of wetland affinity based on a synthesis of submitted review comments, published botanical literature, and the field experience of the members of the Interagency Review Panel. For this reason and because many plants have properties that enable them to occur in a range of microhabitats (i.e., wetlands and non-wetlands), the presence of wetland indicator species is not unequivocal evidence of the presence of wetland hydrology and hydric soils. A positive indicator or indicators of wetlands should be emphasized, such as an assemblage of plants that can only be considered "hydrophytes" when they are growing in water or partly drained hydric soils (not effectively drained hydric soils) (Corps 1987). From the FWS perspective, all species on the NWI plant lists are hydrophytes at one time or another and the wetland indicator status (OBL, FACW, FAC, or FACU) reflects the likelihood that a given individual of a species is a hydrophyte or a certain population of these plants is hydrophytic. While OBL and FACW species are the most reliable plant indicators of wetlands, FAC and FACU species also contain populations of hydrophytes (Tiner 2006).

For the reasons stated above, the 1987 Corps *Manual* does not solely rely on the presence of hydrophytic vegetation to make wetland determinations.

Hydrophytic Vegetation Definitions

The Corps' 1987 *Manual* states that the wetland vegetation conditions are met when the prevalent vegetation (i.e., more than 50 percent of vegetation cover or tree basal area) consists of macrophytes that are typically adapted to sites having wetland hydrologic and soil conditions (e.g., periodic or continuous inundation or soil saturation). Hydrophytic vegetation is defined as "plant life growing in water or on a substrate that is at least periodically deficient in oxygen as a result of excessive water content" (Cowardin *et al*. 1979). Hydrophytic vegetative species, due to morphological, physiological, and/or reproductive adaptation(s), have the ability to grow, effectively compete, reproduce, and/or persist in anaerobic soil conditions. Positive indicators of the presence of

hydrophytic vegetation include:

1. More than 50 percent of the dominant species are rated as Obligate ("OBL"), Facultative Wet ("FACW"), or Facultative ("FAC") on lists of plant species that occur in wetlands (see Reed 1988 for California);
2. Visual observations of plant species growing in sites of prolonged inundation or soil saturation; and
3. Reports in the technical literature indicating the prevalent vegetation is commonly found in saturated soils.

Hydrophytic vegetation indicators have been further defined and described in the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)* (Corps 2008). These indicators include:

1. Dominance Test. More than 50 percent of the dominant plant species across all strata are rated OBL, FACW, or FAC.
2. Prevalence Index. The prevalence index is 3.0 or less with indicators of hydric soils and wetland hydrology being present.
3. Morphological Adaptations. The plant community passes either the dominance test or the prevalence index after reconsideration of the indicator status of certain plant species that exhibit morphological adaptations for life in wetlands.

3.0 DELINEATION METHOD

This study was conducted in accordance with Code of Federal Regulations (CFR) definitions of jurisdictional waters, the Corps' 1987 *Wetlands Delineation Manual*, the Corps' 2008 *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0), A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, A Delineation Manual,* and supporting guidance documents. The following provides an overview of the objective of the delineation approach, how the Study Area is defined, and the methods used to identify and map (delineate) areas potentially subject to Corps jurisdiction under Section 404 of the CWA.

3.1 Objective and Establishment of Study Area Boundary

The objective of this investigation is to identify and map areas potentially meeting the Clean Water Act definition of wetlands and Other Waters of the United States within the potential impact footprint of the DesertXpress Project. This impact footprint, which is encompassed within the Study Area, includes the proposed alignment and any alternative alignment and support facilities such as passenger stations and operations and maintenance facilities (e.g., maintenance yard, power substations, and transmission lines). Temporary construction areas for equipment and materials laydown, new access roads, and borrow areas are also included within the Study Area. The boundary of the Study Area also represents a slightly larger area (increased alignment and facility ROW width by an average of 200 feet) to accommodate potential minor changes in the impact footprint.

3.2 Study Area Reconnaissance

Prior to initiating detailed field survey work, existing land forms within the Study Area that may potentially contain wetlands or other waters of the United States were identified by conducting vehicle and pedestrian on-site reconnaissance inspections during the month of April 2010 in conjunction with review of the following information:

- Aerial photography and satellite imagery of the area;
- USGS topographic mapping;
- NRCS soils mapping;
- Engineer scale topographic mapping of segment alternatives
- USGS National Hydrology Dataset; and
- Preliminary level vegetation mapping and wetland / OHWM data collection efforts conducted during February and March 2008 and September and October 2009 as part of an on-going Federal EIS process by the FRA's EIS contractor.

The above efforts led to the development, in coordination with Corps regulatory staff, and use of the project-specific methods described below.

3.3 Wetlands Identification and Delineation

Field surveys designed to identify the presence or absence of field indicators of wetland vegetation, soils and hydrology conditions were conducted within low-lying landscape features where wetlands could potentially occur. These field surveys were conducted during the months of April, May, and June 2010.

3.3.1 Dominance of Wetland Vegetation

Presence or absence of a dominance of wetland vegetation / hydrophytes within the Study Area was evaluated using the methodology described in Sections 2.2 and 2.4.3. Indicator status of plants was confirmed by referring to the *National List of Plant Species that Occur in Wetlands: 1988 National Summary* (Reed). Plant cover data were collected for individual species associated within and immediately adjacent to the landscape features identified during the site reconnaissance survey as having the potential to meet the Corps' technical criteria for wetlands. Plant cover was visually estimated within 3-foot diameter plots at each soil sample location described below and was recorded on a Corps Wetland Determination Data Form – Arid West Region. Copies of completed data forms are provided in Exhibit B2. Subsequently, field data were analyzed to assess whether 50 percent or greater of the dominant species within the area sampled are hydrophytes. Sites that are depressional landforms that do not have a dominance of wetland vegetation forming at least 5 percent cover were not considered to be dominated by hydrophytes and were classified as a potential "other water of the United States" following the methodology described in Section 3.4, below, except if conditions for problematic vegetation were met as described in the Corps' 2008 *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0).*

3.3.2 Presence of Hydric Soil Indicators

The presence or absence of hydric soil field indicators was evaluated following the methodology described in Section 2.3.2 using the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region* (Corps 2008). At each potential wetland sampling location within the Study Area, hand-dug soil pits were excavated to a minimum of 20 inches or until a limiting layer or standing water was reached. The presence or absence of hydric soil indicators found at each soil pit location was recorded on a Corps Wetland Determination Data Form – Arid West Region. Copies of completed data forms are provided in Exhibit B2. For sampling locations where the possibility of problematic hydric soils is found, procedures for the identification of problematic hydric soils as defined by the above described publication were followed.

3.3.3 Presence of Wetland Hydrology Indicators

The presence or absence of wetland hydrology field indicators were assessed following the methodology described in Section 2.3.1 using the *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0)* (Corps 2008). The presence or absence of wetland hydrology indicators at each soil pit location was recorded on a Corps Wetland Determination Data Form – Arid West Region. Copies of completed data forms are provided in Exhibit B2. For sampling locations where the possibility of problematic hydrology indicators was found, procedures for the

identification of problematic hydrology indicators, as defined by the above-described publication, were followed.

3.4 Identification and Delineation of Other Waters

Field surveys designed to identify the presence or absence of field indicators of an ordinary high water mark (OHWM) were conducted within low-lying landscape features where other waters of the United States could potentially occur. These field surveys were conducted during the months of April, May, and June 2010 after the detailed methodology was reviewed and approved by Corps staff during May 2010.

HBG identified drainages within each watershed that potentially met the Corps technical criteria for Other Waters of the United States (presence of field indicators of active surface water flow and associated Ordinary High Water Mark [OHWM]) using the following approach based on *A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, A Delineation Manual*.

Initial efforts involved identification of all drainages within the Study Area having the potential for active surface flow. This was accomplished through field reconnaissance and imagery interpretation. Detailed sampling was then conducted to identify and delineated active drainages with an OHWM. This was accomplished by randomly sampling the identified drainages in a stratified manner by geographically dividing the Study Area into HUC 12 watershed units.

Field sampling within each HUC 12 watershed consisted of gathering OHWM data, including the measured width of the OHWM, for 3 to 5 main drainages (> 3 feet), if present, selected at random; and 6 to 10 (depending on watershed size) random samples of minor drainages (≤ 3 feet), if present. Each of the HCC 12 watersheds located within the Study Area was divided into approximate thirds. Then a minimum of one major drainage and two minor drainages, if present, was sampled within each third of a watershed. Where the length of the watershed along the proposed alternatives was less than 5 miles, the watershed was divided into approximate halves instead. If the minor drainages (≤ 3 feet) occurring within each one-third watershed varied in OHWM width by more than 33 percent, sampling was increased in that third of the watershed.

Drainage data for each of the watershed drainages sampled was collected on a standardized field data sheet (Exhibit B). Exhibit A, Figures 5-12 provide examples of the types of field indicators observed within various drainages located along the DesertXpress Project alternative alignments. Each field sampling point was memorialized using a handheld GPS unit with submeter accuracy. Where stormwater flows originated upslope of the side of I-15 opposite the alignment, those drainages were hydrologically cut off by the freeway during construction and channeled into detention basins and / or manmade drainages on that side of I-15. As a consequence, drainages on the proposed alignment side of I-15 were hydrologically cut off from their sources and no longer technically meet the Corps OHWM criterion. This condition was noted on the

field data sheets. Detailed OHWM indicator data for these historical drainage features was not collected.

All drainage data (field and photointerpreted drainage data) are summarized by HUC 12 watershed on the required LA District Excel JD Summary Data Sheet (see Exhibit B1). Widths for active drainages identified through photointerpretation are based on an average width calculated from field data. The length of each drainage is based on photointerpretation. Standardized field data sheets are provided in Exhibit B2. Representative photographs of various drainage features are presented in Exhibit A on Figures 13 – 42. The field data collected from each watershed were used to aid in the imagery interpretation process described in Section 3.5, below.

3.5 Mapping

Wetland indicator data sample locations and the locations of areas identified during field surveys that are potentially Other Waters of the United States due to the presence of an OHWM were mapped using a hand-held Trimble XT global positioning system (GPS) unit with sub-meter accuracy. This GPS data was incorporated into a Geographic Information System (GIS) and geo-referenced in overlay fashion onto digital orthorectified satellite imagery and/or high resolution aerial photograph depending on availability. Overlays were used to assist in analysis, identification, and digitization of the location and geographic extent of areas that could potentially qualify as waters of the United States. The imagery interpretation process involved the combined use of available imagery, field data, engineer level topographic mapping, field verification of mapped features and best professional judgment to map the geographic extent of areas potentially subject to Corps CWA jurisdiction. Exhibit C presents representative detailed mapping within the Study Area with field sampling points and delineated active linear drainage features with labeling indicating their average OHWM width overlaid onto orthorectified digital imagery. Based on guidance received from Corps staff, only representative ephemeral drainages were mapped within a watershed that drains to an isolated dry lake with no surface water drainage outlet. Resulting mapping depicts representative ephemeral drainages within the Study Area and the surface water flow path from the Study Area to the isolated dry lake.

4.0 TECHNICAL FINDINGS

The following sections describe the landscape features and field indicators found within the Study Area that provide a technical basis for (a) determining the presence or absence of a potential water of the United States; and (b) defining the geographic extent of any potential water of the United States identified. Two types of landscape features were found that potentially contain waters of the United States. These include:

1. Natural drainages
2. Manmade drainages

4.1 Field Indicators of Hydric Soils

Based on field observations within the Study Area, soil indicators were not found that meet the hydric soils criteria defined by current Corps' regulatory guidance, including the *2008 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region* (Version 2.0). Onsite observations of surface conditions, including road and channel bank cuts, and interpretation of aerial photography revealed two primary soil types, desert pavement and more active wash sediments. Onsite examination revealed that soils or substrates within both natural drainages and manmade drainages consist of alluvial materials primarily made up of sorted sands and gravel, and are well drained, ranging from moderately well drained to excessively well drained.

4.2 Field Indicators of Wetland Hydrology Conditions

Based on field observations within the Study Area, wetland hydrology indicators were not found that meet the wetlands hydrology criteria defined by current Corps' regulatory guidance, including the *2008 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region* (Version 2.0). Onsite observations revealed evidence of flooding within the low-lying natural and manmade drainages. These observations also showed that there was no evidence of ponding and soil saturation for long to very long periods of time. The lack of ponding and soil saturation conditions meeting the wetland hydrology criteria is a direct result of the moderately well drained to excessively well drained alluvial soils.

Although wetland hydrology conditions were not found within the Study Area, the field indicators of active surface water flow or flooding found within natural and manmade drainages were sufficient enough to form Ordinary High Water Marks (OHWM). As indicated in Section 2.0, an OHWM provides a technical basis for (a) determining the presence a potential water of the United States; and (b) defining the geographic extent of potential water of the United States.

The natural and manmade drainages within the Study Area found with an OHWM exhibited the following characteristics which are discussed in detail in the following subsections:

1. identifiable field indicators of surface flow
2. identifiable landscape features that supports surface flow
3. identifiable landscape features with a recognizable OHWM

Exhibit A, Figures 5-12 provides typical examples of field indicators of active surface water flow and OHWMs found within ephemeral drainages occurring within the DesertXpress Project Study Area. Exhibit A, Figures 13-42 provide photographs of various types of drainages observed within the HUC 8 Ivanpah - Pahrump Valleys watershed.

4.2.1 Field Indicators of Surface Flow

Review of topographic mapping (USGS and Engineer scale) and imagery of the Study Area provided visual indication of the presence of curvilinear depressional land surface features where focused surface water flow could potentially be directed. Linear drainage features associated with road drainage and flood control were also found. Field investigations confirmed the presence of surface flow within a number of these channels or drainages while others lacked evidence / field indicators of active ephemeral surface water flow. No drainages were found to contain evidence of perennial or intermittent surface water flow, and no evidence of subsurface flow was found in the form of spring discharges, artesian flows or indicia of a high groundwater table. Observation of active natural and manmade ephemeral drainages revealed evidence of surface water / hydrologic connectivity with other active drainages within and outside the Study Area. These ephemeral drainages are locally referred to as "desert dry washes." The manmade drainages served to redirect surface flow from altered natural drainages. Indicators of drainages having active surface water flow paths included (1) water marks defined by linear deposits of fine grained sediment, minerals, and/or plant debris; (2) bank scour, erosion, and/or shelving; (3) deposits of sorted alluvial materials; and (4) flow-deposited woody and soft tissue plant debris (Exhibit B).

Flow-deposited woody and soft tissue plant debris were typically absent in drainages that did not have active surface flow. If woody debris was present, the pieces observed were relatively thick (i.e., greater that ¼ inch) weathered limb or root material or milled posts or lumber. The wood pieces found were randomly placed and were not part of a collective flow line of deposited woody and/or soft tissue plant debris, which would be indicative of an active channel. The historical drainages were found to possess one or more of the same type of indicators found in active drainages, but the indicators found were considerably weathered. Surface flow indicators such as bank scour, erosion and shelving areas had rounded edges in contrast to those found in active drainages having angular edges. Water marks defined by linear deposits of fine grained sediment and minerals, and sorted alluvial materials such as gravels, cobbles and boulders were etched or varnished from weathering. The historical drainages were found to consist of the historical remains of channel drainages that were abandoned due to upslope changes in drainage due to either channel down-cutting or the channel becoming abandoned as the surface drainage became redirected or changed course due to deposition of alluvial material damming the channel flow path. The historical drainages were found to lack

indicators of active flow.

Surface water flow patterns were also found within various portions of the landscape that were relatively flat. These surface flow areas were defined by flow-deposited fine grained sediment or soft tissue plant debris. The visible surface flow pattern at these locations would continue for several feet then disappear either on a relatively flat soil surface or localized depression.

Based on the above technical findings and as documented in Exhibits B and C, drainages were found with indicators of active surface water flows within the Study Area.

4.2.2 Landscape Features that Support Surface Flow

Detailed field surveys identified land surface features that have the potential to convey surface flows. These features included a bed or channel and abutting banks. These physical features were found associated with both active flow areas and historical drainages. These drainage types can be summarized as follows:

1. Active drainage channel and abutting banks containing evidence of recent surface flows as indicated by the presence of unweathered sediment material (sand, gravel, cobbles, etc.) with unweathered surfaces, and the presence of flow deposited woody debris and/or soft tissue plant debris.
2. Active drainage channel and abutting banks containing evidence of historical surface flows as indicated by the presence of unweathered sediment material (sand, gravel, cobbles, etc.) with unweathered surfaces, but lacked the presence of flow deposited woody debris and/or soft tissue plant debris.
3. Historical drainage channels and abutting banks having no evidence of recent surface flow as indicated by weathered sedimentary gravel, cobbles, boulders, erosional or depositional deposits, and the lack of flow deposited woody debris and/ or soft tissue plant debris.

The frequency interval of flow events within drainages with observable plant debris (1 above) and unweathered sediment material is estimated to be within the 1 to 15 year range. Strojan, et al. (1987) found that surface litter decomposition rates for creosote bush and burro bush in the Mojave Desert were 42.5% and 58.4%, respectively over a 54-week period of study. Kemp, et al. (2003) reported a similar one year decomposition rate for creosote bush and a 74% loss within a 41-month period. This lends support to qualitative observations made by one of the preparers of this report, Dr. Terry Huffman, who has observed over 20 + years of delineating wetlands within arid environments that soft plant tissue (i.e., pieces of plant leaves and thin bark) will decompose in arid drainage environments within a 2 to 3 year period. In addition, field observations over these years indicated that small woody stems (<1/4 inch) decompose over many more years, perhaps 10 + years. For older drainages where the surfaces of the sediment material (e.g., sand, gravel, cobbles, etc.) is no longer smoothed by the interaction of surface water flow and transport, but weathered, and lacks flow deposited woody and thin tissue plant debris, the frequency interval likely ranges to well over a decade in shallower

channels to prehistoric times for deeply incised channels (i.e. > 6 feet in desert pavement areas).

The land surface of the Study Area is characterized by the presence of active and inactive alluvial fan systems. Ephemeral drainage channels are found on both types of these alluvial fan types. The majority of the ephemeral channels supporting active surface water flow were narrow, with an average width of less than 3 feet. Active alluvial fans were characterized by sandy soils, a uniform vegetation type, and evidence by surface flow patterns indicative of surface water sheetflow. Narrow channels within these areas were both weakly expressed and discontinuous. This discontinuity indicated that new channels could be formed with each major flood event resulting in the current channels being bypassed and blocked off. Channels >3 feet wide were also found. These channels were considerably deeper that the narrow channels found and were less common when considering the landscape as a whole in relationship to the Study Area. Evidence was found within both of these channel types where previously bypassed cutoff channels where becoming filled with sediment. The specific conditions varied within the Study Area.

Based on the above technical findings, drainages with active surface flow were found within the Study Area with physical features that allow for the conveyance of surface flows.

4.2.3 Landscape Features with a Recognizable OHWM

The desert dry washes with active flow were found to have identifiable features which represented the geographic reach of lateral surface water. These features included channels or beds with evidence of active flow and abutting banks which demarcated the lateral reach or extent of flow. Field indicators of the extent of active flow along the banks included water marks defined by linear deposits of fine grained sediment and/or minerals, bank scour, erosion, and/or shelving, and flow deposited woody and soft tissue plant debris (Exhibit B).

Based on the above technical findings, the active drainages, described in the above subsections, have recognizable landscape features from which the lateral extent of surface water flow can be geographically delineated. Field indicators of this surface water flow were used to identify the OHWM. Exhibit C shows representative active ephemeral drainages, as described in Section 3.5, Mapping.

4.3 Field Indicators of Wetland Vegetation

On the basis of field observations within the Study Area, a dominance of wetland plant species or hydrophytes was not found. Based on this result, the criteria defined by current Corps' regulatory guidance, including the 2008 Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0) for wetland vegetation were not met.

4.4. Presence of Wetland Vegetation within Natural and Manmade Drainages

On the basis of field observations within the Study Area, a dominance of wetland plant species or hydrophytes was not found within natural or manmade drainages within the Study Area where active ephemeral drainages were found.

5.0 AREAS POTENTIALLY SUBJECT TO JURISDICTION

This section presents the findings of this delineation with respect to the identification and geographic extent of areas found that could potentially be regulated by the Corps and the EPA as wetlands or other waters of the United States under Section 404 of the Clean Water Act.

5.1 Wetlands

No areas meeting the Corps technical criteria for wetlands were identified within the Study Area. These findings are based on the absence of hydric soil, wetland hydrology, and / or wetland vegetation indicators as required by the Corps' *1987 Manual, the Arid West Regional Supplement*, guidance documents, and regulations.

5.2 Other Waters of the U.S.

Ephemeral drainages or desert dry washes were found within the Study Area that meet the technical criteria to potentially be subject to CWA Section 404 jurisdiction as Other Waters of the United States (Exhibit C). This finding is based on the presence of an OHWM as required by Corps regulations. Length and width measurements of the ephemeral drainages found to contain an observable OHWM are provided by Exhibit B.

6.0 CWA JURISDICTIONAL ANALYSIS

This section analyzes the potential for waters identified within the Study Area to constitute waters of the United States subject to jurisdiction under the CWA. Section 6.1 provides an explanation of the jurisdictional determination process following EPA and Corps guidance. Section 6.2 defines the area to be analyzed (i.e., the Review Area). Section 6.3 analyzes the potential for waters of the United States to be present in the Review Area. Section 6.4 describes any jurisdictional and /or non-jurisdictional waters found. Section 6.5 summarizes the findings of this jurisdictional analysis. Section 6.6 is a disclaimer statement.

6.1 Regulatory Background

Beyond the Corps and EPA regulatory definitions of "waters of the United States" as described in Section 2.0, recent judicial decisions have further limited and refined the scope of CWA jurisdiction with regard to isolated waters and certain wetlands and non-navigable tributaries. Two of these decisions are relevant to this jurisdictional analysis.

First, in *Solid Waste Agency of Northern Cook County v. United States Army Corps of Engineers, No. 99-1178* (531 U. S. 159; [2001]) (*SWANCC*), both statutory and constitutional challenges were made to the assertion of CWA jurisdiction over isolated, non-navigable, intrastate waters solely on the basis that those waters were used as habitat by migratory birds. The U.S. Supreme Court in *SWANCC* rejected the "migratory bird rule," and held that CWA jurisdiction does not exist over "isolated, non-navigable, intrastate waters" where there is no nexus to interstate or foreign commerce.

Second, the U.S. Supreme Court's plurality opinion in *Rapanos v. United States,* 547 U.S. 715 (2006) (*Rapanos*), addressed jurisdiction over waters of the United States under Section 404 of the CWA. The concurring opinion by Justice Kennedy held in pertinent part that waters with a "significant nexus" to "navigable waters" are covered under the CWA. In response to *Rapanos*, on December 2, 2008, USEPA and the Corps issued guidance to EPA regions and Corps districts (the "Rapanos Guidance") to address the jurisdictional scope of the CWA over certain types of waters (i.e., traditional navigable waters, wetlands adjacent to traditional navigable waters, non-navigable tributaries that are relatively permanent, and wetlands that directly abut tributaries). The Rapanos Guidance identifies which waters the agencies will categorically assert jurisdiction over and which will be subject to a case-by-case analysis based on the reasoning of the *Rapanos* opinions to identify whether the water has a "significant nexus" to a "traditional navigable water" (TNW). The Rapanos Guidance focuses only on those definitions of "waters of the United States" in 33 C.F.R. § 328.3(a)(1), (a)(5) and (a)(7).[2] Neither the Supreme Court nor the Rapanos Guidance draws a bright line with regard to the

2 The Rapanos Guidance covers the following 33 C.F.R. § 328.3(a) definition of "waters of the United States":
(a)(1) All waters which are currently used, or were used in the past, or may be susceptible to use in interstate or foreign commerce, including all waters which are subject to the ebb and flow of the tide;
(a)(5) Tributaries of waters identified in paragraphs (a)(1)-(4) of this section;
(a)(7) Wetlands adjacent to waters (other than waters that are themselves wetlands) identified in paragraphs (a)(1)-(6) of this section.

geographic reach of jurisdiction, particularly in drainages where flows are ephemeral and where wetlands are adjacent to, but not directly abutting relatively permanent waters. The Rapanos Guidance provides in pertinent part the following:

- The agencies will assert jurisdiction over non-navigable, not relatively permanent tributaries and their adjacent wetlands where such tributaries and wetlands have a ***significant nexus*** to a traditional navigable water.

- A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical and biological integrity of downstream traditional navigable waters.

- "Similarly situated" wetlands include all wetlands adjacent to the same tributary.

- Significant nexus includes consideration of hydrologic factors including the following: volume, duration, and frequency of flow, including consideration of certain physical characteristics of the tributary; proximity to the traditional navigable water; size of the watershed; average annual rainfall; average annual winter snow pack.

- Significant nexus also includes consideration of ecologic factors including the following : potential of tributaries to carry pollutants and flood waters to traditional navigable waters; provision of aquatic habitat that supports a traditional navigable water; potential of wetlands to trap and filter pollutants or store flood waters; maintenance of water quality in traditional navigable waters.

- The following geographic features generally are not jurisdictional waters: swales or ***erosional features*** (e.g. gullies, small washes characterized by low volume, infrequent, or short duration flow)…. [Rapanos Guidance, at p. 8 (emphasis added)]

According to the Rapanos Guidance, a significant nexus analysis ". . . will assess the flow characteristics and functions of the tributary itself, together with the functions performed by any wetlands adjacent to that tributary," to determine if they significantly affect the chemical, physical and biological integrity of downstream traditional navigable waters. (Rapanos Guidance, p. 8.) The analysis will consider both hydrologic and ecologic factors. Hydrologic factors include volume, duration, and frequency of flow, proximity to the TNW, size of the watershed, and average annual rainfall. Ecologic factors include the potential for tributaries to carry pollutants and flood waters to TNWs or to provide aquatic habitat to support a TNW, and the potential for wetlands to trap and filter pollutants or store flood waters. The Guidance states (on p.10), "[w]here it is determined

that a tributary and its adjacent wetlands collectively have a significant nexus with traditional navigable waters, the tributary and all of its adjacent wetlands are jurisdictional."

6.2 Review Area

For the purpose of this analysis, the Study Area used for the delineation process is also to be considered the Review Area. A Review Area as defined by the Rapanos Guidance is the area of interest for the verification of the location and extent of waters of the United States. Exhibit D presents a series of maps that show the Review Area relative to Ivanpah Dry Lake. Exhibits D1 and D2 show USGS National Hydrography Dataset (NHD) flowlines and arrows that indicate the direction and route of surface water flow from the Review Area toward Ivanpah Dry Lake; the NHD data are superposed respectively on an aerial photo and on a USGS topographic map. Exhibit D3 shows the extent of the Review Area (also referred to as the Study Area).

6.3 CWA Analysis

Section 5.0 of this report discusses a number of active ephemeral drainages (locally known as desert dry washes) identified and delineated within the Study Area / Review Area that meet the technical criteria of "other waters" *potentially* subject to CWA jurisdiction. Maps showing the geographic extent of these drainages within the Review Area are presented in Exhibit D (Exhibits D1 – D3).

The following discussion follows the Corps Approved Jurisdictional Determination Form developed following the *Rapanos* decision.

6.3.1 Are Jurisdictional Waters Present within the Study Area (Rapanos Guidance)?

Table 6 provides a summary of the Rapanos Guidance process for determining jurisdiction over waters of the United States under Section 404 of the CWA.

Table 6. Summary of Process for Determining Jurisdiction Over Waters of the U.S. Under Section 404 of the Clean Water Act Following EPA and Corps Rapanos Guidance*

"Approved JD Form" Categories of Potential Waters of the U.S.**	**Will Corps Categorically Assert Jurisdiction?**	**Corps Will Assert Jurisdiction Based on a Fact-Specific Analysis to Determine Whether Waters Identified Have a Significant Nexus With a TNW**	
		Analysis Based on Significant Nexus Testing	*Comments*
1. Traditional navigable waters (TNWs), including territorial seas, and adjacent wetlands	Yes	Not Applicable (NA)	NA
2. Wetlands adjacent to TNWs	Yes	NA	NA

Table 6. Summary of Process for Determining Jurisdiction Over Waters of the U.S. Under Section 404 of the Clean Water Act Following EPA and Corps Rapanos Guidance*			
"Approved JD Form" Categories of Potential Waters of the U.S.**	**Will Corps Categorically Assert Jurisdiction?**	**Corps Will Assert Jurisdiction Based on a Fact-Specific Analysis to Determine Whether Waters Identified Have a Significant Nexus With a TNW**	
		Analysis Based on Significant Nexus Testing	*Comments*
3. Relatively permanent waters (RPWs)[3] that flow directly or indirectly into TNWs	Yes	NA	NA
4. Non-RPWs that flow directly or indirectly into TNWs	No	Yes	Jurisdictional if the drainage flows directly or indirectly into a TNW and has a significant nexus with the TNW
5. Wetlands directly abutting RPWs that flow directly or indirectly into TNWs	Yes	NA	NA
6. Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs	No	Yes	Jurisdictional when considered in combination with the tributary to which they are adjacent and, with similarly situated adjacent wetlands, have a significant nexus with a TNW
7. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs	No	Yes	Jurisdictional when considered in combination with the tributary to which they are adjacent and, with similarly situated adjacent wetlands, have a significant nexus with a TNW
8. Impoundments of jurisdictional waters	Generally, impoundment of a water of the U.S. does not affect its jurisdictional status.	NA	Yes, if: ▪ Impoundment created from WOUS ▪ Water meets one of the above waters categories ▪ Water is isolated with a significant nexus to interstate or foreign commerce (to be elevated to Corps Headquarters for review consistent with Rapanos Guidance)
9. Isolated (interstate or intrastate) waters including isolated wetlands the use, degradation or destruction of which could affect interstate commerce	No		To be elevated to Corps Headquarters for review consistent with Rapanos Guidance

* U.S. Army Corps of Engineers. 2007. *U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook.* May 30.
** U.S. Army Corps of Engineers. 2007. Appendix B, Approved JD Form, Section II, in *U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook.* May 30.

As described in the technical findings of this report (Section 4.0), the active ephemeral drainages identified in the Review Area are not permanent or even seasonal, but rather flow or flood for few hours during heavy precipitation events. The climate data in Section 1.0 indicates that the Review Area receives an annual average rainfall amount of 4 inches. Thus, these ephemeral drainages are non-Relatively Permanent Waters (non-

[3] Under the Corps / EPA Rapanos Guidance, a Relatively Permanent Water (RPW) is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

RPWs). (A Relatively Permanent Water is defined in the Rapanos Guidance as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months). Representative drainages that flow to Ivanpah Dry Lake are shown on Exhibit D3. These drainages (non-RPWs) are also listed in the Exhibit B field data table. In addition, no areas were found within the Review Area that meet the Corps criteria for wetlands in the 1987 Corps of Engineers *Wetlands Delineation Manual* and/or the 2008 Arid West Supplement.

Using the Rapanos Guidance analysis as summarized by Table 6, the non-RPWs were determined *not* to fall within any of the categories of potential waters of the U.S., as shown below in Table 7.

Table 7. Summary of EPA and Corps Rapanos Analysis

"Approved JD Form" Categories of Potential Waters of the U.S.*	Wetlands Present? (acres)	Other Waters of the U.S Present? (acres)	Rationale For Determination if Waters in Review Area are Subject to Corps Jurisdiction under CWA Section 404
1. Traditional navigable waters (TNWs), including territorial seas	No	No	Criteria for type of water not met; waters are non-RPWs.
2. Wetlands adjacent to TNWs	No	No	Criteria for type of water not met; no wetlands present within Review Area.
3. Relatively permanent waters (RPWs) that flow directly or indirectly into TNWs	No	No	Criteria for type of water not met; waters are non-RPWs, but do not flow directly or indirectly into TNWs.
4. Non-RPWs that flow directly or indirectly into TNWs	No	No	Criteria for type of water not met; waters are non-RPWs that do not flow directly or indirectly into a TNW.
5. Wetlands directly abutting RPWs that flow directly or indirectly into TNWs	No	No	Criteria for type of water not met; no wetlands present within Review Area.
6. Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs	No	No	Criteria for type of water not met; no wetlands present within Review Area.
7. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs	No	No	Criteria for type of water not met; no wetlands present within Review Area.
8. Impoundments of jurisdictional waters	No	No	Criteria for type of water not met; waters are non-RPWs.
9. Isolated (interstate or intrastate) waters including isolated wetlands the use, degradation or destruction of which could affect interstate commerce	No	No	Criteria for type of water not met. See Table 8 for interstate commerce analysis for the Review Area, the drainages connecting the Review Area to Ivanpah Dry Lake, and Ivanpah Dry Lake.

* U.S. *Army Corps of Engineers. 2007.* Appendix B, Approved JD Form, Section II, in *U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook. May 30.*

6.3.2 Are There Isolated Waters within the Study Area?

When the non-RPWs identified within the Review Area flow, they flow toward the northern boundary of Ivanpah Dry Lake, which is an ephemeral dry lake with no outlet (Exhibit D). No substantial nexus to interstate or foreign commerce was found associated with the non-RPWs within the Review Area. This finding is based on the following fact-

specific analysis provided by Table 8, below regarding whether the use, degradation, or destruction of the intrastate non-RPWs within the Review Area would affect interstate commerce. In addition, a fact specific analysis was conducted for Ivanpah Dry Lake. On the basis of HBG's analysis, Ivanpah Dry Lake was found to be: (1) a non-Traditional Navigable Water, (2) an interstate water located within the states of California and Nevada, (3) an isolated basin with no hydrologic surface water outlet and (4) although the dry lake bed of this ephemeral water is known to be used for land sailing (aka: sand yachting or land yachting) and meteorite hunting, no surface water connection to interstate or foreign commerce was found (Table 8).

Table 8. Interstate/Foreign Commerce Analysis				
Factors Used to Determine Substantial Nexus to Interstate or Foreign Commerce	**Could the Use, Degradation or Destruction of the Intrastate non-RPWs within the Review Area, Drainages Connecting the Review Area to Ivanpah Dry Lake, or Ivanpah Dry Lake Affect Interstate or Foreign Commerce?**	**Fact-Specific Analysis**		
		Review Area	**Drainages Connecting the Review Area to Ivanpah Dry Lake**	**Ivanpah Dry Lake**
Waters which are or could be used by interstate or foreign travelers for recreational purposes.	No	Given the ephemeral as well as unpredictable nature of surface flows, no recreational use occurs that is surface water dependent. This was confirmed by site inspection, review of remote sensing imagery, and internet search.	Given the ephemeral as well as unpredictable nature of surface flows, no recreational use occurs that is surface water dependent. This was confirmed by site inspection, review of remote sensing imagery, and internet search.	Given the ephemeral as well as unpredictable nature of surface ponding, no recreational uses occur that are surface water dependent. This was confirmed by site inspection, review of remote sensing imagery, and internet search.
Waters from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.	No	Given the ephemeral as well as unpredictable nature of surface flows, no fish or shellfish habitat is associated with the ephemeral drainages. This was confirmed by site inspection, review of remote sensing imagery, and internet search.	Given the ephemeral as well as unpredictable nature of surface flows, no fish or shellfish habitat is associated with the ephemeral drainages. This was confirmed by site inspection, review of remote sensing imagery and internet search.	Given the ephemeral as well as unpredictable nature of surface ponding, no fish or shellfish habitat is associated with this playa lake. This was confirmed by site inspection, review of remote sensing imagery, and internet search.
Waters which are or could be used for industrial purposes by industries in interstate commerce.	No	Given the ephemeral as well as unpredictable nature of surface flows, the non-RPWs are not used and could not be used for surface-water-dependent industrial purposes, including, but not limited, to mineral extraction, power generation, and agricultural irrigation. This was confirmed by site inspection, review of remote sensing imagery, and internet search.	Given the ephemeral as well as unpredictable nature of surface flows, the non-RPWs are not used and could not be used for surface-water-dependent industrial purposes, including, but not limited, to mineral extraction, power generation, and agricultural irrigation. This was confirmed by site inspection, review of remote sensing imagery, and internet search.	Given the ephemeral as well as unpredictable nature of surface ponding, the waters are not used and could not be used for surface-water-dependent industrial purposes, including but not limited to mineral extraction, power generation, and agricultural irrigation. This was confirmed by site inspection, review of remote sensing imagery, and internet search.
Waters which are interstate isolated waters.	Not Applicable	Waters are intrastate non-RPWs found within the State of California with no nexus to interstate or foreign commerce, as demonstrated by the above analysis.	Waters are intrastate non-RPWs found within the State of California with no nexus to interstate or foreign commerce, as demonstrated by the above analysis.	Ivanpah Dry Lake is an interstate water found in both California and Nevada with no nexus to interstate or foreign commerce, as demonstrated by the above analysis. This isolated basin has no outlet (Exhibits D1 and D2).
Other factors	Not Applicable	No other factors known to occur.	No other factors known to occur.	No other factors known to occur.

6.4 Are Non-Jurisdictional Waters Present within the Study Area?

On the basis of the above analysis and findings, no areas were found within the Review Area, drainages connecting the Review Area to Ivanpah Dry Lake, or Ivanpah Dry Lake that meet the Corps criteria for wetlands defined in the 1987 Corps of Engineers *Wetlands Delineation Manual* and/or the 2008 Arid West Supplement. The above analysis also found that the Review Area and drainages connecting the Review Area to Ivanpah Dry Lake contain non-RPWs that are isolated, non-navigable, and wholly intrastate waters with no substantial nexus to interstate or foreign commence. Furthermore, Ivanpah Dry Lake itself is an isolated, non-navigable interstate water with no substantial nexus to interstate or foreign commence. As required, as part of the determination process under the Rapanos Guidance, it should be noted that:

1. Prior to the January 2001 Supreme Court decision in SWANCC, some portion of the non-RPWs in the Review Area would likely have been subject to CWA jurisdiction based on the then-existing Migratory Bird Rule (51 F.R. 41217), given the likely presence of migratory waterbirds during ephemeral ponding and the presence of a federal listed endangered species, the desert tortoise (*Gopherus agassizii*),[4] within the Review Area.
2. The waters are isolated with no significant nexus to interstate or foreign commerce and therefore no significant nexus standard analysis for connectivity to a TNW is required by the Rapanos Guidance, as non-RPWs are not in a category of water requiring such analysis.

6.5 Jurisdictional Analysis Summary

On the basis of the above analysis and as seen in the maps in Exhibit D and summarized in Table 9, the active ephemeral drainages (non-RPWs or desert dry washes) found within the (1) Review Area, (2) drainages connecting the Review Area to to Ivanpah Dry Lake, and (3) Ivanpah Dry Lake would be considered non-jurisdictional under the CWA. The non-RPWs within the Review Area are *not* jurisdictional waters of the United States based on the fact that:

1. No wetlands were found with the Review Area as there were no areas that met the criteria in the 1987 Corps of Engineers *Wetlands Delineation Manual* and/or the 2008 Arid West Supplement.
2. The non-jurisdictional non-RPWs found are isolated waters with no substantial connection to interstate or foreign commerce.

[4] Under the Migratory Bird Rule (51 F.R. 41217) the presence of or the potential for use by migratory birds and/ or Federally-listed species satisfies the determination requirements.

Table 9. Jurisdictional Analysis Summary				
"Approved JD Form" Categories of Potential Waters of the U.S.*	**Was Category of Waters Identified in Study Area?**	**Nexus to Interstate or Foreign Commerce?**	**Jurisdictional Water Found?**	**Non-Jurisdictional Water Found?**
1. Traditional navigable water (TNW), including territorial seas	No	No	No	No
2. Wetlands adjacent to TNWs	No	No	No	No
3. Relatively permanent waters (RPWs) that flow directly or indirectly into TNWs	No	No	No	No
4. Non-RPWs that flow directly or indirectly into TNWs	No	No	No	No
5. Wetlands directly abutting RPWs that flow directly or indirectly into TNWs	No	No	No	No
6. Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs	No	No	No	No
7. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs	No	No	No	No
8. Impoundments of jurisdictional waters	No	No	No	No
9. Isolated (interstate or intrastate) waters including isolated wetlands the use, degradation or destruction of which could affect interstate commerce	No	No	No	No
Waters** that are **not** one of the above nine categories of potential Waters of the U.S.	**Yes**	No	No	**Yes** Review Area: ***Non-RPWs*** Drainages Connecting the Review Area to Ivanpah Dry Lake: ***Non-RPWs*** Ivanpah Dry Lake: ***Isolated Water***
* U.S. Army Corps of Engineers. 2007. Appendix B, Approved JD Form, Section II, in *U.S. Army Corps of Engineers Jurisdictional Determination Form Instructional Guidebook.* May 30.				
** Areas that meet the technical criteria for wetlands (collective presence of hydric soil, wetland hydrology and wetland vegetation indicators) or have an Ordinary High Water Mark (OHWM) but have no significant nexus to a TNW or connection to interstate commerce. 33 CFR 328.3(a)(3) states: "All other waters such as intrastate lakes, rivers, streams (including intermittent streams), mudflats, sandflats, wetlands, sloughs, prairie potholes, wet meadows, playa lakes, or natural ponds, the use, degradation or destruction of which could affect interstate or foreign commerce including any such waters (i) which are or could be used by interstate or foreign travelers for recreational or other purposes; or (ii) From which fish or shellfish are or could be taken and sold in interstate or foreign commerce' or (iii) Which are used or could be used for industrial purpose by industries in interstate commerce"				

6.6 Disclaimer

HBG has made a good-faith effort herein to thoroughly describe and document the presence of potential factors that the Corps may consider. Nevertheless, DXE reserves the right to challenge or seek revision to any areas over which the Corps may assert such jurisdiction, as the implementation of the Corps / EPA Rapanos Guidance is further clarified or altered through formal guidance, assertions or disclaimers of jurisdiction over other properties, court decisions, or other relevant actions.

7.0 REFERENCES

Environmental Laboratory. 1987. *Corps of Engineers Wetlands Delineation Manual*. Technical Report Y-87-l, US Army Engineer Waterways Experiment Station, Vicksburg, Miss.

Field, J., & Pearthree, P. 1997. "Geomorphologic Flood-Hazard Assessment of Alluvial Fans and Piedmonts." *Journal of Geoscience Education,* Vol. 45, pp. 27 – 37.

Hickman, J. (ed.). 1993. *The Jepson Manual: Higher Plants of California*. University of California Press, Berkeley, California.

Lichvar, R.W., D.C. Finnegan, and M.P. Ericsson. 2004. Using Hydrogeomorphic Surfaces for Delineating Floodplains: Black Water Creek Test Reach Within the Upper Puerco Watershed, Navajo Nation. ERDC/CRREL Technical Note 04-7. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory. November.

Lichvar. R.W., and S.M. McColley. 2008. *A Field Guide to the Identification of the Ordinary High Water Mark (OHWM) in the Arid West Region of the Western United States, A Delineation Manual.* ERDC/CRREL TR-08-12. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory. August.

Munz, P.A. 1974. A Flora of Southern California. University of California Press, Berkeley, California.

Reed, P.B., Jr. 1988. *National List of Plant Species that Occur in Wetlands: National Summary*. U.S. Fish and Wildlife Service Biological Report 88(24). 244 pp.

Santos, P.F., N. Z. Elkins, Y. Steinberger and W. G. Whitford. "A Comparison of Surface and Buried Larrea Tridentata Leaf Litter Decomposition in North American Hot Deserts." Ecology, Vol. 65, No. 1 (Feb., 1984), pp. 278-284.

Sawyer, J.O., and T. Keeler-Wolf. 1995. *A Manual of California Vegetation*. Sacramento, CA: California Native Plant Society. 471 p.

Simley, J.D. and J.W.Carswell Jr. 2009. National Hydrography Dataset (NHD). The National Map - Hydrography: U.S. Geological Survey Fact Sheet 2009-3054, 4 p.

Strojan, C.L, D. C. Randall and F. B. Turner. 1987. "Relationship of Leaf Litter Decomposition Rates to Rainfall in the Mojave Desert." Ecology, Vol. 68, No. 3 (Jun., 1987), pp. 741-744.

U.S. Army Corps of Engineers. 2008. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Arid West Region (Version 2.0),* ed. J. S. Wakeley, R. W. Lichvar, and C. V. Noble. ERDC/EL TR-08-28. Vicksburg, MS: U.S. Army Engineer Research and Development Center.

U.S. Army Corps of Engineers. 2009. *Vegetation and Channel Morphology Responses to Ordinary High Water Discharge Events in Arid West Stream Channels,* ed. R. Lichvar, D. Cate, C. Photos, L. Dixon, B. Allen, and J. Byersdorfer. ERDC/CRREL TR-09-5. Hanover, NH: U.S. Army Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory. May.

U.S. Department of Agriculture, Natural Resources Conservation Service. 1986. *Urban Hydrology for Small Watersheds*. Technical Release 55 (TR-55). June.

US Department of Agriculture, National Resources Conservation Service. 2009. Web Soil Survey: http://websoilsurvey.nrcs.usda.gov

Exhibit A

Figures

Figure 1	DesertXpress Project Alignment Alternatives
Figure 2	Location of Alignment Alternatives Within HUC-8 Watershed
Figure 3	Location of Study Area
Figure 4	Location of Study Area Within HUC-8 / HUC-12 Watersheds
Figures 5-12	Typical Examples of Field Indicators of Active Surface Water Flow and Ordinary High Water Marks Found Within Ephemeral Drainages Occurring Within the DesertXpress Project Study Area.
Figures 13-42	Examples of Drainages Found Within HUC-8 Watershed




Figure 1. DesertXpress Project Alignment Alternatives F-I.2-45




Figure 2. Location Of Alignment Alternatives Within HUC-8 Watershed




Figure 3. Location of Study Area




Figure 4. Location of Study Area Within HUC-8 / HUC-12 Watersheds



Exhibit A. Figure 5. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.



Exhibit A. Figure 6. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.



Exhibit A. Figure 7. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.



Exhibit A. Figure 8. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.



Exhibit A. Figure 9. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.



Exhibit A. Figure 10. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.




Exhibit A. Figure 11. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.




Exhibit A. Figure 12. Typical examples of field indicators of active surface water flow and Ordinary High Water Marks found within ephemerals drainages occurring within the DesertXpress Project Study Area.



Exhibit A. Figure 13. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Ivanpah Subwatershed



Exhibit A. Figure 14. Ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Ivanpah Subwatershed



Exhibit A. Figure 15. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Ivanpah Subwatershed



Exhibit A. Figure 16. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Ivanpah Subwatershed



Exhibit A. Figure 17. Manmade drainage connecting to ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 18. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 19. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 20. Ephemeral drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 21. Ephemeral drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 22. Manmade drainage connecting to ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 23. Ephemeral drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 24. Manmade drainage connecting to ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 25. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Porter Wash -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 26. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 27. Ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 28. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 29. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 30. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean-Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 31. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 32. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 33. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 34. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 35. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys Watersheds / HUC 12 Town of Jean -Frontal Ivanpah Lake Subwatershed



Exhibit A. Figure 36. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 Town of Goodsprings Subwatershed



Exhibit A. Figure 37. Ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 Town of Goodsprings Subwatershed



Exhibit A. Figure 38. Manmade drainage connecting to ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 160600151401-Frontal Jean Lake Subwatershed



Exhibit A. Figure 39. Manmade drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 160600151401-Frontal Jean Lake Subwatershed



Exhibit A. Figure 40. Manmade drainage connecting to ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 160600151401-Frontal Jean Lake Subwatershed



Exhibit A. Figure 41. Ephemeral drainage connecting to road culvert within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 160600151401-Frontal Jean Lake Subwatershed



Exhibit A. Figure 42. Ephemeral drainage within HUC 8 Ivanpah-Pahrump Valleys / HUC 12 160600151401-Frontal Jean Lake Subwatershed

Exhibit B

Field Data

Exhibit B1 Required Corps Waters Data Summary Table

Exhibit B2 Field Data*

(Exhibit B2 provided on attached CD in PDF format.)

Exhibit B1

Required Corps Waters Data Summary Table

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-28-3	R6	RIVERINE	0.479982	2090.8	NRPW	35.469048	-115.534003	Wheaton Wash-Frontal Ivanpah Lake	10.00	28M9
D-28-4	R6	RIVERINE	0.165381	720.4	NRPW	35.469455	-115.536374	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-5	R6	RIVERINE	0.023531	102.5	NRPW	35.469441	-115.533154	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-6	R6	RIVERINE	0.054477	237.3	NRPW	35.469094	-115.532528	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-7	R6	RIVERINE	0.092218	401.7	NRPW	35.469207	-115.531216	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-8	R6	RIVERINE	0.003227	156.2	NRPW	35.469032	-115.530491	Wheaton Wash-Frontal Ivanpah Lake	0.90	28D8
D-28-9	R6	RIVERINE	0.083907	365.5	NRPW	35.468580	-115.529527	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-10	R6	RIVERINE	0.020707	90.2	NRPW	35.468358	-115.527264	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-11	R6	RIVERINE	0.087167	379.7	NRPW	35.468411	-115.527911	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-12	R6	RIVERINE	0.038797	169.0	NRPW	35.468744	-115.526708	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-13	R6	RIVERINE	0.045340	197.5	NRPW	35.468865	-115.526990	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-17	R6	RIVERINE	0.491667	1427.8	NRPW	35.468832	-115.519500	Wheaton Wash-Frontal Ivanpah Lake	15.00	
D-28-19	R6	RIVERINE	0.009921	254.2	NRPW	35.469061	-115.517205	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-21	R6	RIVERINE	0.017631	76.8	NRPW	35.469028	-115.518910	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-23	R6	RIVERINE	0.053558	233.3	NRPW	35.468784	-115.520569	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-24	R6	RIVERINE	0.046419	202.2	NRPW	35.468501	-115.520566	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-25	R6	RIVERINE	0.316736	1379.7	NRPW	35.468358	-115.522927	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-26	R6	RIVERINE	0.079293	345.4	NRPW	35.468733	-115.521001	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-27	R6	RIVERINE	0.008996	230.5	NRPW	35.469333	-115.515778	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-34	R6	RIVERINE	0.010475	268.4	NRPW	35.470799	-115.509843	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-35	R6	RIVERINE	0.064909	336.6	NRPW	35.471108	-115.508754	Wheaton Wash-Frontal Ivanpah Lake	8.40	
D-28-36	R6	RIVERINE	0.014190	363.6	NRPW	35.471102	-115.508222	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-37	R6	RIVERINE	0.010806	276.9	NRPW	35.471372	-115.508060	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-38	R6	RIVERINE	0.011056	283.3	NRPW	35.471405	-115.507707	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-42	R6	RIVERINE	0.017074	437.5	NRPW	35.472289	-115.505506	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-43	R6	RIVERINE	0.023880	611.9	NRPW	35.472688	-115.504683	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-44	R6	RIVERINE	0.009238	236.7	NRPW	35.473531	-115.502909	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-46	R6	RIVERINE	0.060758	441.1	NRPW	35.475113	-115.501640	Wheaton Wash-Frontal Ivanpah Lake	6.00	
D-28-47	R6	RIVERINE	0.004792	122.8	NRPW	35.475409	-115.501940	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-48	R6	RIVERINE	0.038696	421.4	NRPW	35.476426	-115.500529	Wheaton Wash-Frontal Ivanpah Lake	4.00	
D-28-49	R6	RIVERINE	0.150344	436.6	NRPW	35.477910	-115.499513	Wheaton Wash-Frontal Ivanpah Lake	15.00	
D-28-50	R6	RIVERINE	0.165124	599.4	NRPW	35.478675	-115.499082	Wheaton Wash-Frontal Ivanpah Lake	12.00	
D-28-56	R6	RIVERINE	0.104155	453.7	NRPW	35.488143	-115.498944	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-57	R6	RIVERINE	0.015989	409.7	NRPW	35.490764	-115.500428	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-58	R6	RIVERINE	0.269284	469.2	NRPW	35.495665	-115.504539	Wheaton Wash-Frontal Ivanpah Lake	25.00	
D-28-59	R6	RIVERINE	0.128145	558.2	NRPW	35.497116	-115.505768	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-60	R6	RIVERINE	0.019466	498.8	NRPW	35.499385	-115.507358	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-61	R6	RIVERINE	0.028691	416.6	NRPW	35.500118	-115.507955	Wheaton Wash-Frontal Ivanpah Lake	3.00	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-28-62	R6	RIVERINE	0.117080	425.0	NRPW	35.501005	-115.508488	Wheaton Wash-Frontal Ivanpah Lake	12.00	
D-28-63	R6	RIVERINE	0.186731	406.7	NRPW	35.503023	-115.509763	Wheaton Wash-Frontal Ivanpah Lake	20.00	
D-28-64	R6	RIVERINE	0.116281	422.1	NRPW	35.507981	-115.511667	Wheaton Wash-Frontal Ivanpah Lake	12.00	
D-28-65	R6	RIVERINE	0.006912	177.1	NRPW	35.507631	-115.511988	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-66	R6	RIVERINE	0.044821	162.7	NRPW	35.507913	-115.512044	Wheaton Wash-Frontal Ivanpah Lake	12.00	
D-28-67	R6	RIVERINE	0.016321	418.2	NRPW	35.508723	-115.511778	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-68	R6	RIVERINE	0.343884	416.1	NRPW	35.515278	-115.512043	Wheaton Wash-Frontal Ivanpah Lake	36.00	
D-28-69	R6	RIVERINE	0.017991	461.0	NRPW	35.518491	-115.511790	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-70	R6	RIVERINE	0.091906	476.6	NRPW	35.520075	-115.511519	Wheaton Wash-Frontal Ivanpah Lake	8.40	
D-28-71	R6	RIVERINE	0.104017	453.1	NRPW	35.520460	-115.511505	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-72	R6	RIVERINE	0.134745	451.5	NRPW	35.521917	-115.511185	Wheaton Wash-Frontal Ivanpah Lake	13.00	
D-28-73	R6	RIVERINE	0.016009	410.2	NRPW	35.522257	-115.511276	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-74	R6	RIVERINE	0.090083	436.0	NRPW	35.524776	-115.510940	Wheaton Wash-Frontal Ivanpah Lake	9.00	
D-28-75	R6	RIVERINE	0.017222	441.3	NRPW	35.525654	-115.510812	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-76	R6	RIVERINE	0.056350	409.1	NRPW	35.526089	-115.510815	Wheaton Wash-Frontal Ivanpah Lake	6.00	
D-28-77	R6	RIVERINE	0.015837	405.8	NRPW	35.526680	-115.510754	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-78	R6	RIVERINE	0.412810	399.6	NRPW	35.526971	-115.510722	Wheaton Wash-Frontal Ivanpah Lake	45.00	
D-28-79	R6	RIVERINE	0.017078	437.6	NRPW	35.538605	-115.509432	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-81	R6	RIVERINE	0.025598	655.9	NRPW	35.540087	-115.509151	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-83	R6	RIVERINE	0.015583	399.3	NRPW	35.542145	-115.508943	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-86	R6	RIVERINE	0.024353	408.0	NRPW	35.543519	-115.508788	Wheaton Wash-Frontal Ivanpah Lake	2.60	28D4
D-28-87	R6	RIVERINE	0.016062	437.3	NRPW	35.543836	-115.508756	Wheaton Wash-Frontal Ivanpah Lake	1.60	
D-28-88	R6	RIVERINE	0.004815	419.5	NRPW	35.544431	-115.508677	Wheaton Wash-Frontal Ivanpah Lake	0.50	28D1
D-28-89	R6	RIVERINE	0.004660	406.0	NRPW	35.544369	-115.508682	Wheaton Wash-Frontal Ivanpah Lake	0.50	28D2
D-28-91	R6	RIVERINE	0.015243	415.0	NRPW	35.543991	-115.508720	Wheaton Wash-Frontal Ivanpah Lake	1.60	28D3
D-28-92	R6	RIVERINE	0.013512	218.0	NRPW	35.469309	-115.530978	Wheaton Wash-Frontal Ivanpah Lake	2.70	28D10
D-28-93	R6	RIVERINE	0.113774	590.0	NRPW	35.471345	-115.506578	Wheaton Wash-Frontal Ivanpah Lake	8.40	
D-28-94	R6	RIVERINE	0.072835	377.7	NRPW	35.471692	-115.506678	Wheaton Wash-Frontal Ivanpah Lake	8.40	
D-28-95	R6	RIVERINE	0.017359	444.8	NRPW	35.493119	-115.502305	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-96	R6	RIVERINE	0.013019	333.6	NRPW	35.492693	-115.502241	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-97	R6	RIVERINE	0.023256	595.9	NRPW	35.492360	-115.501673	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-98	R6	RIVERINE	0.017195	440.6	NRPW	35.493485	-115.502583	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-99	R6	RIVERINE	0.017929	459.4	NRPW	35.493644	-115.502806	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-100	R6	RIVERINE	0.058581	425.3	NRPW	35.506126	-115.511082	Wheaton Wash-Frontal Ivanpah Lake	6.00	
D-28-101	R6	RIVERINE	0.032004	464.7	NRPW	35.510315	-115.512083	Wheaton Wash-Frontal Ivanpah Lake	3.00	
D-28-102	R6	RIVERINE	0.031591	458.7	NRPW	35.511740	-115.512190	Wheaton Wash-Frontal Ivanpah Lake	3.00	
D-28-103	R6	RIVERINE	0.104568	455.5	NRPW	35.513287	-115.512230	Wheaton Wash-Frontal Ivanpah Lake	10.00	
D-28-104	R6	RIVERINE	0.014190	363.6	NRPW	35.514999	-115.512452	Wheaton Wash-Frontal Ivanpah Lake	1.70	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-28-105	R6	RIVERINE	0.034137	874.7	NRPW	35.516725	-115.511594	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-106	R6	RIVERINE	0.023221	595.0	NRPW	35.517483	-115.511863	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-107	R6	RIVERINE	0.019939	510.9	NRPW	35.521033	-115.511421	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-108	R6	RIVERINE	0.029208	424.1	NRPW	35.523906	-115.511081	Wheaton Wash-Frontal Ivanpah Lake	3.00	
D-28-109	R6	RIVERINE	0.003953	101.3	NRPW	35.529022	-115.510987	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-110	R6	RIVERINE	0.195826	473.9	NRPW	35.529141	-115.510545	Wheaton Wash-Frontal Ivanpah Lake	18.00	
D-28-111	R6	RIVERINE	0.040340	439.3	NRPW	35.530316	-115.510305	Wheaton Wash-Frontal Ivanpah Lake	4.00	
D-28-112	R6	RIVERINE	0.605234	439.4	NRPW	35.532597	-115.510070	Wheaton Wash-Frontal Ivanpah Lake	60.00	
D-28-113	R6	RIVERINE	0.247314	513.0	NRPW	35.533143	-115.510005	Wheaton Wash-Frontal Ivanpah Lake	21.00	
D-28-114	R6	RIVERINE	0.082167	447.4	NRPW	35.539250	-115.509245	Wheaton Wash-Frontal Ivanpah Lake	8.00	
D-28-115	R6	RIVERINE	0.080355	416.7	NRPW	35.541504	-115.509039	Wheaton Wash-Frontal Ivanpah Lake	8.40	
D-28-116	R6	RIVERINE	0.004067	104.2	NRPW	35.491939	-115.500696	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-117	R6	RIVERINE	0.002283	58.5	NRPW	35.495604	-115.504395	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-118	R6	RIVERINE	0.008441	216.3	NRPW	35.496839	-115.505612	Wheaton Wash-Frontal Ivanpah Lake	1.70	
D-28-119	R6	RIVERINE	0.045510	236.0	NRPW	35.520138	-115.511803	Wheaton Wash-Frontal Ivanpah Lake	8.40	
D-28-120	R6	RIVERINE	0.008926	216.0	NRPW	35.521918	-115.510941	Wheaton Wash-Frontal Ivanpah Lake	1.80	
D-28-121	R6	RIVERINE	0.042103	366.8	NRPW	35.532286	-115.510263	Wheaton Wash-Frontal Ivanpah Lake	5.00	
D-28-122	R6	RIVERINE	0.036639	532.0	NRPW	35.537581	-115.509573	Wheaton Wash-Frontal Ivanpah Lake	3.00	
D-28-123	R6	RIVERINE	0.056501	410.2	NRPW	35.535875	-115.509681	Wheaton Wash-Frontal Ivanpah Lake	6.00	
D-28-124	R6	RIVERINE	0.038338	417.5	NRPW	35.530861	-115.510258	Wheaton Wash-Frontal Ivanpah Lake	4.00	
D-28-125	R6	RIVERINE	0.014982	652.6	NRPW	35.506978	-115.511202	Wheaton Wash-Frontal Ivanpah Lake	1.00	
D-28-126	R6	RIVERINE	0.019527	425.3	NRPW	35.502119	-115.509231	Wheaton Wash-Frontal Ivanpah Lake	2.00	
D-28-127	R6	RIVERINE	0.020588	448.4	NRPW	35.479417	-115.498833	Wheaton Wash-Frontal Ivanpah Lake	2.00	
D-28-135	R6	RIVERINE	0.001407	122.6	NRPW	35.544387	-115.508689	Wheaton Wash-Frontal Ivanpah Lake	0.50	28D17
D-30-1	R6	RIVERINE	0.000904	24.6	NRPW	35.607640	-115.411184	Ivanpah Lake	1.60	
D-30-2	R6	RIVERINE	0.002373	64.6	NRPW	35.607789	-115.410750	Ivanpah Lake	1.60	
D-30-3	R6	RIVERINE	0.001146	31.2	NRPW	35.607686	-115.411016	Ivanpah Lake	1.60	
D-30-4	R6	RIVERINE	0.003016	82.1	NRPW	35.607958	-115.410083	Ivanpah Lake	1.60	
D-30-5	R6	RIVERINE	0.002872	78.2	NRPW	35.607933	-115.410162	Ivanpah Lake	1.60	
D-30-6	R6	RIVERINE	0.010105	275.1	NRPW	35.608688	-115.408099	Ivanpah Lake	1.60	
D-30-7	R6	RIVERINE	0.016283	443.3	NRPW	35.610083	-115.404767	Ivanpah Lake	1.60	
D-30-8	R6	RIVERINE	0.015809	430.4	NRPW	35.610265	-115.404431	Ivanpah Lake	1.60	
D-30-9	R6	RIVERINE	0.015449	420.6	NRPW	35.610719	-115.403087	Ivanpah Lake	1.60	
D-30-10	R6	RIVERINE	0.012275	334.2	NRPW	35.610912	-115.402919	Ivanpah Lake	1.60	
D-30-11	R6	RIVERINE	0.008268	225.1	NRPW	35.610469	-115.404391	Ivanpah Lake	1.60	
D-30-12	R6	RIVERINE	0.007963	216.8	NRPW	35.608529	-115.408540	Ivanpah Lake	1.60	
D-30-13	R6	RIVERINE	0.006461	175.9	NRPW	35.608401	-115.408720	Ivanpah Lake	1.60	
D-30-14	R6	RIVERINE	0.004437	120.8	NRPW	35.608445	-115.408950	Ivanpah Lake	1.60	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-30-15	R6	RIVERINE	0.014296	389.2	NRPW	35.609500	-115.406218	Ivanpah Lake	1.60	
D-30-16	R6	RIVERINE	0.016353	445.2	NRPW	35.609789	-115.405404	Ivanpah Lake	1.60	
D-30-17	R6	RIVERINE	0.009565	260.4	NRPW	35.609599	-115.405390	Ivanpah Lake	1.60	
D-30-18	R6	RIVERINE	0.015438	420.3	NRPW	35.610601	-115.403412	Ivanpah Lake	1.60	
D-30-19	R6	RIVERINE	0.014938	406.7	NRPW	35.612581	-115.399536	Ivanpah Lake	1.60	30D10
D-30-20	R6	RIVERINE	0.023330	406.5	NRPW	35.611858	-115.400794	Ivanpah Lake	2.50	30D14
D-30-45	R6	RIVERINE	0.001343	41.8	NRPW	35.613790	-115.398330	Ivanpah Lake	1.40	
D-30-46	R6	RIVERINE	0.007371	321.1	NRPW	35.700998	-115.369204	Ivanpah Lake	1.00	
D-30-47	R6	RIVERINE	0.007082	308.5	NRPW	35.695799	-115.371062	Ivanpah Lake	1.00	32M5E
D-30-48	R6	RIVERINE	0.007532	328.1	NRPW	35.693588	-115.371838	Ivanpah Lake	1.00	
D-30-49	R6	RIVERINE	0.007303	318.1	NRPW	35.691722	-115.372500	Ivanpah Lake	1.00	
D-30-50	R6	RIVERINE	0.007332	319.4	NRPW	35.688318	-115.373675	Ivanpah Lake	1.00	
D-30-51	R6	RIVERINE	0.023781	345.3	NRPW	35.684672	-115.374908	Ivanpah Lake	3.00	
D-30-52	R6	RIVERINE	0.020551	298.4	NRPW	35.681496	-115.375767	Ivanpah Lake	3.00	
D-30-53	R6	RIVERINE	0.020537	298.2	NRPW	35.673669	-115.377030	Ivanpah Lake	3.00	
D-30-54	R6	RIVERINE	0.022927	332.9	NRPW	35.664251	-115.378689	Ivanpah Lake	3.00	
D-30-55	R6	RIVERINE	0.020654	299.9	NRPW	35.670311	-115.377622	Ivanpah Lake	3.00	30BD17E
D-30-56	R6	RIVERINE	0.014105	307.2	NRPW	35.666434	-115.378319	Ivanpah Lake	2.00	
D-30-57	R6	RIVERINE	0.041377	300.4	NRPW	35.657919	-115.379722	Ivanpah Lake	6.00	
D-31-1	R6	RIVERINE	0.014635	425.0	NRPW	35.545231	-115.508559	Whisky Spring-Frontal Ivanpah Lake	1.50	31MD2
D-31-2	R6	RIVERINE	0.021490	407.0	NRPW	35.545855	-115.508513	Whisky Spring-Frontal Ivanpah Lake	2.30	31D3
D-31-3	R6	RIVERINE	0.014975	407.7	NRPW	35.556278	-115.507281	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-4	R6	RIVERINE	0.016129	439.1	NRPW	35.556489	-115.507225	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-7	R6	RIVERINE	0.014916	406.1	NRPW	35.557901	-115.507091	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-8	R6	RIVERINE	0.014803	403.0	NRPW	35.558257	-115.507046	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-9	R6	RIVERINE	0.094904	413.4	NRPW	35.558775	-115.506979	Whisky Spring-Frontal Ivanpah Lake	10.00	
D-31-10	R6	RIVERINE	0.004371	119.0	NRPW	35.558981	-115.507465	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-11	R6	RIVERINE	0.031515	457.6	NRPW	35.559806	-115.506890	Whisky Spring-Frontal Ivanpah Lake	3.00	
D-31-12	R6	RIVERINE	0.014773	402.2	NRPW	35.560221	-115.506855	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-13	R6	RIVERINE	0.015085	410.7	NRPW	35.561484	-115.506671	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-14	R6	RIVERINE	0.077479	337.5	NRPW	35.561120	-115.506969	Whisky Spring-Frontal Ivanpah Lake	10.00	
D-31-18	R6	RIVERINE	0.046143	502.5	NRPW	35.563733	-115.506422	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-19	R6	RIVERINE	0.020950	456.3	NRPW	35.563468	-115.506438	Whisky Spring-Frontal Ivanpah Lake	2.00	
D-31-20	R6	RIVERINE	0.038678	421.2	NRPW	35.564319	-115.506341	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-21	R6	RIVERINE	0.113609	412.4	NRPW	35.564924	-115.506283	Whisky Spring-Frontal Ivanpah Lake	12.00	
D-31-22	R6	RIVERINE	0.004500	122.5	NRPW	35.564979	-115.506739	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-23	R6	RIVERINE	0.013157	358.2	NRPW	35.564785	-115.506390	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-24	R6	RIVERINE	0.142149	412.8	NRPW	35.565339	-115.506222	Whisky Spring-Frontal Ivanpah Lake	15.00	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-31-25	R6	RIVERINE	0.513453	422.0	NRPW	35.567355	-115.505968	Whisky Spring-Frontal Ivanpah Lake	53.00	
D-31-26	R6	RIVERINE	0.056322	408.9	NRPW	35.567979	-115.505917	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-28	R6	RIVERINE	0.114463	415.5	NRPW	35.568431	-115.505851	Whisky Spring-Frontal Ivanpah Lake	12.00	
D-31-29	R6	RIVERINE	0.015140	412.2	NRPW	35.568497	-115.505864	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-30	R6	RIVERINE	0.156612	454.8	NRPW	35.569032	-115.505776	Whisky Spring-Frontal Ivanpah Lake	15.00	
D-31-35	R6	RIVERINE	0.015313	416.9	NRPW	35.570569	-115.505623	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-37	R6	RIVERINE	0.015526	422.7	NRPW	35.570205	-115.505649	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-38	R6	RIVERINE	0.009991	272.0	NRPW	35.570289	-115.505869	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-39	R6	RIVERINE	0.220937	401.0	NRPW	35.570843	-115.505577	Whisky Spring-Frontal Ivanpah Lake	24.00	
D-31-42	R6	RIVERINE	0.042103	458.5	NRPW	35.572002	-115.505528	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-43	R6	RIVERINE	0.036529	994.5	NRPW	35.573102	-115.504485	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-44	R6	RIVERINE	0.036973	1006.6	NRPW	35.573292	-115.504498	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-45	R6	RIVERINE	0.005028	136.9	NRPW	35.572751	-115.505815	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-48	R6	RIVERINE	0.472548	980.2	NRPW	35.573950	-115.504338	Whisky Spring-Frontal Ivanpah Lake	21.00	
D-31-49	R6	RIVERINE	0.027949	760.9	NRPW	35.574604	-115.504541	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-50	R6	RIVERINE	0.254878	444.1	NRPW	35.575856	-115.504857	Whisky Spring-Frontal Ivanpah Lake	25.00	
D-31-60	R6	RIVERINE	0.164959	449.1	NRPW	35.577004	-115.504651	Whisky Spring-Frontal Ivanpah Lake	16.00	
D-31-63	R6	RIVERINE	0.051090	445.1	NRPW	35.577677	-115.504538	Whisky Spring-Frontal Ivanpah Lake	5.00	
D-31-64	R6	RIVERINE	0.059284	430.4	NRPW	35.578841	-115.504182	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-65	R6	RIVERINE	0.016062	437.3	NRPW	35.578415	-115.504349	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-75	R6	RIVERINE	0.070627	439.5	NRPW	35.580030	-115.503817	Whisky Spring-Frontal Ivanpah Lake	7.00	
D-31-86	R6	RIVERINE	0.079210	431.3	NRPW	35.581538	-115.503163	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-94	R6	RIVERINE	0.049415	430.5	NRPW	35.582906	-115.502503	Whisky Spring-Frontal Ivanpah Lake	5.00	
D-31-99	R6	RIVERINE	0.057874	504.2	NRPW	35.584403	-115.501613	Whisky Spring-Frontal Ivanpah Lake	5.00	
D-31-100	R6	RIVERINE	0.035611	387.8	NRPW	35.584860	-115.501391	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-108	R6	RIVERINE	0.112741	491.1	NRPW	35.586560	-115.500176	Whisky Spring-Frontal Ivanpah Lake	10.00	
D-31-117	R6	RIVERINE	0.021235	462.5	NRPW	35.587028	-115.499876	Whisky Spring-Frontal Ivanpah Lake	2.00	
D-31-119	R6	RIVERINE	0.016320	444.3	NRPW	35.588046	-115.498931	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-121	R6	RIVERINE	0.015967	434.7	NRPW	35.587897	-115.499004	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-122	R6	RIVERINE	0.761226	473.7	NRPW	35.588212	-115.498662	Whisky Spring-Frontal Ivanpah Lake	70.00	
D-31-124	R6	RIVERINE	0.016298	443.7	NRPW	35.588859	-115.498140	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-125	R6	RIVERINE	0.935331	452.7	NRPW	35.589091	-115.497919	Whisky Spring-Frontal Ivanpah Lake	90.00	
D-31-126	R6	RIVERINE	0.016716	455.1	NRPW	35.588979	-115.498021	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-127	R6	RIVERINE	0.015383	418.8	NRPW	35.589898	-115.497192	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-128	R6	RIVERINE	0.021895	596.1	NRPW	35.590859	-115.496233	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-129	R6	RIVERINE	0.995443	667.1	NRPW	35.590534	-115.496476	Whisky Spring-Frontal Ivanpah Lake	65.00	
D-31-131	R6	RIVERINE	0.021763	592.5	NRPW	35.590887	-115.496012	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-132	R6	RIVERINE	0.002424	66.0	NRPW	35.590959	-115.496786	Whisky Spring-Frontal Ivanpah Lake	1.60	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-31-133	R6	RIVERINE	0.021712	591.1	NRPW	35.591072	-115.495777	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-134	R6	RIVERINE	0.041357	600.5	NRPW	35.591296	-115.495554	Whisky Spring-Frontal Ivanpah Lake	3.00	
D-31-135	R6	RIVERINE	0.009341	254.3	NRPW	35.591151	-115.496324	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-138	R6	RIVERINE	0.015416	419.7	NRPW	35.591916	-115.494816	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-140	R6	RIVERINE	0.074564	406.0	NRPW	35.591736	-115.495290	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-141	R6	RIVERINE	0.011607	316.0	NRPW	35.591597	-115.495688	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-142	R6	RIVERINE	0.023592	642.3	NRPW	35.591562	-115.495389	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-143	R6	RIVERINE	0.009366	255.0	NRPW	35.591538	-115.494802	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-144	R6	RIVERINE	0.034587	502.2	NRPW	35.592483	-115.494118	Whisky Spring-Frontal Ivanpah Lake	3.00	
D-31-148	R6	RIVERINE	1.634986	712.2	NRPW	35.594067	-115.491587	Whisky Spring-Frontal Ivanpah Lake	100.00	
D-31-150	R6	RIVERINE	0.022949	624.8	NRPW	35.593739	-115.491833	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-152	R6	RIVERINE	0.032500	471.9	NRPW	35.593336	-115.492778	Whisky Spring-Frontal Ivanpah Lake	3.00	
D-31-153	R6	RIVERINE	0.017421	474.3	NRPW	35.593594	-115.492400	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-154	R6	RIVERINE	0.007611	207.2	NRPW	35.593720	-115.492224	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-155	R6	RIVERINE	0.014744	401.4	NRPW	35.593938	-115.492197	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-156	R6	RIVERINE	0.013095	356.5	NRPW	35.594062	-115.491334	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-157	R6	RIVERINE	0.212718	926.6	NRPW	35.595005	-115.490306	Whisky Spring-Frontal Ivanpah Lake	10.00	
D-31-171	R6	RIVERINE	0.075815	660.5	NRPW	35.596458	-115.486967	Whisky Spring-Frontal Ivanpah Lake	5.00	
D-31-178	R6	RIVERINE	0.227961	827.5	NRPW	35.597033	-115.485531	Whisky Spring-Frontal Ivanpah Lake	12.00	
D-31-186	R6	RIVERINE	0.117810	855.3	NRPW	35.598129	-115.482118	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-191	R6	RIVERINE	0.015728	428.2	NRPW	35.572448	-115.505344	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-193	R6	RIVERINE	0.016485	448.8	NRPW	35.590268	-115.496924	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-196	R6	RIVERINE	0.024217	659.3	NRPW	35.599228	-115.476617	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-200	R6	RIVERINE	0.027071	737.0	NRPW	35.599434	-115.475526	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-201	R6	RIVERINE	0.024287	661.2	NRPW	35.599310	-115.475938	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-202	R6	RIVERINE	0.023052	627.6	NRPW	35.599287	-115.476370	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-206	R6	RIVERINE	0.173416	1259.0	NRPW	35.599677	-115.471960	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-214	R6	RIVERINE	0.089706	976.9	NRPW	35.599908	-115.468676	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-217	R6	RIVERINE	0.332433	1810.1	NRPW	35.600410	-115.466294	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-219	R6	RIVERINE	0.622360	2711.0	NRPW	35.600710	-115.463904	Whisky Spring-Frontal Ivanpah Lake	10.00	
D-31-232	R6	RIVERINE	0.235234	853.9	NRPW	35.602076	-115.455944	Whisky Spring-Frontal Ivanpah Lake	12.00	
D-31-241	R6	RIVERINE	0.283099	2055.3	NRPW	35.602671	-115.452788	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-244	R6	RIVERINE	0.172975	627.9	NRPW	35.602152	-115.455511	Whisky Spring-Frontal Ivanpah Lake	12.00	
D-31-250	R6	RIVERINE	0.500964	1091.1	NRPW	35.602155	-115.453218	Whisky Spring-Frontal Ivanpah Lake	20.00	
D-31-312	R6	RIVERINE	0.132287	960.4	NRPW	35.603114	-115.447914	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-313	R6	RIVERINE	0.027265	742.3	NRPW	35.603238	-115.447093	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-314	R6	RIVERINE	0.326033	946.8	NRPW	35.603110	-115.447582	Whisky Spring-Frontal Ivanpah Lake	15.00	
D-31-315	R6	RIVERINE	0.522727	227.7	NRPW	35.603580	-115.448128	Whisky Spring-Frontal Ivanpah Lake	100.00	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-31-321	R6	RIVERINE	0.145289	1054.8	NRPW	35.603327	-115.445137	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-325	R6	RIVERINE	0.030294	329.9	NRPW	35.603239	-115.445991	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-333	R6	RIVERINE	0.071930	1958.3	NRPW	35.603973	-115.443007	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-347	R6	RIVERINE	0.028331	771.3	NRPW	35.604189	-115.440895	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-350	R6	RIVERINE	5.089509	943.4	NRPW	35.604280	-115.439148	Whisky Spring-Frontal Ivanpah Lake	235.00	
D-31-359	R6	RIVERINE	2.347303	435.1	NRPW	35.604662	-115.438035	Whisky Spring-Frontal Ivanpah Lake	235.00	
D-31-363	R6	RIVERINE	3.072397	1394.1	NRPW	35.605382	-115.434362	Whisky Spring-Frontal Ivanpah Lake	96.00	
D-31-365	R6	RIVERINE	0.687603	312.0	NRPW	35.605138	-115.434855	Whisky Spring-Frontal Ivanpah Lake	96.00	
D-31-369	R6	RIVERINE	1.300000	629.2	NRPW	35.605266	-115.430291	Whisky Spring-Frontal Ivanpah Lake	90.00	
D-31-370	R6	RIVERINE	0.017792	484.4	NRPW	35.605553	-115.430023	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-371	R6	RIVERINE	0.040900	445.4	NRPW	35.605608	-115.429268	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-373	R6	RIVERINE	0.028599	778.6	NRPW	35.605559	-115.431512	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-375	R6	RIVERINE	0.004852	132.1	NRPW	35.605699	-115.431751	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-376	R6	RIVERINE	1.056818	511.5	NRPW	35.605465	-115.431043	Whisky Spring-Frontal Ivanpah Lake	90.00	
D-31-378	R6	RIVERINE	0.015331	417.4	NRPW	35.605832	-115.427947	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-379	R6	RIVERINE	0.014913	406.0	NRPW	35.605808	-115.428008	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-380	R6	RIVERINE	0.015783	429.7	NRPW	35.606016	-115.426744	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-381	R6	RIVERINE	0.015196	413.7	NRPW	35.605987	-115.426640	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-382	R6	RIVERINE	0.015089	410.8	NRPW	35.606140	-115.425565	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-383	R6	RIVERINE	0.017142	466.7	NRPW	35.606183	-115.425186	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-384	R6	RIVERINE	0.017543	477.6	NRPW	35.606307	-115.424275	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-385	R6	RIVERINE	0.004158	113.2	NRPW	35.606689	-115.424443	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-386	R6	RIVERINE	0.016073	437.6	NRPW	35.606447	-115.423057	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-387	R6	RIVERINE	0.013039	355.0	NRPW	35.606571	-115.422808	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-388	R6	RIVERINE	0.015074	410.4	NRPW	35.606604	-115.422097	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-389	R6	RIVERINE	0.010938	297.8	NRPW	35.606740	-115.422208	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-390	R6	RIVERINE	0.014659	399.1	NRPW	35.606648	-115.421558	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-391	R6	RIVERINE	0.016338	444.8	NRPW	35.606739	-115.421112	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-392	R6	RIVERINE	0.080220	436.8	NRPW	35.606896	-115.420000	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-393	R6	RIVERINE	0.015519	422.5	NRPW	35.607062	-115.418676	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-394	R6	RIVERINE	0.014461	393.7	NRPW	35.607100	-115.418232	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-395	R6	RIVERINE	0.009054	246.5	NRPW	35.606859	-115.418380	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-396	R6	RIVERINE	0.086465	470.8	NRPW	35.607088	-115.417852	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-399	R6	RIVERINE	0.017469	475.6	NRPW	35.607561	-115.415678	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-400	R6	RIVERINE	0.009087	247.4	NRPW	35.607720	-115.415467	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-401	R6	RIVERINE	0.009517	259.1	NRPW	35.607763	-115.415664	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-402	R6	RIVERINE	0.015133	412.0	NRPW	35.607674	-115.414203	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-403	R6	RIVERINE	0.015456	420.8	NRPW	35.607672	-115.414069	Whisky Spring-Frontal Ivanpah Lake	1.60	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-31-404	R6	RIVERINE	0.016040	436.7	NRPW	35.607725	-115.413884	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-405	R6	RIVERINE	0.004926	134.1	NRPW	35.608051	-115.414285	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-406	R6	RIVERINE	0.015578	424.1	NRPW	35.607877	-115.412810	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-407	R6	RIVERINE	0.016312	444.1	NRPW	35.608144	-115.411586	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-408	R6	RIVERINE	0.014200	386.6	NRPW	35.608276	-115.411208	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-409	R6	RIVERINE	0.006307	171.7	NRPW	35.607959	-115.411093	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-410	R6	RIVERINE	0.014094	383.7	NRPW	35.608370	-115.410676	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-411	R6	RIVERINE	0.000353	9.6	NRPW	35.608053	-115.410181	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-412	R6	RIVERINE	0.004242	115.5	NRPW	35.608540	-115.411365	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-413	R6	RIVERINE	0.006417	174.7	NRPW	35.609059	-115.408638	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-414	R6	RIVERINE	0.004580	399.0	NRPW	35.545059	-115.508601	Whisky Spring-Frontal Ivanpah Lake	0.50	31D1
D-31-415	R6	RIVERINE	0.502562	405.4	NRPW	35.546159	-115.508477	Whisky Spring-Frontal Ivanpah Lake	54.00	
D-31-416	R6	RIVERINE	0.031990	464.5	NRPW	35.550995	-115.507915	Whisky Spring-Frontal Ivanpah Lake	3.00	
D-31-417	R6	RIVERINE	0.813017	393.5	NRPW	35.553765	-115.507585	Whisky Spring-Frontal Ivanpah Lake	90.00	
D-31-419	R6	RIVERINE	0.040088	406.1	NRPW	35.555100	-115.507427	Whisky Spring-Frontal Ivanpah Lake	4.30	
D-31-421	R6	RIVERINE	0.868182	420.2	NRPW	35.565872	-115.506205	Whisky Spring-Frontal Ivanpah Lake	90.00	
D-31-422	R6	RIVERINE	0.040779	413.1	NRPW	35.575737	-115.504940	Whisky Spring-Frontal Ivanpah Lake	4.30	
D-31-424	R6	RIVERINE	0.038400	389.0	NRPW	35.580656	-115.503545	Whisky Spring-Frontal Ivanpah Lake	4.30	
D-31-426	R6	RIVERINE	0.117883	513.5	NRPW	35.586520	-115.500302	Whisky Spring-Frontal Ivanpah Lake	10.00	
D-31-427	R6	RIVERINE	0.014733	401.1	NRPW	35.582552	-115.502743	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-428	R6	RIVERINE	0.020327	553.4	NRPW	35.584442	-115.501721	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-429	R6	RIVERINE	0.279339	405.6	NRPW	35.585242	-115.501116	Whisky Spring-Frontal Ivanpah Lake	30.00	
D-31-430	R6	RIVERINE	0.031864	867.5	NRPW	35.599666	-115.474430	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-431	R6	RIVERINE	0.024937	678.9	NRPW	35.601916	-115.456721	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-433	R6	RIVERINE	0.023857	649.5	NRPW	35.602921	-115.449267	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-434	R6	RIVERINE	0.137549	1393.4	NRPW	35.604552	-115.437755	Whisky Spring-Frontal Ivanpah Lake	4.30	
D-31-435	R6	RIVERINE	0.157484	857.5	NRPW	35.602042	-115.452457	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-436	R6	RIVERINE	0.821304	1788.8	NRPW	35.602758	-115.452720	Whisky Spring-Frontal Ivanpah Lake	20.00	
D-31-437	R6	RIVERINE	0.017866	486.4	NRPW	35.551751	-115.507883	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-438	R6	RIVERINE	0.314738	457.0	NRPW	35.550706	-115.507922	Whisky Spring-Frontal Ivanpah Lake	30.00	
D-31-439	R6	RIVERINE	0.007129	194.1	NRPW	35.609016	-115.408864	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-440	R6	RIVERINE	0.008720	237.4	NRPW	35.608917	-115.409003	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-441	R6	RIVERINE	0.009818	267.3	NRPW	35.608761	-115.409461	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-442	R6	RIVERINE	0.001139	31.0	NRPW	35.609891	-115.406728	Whisky Spring-Frontal Ivanpah Lake	1.60	
D-31-443	R6	RIVERINE	0.126777	920.4	NRPW	35.601616	-115.459635	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-444	R6	RIVERINE	0.039995	871.1	NRPW	35.598223	-115.481221	Whisky Spring-Frontal Ivanpah Lake	2.00	
D-31-445	R6	RIVERINE	0.065767	716.2	NRPW	35.598765	-115.479320	Whisky Spring-Frontal Ivanpah Lake	4.00	
D-31-446	R6	RIVERINE	0.023434	510.4	NRPW	35.589442	-115.497511	Whisky Spring-Frontal Ivanpah Lake	2.00	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-31-447	R6	RIVERINE	0.018884	411.3	NRPW	35.583072	-115.502514	Whisky Spring-Frontal Ivanpah Lake	2.00	
D-31-448	R6	RIVERINE	0.020372	443.7	NRPW	35.549828	-115.508052	Whisky Spring-Frontal Ivanpah Lake	2.00	
D-31-449	R6	RIVERINE	0.059270	430.3	NRPW	35.549129	-115.508109	Whisky Spring-Frontal Ivanpah Lake	6.00	
D-31-450	R6	RIVERINE	0.019151	417.1	NRPW	35.547691	-115.508322	Whisky Spring-Frontal Ivanpah Lake	2.00	
D-31-451	R6	RIVERINE	0.080129	436.3	NRPW	35.546664	-115.508445	Whisky Spring-Frontal Ivanpah Lake	8.00	
D-31-452	R6	RIVERINE	0.005072	157.8	NRPW	35.613675	-115.397904	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-453	R6	RIVERINE	0.011146	346.8	NRPW	35.613572	-115.397759	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-454	R6	RIVERINE	0.013508	420.3	NRPW	35.613774	-115.397454	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-455	R6	RIVERINE	0.006299	196.0	NRPW	35.614049	-115.398075	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-456	R6	RIVERINE	0.002594	80.7	NRPW	35.614390	-115.397679	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-457	R6	RIVERINE	0.006058	188.5	NRPW	35.614284	-115.397666	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-458	R6	RIVERINE	0.006936	215.8	NRPW	35.614170	-115.397634	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-459	R6	RIVERINE	0.002854	88.8	NRPW	35.613851	-115.397892	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-460	R6	RIVERINE	0.002722	84.7	NRPW	35.613785	-115.397904	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-461	R6	RIVERINE	0.003098	96.4	NRPW	35.614109	-115.397858	Whisky Spring-Frontal Ivanpah Lake	1.40	
D-31-462	R6	RIVERINE	0.004792	417.5	NRPW	35.544638	-115.508626	Whisky Spring-Frontal Ivanpah Lake	0.50	31D5
D-32-1	R6	RIVERINE	0.016336	355.8	NRPW	35.615488	-115.394535	Porter Wash-Frontal Ivanpah Lake	2.00	
D-32-2	R6	RIVERINE	0.001883	58.6	NRPW	35.616129	-115.393801	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-5	R6	RIVERINE	0.005483	170.6	NRPW	35.618379	-115.391743	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-6	R6	RIVERINE	0.009841	306.2	NRPW	35.618542	-115.391457	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-7	R6	RIVERINE	0.012296	82.4	NRPW	35.619980	-115.391589	Porter Wash-Frontal Ivanpah Lake	6.50	
D-32-8	R6	RIVERINE	0.043169	289.3	NRPW	35.620134	-115.391296	Porter Wash-Frontal Ivanpah Lake	6.50	
D-32-11	R6	RIVERINE	0.014813	460.9	NRPW	35.621909	-115.389492	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-13	R6	RIVERINE	0.010477	380.3	NRPW	35.625101	-115.387671	Porter Wash-Frontal Ivanpah Lake	1.20	32D18W
D-32-14	R6	RIVERINE	0.004013	218.5	NRPW	35.625054	-115.387339	Porter Wash-Frontal Ivanpah Lake	0.80	
D-32-15	R6	RIVERINE	0.003295	179.4	NRPW	35.625044	-115.387850	Porter Wash-Frontal Ivanpah Lake	0.80	
D-32-16	R6	RIVERINE	0.002937	159.9	NRPW	35.625009	-115.387935	Porter Wash-Frontal Ivanpah Lake	0.80	
D-32-17	R6	RIVERINE	0.006500	353.9	NRPW	35.624950	-115.387683	Porter Wash-Frontal Ivanpah Lake	0.80	32D17W
D-32-18	R6	RIVERINE	0.007742	240.9	NRPW	35.624838	-115.387610	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-19	R6	RIVERINE	0.011271	350.7	NRPW	35.626189	-115.387494	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-20	R6	RIVERINE	0.011943	371.6	NRPW	35.626005	-115.387591	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-22	R6	RIVERINE	0.013855	431.1	NRPW	35.626802	-115.387060	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-23	R6	RIVERINE	0.009729	302.7	NRPW	35.626701	-115.387285	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-25	R6	RIVERINE	0.011831	368.1	NRPW	35.629197	-115.386397	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-26	R6	RIVERINE	0.010304	320.6	NRPW	35.629326	-115.386445	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-27	R6	RIVERINE	0.011230	349.4	NRPW	35.629476	-115.386330	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-28	R6	RIVERINE	0.007852	244.3	NRPW	35.629690	-115.386590	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-29	R6	RIVERINE	0.008842	275.1	NRPW	35.630529	-115.386269	Porter Wash-Frontal Ivanpah Lake	1.40	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-32-30	R6	RIVERINE	0.001980	61.6	NRPW	35.630543	-115.386581	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-31	R6	RIVERINE	0.003085	96.0	NRPW	35.630377	-115.386557	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-32	R6	RIVERINE	0.002227	69.3	NRPW	35.630334	-115.386665	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-33	R6	RIVERINE	0.009533	296.6	NRPW	35.631936	-115.386000	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-34	R6	RIVERINE	0.007125	221.7	NRPW	35.632100	-115.385782	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-35	R6	RIVERINE	0.006698	208.4	NRPW	35.632000	-115.386120	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-36	R6	RIVERINE	0.008729	271.6	NRPW	35.632402	-115.385909	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-37	R6	RIVERINE	0.005187	161.4	NRPW	35.632505	-115.386054	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-38	R6	RIVERINE	0.002848	88.6	NRPW	35.632474	-115.386195	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-39	R6	RIVERINE	0.010429	324.5	NRPW	35.632821	-115.385733	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-40	R6	RIVERINE	0.004480	139.4	NRPW	35.632917	-115.386018	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-41	R6	RIVERINE	0.008315	258.7	NRPW	35.633013	-115.385808	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-42	R6	RIVERINE	0.007235	225.1	NRPW	35.634312	-115.385744	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-44	R6	RIVERINE	0.008687	270.3	NRPW	35.634897	-115.385475	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-45	R6	RIVERINE	0.009684	301.3	NRPW	35.635163	-115.385392	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-46	R6	RIVERINE	0.008128	252.9	NRPW	35.635234	-115.385471	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-47	R6	RIVERINE	0.007848	244.2	NRPW	35.635665	-115.385400	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-48	R6	RIVERINE	0.008996	279.9	NRPW	35.635586	-115.385467	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-49	R6	RIVERINE	0.007264	226.0	NRPW	35.636435	-115.385277	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-50	R6	RIVERINE	0.007511	233.7	NRPW	35.636725	-115.385232	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-51	R6	RIVERINE	0.005557	172.9	NRPW	35.636669	-115.385349	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-53	R6	RIVERINE	0.005438	169.2	NRPW	35.637159	-115.385237	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-54	R6	RIVERINE	0.004223	131.4	NRPW	35.637071	-115.385325	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-55	R6	RIVERINE	0.003021	94.0	NRPW	35.637128	-115.385384	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-56	R6	RIVERINE	0.007755	241.3	NRPW	35.637778	-115.385032	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-57	R6	RIVERINE	0.006560	204.1	NRPW	35.637856	-115.385144	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-58	R6	RIVERINE	0.007758	241.4	NRPW	35.638089	-115.384984	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-60	R6	RIVERINE	0.007421	230.9	NRPW	35.638159	-115.384977	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-61	R6	RIVERINE	0.001668	51.9	NRPW	35.638242	-115.385275	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-65	R6	RIVERINE	0.009096	283.0	NRPW	35.638758	-115.384823	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-66	R6	RIVERINE	0.007797	242.6	NRPW	35.638840	-115.384856	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-67	R6	RIVERINE	0.001610	50.1	NRPW	35.638821	-115.385171	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-68	R6	RIVERINE	0.004541	141.3	NRPW	35.638756	-115.385027	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-69	R6	RIVERINE	0.007820	243.3	NRPW	35.638525	-115.384850	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-70	R6	RIVERINE	0.002446	76.1	NRPW	35.638577	-115.385174	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-72	R6	RIVERINE	0.008376	260.6	NRPW	35.639215	-115.384756	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-73	R6	RIVERINE	0.005573	173.4	NRPW	35.639050	-115.384957	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-74	R6	RIVERINE	0.007418	230.8	NRPW	35.639871	-115.384718	Porter Wash-Frontal Ivanpah Lake	1.40	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-32-75	R6	RIVERINE	0.009295	289.2	NRPW	35.639986	-115.384615	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-76	R6	RIVERINE	0.004348	135.3	NRPW	35.640068	-115.384827	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-77	R6	RIVERINE	0.005837	181.6	NRPW	35.640252	-115.384719	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-78	R6	RIVERINE	0.008941	278.2	NRPW	35.640088	-115.384599	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-79	R6	RIVERINE	0.008874	276.1	NRPW	35.640541	-115.384520	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-80	R6	RIVERINE	0.008408	261.6	NRPW	35.641222	-115.384413	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-82	R6	RIVERINE	0.004895	152.3	NRPW	35.641235	-115.384592	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-84	R6	RIVERINE	0.011815	367.6	NRPW	35.641824	-115.384188	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-85	R6	RIVERINE	0.008739	271.9	NRPW	35.642081	-115.384252	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-86	R6	RIVERINE	0.002928	91.1	NRPW	35.641895	-115.384585	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-87	R6	RIVERINE	0.008530	265.4	NRPW	35.642666	-115.384185	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-88	R6	RIVERINE	0.005056	157.3	NRPW	35.642541	-115.384259	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-89	R6	RIVERINE	0.008449	262.9	NRPW	35.642771	-115.384142	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-91	R6	RIVERINE	0.014821	339.8	NRPW	35.643672	-115.383889	Porter Wash-Frontal Ivanpah Lake	1.90	32M16W
D-32-92	R6	RIVERINE	0.004384	136.4	NRPW	35.643771	-115.384181	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-93	R6	RIVERINE	0.002504	77.9	NRPW	35.643689	-115.384282	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-94	R6	RIVERINE	0.002263	70.4	NRPW	35.643661	-115.384299	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-95	R6	RIVERINE	0.008466	263.4	NRPW	35.644139	-115.383876	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-96	R6	RIVERINE	0.003127	97.3	NRPW	35.644258	-115.384147	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-97	R6	RIVERINE	0.007241	225.3	NRPW	35.644513	-115.383876	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-98	R6	RIVERINE	0.007074	220.1	NRPW	35.644906	-115.383789	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-99	R6	RIVERINE	0.006582	204.8	NRPW	35.646192	-115.383496	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-100	R6	RIVERINE	0.006457	200.9	NRPW	35.646930	-115.383323	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-101	R6	RIVERINE	0.005901	183.6	NRPW	35.647146	-115.383258	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-102	R6	RIVERINE	0.005399	168.0	NRPW	35.647395	-115.383210	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-116	R6	RIVERINE	0.012946	402.8	NRPW	35.626604	-115.387130	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-120	R6	RIVERINE	0.001578	49.1	NRPW	35.640635	-115.384858	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-121	R6	RIVERINE	0.004281	133.2	NRPW	35.640664	-115.384742	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-123	R6	RIVERINE	0.006669	207.5	NRPW	35.641940	-115.384290	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-125	R6	RIVERINE	0.011281	351.0	NRPW	35.645789	-115.383424	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-136	R6	RIVERINE	0.003465	107.8	NRPW	35.716083	-115.363776	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-137	R6	RIVERINE	0.003680	114.5	NRPW	35.716275	-115.364187	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-139	R6	RIVERINE	0.006471	104.4	NRPW	35.719925	-115.362388	Porter Wash-Frontal Ivanpah Lake	2.70	
D-32-140	R6	RIVERINE	0.016184	261.1	NRPW	35.720396	-115.362778	Porter Wash-Frontal Ivanpah Lake	2.70	32D9E
D-32-142	R6	RIVERINE	0.031799	213.1	NRPW	35.725743	-115.360838	Porter Wash-Frontal Ivanpah Lake	6.50	32M11E
D-32-143	R6	RIVERINE	0.020518	137.5	NRPW	35.725292	-115.360457	Porter Wash-Frontal Ivanpah Lake	6.50	
D-32-146	R6	RIVERINE	0.012325	447.4	NRPW	35.734768	-115.357531	Porter Wash-Frontal Ivanpah Lake	1.20	32D12E
D-32-147	R6	RIVERINE	0.013573	422.3	NRPW	35.621887	-115.389555	Porter Wash-Frontal Ivanpah Lake	1.40	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-32-148	R6	RIVERINE	0.044573	647.2	NRPW	35.621454	-115.390122	Porter Wash-Frontal Ivanpah Lake	3.00	
D-32-149	R6	RIVERINE	0.003709	115.4	NRPW	35.630251	-115.386546	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-152	R6	RIVERINE	0.004426	137.7	NRPW	35.638468	-115.385087	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-153	R6	RIVERINE	0.010551	328.3	NRPW	35.637469	-115.384933	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-154	R6	RIVERINE	0.009661	300.6	NRPW	35.637425	-115.384976	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-155	R6	RIVERINE	0.002086	64.9	NRPW	35.637043	-115.385445	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-156	R6	RIVERINE	0.007591	236.2	NRPW	35.636584	-115.385238	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-157	R6	RIVERINE	0.011027	343.1	NRPW	35.634541	-115.385435	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-158	R6	RIVERINE	0.003629	112.9	NRPW	35.632077	-115.386204	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-159	R6	RIVERINE	0.009182	285.7	NRPW	35.631707	-115.386055	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-160	R6	RIVERINE	0.002764	86.0	NRPW	35.629396	-115.386749	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-161	R6	RIVERINE	0.011567	359.9	NRPW	35.621594	-115.389889	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-162	R6	RIVERINE	0.010551	328.3	NRPW	35.618004	-115.392448	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-163	R6	RIVERINE	0.008263	257.1	NRPW	35.617670	-115.392448	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-164	R6	RIVERINE	0.003574	111.2	NRPW	35.617979	-115.392020	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-165	R6	RIVERINE	0.002134	66.4	NRPW	35.618023	-115.391921	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-166	R6	RIVERINE	0.005512	171.5	NRPW	35.616455	-115.393715	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-167	R6	RIVERINE	0.003124	97.2	NRPW	35.617178	-115.392791	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-168	R6	RIVERINE	0.006447	200.6	NRPW	35.616966	-115.392924	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-169	R6	RIVERINE	0.007029	218.7	NRPW	35.615884	-115.394643	Porter Wash-Frontal Ivanpah Lake	1.40	
D-32-172	R6	RIVERINE	0.007764	338.2	NRPW	35.730491	-115.358870	Porter Wash-Frontal Ivanpah Lake	1.00	
D-32-173	R6	RIVERINE	0.006442	280.6	NRPW	35.728915	-115.359469	Porter Wash-Frontal Ivanpah Lake	1.00	
D-32-174	R6	RIVERINE	0.003910	170.3	NRPW	35.725535	-115.360866	Porter Wash-Frontal Ivanpah Lake	1.00	
D-32-175	R6	RIVERINE	0.009798	426.8	NRPW	35.723520	-115.361623	Porter Wash-Frontal Ivanpah Lake	1.00	
D-32-176	R6	RIVERINE	0.008955	390.1	NRPW	35.721630	-115.362081	Porter Wash-Frontal Ivanpah Lake	1.00	32M10E
D-32-177	R6	RIVERINE	0.008705	379.2	NRPW	35.718163	-115.363517	Porter Wash-Frontal Ivanpah Lake	1.00	32BD8E
D-32-178	R6	RIVERINE	0.006573	286.3	NRPW	35.711433	-115.365592	Porter Wash-Frontal Ivanpah Lake	1.00	
D-32-179	R6	RIVERINE	0.047397	344.1	NRPW	35.708881	-115.366448	Porter Wash-Frontal Ivanpah Lake	6.00	
D-32-180	R6	RIVERINE	0.015601	339.8	NRPW	35.706422	-115.367264	Porter Wash-Frontal Ivanpah Lake	2.00	
D-32-181	R6	RIVERINE	0.007427	323.5	NRPW	35.704457	-115.367998	Porter Wash-Frontal Ivanpah Lake	1.00	32M7E
D-32-182	R6	RIVERINE	0.003375	24.5	NRPW	35.652897	-115.381832	Porter Wash-Frontal Ivanpah Lake	6.00	
D-32-183	R6	RIVERINE	0.002169	31.5	NRPW	35.651369	-115.382319	Porter Wash-Frontal Ivanpah Lake	3.00	
D-32-184	R6	RIVERINE	0.002355	34.2	NRPW	35.651695	-115.382241	Porter Wash-Frontal Ivanpah Lake	3.00	
D-32-185	R6	RIVERINE	0.006701	97.3	NRPW	35.650932	-115.382330	Porter Wash-Frontal Ivanpah Lake	3.00	
D-32-186	R6	RIVERINE	0.018802	273.0	NRPW	35.648948	-115.382915	Porter Wash-Frontal Ivanpah Lake	3.00	
D-32-187	R6	RIVERINE	0.015709	228.1	NRPW	35.647750	-115.383213	Porter Wash-Frontal Ivanpah Lake	3.00	
D-32-188	R6	RIVERINE	0.004197	182.8	NRPW	35.648079	-115.383098	Porter Wash-Frontal Ivanpah Lake	1.00	
D-33-1	R6	RIVERINE	0.108259	280.7	NRPW	35.770669	-115.334695	Town of Jean-Frontal Ivanpah Lake	16.80	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-33-2	R6	RIVERINE	0.044930	301.1	NRPW	35.783761	-115.325119	Town of Jean-Frontal Ivanpah Lake	6.50	33MD5E
D-33-13	R6	RIVERINE	0.019728	452.3	NRPW	35.804225	-115.309979	Town of Jean-Frontal Ivanpah Lake	1.90	33D10E
D-33-14	R6	RIVERINE	0.020937	570.0	NRPW	35.805612	-115.309261	Town of Jean-Frontal Ivanpah Lake	1.60	
D-33-15	R6	RIVERINE	0.012533	341.2	NRPW	35.805433	-115.308924	Town of Jean-Frontal Ivanpah Lake	1.60	
D-33-32	R6	RIVERINE	0.010182	369.6	NRPW	35.735733	-115.356830	Town of Jean-Frontal Ivanpah Lake	1.20	
D-33-33	R6	RIVERINE	0.038394	257.3	NRPW	35.741257	-115.355130	Town of Jean-Frontal Ivanpah Lake	6.50	33M12E
D-33-38	R6	RIVERINE	0.046362	310.7	NRPW	35.755954	-115.345495	Town of Jean-Frontal Ivanpah Lake	6.50	
D-33-41	R6	RIVERINE	0.046646	312.6	NRPW	35.757616	-115.344299	Town of Jean-Frontal Ivanpah Lake	6.50	33M2E
D-33-54	R6	RIVERINE	0.025784	320.9	NRPW	35.765231	-115.338710	Town of Jean-Frontal Ivanpah Lake	3.50	
D-33-63	R6	RIVERINE	0.012598	457.3	NRPW	35.792512	-115.318676	Town of Jean-Frontal Ivanpah Lake	1.20	33D8E
D-33-64	R6	RIVERINE	0.015614	425.1	NRPW	35.794382	-115.317251	Town of Jean-Frontal Ivanpah Lake	1.60	
D-33-69	R6	RIVERINE	1.456612	2115.0	NRPW	35.773429	-115.332523	Town of Jean-Frontal Ivanpah Lake	30.00	
D-33-70	R6	RIVERINE	0.016166	352.1	NRPW	35.797049	-115.315382	Town of Jean-Frontal Ivanpah Lake	2.00	
D-33-150	R6	RIVERINE	0.009031	393.4	NRPW	35.753634	-115.347256	Town of Jean-Frontal Ivanpah Lake	1.00	33M1E
D-33-153	R6	RIVERINE	0.010220	445.2	NRPW	35.742259	-115.354495	Town of Jean-Frontal Ivanpah Lake	1.00	33M13E
D-33-168	R6	RIVERINE	0.026198	190.2	NRPW	35.773388	-115.332915	Town of Jean-Frontal Ivanpah Lake	6.00	
D-33-169	R6	RIVERINE	0.021529	312.6	NRPW	35.785445	-115.323891	Town of Jean-Frontal Ivanpah Lake	3.00	33M6E
D-33-170	R6	RIVERINE	0.025324	367.7	NRPW	35.787890	-115.321925	Town of Jean-Frontal Ivanpah Lake	3.00	
D-33-171	R6	RIVERINE	0.024056	349.3	NRPW	35.789974	-115.320513	Town of Jean-Frontal Ivanpah Lake	3.00	
D-33-173	R6	RIVERINE	0.017916	390.2	NRPW	35.798951	-115.313924	Town of Jean-Frontal Ivanpah Lake	2.00	
D-33-174	R6	RIVERINE	0.018338	399.4	NRPW	35.801904	-115.311845	Town of Jean-Frontal Ivanpah Lake	2.00	33M9E
D-33-175	R6	RIVERINE	0.015510	337.8	NRPW	35.808062	-115.307250	Town of Jean-Frontal Ivanpah Lake	2.00	33M11E
D-33-176	R6	RIVERINE	0.006423	139.9	NRPW	35.810885	-115.305453	Town of Jean-Frontal Ivanpah Lake	2.00	
D-33-177	R6	RIVERINE	0.027392	596.6	NRPW	35.809623	-115.306172	Town of Jean-Frontal Ivanpah Lake	2.00	
D-33-178	R6	RIVERINE	0.018292	398.4	NRPW	35.809135	-115.306448	Town of Jean-Frontal Ivanpah Lake	2.00	
D-33-179	R6	RIVERINE	0.007879	171.6	NRPW	35.812532	-115.304270	Town of Jean-Frontal Ivanpah Lake	2.00	
D-34-3	R6	RIVERINE	0.171967	346.8	NRPW	35.745822	-115.352857	Lookout Peak	21.60	34MD1E
D-34-4	R6	RIVERINE	0.005475	238.5	NRPW	35.746993	-115.352289	Lookout Peak	1.00	
D-34-5	R6	RIVERINE	0.025393	368.7	NRPW	35.746233	-115.352643	Lookout Peak	3.00	
D-34-6	R6	RIVERINE	0.007307	318.3	NRPW	35.747499	-115.351701	Lookout Peak	1.00	34BD2E
D-34-7	R6	RIVERINE	0.006899	300.5	NRPW	35.749153	-115.350539	Lookout Peak	1.00	34BD3E
D-34-8	R6	RIVERINE	0.006123	266.7	NRPW	35.748883	-115.350575	Lookout Peak	1.00	
D-34-9	R6	RIVERINE	0.008907	388.0	NRPW	35.749804	-115.350115	Lookout Peak	1.00	34BD4E
D-34-10	R6	RIVERINE	0.007156	311.7	NRPW	35.750311	-115.349647	Lookout Peak	1.00	
D-34-11	R6	RIVERINE	0.004658	202.9	NRPW	35.750558	-115.349651	Lookout Peak	1.00	
D-34-12	R6	RIVERINE	0.008338	363.2	NRPW	35.744803	-115.353429	Lookout Peak	1.00	
D-34-13	R6	RIVERINE	0.007867	342.7	NRPW	35.745111	-115.353341	Lookout Peak	1.00	
D-34-14	R6	RIVERINE	0.006031	262.7	NRPW	35.750388	-115.351637	Lookout Peak	1.00	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-34-15	R6	RIVERINE	0.010110	293.6	NRPW	35.752096	-115.350510	Lookout Peak	1.50	34D6
D-35-1	R6	RIVERINE	0.044900	300.9	NRPW	35.764636	-115.339150	Town of Goodsprings	6.50	35M3E
D-35-2	R6	RIVERINE	0.051242	343.4	NRPW	35.762201	-115.340943	Town of Goodsprings	6.50	35M1E
D-36-2	R6	RIVERINE	0.042417	302.9	NRPW	35.838167	-115.279372	160600151401-Frontal Jean Lake	6.10	
D-36-19	R6	RIVERINE	0.022031	369.1	NRPW	35.844314	-115.272385	160600151401-Frontal Jean Lake	2.60	
D-36-25	R6	RIVERINE	0.017727	297.0	NRPW	35.850130	-115.265552	160600151401-Frontal Jean Lake	2.60	
D-36-27	R6	RIVERINE	0.020049	335.9	NRPW	35.858925	-115.255466	160600151401-Frontal Jean Lake	2.60	
D-36-29	R6	RIVERINE	0.044070	314.7	NRPW	35.821040	-115.297775	160600151401-Frontal Jean Lake	6.10	
D-36-31	R6	RIVERINE	0.024747	414.6	NRPW	35.824426	-115.294968	160600151401-Frontal Jean Lake	2.60	
D-36-34	R6	RIVERINE	0.018490	298.3	NRPW	35.830376	-115.288272	160600151401-Frontal Jean Lake	2.70	36D1
D-36-35	R6	RIVERINE	0.014101	245.7	NRPW	35.830310	-115.288393	160600151401-Frontal Jean Lake	2.50	36D2
D-36-38	R6	RIVERINE	0.049669	360.6	NRPW	35.835818	-115.282002	160600151401-Frontal Jean Lake	6.00	36MD3
D-36-39	R6	RIVERINE	0.043481	310.5	NRPW	35.839586	-115.277726	160600151401-Frontal Jean Lake	6.10	
D-36-41	R6	RIVERINE	0.016742	280.5	NRPW	35.840721	-115.276429	160600151401-Frontal Jean Lake	2.60	
D-36-42	R6	RIVERINE	0.071993	514.1	NRPW	35.842447	-115.274381	160600151401-Frontal Jean Lake	6.10	
D-36-46	R6	RIVERINE	0.117529	538.9	NRPW	35.852267	-115.263175	160600151401-Frontal Jean Lake	9.50	36MD6
D-36-47	R6	RIVERINE	0.009037	151.4	NRPW	35.852231	-115.263440	160600151401-Frontal Jean Lake	2.60	
D-36-49	R6	RIVERINE	0.036427	610.3	NRPW	35.853593	-115.261582	160600151401-Frontal Jean Lake	2.60	
D-36-52	R6	RIVERINE	0.016838	282.1	NRPW	35.856602	-115.258209	160600151401-Frontal Jean Lake	2.60	
D-36-53	R6	RIVERINE	0.020819	348.8	NRPW	35.856869	-115.257735	160600151401-Frontal Jean Lake	2.60	
D-36-54	R6	RIVERINE	0.017220	288.5	NRPW	35.857923	-115.256700	160600151401-Frontal Jean Lake	2.60	
D-36-59	R6	RIVERINE	0.016939	283.8	NRPW	35.861154	-115.252961	160600151401-Frontal Jean Lake	2.60	
D-36-61	R6	RIVERINE	0.016862	282.5	NRPW	35.863305	-115.250510	160600151401-Frontal Jean Lake	2.60	
D-36-63	R6	RIVERINE	0.019172	321.2	NRPW	35.867434	-115.245838	160600151401-Frontal Jean Lake	2.60	
D-36-67	R6	RIVERINE	0.021995	368.5	NRPW	35.841563	-115.275457	160600151401-Frontal Jean Lake	2.60	
D-36-68	R6	RIVERINE	0.041437	295.9	NRPW	35.839749	-115.277449	160600151401-Frontal Jean Lake	6.10	
D-36-71	R6	RIVERINE	0.018067	302.7	NRPW	35.844743	-115.271818	160600151401-Frontal Jean Lake	2.60	
D-36-74	R6	RIVERINE	0.017071	286.0	NRPW	35.854948	-115.260075	160600151401-Frontal Jean Lake	2.60	
D-36-78	R6	RIVERINE	0.045680	326.2	NRPW	35.831369	-115.287231	160600151401-Frontal Jean Lake	6.10	
D-36-79	R6	RIVERINE	0.017751	309.3	NRPW	35.836172	-115.281654	160600151401-Frontal Jean Lake	2.50	36D4
D-36-82	R6	RIVERINE	0.021255	356.1	NRPW	35.850836	-115.264571	160600151401-Frontal Jean Lake	2.60	
D-36-87	R6	RIVERINE	0.017980	391.6	NRPW	35.822747	-115.296472	160600151401-Frontal Jean Lake	2.00	
D-36-88	R6	RIVERINE	0.014757	321.4	NRPW	35.834627	-115.283461	160600151401-Frontal Jean Lake	2.00	
D-36-89	R6	RIVERINE	0.017571	382.7	NRPW	35.835047	-115.282947	160600151401-Frontal Jean Lake	2.00	
D-36-90	R6	RIVERINE	0.013058	284.4	NRPW	35.835298	-115.282590	160600151401-Frontal Jean Lake	2.00	
D-36-92	R6	RIVERINE	0.013012	283.4	NRPW	35.838803	-115.278550	160600151401-Frontal Jean Lake	2.00	
D-36-93	R6	RIVERINE	0.014633	318.7	NRPW	35.837107	-115.280550	160600151401-Frontal Jean Lake	2.00	
D-36-94	R6	RIVERINE	0.014894	324.4	NRPW	35.836422	-115.281363	160600151401-Frontal Jean Lake	2.00	

Exhibit B1. Study Area Field Data for Areas Potentially Subject to Corps Jurisdiction, HUC-8 Ivanpah-Pahrump Valleys, Preferred Route Drainages, DesertXpress Project

Waters_ Name	Cowardin_ Code	HGM_Code	Area (acres)	Linear (ft)	Waters Types	Latitude (dd nad83)	Longitude (dd nad83)	Local_Waterway	width (OHWM)	HBG Data Field Point
D-36-95	R6	RIVERINE	0.044848	325.6	NRPW	35.843082	-115.273772	160600151401-Frontal Jean Lake	6.00	
D-36-96	R6	RIVERINE	0.016157	351.9	NRPW	35.848158	-115.267685	160600151401-Frontal Jean Lake	2.00	
D-36-97	R6	RIVERINE	0.013719	298.8	NRPW	35.847650	-115.268386	160600151401-Frontal Jean Lake	2.00	
D-36-98	R6	RIVERINE	0.015790	343.9	NRPW	35.863035	-115.250722	160600151401-Frontal Jean Lake	2.00	
		Totals:	**44.172045**	**207367.4**						

Exhibit B2

Field Data

(See attached CD in PDF format.)

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Abronia villosa	NL	=*A. v.* var. *aurita* =*A. v.* var. *villosa* =*Bastardiopsis eggersii*	DESERT SAND VERBENA	NL	NL	Herb
Acacia gregii	*Acacia gregii*	NA	CATCLAW ACACIA	FACU	FACU	Shrub
Achnatherum speciosum	NL	=*Stipa speciosa*	DESERT STIPA	NL	NL	Shrub
Adenophyllum porophylloides	NL	= *Dyssodia porophylloides*	SAN FELIPE DOGWEED	NL	NL	Shrub
Allenrolfea occidentalis	*Allenrolfea occidentalis*	NA	IODINE BUSH	FACW+	FACW	Shrub
Ambrosia dumosa	NL	= *Fransera dumosa*	BURROWEED	NL	NL	Shrub
Ambrosia eriocentra	NL	= *Fransera eriosentra*	RAGWEED	NL	NL	Shrub
Amsinckia tesselata	NL	= *A. conica* = *A. cuneata* = *A. mojavenensis* = *A. purpusii* = *A. rostellata* = *A. setosissima*	FIDDLE-NECK	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Amsinskia intermedeon	NL	NA	FIDDLE-NECK	NL	NL	Herb
Aristida purpurea	NL	=*A. p.* var. *fendleriana* =*A. p.* var. *longiseta* =*A. p.* var. *neallegi* =*A. p.* var. *parishii* =*A. p.* var. *purpurea* =*A. p.* var. *wrightii*	PURPLE THREE AWN	NL	NL	Herb
Asclepias californica	NL	=*A. c.* ssp. *greenei* =*A. c.* ssp. *californica*	CALIFORNIA MILKWEED	NL	NL	Herb
Asclepias curassavica	*Asclepias curassavica*	NA	SCARLET MILKWEED	FAC	NL	Herb
Atriplex canescens	*Atriplex canescens*	NA	FOUR-WINGED SALTBUSH	FACU	UPL	Shrub
Atriplex hymenelytra	NL	NA	MANY-FRUITED SALTBUSH	NL	NL	Shrub
Atriplex polycarpa	*Atriplex*	NA	MANY-FRUIT SALTBUSH	FACU	FACU	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
	polycarpa					
Avena barbata	NL	*=A. hirsuta*	SLENDER WILD OAT	NL	NL	Herb
Baccharis brachyphylla	NL	NA	SHORT LEAVED BACCHARIS	NL	NL	Shrub
Baccharis salicifolia	*Baccharis glutinosa*	*=B. glutinosa* *=B. viminea* *=Molina salicifolia*	MULE FAT	FACW-	FACW	Shrub
Baccharis sarothroides	*Baccharis sarothroides*	NA	DESERT FALSE-WILLOW	FAC	NI	Shrub
Baileya spp.	NL	NA	DESERT MARIGOLD	NL	NL	Herb
Bouteloua barbata	NL	*=B. arenosa* *=Chrondrosum barbata* *=C. exile* *=C. microstachyum* *=C. polystachyum* *=C. subscorpiodes*	SIX WEEKS GRAMA	NL	NL	Herb
Brassica tournefortii	NL	NA	ASIAN MUSTARD	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Bromus madritensis	NL	*=Anisantha madritensis =A. matritensis =Bromus maritensis*	FOXTAIL CHESS	NL	NL	Herb
Bromus rubens	NL		RIPGUT BROME	NI	NI	Herb
Bromus tectorum	NL	*=Anisantha tectorum*	CHEAT GRASS	NL	NL	Herb
Camissonia boothii	NL	*=Oenothera decorticans*	BOOTH'S EVENING PRIMROSE	NL	NL	Herb
Camissonia brevipes	NL	*=Oenothera brevipes*	YELLOW CUPS	NL	NL	Herb
Cercidium floridum	NL	NA	BLUE PALO VERDE	NL	NL	Shrub
Cercidium microphyllum	NL	NA	FOOTHILLS PALO VERDE	NL	NL	Tree
Chaenactis fremontii	NL	NA	FREMONT PINCUSHION	NL	NL	Herb
Chamaesyce albomarginata	NL	*=Euphorbia albomarginata*	RATTLESNAKE WEED	NL	NL	Herb
Chaenactis	NL	*=C c.* var.	PEBBLE PINCUSHION	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
carphoclinia		*carphoclinia* =*C. c.* var. *peirsonii*				
Chenopodium album	*Chenopodium album*	NA	WHITE GOOSEFOOT	FAC	FACU	Herb
Chilopsis linearis	*Chilopsis linearis*	NA	DESERT WILLOW	FACW*	FAC	Tree
Chorizanthe brevicorny	NL	=*C. b.* var. *brevicorny* =*C. b.* var. *spathulata*	BRITTLE SPINEFLOWER	NL	NL	Herb
Chorizanthe rigida	NL	=*Acanthogonum rigidum*	SPINEY-HERB	NL	NL	Herb
Chrysothamnus paniculatus	NL	=*Ericameria paniculatus*	MOJAVE RABBITBRUSH	NL	NL	Shrub
Coleogyne ramosisssima	NL	NA	BLACKBUSH	NL	NL	Shrub
Cryptantha pterocarya	NL	=*C. p.* var. *purposii* =*C. p.* var *cyclopetera* =*C. p.* var. *pterocarya*	WINGED NUT FORGET ME NOT	NL	NL	Herb
Cylindropuntia	NL	=*Opuntia acanthocarpa*	BUCKHORN CHOLLA	NL	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
acanthocarpa						
*Cylindroopuntia arbuscula***	NL	*Unknown*	No info. available on this species. *C. arbuscula* may = typo	NL	NL	Shrub?
Cynodon dactylon	*Cynodon dactylon*	*=Capriola dactylon =C. aristiglumis =Panicum dactylon*	BERMUDA GRASS	FAC	FAC	Herb
Descurainia sophia	NL	*=Sisymbrium Sophia*	HERB SOPHIA	NL	NL	Herb
Encelia actoni	NL	*=E. virginensis ssp. actoni*	ACTON ENCELIA	NL	NL	Shrub
Encelia farinosa	NL	NA	BRITTLE BUSH	NL	NL	Shrub
Encelia frutescens	NL	*=Simsia frustescens*	BUTTON BRITTLE BUSH	NL	NL	Shrub
Encelia virginensis	NL	*= Frutescens* var. *virginensis*	NO COMMON NAME	NL	NL	Shrub
Ephedra nevadensis	NL	NA	NEVADA EPHEDRA	NL	NL	Shrub
Ephedra viridis	NL	NA	MORMON TEA	NL	NL	Shrub
Eriastrum densifolium	NL	NA	SHRUBBY ERIASTRUM	NL	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Ericameria cooperi	NL	=*Haplopappus cooperi*	COOPER'S GOLDENBUSH	NL	NL	Shrub
Ericameria laricifolia	NL	=*Haplopappus lacrifolia*	TURPENTINE BUSH	NL	NL	Shrub
Ericameria nauseosa	NL	=*E. n.* ssp. *consimilis* =*E. n.* var. *bernardina* =*E. n.* var. *ceruminosa* =*E. n.* var. *hololeuca* =*E. n.* var. *leiosperma* =*E. n.* var. *oreophila* =*E. n.* var. *speciosa* =*E. n.* var. *washoensis* =*Chrysothamnus nauseosus*	RUBBER RABBITBRUSH	NL	NL	Shrub
Ericameria paniculata	NL	=*Chrysothamnus paniculatus*	MOJAVE RABBITBRUSH	NL	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Ericameria pinifolia	NL	=*E. ericoides* ssp. *pinifolia* =*Haplopappus pinifolius*	PINE BUSH	NL	NL	Shrub
Eriogonum deflexum	NL	NA	FLAT TOPPED BUCKWHEAT	NL	NL	Herb
Eriogonum fasciculatum	NL	=*E. d.* var. *baratum* =*E. d.* var. *deflexum* =*E. d.* var. *nevadense* =*E. d.* var. *rectum*	CALIFORNIA BUCKWHEAT	NL	NL	Shrub
Eriogonum inflatum	NL	=*E. glaucum* =*E. inflatum* var. *inflatum*	DESERT TRUMPET	NL	NL	Shrub
Erioneuron pulchellum	NL	=*Triodia pulchella* =*Dasyochloa pulchella*	FLUFF GRASS	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Eriophyllum ambiguum/E. wallacei [sic]	NL	=*E. ambiguum* var. *ambiguum* =*E. ambigium* var. *paleaceum* =*Antherapeas wallaceei* =*Eriophyllum wallacei* var. *rubellum* =*E. w.* var. *wallacei* =*E. w.* var. *calvescens* =*Eriophyllum aureum*	ANNUAL WOOLLY SUNFLOWER/WALLACE'S WOOLLY DAISY	NL	NL	Herb
Erodium cicutarium	NL	=*Erodium cicutarium* ssp. *cicutarium* =*E. cicutarium* ssp. *jacquinianum*	COASTAL HERON'S BILL	NL	NL	Herb
Eschscholzia minutiflora	NL	=*E. coville* =*E. minutiflora* ssp. *twisselmanii* =*E. minutiflora* var. *darwinensis*	PYGMY POPPY	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
		=*E. minuscula*				
Gilia latifolia	NL	NA	BROADLEAF GILLIA	NL	NL	Herb
Gutierrezia sarothrae	NL	NA	MATCHWEED	NL	NL	Shrub
Hordeum moines	NL	NA	BARLEY	NL	NL	Herb
Hordeum murinum	*Hordeum leporinum*	=*H. m.* ssp. *glaucum* =*H. m.* ssp. *leporinum* =*H. m.* ssp. *murinum*	MOUSE BARLEY	NI	NI	Herb
Hymenoclea salsola	NL	=*H. m.* var. *patula* =*H. m.* var. *pentalepsis* =*H. m.* var. *salsola*	CHEESE BUSH	NL	NL	Shrub
Krameria parviflora	NL	NA	RHATANY	NL	NL	Shrub
Larrea tridentata	NL	=*L. divaricata* ssp. *tridentate* =*L. divaricata* =*L. tridentata* var. *arenaria* =*L. tridentate* var.	CREOSOTE BUSH	NL	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
		tridentata				
Lepidium fremontii	NL	=*L. fremontii* var. *fremontii* =*L. f.* var. *stipitatum*	DESERT ALYSSUM	NL	NL	Herb
Lepidium latifolium	*Lepidium latifolium*	NA	BROAD LEAFED PEPPER-GRASS	FACW	FAC	Herb
Lepidium spp.	*Lepidium* spp.	NA	PEPPER-GRASS	FAC	NO to FACW+ depending on species	Shrub
Lepidium virginicum	*Lepidium virginicum*	NA	POOR-MAN'S PEPPER-GRASS	FACU	FACU	Herb
Lepidospartum squamatum	Possibly *Baccharis sarothroides*	=*Lepidospartum squamatum* var. *palmeri* =*Lepidospartum squamatum* var. *squamatum* =*Baccharis*	SCALE BROOM	NL Or FAC	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
		sarathroides var. *pluricephala* =*Lepidospartim squamatum* var. *obtectum*				
Leptochloa uninervia	*Leptochloa uninervia*	NA	MEXICAN SPRANGLETOP	FACW	FACW	Herb
Leymus triticoides	*Elymus triticoides*	=*Elymus triticoides* =*E. condensatus* var. *triticoides* =*E. orcuttianus* =*E. triticoides* var. *pubescens*	VALLEY WILD RYE	FAC+	FAC+	Herb
Lupinus concinnus	NL	=*L. c.* var. *pallidus* =*L. c.* var. *orcutti* =*L. c.* var *optatus* =*L. c.* var. *concinnus* =*L. c.* var. *agardhianus* =*L. c.* ssp. *orcuttii* =*L. c.* ssp. *optatus* =*L. pallidus* =*L. agardhianus*	ELEGANT LUPINE	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Lycium andersonii	NL	=*L. a.* var. *andersonii* =*L. a.* var. *deserticola*	ANDERSON THORNBUSH	NL	NL	Shrub
Lycium cooperi	NL	NA	PEACH THORN	NL	NL	Shrub
Lycium parishii	NL	NONE	PARISH'S DESERT THORN	NL	NL	Shrub
Malacothrix coulteri	NL	= *Zollikoferia eluiensis* = *M.* var. *cognate*	SNAKE'S HEAD	NL	NL	Herb
Malacothrix glabrata	NL	= *M. californica* var. *glabrata*	DESERT DANDELION	NL	NL	Herb
Malva neglecta	NL	NA	COMMON MALLOW	NL	NL	Herb
Mentzelia spp.	NL	NA	STICK LEAF	NL	NL	Herb
Mimulus flemingii		=*M. parviflorus*	FLEMING MONKEYFLOWER	FACU-	NL	Herb
Mimulus fremontii	*Mimulus glabratus*	=*M. subsecundus eunanus fremontii* =*Mimulus glabratus* ssp. *fremontii*	FREMONT'S MONKEYFLOWER	OBL	OBL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Oenethera deltoides	NL	=*O. d.* ssp. *cognate* =*O. d.* ssp. *deltoides* =*O. d.* ssp. *howellii* =*O. d.* ssp. *piperi* =*O. d.* var. *cineracea*	BIRDCAGE EVENING PRIMROSE	NL	NL	Herb
Olea europea	NL	NA	OLIVE TREE	NL	NL	Tree
Opuntia basilaris	NL	NA	BEAVERTAIL CACTUS	NL	NL	Shrub
Parkinsonia aculeata	*Parkinsonia aculeata*	NA	JERUSALEM –THORN OR PALO VERDE	FACW*	NI	Tree
Pectocarya heterophylla [sic] * =*P. heterocarpa*	NL	=*P. penicillata* var. *heterocarpa*	CHUCKWALLA COMBSEED	NL	NL	Herb
Pectocarya platycarpa	NL	=*P. gracilis* =*P. linearis*	NUTTED BROAD COMB	NL	NL	Herb
Phacelia distans	NL	= *P. cinera* = *P. scabrella* = *P. distans* var.	COMMON PHACELIA	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
		austalis				
Phacelia fremontii	NL	*=P. hullii*	FREMONT'S PHACELIA	NL	NL	Herb
Plantago ovata	NL	NA	DESERT INDIAN WHEAT	NL	NL	Herb
Pluchea sericea	*Pluchea sericea*	NA	ARROW WEED	FACW	FACW	Shrub
Polypogon monspeliensis	*Polypogon monspeliensis*	NA	ANNUAL RABBIT-FOOT GRASS	FACW+	FACW+	Herb
Populus fremontii	*Populus fremontii*	---	FREMONT'S COTTONWOOD	FACW	FACW*	Tree
Prosopis glandulosa	*Prosopis juliflora*	*=P. glandulosa* var. *torreyana* *=P. juliflora* var. *torreyana* *= P. ordorata*	HONEY MESQUITE	FACU	NI	Shrub
Pucinella lemonni	*Pucinella lemonni*	NA	LEMON'S ALKALI GRASS	FAC	FACW*	Herb
Rafinesquia neomexicana	NL	NA	CALIFORNIA CHICORY	NL	NL	Herb
Rumexhymenose palus	NL	NA	WILD RUBARB	NL	NL	Herb
Salazaria	NL	NA	BLADDERSAGE	NL	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
mexicana						
Salix exigua	*Salix exigua*	NL	SANDBAR WILLOW	OBL	OBL	Shrub
Salix gooddingii	*Salix gooddingii*	---	GOODDING WILLOW	OBL	FACW	Tree
Salsola pestifer	*Salsola pestifer*	NA	RUSSIAN THISTLE	FACU	FACU	Herb
*Salsola tragus***	*Salsola kali/ Salsola pestifer*	=*S. australis* =*S. iberica* =*S. kali* var. *tenuifoli* =*S. pestifer* =*S. kali* var. *tenuifolia* =*S. kali* var. *tragus* =*S. ruthenica*	RUSSIAN THISTLE	FACU*/ FACU	FACU/ FACU	Herb
Salvia columbariae	NL	= *S. c.* var. *columbariae* =*S. c.* var. *ziegleri*	CHIA	NL	NL	Herb
Salvia dorrii	NL	=*S. d.* var. *dorrii* =*S. d.* var. *incana* =*S. d.* var. *pilosa*	DESERT SAGE	NL	NL	Shrub
Schismus arabicus	NL	NA	MEDITERRANEAN GRASS	NL	NL	Herb
Schismus barbatus	NL	= *Festuca barbata* = *S. calycinus*	MEDITERRANEAN GRASS	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Senna armata	NL	= *Cassia armata*	DESERT SENNA, SPINY SENNA	NL	NL	Shrub
Sisymbrium altissimum	*Sisymbrium altissimum*	NA	TALL TUMBLE MUSTARD	FACU	FACU-	Herb
Spharalcea ambigua	NL	= *S. parvifolia*	APRICOT MALLOW	NL	NL	Shrub
Stanleya pinnata	NL	NA	DESERT PRINCE'S PLUME	NL	NL	Herb
Stephanomeria exigua	NL	NA	SMALL WIRELETTUCE	NL	NL	Herb
Stephanomeria pauciflora	NL	=*S. p.* var. *parishii* =*S. p.* var. *pauciflora* =*S. runcinata* var. *parishii* =*S. cinerea* =*S. lygoclesmoides* =*S. neomexicana* =*Lygodesmia pauciflora* =*Ptiloria pauciflora*	DESERT STRAW	NL	NL	Herb

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
Stephanomeria virgata	NL	NA	NL	NL	NL	Herb
Tamarix aphylla	*Tamarix aphylla*	NA	ATHEL TAMARISK	FACW-	FACW	Tree
Tamarix ramosissima	*Tamarix ramosissima*	NA	SALTCEDAR	FAC	FACW	Shrub
Thamnosma montana	NL	NA	TURPENTINE BROOM	NL	NL	Shrub
Triticum aestivum	NL	= *T. hybernum* = *T. macha* = *T. sativum* = *T. sphaerococcum* = *T. vulgare*	COMMON WHEAT	NL	NL	Herb
Typha angustifolia	*Typha angustifolia*	NA	NARROW LEAF CATTAIL	OBL	OBL	Herb
Ulmus pumila	NL	NONE	SIBERIAN ELM	NL	NL	Tree
Washingtonia filifera	*Washingtonia filifera*	NA	CALIFORNIA FAN PALM	FACW	NO	Tree
Yucca brevifolia	NL	=*Y. jaegeriana*	JOSHUA TREE	NL	NL	Tree
Yucca schidigera	NL	=*Y. californica*	MOJAVE YUCCA	NL	NL	Shrub

LIST OF PLANT SPECIES ENCOUNTERED ALONG DRAINAGES WITHIN THE DESERT XPRESS PROJECT STUDY AREA

SCIENTIFIC NAME (AS LISTED IN JSA DATA SHEETS)	SCIENTIFIC NAME IF AVAILABLE IN NWI	SYNONYMY (SOURCE: CALFLORA 2010)	COMMON NAME	REGION 0 (NWI) CA	REGION 8 (NWI) NV	STRATUM (H, S, T)
		=*Y. macrocarpa* =*Y. mohavensis*				

* = J.S.A. probably made a typographical error for this species.

**Using JSA taxonomy (*S. tragus)* we determined that in 1988, when the wetland manual was produced, this species could have been either *S. kali* (FACU*) or *S. pestifer* (FACU) (Region O), or FACU for both in Region 8.

NI = Not Indicated.

NL = Not Listed in NWI 1988.

Sources:

Calflora Database. 2010. Calflora Database was developed by the United States Forest Service working in collaboration with U.C. Berkeley. Available at: http://www.calflora.org/

National Wetlands Inventory and US Fish And Wildlife Service. 1988. National List of Plant Species that Occur in Wetlands. Compiled by Porter B. Reed, Jr., National Ecology Research Center, US Fish and Wildlife Service, St. Petersburg, Florida. In cooperation with US Army Corps of Engineers, US Environmental Protection Agency, and US Soil Conservation Service.

Exhibit B2

DesertXpress Field Data
For
Ivanpah Lake Area
Ivanpah-Pahrump Valleys Watershed
(HUC 16060015)

HBG Watershed Number	HUC 12 Watershed Name	HBG Field Data	ICF Jones & Stokes Field Data	Comments
28	Wheaton Wash-Frontal Ivanpah Lake	Yes	Yes	
29	Kokoweef Canyon-Frontal Ivanpah Lake	No	No	Only north edge of this watershed is within previous route Segment 4A. This watershed not in currently preferred route Segment 4 ALT C. Urban Drainage features. Delineated by HBG using adjacent watershed data.
30	Ivanpah Lake	Yes	Yes	Watershed is shaped like an hourglass with Roach (dry) Lake in the north half and Ivanpah Lake in the south half. All of DesertXpress route within this watershed is in south half. Portion of Study Area in this watershed drains to Roach (dry) Lake.
31	Whiskey Spring-Frontal Ivanpah Lake	Yes	Yes	

Huffman-Broadway Group

Field Data Forms

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed
Wheaton Wash-Frontal Ivanpah Lake

HBG Watershed ID # 28

Within Ivanpah-Pahrump Valleys Watershed
(HUC 16060015)

DesertXpress

Field Notebook

HBG Watershed ID # 28

Watershed Name: Wheaton Wash - Frontal Ivanpah Lake

If found, please return to:

George Ball
Huffman-Broadway Group, Inc.
828 Mission Avenue
San Rafael, California 94901
415.925.2000
gball@h-bgroup.com

Return Postage Guaranteed

Potential Geomorphic OHWM Indicators

(A) Below OHW	(B) At OHW	(C) Above OHW
1) In-stream dunes 2) Crested ripples 3) Flaser bedding 4) Harrow marks 5) Gravel sheets to rippled sands 6) Meander bars 7) Sand tongues 8) Muddy point bars 9) Long gravel bars 10) Cobble bars behind obstructions 11) Scour holes downstream of obstructions 12) Obstacle marks 13) Stepped-bed morphology in gravel 14) Narrow berms and levees 15) Streaming lineations 16) Dessication/mud cracks 17) Armored mud balls 18) Knick Points	1) Valley flat 2) Active floodplain 3) Benches: low, mid, most prominent 4) Highest surface of channel bars 5) Top of point bars 6) Break in bank slope 7) Upper limit of sand-sized particles 8) Change in particle size distribution 9) Staining of rocks 10) Exposed root hairs below intact soil layer 11) Silt deposits 12) Litter (organic debris, small twigs and leaves) 13) Drift (organic debris, larger than twigs)	1) Desert pavement 2) Rock varnish 3) Clast weathering 4) Salt splitting 5) Carbonate etching 6) Depositional topography 7) Caliche rubble 8) Soil development 9) Surface color/tone 10) Drainage development 11) Surface relief 12) Surface rounding

Potential Vegetation OHWM Indicators

	(D) Below OHW	(E) At OHW	(F) Above OHW
Hydroriparian indicators	1) Herbaceous marsh species 2) Pioneer tree seedlings 3) Sparse, low vegetation 4) Annual herbs, hydromesic ruderals 5) Perennial herbs, hydromesic clonals	1) Annual herbs, hydromesic ruderals 2) Perennial herbs, hydromesic clonals 3) Pioneer tree seedlings 4) Pioneer tree saplings	1) Annual herbs, xeric ruderals 2) Perennial herbs, non-clonal 3) Perennial herbs, clonal and non-clonal co-dominant 4) Mature pioneer trees, no young trees 5) Mature pioneer trees w/upland species 6) Late-successional species
Mesoriparian indicators	6) Pioneer tree seedlings 7) Sparse, low vegetation 8) Pioneer tree saplings 9) Xeroriparian species	5) Sparse, low vegetation Annual herbs, hydromesic 6) Ruderals 7) Perennial herbs, hydromesic clonals 8) Pioneer tree seedlings 9) Pioneer tree saplings 10) Xeroriparian species 11) Annual herbs, xeric ruderals	7) Xeroriparian species 8) Annual herbs, xeric ruderals 9) Perennial herbs, non-clonal 10) Perennial herbs, clonal and non-clonal codominent 11) Mature pioneer trees, no young trees 12) Mature pioneer trees, xeric understory 13) Mature pioneer trees w/upland species 14) Late-successional species 15) Upland species
Xeroriparian indicators	10) Sparse, low vegetation 11) Xeroriparian species 12) Annual herbs, xeric ruderals	12) Sparse, low vegetation 13) Xeroriparian species 14) Annual herbs, xeric ruderals	16) Annual herbs, xeric ruderals 17) Mature pioneer trees w/upland species 18) Upland species

BG OHWM Field Data Sheet (Arid West)

HBG Team # TH/TL | Project Name: DesertXpress | HBG Sub-Basin # (1 – 41) 28 | HUC 12 # WHEATON WASH-FRONTAL IVANPAH LAKE

Drainage Data

Date (M/D/Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Comments
5/13 D10	1806	4	28D 1		~~1'6"~~ 0.5	A	U		A: 5,12,15 D: 10	B: 6,7,11,12,13 E: 12,14	C: 5,11,12 F: 16,18	
	1810	4	28 D2		0.5 ~~1'8"~~ (1.7)	A	U		A: 5,12,15 D: 10	B: 6,7,11,12,13 E: 12,14	C: 5,11,12 F: 16,18	
	~~1822~~ 1814	4	28 D3		1.6	A	U		A: 5,12,15 D: 10	B: 6,7,11,12,13 E: 12,14	C: 5,11,12 F: 16,18	
↓	~~1826~~ 1822	4	28 D4		~~2'7"~~ (2.6)	A	U		A: 5,12,15 D: 10	B: 6,7,11,12,13 E: 12,14	C: 5,11,12 F: 16,18	mustang/burro dung in sand
5/15 D10	1454	4	28 MD5		4'7" (4.6)	A	U		A: 6,18 D: — NONE	B: 6,7,8,12,13 E: 12,14	C: 6,8,11,12 F: 16,18	NOT ON ROUTE
	1500	4	28 D6		9" (0.8')	A	U		A: 5,6,13,18 D: — NONE	B: 3,4,6,7,8 E: 12,14	C: 6,8,12 F: 18	NOT ON ROUTE
	1505	4	28 MD7		10'8" (10.7')	A	U		A: 6,18 D: NONE	B: 4,7,8,12,13 E: 12,14	C: 6,8,11,12 F: 16,18	NOT ON ROUTE

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

BG OHWM Field Data Sheet (Arid West)

HBG Team # TH/TL | Project Name: DesertXpress | HBG Sub-Basin # (1 – 41) 28 | HUC 12 # 2/2

Drainage Data

Date (M/D/Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Comments
5/15/010	1645	4	28 D8		~~H~~ (0.9')	A	U	Y (area	A: 5, 18 D: 10, 12	B: 6, 11, 12, 13 E: 12, 14	C: 12 F: 16, 18	Use note pages at back of notebook for comments. Put comment number in block below.
5/15/010	1645	4	28 M9		10'	A	U	Y	A: 5, 18 D: 10, 12	B: 6, 11, 12, 13 E: 12, 14	C: 12 F: 16, 18	OFFSET. Culvert goes under fwy
↓	1650	4	28 D10		2'8" (2.7')	A	U	Y	A: 5, 18 D: 10, 12	B: 6, 11, 12, 13 E: 12, 14	C: 12 F: 16, 18	Water enters project area via culvert from above
10.12.10	—	S	28 MD 11	NOT ON ROUTE	6.0	I	U	U 1	A: D:	B: E:	C: F:	Same Drainage Data As 28 D10
10.12.10	—	S	28 D12		1.0	A	U	U 1	A: D:	B: E:	C: F:	Same Drainage Data As 28 D10
10.12.10	—	S	28 D13		1.0	A	U	U 1	A: D:	B: E:	C: F:	Same Drainage Data As 28 D10
10.12.10	—	S	28D14	↓	1.0	A	U	Y 1	A: D:	B: E:	C: F:	Same Drainage Data As 28D10

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

HBG OHWM Field Data Sheet (Arid West)

HGB Team #	Project Name:	HBG Sub-Basin # (1 – 41)	HUC 12 #
6H	DesertXpress	28	

Drainage Data												Comments
Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Use note pages at back of notebook for comments. Put comment number in block below.
10.12.10	—	S	28D15	1	0.5	A	U	Y	A: D:	B: E:	C: F:	Same Drainage Data as 28 D10
10.12.10	—	S	28D16	↓	0.5	A	U	Y	A: D:	B: E:	C: F:	Same Drainage Data as 28 D10
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

HBG OHWM Field Data Sheet (Arid West)

HGB Team # 6 H	Project Name: *DesertXpress*	HBG Sub-Basin # (1 – 41) 29	HUC 12 #

Drainage Data												Comments
Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Use note pages at back of notebook for comments. Put comment number in block below.
10,12,10	~	S	29D1		—	A	U	Y	A: 5,10,11,12,13,16 D: 3	B: 2,10,11,12 E: 5,12	C: 3,5,8,9,10 F: 18	
10,12,10	—	S	29D2		0.5	A	U	N	A: 5,10,11,12,13,16 D: 3	B: 2,10,11,12 E: 5,12	C: 3,5,8,9,10 F: 18	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

ICF Jones & Stokes

Wetland Determination Data Forms – Arid West Region

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed
Wheaton Wash-Frontal Ivanpah Lake

HBG Watershed ID # 28

Within Ivanpah-Pahrump Valleys Watershed (HUC 16060015)

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Ypress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle West State: CA Sampling Point: 3-S 1
Investigator(s): J. Halsor / J. Hirtzman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR): D Lat: N 35.575119 Long: W 115.511235 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation N, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation N, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 1132, 1133

VEGETATION

Tree Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1. Hymenoclea salsola	5	Y	Upl NL
2. Acacia greggii	1	N	FacU
3. Ambrosia dumosa	1	N	Upl NL
4.			
5.			
Total Cover:	7		

Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	1	x4 =	4
UPL species	6	x5 =	30
Column Totals:	7 (A)		34 (B)

Prevalence Index = B/A = 4.85

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-5-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10YR 4/3						sand w/ gravel	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 12

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C6)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 36" ; TOB 40"

Blue line on top.

Trib to Trampas Dry Lake

B&B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Issaquah / SBS Sampling Date: 10/2/2009
Applicant/Owner: Circle Bar State: CA Sampling Point: 3-S-7
Investigator(s): J. Hinton / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 10
Subregion (LRR): D Lat: W 115.51234 Long: N 35.61334 Datum: NAD 83 2026 (1)
Soil Map Unit Name: Mapping not complete NWI Classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation N, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation N, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1134, 1135

VEGETATION

Tree Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1. Ephedra nevadensis	3	Y	N/L FACU
2. Acacia greggii	2	Y	FACU
3. Hymenoclea salsola	1	N	~~UPL~~ N/L
4. Ambrosia dumosa	1	N	~~UPL~~ N/L
5. Salvia dorrii	1	N	~~UPL~~ N/L
Total Cover:	8		

Herb Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	____	x1 = ____
FACW species	____	x2 = ____
FAC species	____	x3 = ____
FACU species	2	x4 = 8
UPL species	6	x5 = 30
Column Totals:	8 (A)	38 (B)

Prevalence Index = B/A = 4.75

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr & cb No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one reouired; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more reouired)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10' 108 40 Trib to Irrapah Dry Lake

B & R, SS, CD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Catellus Sampling State: CA Sampling Point: 3-S-3
Investigator(s): T. Tidaback / S. Hickson Section, Township, Range:
Landform (hillslope, terrace, etc.): drainage Local relief (concave, convex, none): concave Slope (%): 10
Subregion (LRR): D Lat: N 35.51673 Long: W 115.61405 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: Upland veg, no soil pit dug. Photo: 1136, 1137

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size: 1)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size: 1)			
1. Ephedra nevadensis	5	Y	Upl NL
2. Eriogonum fasciculatum	1	N	Upl NL
3.			
4.			
5.			
Total Cover:	6		
Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	____	x1 = ____
FACW species	____	x2 = ____
FAC species	____	x3 = ____
FACU species	____	x4 = ____
UPL species	6	x5 = 30
Column Totals:	6 (A)	30 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sandy w/ gr + cb - No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 6' Trib to Irrapuah Dry Lake

WL ss. SD. BfB

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-4
Investigator(s): S. Hudson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 10
Subregion (LRR): D Lat: W-116.51792 Long: N 35.50712 Datum: NAD 83
Soil Map Unit Name: Mapping Unit complex NWI Classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo. 1138 1139

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Eriogonum			NL
Shrub Stratum (Plot size:)			
1. Ephedra nevadensis fasciculata	1	Y	FACU
2. Acacia greggii	1	Y	FACU
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	1	x4 =	4
UPL species	1	x5 =	5
Column Totals:	2 (A)		9 (B)

Prevalence Index = B/A = 4.5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
	NJ/M							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; TOB 14' Trib to Ivanpah Dry Lake

0.0, 5.5, 5.0

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-5
Investigator(s): J. Halsey / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada/hillslope Local relief (concave, convex, none): concave Slope (%): 15
Subregion (LRR): D Lat: 35.506676 Long: -115.511439 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No (If no, explain in Remarks)
Are Vegetation No, Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No
Are Vegetation No, Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes	No ✓	Is the Sampled Area within a Wetland? Yes No ✓
Hydric Soil Present?	Yes	No N/A	
Wetland Hydrology Present?	Yes	No ✓	

Remarks: Photo: 1140, 1141

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Coleogyne ramosissima	2	Y	UPL NL
2. Yucca schidigera	1	Y	UPL NL
3.			
4.			
5.			
Total Cover:	3		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species		x1 =	
FACW species		x2 =	
FAC species		x3 =	
FACU species		x4 =	
UPL species	3	x5 =	15
Column Totals:	3	(A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
_____ Dominance Test is >50%
_____ Prevalence Index is ≤3.0[1]
_____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes No ✓

Remarks:

Sampling Point: 3-5-5

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No ___ N/A

Remarks: Dry w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 1', TOB 2'

Trib to Evaporative Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Joseph / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-6
Investigator(s): J. Halsor / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 15
Subregion (LRR): D Lat: W -115.510930 Long: N 35.506174 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo. 1142, 1143

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size: 1)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size: 1)			
1. Ephedra nevadensis	2	Y	UPL
2. Coleogyne ramosissima	1	Y	UPL
3. Salvia dorrii	1	Y	UPL
4.			
5.			
Total Cover:	4		
Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	4	x5 =	20
Column Totals:	4 (A)		20 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-6

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-6	10 YR 4/3	100					Sand w/ gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 6

Hydric Soil Present? Yes ___ No ___ N/A

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverina)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Inverlebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6' ; TOB 6' Toe to Evaporation Dry Lake

N.R.S.S. CO

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Juan Pah / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-7
Investigator(s): J. Halsour / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): Concave Slope (%): 15
Subregion (LRR): D Lat: W 115, 512 142 Long: N 35, 503 47 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, ~~Soil ____, or Hydrology ____~~ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photos: 1144, 1145

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover: 0			

Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	3	Y	UPL NL
2. Coleogyne ramosissima	2	Y	UPL NL
3. Ephedra viridis	1	N	UPL NL
4.			
5.			
Total Cover: 6			

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	6	x5 =	30
Column Totals:	6	(A)	30 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	N/R							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

N/A

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No ___

Remarks: gravel w/ sand + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Inverlebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3', TOB 5' Tcb to Ironpah Dry Lake

B+B SS GA

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-8
stigator(s): T. Holeen / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Concave Slope (%): 1 S
Subregion (LRR): D Lat: W -115.5101473 Long: N 35.562941 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: UA Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, ~~Soil~~ ____, or ~~Hydrology~~ ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, ~~Soil~~ ____, or ~~Hydrology~~ ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: Upland veg., no soil pit dug. Photo: 1147, 1148

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Hymenoclea salsola	4	Y	~~Upl~~ NL
2. Acacia greggii	1	N	FACU
3. Salvia dorrii	4	N	~~Upl~~ NL
4.			
5.			
Total Cover:	9		

Herb Stratum (Plot size:)			
1. Eriastrum densifolium	1	Y	NL ~~Upl~~
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	
FACW species	____	x2 =	
FAC species	____	x3 =	
FACU species	1	x4 =	4
UPL species	10	x5 =	30
Column Totals:	11 (A)		34 (B)

Prevalence Index = B/A = 3.09

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-8

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 20'; TOB 22' Blm line on topo. Tab to Ivanpah Dry Lake

R. LR SS. 40. WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-9
stigator(s): S. Halcon / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 2-2
Subregion (LRR): D Lat: W -115, 509 212 Long: 35, 502106 Datum: NAD 83
Soil Map Unit Name: Mayanis not mapped NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation N/A, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1149 1150

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	1	Y	UPL NL
2. Calliandra eriophylla	1	Y	UPL NL
3. Encelia virginensis	1	Y	UPL NL
4.			
5.			
Total Cover:	3		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:	
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 3	x5 =	15
Column Totals: 3	(A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: gravel w/ cobble, small rocks. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2'; TOB 4' Trib to Ennesh Dry wash

B+B SD, S)

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-10
Investigator(s): T. Olson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Flat Slope (%): 15
Subregion (LRR): D Lat: W -115.509956 Long: N 35.501035 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A zone11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ✓		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1151, 1152

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size: 1)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size: 1)			
1. Eriogonum fasciculatum	1%	Y	UPL NL
2. Salvia dorii	1%	Y	UPL NL
3. Hymenoclea salsola	1%	Y	UPL NL
4.			
5.			
Total Cover:	3		
Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	____	x1 = ____
FACW species	____	x2 = ____
FAC species	____	x3 = ____
FACU species	____	x4 = ____
UPL species	3	x5 = 15
Column Totals:	3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-10

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-10	10 YR 4/3	100					sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 10

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; TOB 12' Trib to Ironpan Dry Lake

B+B SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 10/2/2009
Applicant/Owner: Granite Point State: CA Sampling Point: 3-S-11
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 20
Subregion (LRR): D Lat: W -115.507936 Long: N 35.500093 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 2010
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo: 1153, 1154

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	<1	Y	Upl NL
2. Ephedra aevadensis	<1	Y	Upl NL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	2	x5 =	10
Column Totals:	2	(A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: gr w/ sandy cobble. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one reouired: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3' ; TOB 4' Trib to Iraypah Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyokern/SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-12
Investigator(s): J. Halsor / T. Whitham Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 2-5
Subregion (LRR): D Lat: N 35.497118 Long: W -115.505139 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 2006
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	
Hydric Soil Present?	Yes ____	No N/A	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1156, 1157

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	21	Y	UPL NL
2. Eriogonum sp.	21	Y	UPL NL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species ____	x4 = ____
UPL species 2	x5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

N/A.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gravel. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Inverlebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10'; 10812' Trib to Evergreen Dry Lake

R. R. C < SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/7/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-5-43
Investigator(s): T. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 20
Subregion (LRR): D Lat: N 35.495360 Long: W 115.504733 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: No soil pit dug – upland veg. Photo: 1158, 1159

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	3	Y	UPL NL
2. Ericameria sp.	2	Y	UPL NL
3. Acacia greggii	1	N	FAC U
4. Salvia dorrii	1	N	UPL NL
5. Encelia virginensis	3	Y	UPL NL
Total Cover:	10		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 12

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species 1	x4 = 4
UPL species 9	x5 = 45
Column Totals: 10 (A)	49 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 25' ; TOB 30' Trib to Evaporation Dry Lake

OHWM Ind.: B1, B2, B3, WL, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-14
Investigator(s): T. Holson / T. Hildeman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 30
Subregion (LRR): D Lat: W -115.496574 Long: N 35.487404 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks)
Are Vegetation No, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No _____
Are Vegetation No, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area within a Wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____	No N/A	
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks: could not access drainage due to steep terrain, digitized w/ gps unit

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
Total Cover:	0		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 0 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: _____ (A)
Total Number of Dominant Species Across All Strata: _____ (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x1 = _____
FACW species _____	x2 = _____
FAC species _____	x3 = _____
FACU species _____	x4 = _____
UPL species _____	x5 = _____
Column Totals: _____ (A)	_____ (B)

Prevalence Index = B/A = 0

Hydrophytic Vegetation Indicators:
_____ Dominance Test is >50%
_____ Prevalence Index is ≤3.0[1]
_____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks: No veg in drainage; v. flashy

Sampling Point: 3-S-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/6								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No N/A

Remarks: gr w/ cb, rock. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10' : TOB 12' Trib to Trapper Dry Lake

0 cfs

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyokern/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-15
Investigator(s): T. Holaday / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 20
Subregion (LRR): D Lat: W -115.498810 Long: N 35.479277 Datum: NAD 83
Soil Map Unit Name: Mapping not complete. NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	
Hydric Soil Present?	Yes ____	No N/M	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1167, 1169

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Acacia greggii	1	Y	FACU
2. Yucca schidigera	1	Y	~~FACU~~ NI
3. Ephedra nevadensis	1	Y	~~UPL~~ NI
4.			
5.			
Total Cover:	3		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	1	x4 =	4
UPL species	2	x5 =	10
Column Totals:	3	(A)	14 (B)

Prevalence Index = B/A = 4.66

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-15

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? N/A Yes ___ No ___

Remarks: gr w/ cb + rock. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2'; TOB 4' Trib to Wheaton Spring Wash to Ivanpah Dry la

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial/CB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-1 C
Investigator(s): T. Holcomb / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 30
Subregion (LRR): D Lat: W -115.499301 Long: N 35.478599 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 20NE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1170, 1171

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
4.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Hymenoclea salsola	1	Y	NL UPL
2. Yucca brevifolia	3	Y	NL UPL
3. Ephedra nevadensis	1	Y	NL UPL
4.			
5.			
Total Cover:	5		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	5	x5 =	15
Column Totals:	5 (A)		15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-5-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Other 12"; TOB 14" Blue Line on Topo. Trib to Wheatons Springs heads to Evaporite Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-17
Investigator(s): J. Halgren / J. Richardson Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 15
Subregion (LRR): D Lat: W -115.499844 Long: N 35.477040 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1172, 1173

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
4.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Hymenoclea salsola	3	Y	~~UPL~~ NL
2. Atriplex gregorii	2	Y	FACU
3. Salvia dorii	1	N	~~UPL~~ NL
4.			
5.			
Total Cover:	6		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species 2	x4 = 8
UPL species 4	x5 = 20
Column Totals: 6 (A)	28 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-17

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 15' ; TOB 15' Blue Line on topo. Tob to Wheaton Springs basin Ephemeral Dry Lake

R-B SS CD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Tejon Pass / SB Sampling Date: 10/12/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-18
Investigator(s): T. Holsen / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): concave Slope (%): 20
Subregion (LRR): D Lat: W -118.500439 Long: N 35.476398 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 20NE11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo: 1175, 1174

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Encelia virginensis	1	Y	NL UPL
2. Eriogonum fasciculatum	1	Y	NL UPL
3.			
4.			
5.			
Total Cover:	2		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	2	x5 =	10
Column Totals:	2	(A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-18

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0 M								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No N/A

Remarks: Sand w/ gr, cb. NO soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4' : TOB 4' Trib to Wheaton Springs wash to Tivanpah Dry Lake.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/Clark/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-19
Investigator(s): S. Halsor / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): Con cave Slope (%): 7%
Subregion (LRR): D ~~Lat~~: W -115,501298 ~~Long~~: 35,474952 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No (If no, explain in Remarks)
Are Vegetation No, Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No
Are Vegetation No, Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes	No ✓	Is the Sampled Area within a Wetland? Yes No ✓
Hydric Soil Present?	Yes	No N/A	
Wetland Hydrology Present?	Yes	No ✓	

Remarks: Photo: 1176, 1177

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Fricamaria sp.	2	Y	UPL/NL
2. Eriogonum fasciculatum	3	Y	UPL/NL
3.			
4.			
5.			
Total Cover:	5		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:	
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 5	x5 =	25
Column Totals: 5	(A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
_____ Dominance Test is >50%
_____ Prevalence Index is ≤3.0[1]
_____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes No ✓

Remarks:

Sampling Point: 3-S-19

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: gr w/ sand; rocky outcrops in drainage. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 6' Blue line on topo. Trib to Wheaton Springs Wash to Dragoon Dry Lake

B of B, SD, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Victorville/SB Sampling Date: 10/2/2009

Applicant/Owner: Circle Bar State: CA Sampling Point: 4-S-1

Investigator(s): S. Hafeon / J. Hiddeman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): D Lat: N 34.509023 Long: W -115.594654 Datum: NAD 83

Soil Map Unit Name: Blanking soil complex NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation No, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation No, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	N/A
Hydric Soil Present?	Yes _____	No _____	
Wetland Hydrology Present?	Yes _____	No ✓	
Is the Sampled Area within a Wetland?	Yes _____	No ✓	

Remarks: No pics

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	NL UPL
2. Encelia virginensis	1	Y	UPL
3.			NL
4.			
5.			
Total Cover:	3		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x 1 = _____
FACW species _____	x 2 = _____
FAC species _____	x 3 = _____
FACU species _____	x 4 = _____
UPL species 3	x 5 = 15
Column Totals: 3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Sampling Point: 4-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/14								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A.

Remarks: sand w/ gr, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 1":TOB 2" Trib to Trough Dry Lake

B+B, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow / SB Sampling Date: 10/7/2009

Applicant/Owner: Circle Bar State: CA Sampling Point: 4-S-2

Investigator(s): S. Holson / S. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Con Cave Slope (%): 5

Subregion (LRR): D Lat: N 34.915115 Long: W 115.509115 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: PFO ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A
Hydric Soil Present?	Yes ____	No ____	
Wetland Hydrology Present?	Yes ____	No ✓	
Is the Sampled Area within a Wetland?	Yes ____	No ✓	

Remarks: Photos: 1095, 1096

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	UPL NL
2. Ephedra nevadensis	1	Y	UPL NL
3. Hymenoclea salsola	1	Y	UPL NL
4. Salvia dorrii	1	Y	UPL NL
5.			
Total Cover:	5		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 5	x 5 = 25
Column Totals: 5 (A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-5-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 1'; TOB 2' T.b to Irrapah Dry Lake

B + B, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / CA Sampling Date: 10/2/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-3

Investigator(s): S. Nelson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Local relief (concave, convex, none): Concave Slope (%): 5

Subregion (LRR): D Lat: W -115.509231 Long: N 35.539 256 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1094 1094

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Fouquieria splendens	2	Y	UPL NL
2. Yucca schidigera	1	N	UPL NL
3. Hymenoclea salsola	1	N	UPL NL
4.			
5.			
Total Cover:	4		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 4	x 5 = 20
Column Totals: 4 (A)	20 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8'; 10 BLD

Blm line on TDD. Tide to Inundation Dry Leaf

B & B, SD, SS, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Evanpi / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-4
Investigator(s): J. Halsan / S. Hirtzman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 8
Subregion (LRR): D Lat: N 35.537120 Long: W -115.509290 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks:

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	1	Y	FAC/UPL
2. Eriogonum fasciculatum	1	Y	FAC/UPL
3. Encelia virginensis	1	Y	UPL
4.			
5.			
Total Cover:	3		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 3	x 5 = 15
Column Totals: 3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/14								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr + cb No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 5' Trib to Trapper Dry Lake

B+B, Scour, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/09
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S.S
Investigator(s): S. Hatson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Toe of slope Local relief (concave, convex, none): concave Slope (%): 10
Subregion (LRR): D Lat: W -115.509249 Long: N 35.535877 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1103 1104

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Lycium sp.	1	Y	NL
2. Ephedra nevadensis	1	Y	NL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 2	x 5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-5

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Cobble, gravel, and rock. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 8' Trib to Tranquilo Dry Lake

B & B, SS, Scarp

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/San Bernardino Sampling Date: 10/2/2007

Applicant/Owner: Circle Point State: CA Sampling Point: 4-5-6

Investigator(s): T. Holcomb / S. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 8

Subregion (LRR): D Lat: W -115.910414 Long: N 35.532827 Datum: NAD 83

Soil Map Unit Name: Mapping not complete. NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ____ N/A	
Wetland Hydrology Present?	Yes ____ No ✓	

Remarks: Photos: 1107, 1108

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	2	Y	FACU
2. Ephedra verdensis	2	Y	~~FAC~~ UPL
3. Hymenoclea salsola	2	Y	UPL
4. Eriogonum fasciculatum	1	N	UPL
5.			
Total Cover:	7		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 2	x 4 = 8
UPL species 5	x 5 = 25
Column Totals: 7 (A)	33 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-6

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gravel + cobble. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 21' TOB 24' Trib to Tampa Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Silverpeak/NB Sampling Date: 10/7/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-7
Investigator(s): J. Halsey / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Flat Slope (%): 4
Subregion (LRR): D Point B Lat: N -115.510224 Long: N 35.532665 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point B Lat. -115.510176 N 35.532665 Photos, 1109, 1110

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	2	Y	UPL
2. Krameria erecta	1	Y	UPL
3.			NL
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 3	x 5 = 15	
Column Totals: 3 (A)	15 (B)	

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 4/3	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM : between pts a & b ; TOB ; +8' Span = 60 ft

Trib to Tranquilo Dry Lake

B, W, S, D, SS, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Flowers City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-4
Investigator(s): J. Halcon / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR): D Lat: W -115.510414 Long: N 35.530308 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A		
Wetland Hydrology Present?	Yes ____	No ✓		

Remarks: Photos: 1111, 1112

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	NL (UPL)
2. Acacia greggii	1	Y	UPL
3.			NL
4.			FACU
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 1	x 5 =	105
Column Totals: 2 (A)		109 (B)

Prevalence Index = B/A = 54.5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-8

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'; TOB 6' Trib to Ivanpah Dry Lake

B+B, Sc. Ouc

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-9
Investigator(s): T. Olofson / J. H[illegible] Section, Township, Range:
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): Convex Slope (%): 3
Subregion (LRR): D Lat: N -115.510476 Long: N 35.530838 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ~~No~~, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A
Hydric Soil Present?	Yes ____	No ____	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1113, 1114

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	5	Y	NL
2. Krameria parvifolia	5	Y	NL
3. Encelia virginensis	1	N	NL
4.			
5.			
Total Cover:	11		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 11	x 5 =	55
Column Totals: 11 (A)		55 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A

Remarks: gravel w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- 1 ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4', TOB 6' Trib to Ivanpah Dry Lake

B+B, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Issaquah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-10
Investigator(s): J. Holman / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR): D Lat: N 35.529.234 Long: W 115.510349 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ~~naturally problematic~~ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation ND, Soil ____, or Hydrology ~~naturally problematic~~ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1115, 1116

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	~~UPL~~ NL
2. Acacia greggii	2	Y	FACU
3. Ephedra nevadensis	1	N	~~UPL~~ NL
4.			
5.			
Total Cover: 8			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 100 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 2	x 4 =	8
UPL species 6	x 5 =	30
Column Totals: 8 (A)		38 (B)

Prevalence Index = B/A = 4.75

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S10

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10 YR 4/3	100					sand	w/ gr

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: rock
Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 14', TOB 22' Trib to Imajan Dry Lake

BtB, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah, LCB Sampling Date: 10/12/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-11
Investigator(s): T. Wolson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Flat Slope (%): 8
Subregion (LRR): D Long: W -115.510622 Lat: N 35.527015 Datum: NAD 83
Soil Map Unit Name: Mariposa, dry complex NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg., no soil pit dug. Photo: 1117, 1114

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	Upl
2. Acacia greggii	4	Y	FACU
3. Salvia davisii	2	N	Upl
4.			NL
5.			
Total Cover: 11			
Herb Stratum			
1. Schismus arabicus	1	Y	upl
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 4	x 4 = 16
UPL species 8	x 5 = 40
Column Totals: 12 (A)	56 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-11

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A

Remarks: Sand w/ gr + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 20'
TOB 25'
multiple low-flow channels
Trib to Ivanpah Dry Lake

B, FB, Wl, SS, SO

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-12
Investigator(s): T. Halsan Section, Township, Range:
Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): Convex Slope (%): 3
Subregion (LRR): D Lat: N 35, 536 691 Long: W -115, 510 691 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1122, 1123

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia greggii	1	Y	FACU
2. Hymenoclea salsola	1	Y	Not NL
3.			
4.			
5.			
Total Cover: 2			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 1	x 5 =	5
Column Totals: 2 (A)		9 (B)

Prevalence Index = B/A = 4.5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-5-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/M								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- 1 Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No 1 Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No 1

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B+B, Scour, WL Talk to Evaporite Dry Lake

0 Hum 2', TOB 2'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-13
Investigator(s): D Jeffolson / S Hickson Section, Township, Range:
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 10
Subregion (LRR): D lat: W -115.610783 long: N 35.523767 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1124, 1125

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	(1)	Y	UPL NL
2. Krameria parvifolia	2	Y	UPL
3. Hymenoclea salsola	1	N	UPL NL
4. Yucca schidigera	1	N	UPL NL
5.			
Total Cover:	14		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 14	x 5 = 70
Column Totals: 14 (A)	70 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes N/A No _____

Remarks: Sand w/ or, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 4' Elbow line on top. Tr.b to Ironwood Dry Lake

B+B, SD, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-14

Investigator(s): S. Halcon / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 20

Subregion (LRR): D Lat: W -115.510646 Long: N 35.524561 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)

Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓		
Hydric Soil Present?	Yes ____	No ____ N/A	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓		

Remarks: Photo: 1126, 1127

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Yucca schidigera	4+1	Y	NL ~~FACU~~
2. Acacia greggii	4+1	Y	FACU ~~NL~~
3. Hymenoclea salsola	4+1	Y	~~FACU~~ NL
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 2	x 5 =	10
Column Totals: 3 (A)		14 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: Little much veg in channel.

Sampling Point: 45-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 9' Trib to Ironpoint Dry Lake

B+B, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2 2007
Applicant/Owner: Grade Point State: CA Sampling Point: A-5-15
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Flat Slope (%): 10
Subregion (LRR): D Lat: W -115.510624 Long: N 35.522151 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Upland veg., no soil pit dug. Photos: 1128, 1129

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Salvadora mexicana	4%	Y	UPL
2. Hymenoclea salsola	4%	Y	UPL
3.			NL
4.			
5.			
Total Cover:	2		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	2	x5 =	10
Column Totals:	2	(A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: very little veg present in drainage

Sampling Point: 4-5-15

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand, No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM ID: TOB 12

Blue line on Topo

Trib to Trapper Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-16
Investigator(s): T. Holcomb / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Concave Slope (%): 10
Subregion (LRR): D Lat: N 35.52480 Long: W -115.51487 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photos: 1130, 1131

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover: 0			
Shrub Stratum (Plot size:)			
1. Yucca schidigera	2	T	UPL NL
2. Ephedra nevadensis	4%	Y	FACW NL
3. Pleuraphis rigida	4%	Y	FACW NL
4.			
5.			
Total Cover: 4			
Herb Stratum (Plot size:)			
1. Eriogonum inflatum	4%	Y	UPL NL?
2. Illegible. Unsure which spp.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species ____	x4 = ____
UPL species 5	x5 = 25
Column Totals: 5 (A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM is, TOB 20' Trib to Ironpoint Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S27
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 3
Subregion (LRR): D Lat: W -115.508.749 Long: N 35.543541 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1093, 1094

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	NL UPL
2. Eriogonum fasciculatum	2	Y	NL UPL
3. Ephedra nevadensis	1	N	NL UPL
4.			
5.			
Total Cover:	8		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 8	x 5 =	40
Column Totals: 8 (A)		40 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: #5-S-27 10/2/2009

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	10 YR 4/3	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Cobble, rock

Depth (inches): 10

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3', TOB 3' Jeb to Ironpah Dry Lake

SD, B+B

HBG OHWM Field Data Sheet (Arid West)

HGB Team # 6 H | Project Name: *DesertXpress* | HBG Sub-Basin # (1 – 41) 29 | HUC 12 #

Drainage Data												Comments
Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Use note pages at back of notebook for comments. Put comment number in block below.
10, 12, 10	~	S	29D1		—	A	U	Y	A: 5,10,11,12,13 D: 3	B: 2,10,11,12 E: 5,12	C: 3,5,8,9,10 F: 18	
10,12,10	—	S	29D2		0.5	A	U	N	A: 5,10,11,12,13,16 D: 3	B: 2,10,11,12 E: 5,12	C: 3,5,8,9,10 F: 18	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	

FI-12-191

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

ICF Jones & Stokes

Wetland Determination Data Forms – Arid West Region

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed
Wheaton Wash-Frontal Ivanpah Lake

HBG Watershed ID # 28

Within Ivanpah-Pahrump Valleys Watershed (HUC 16060015)

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle West State: CA Sampling Point: 3-S 1
Investigator(s): T. Halsor / J. Hirtzman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR): D Lat: N 35.575119 Long: W 115.511235 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation N, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation N, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 1132, 1133

VEGETATION

Tree Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size: 1)			
1. Hymenoclea salsola	5	Y	Upl NL
2. Acacia greggii	1	N	FacU
3. Ambrosia dumosa	1	N	Upl NL
4.			
5.			
Total Cover:	7		

Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	1	x4 =	4
UPL species	6	x5 =	30
Column Totals:	7 (A)		34 (B)

Prevalence Index = B/A = 4.85

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-5-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10YR 4/3						sand w/ gravel	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 12

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C6)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 36" ; TOB 40"

Blue line on top.

Trib to Trampas Dry Lake

B&B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Issaquah / SBS Sampling Date: 10/2/2009
Applicant/Owner: Circle Bar State: CA Sampling Point: 3-S-7
Investigator(s): J. Hinton / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 10
Subregion (LRR): D Lat: W 115.51234 Long: N 35.61334 Datum: NAD 83 2026 (1)
Soil Map Unit Name: Mapping not complete NWI Classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation N D, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation N D, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1134, 1135

VEGETATION

Tree Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1. Ephedra nevadensis	3	Y	N/L FACU
2. Acacia greggii	2	Y	FACU
3. Hymenoclea salsola	1	N	~~UPL~~ N/L
4. Ambrosia dumosa	1	N	~~UPL~~ N/L
5. Salvia dorrii	1	N	~~UPL~~ N/L
Total Cover:	8		

Herb Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	____	x1 = ____
FACW species	____	x2 = ____
FAC species	____	x3 = ____
FACU species	2	x4 = 8
UPL species	6	x5 = 30
Column Totals:	8 (A)	38 (B)

Prevalence Index = B/A = 4.75

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-5-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr & cb No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one reouired; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more reouired)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10' 10840 Trib to Irrapah Dry Lake

B & R, SS, CD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Catellus / Xpress State: CA Sampling Point: 3-S-3
Investigator(s): T. Hallacy / S. Hickson Section, Township, Range:
Landform (hillslope, terrace, etc.): drainage Local relief (concave, convex, none): concave Slope (%): 1
Subregion (LRR): D Lat: N 35.51673 Long: N 35.51673 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	
Hydric Soil Present?	Yes ____	No N/A	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photo: 1136, 1137

VEGETATION

Tree Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1. Ephedra nevadensis	5	Y	Upl NL
2. Eriogonum fasciculatum	1	N	Upl NL
3.			
4.			
5.			
Total Cover:	6		

Herb Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size: 1)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 6	x5 = 30	
Column Totals: 6	(A) 30	(B)
Prevalence Index = B/A = 5		

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No ___ N/A

Remarks: Sandy w/ gr + cb - No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 6' Trib to Irrapuah Dry Lake

WL ss. SD. BfB

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-4
Investigator(s): S. Hudson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 10
Subregion (LRR): D Lat: W-116.51792 Long: N 35.50712 Datum: NAD 83
Soil Map Unit Name: Mapping Unit complex NWI Classification: N/A ZONE I
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo. 1138 1139

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover: 0			
Shrub Stratum (Plot size:) Eriogonum			NL
1. Ephedra nevadensis fasciculata	1	Y	FACU
2. Acacia greggii	1	Y	FACU
3.			
4.			
5.			
Total Cover: 2			
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	1	x4 =	4
UPL species	1	x5 =	5
Column Totals:	2 (A)		9 (B)
Prevalence Index = B/A =			4.5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
	NJ/M							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; TOB 14' Trib to Ivanpah Dry Lake

0.0, S.S. SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-5
Investigator(s): J. Halsey / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada/hillslope Local relief (concave, convex, none): concave Slope (%): 15
Subregion (LRR): D Lat: 35.506676 Long: -115.511439 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No (If no, explain in Remarks)
Are Vegetation No, Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No
Are Vegetation No, Soil , or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes	No ✓	Is the Sampled Area within a Wetland? Yes No ✓
Hydric Soil Present?	Yes	No N/A	
Wetland Hydrology Present?	Yes	No ✓	

Remarks: Photo: 1140, 1141

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Coleogyne ramosissima	2	Y	UPL NL
2. Yucca schidigera	1	Y	UPL NL
3.			
4.			
5.			
Total Cover:	3		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species		x1 =	
FACW species		x2 =	
FAC species		x3 =	
FACU species		x4 =	
UPL species	3	x5 =	15
Column Totals:	3	(A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
_____ Dominance Test is >50%
_____ Prevalence Index is ≤3.0[1]
_____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes No ✓

Remarks:

Sampling Point: 3-S-5

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No ___ N/A

Remarks: OF w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 1', TOB 2'

Trib to Evaporative Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Joseph / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-6
stigator(s): J. Halcon / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 15
Subregion (LRR): D Lat: W -115.510930 Long: N 35.506174 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo. 1142, 1143

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size: 1)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size: 1)			
1. Ephedra nevadensis	2	Y	UPL
2. Coleogyne ramosissima	1	Y	UPL
3. Salvia dorrii	1	Y	UPL
4.			
5.			
Total Cover:	4		
Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:	
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 4	x5 =	20
Column Totals: 4 (A)		20 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-5-6

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-6	10 YR 4/3	100					Sand w/ gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 6

Hydric Soil Present? Yes ___ No ___ N/A

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverina)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Inveriebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6' TOB 6' Toe to Trampas Dry Lake

N.R.S.S. CO

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Juanpah / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-7
Investigator(s): T. Halsour / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): Concave Slope (%): 15
Subregion (LRR): D Lat: W 115, 512 142 Long: N 35, 503 47 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, ~~Soil ____, or Hydrology ____~~ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photos: 1144, 1145

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	3	Y	UPL NL
2. Coleogyne ramosissima	2	Y	UPL NL
3. Ephedra viridis	1	N	UPL NL
4.			
5.			
Total Cover:	6		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:	
OBL species ____	x1 = ____	
FACW species ____	x2 = ____	
FAC species ____	x3 = ____	
FACU species ____	x4 = ____	
UPL species 60	x5 = 30	
Column Totals: 60	(A) 30	(B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-3	N/R							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

N/A

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No ___

Remarks: gravel w/ sand + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Inverlebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3', TOB 5' Tcb to Ironpah Dry Lake

B+B SS GA

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SD Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-8
stigator(s): T. Holeen / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Concave Slope (%): 1 S
Subregion (LRR): D Lat: W -115.5101473 Long: N 33.562941 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 20VE11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: Upland veg., no soil pit dug. Photo: 1147, 1148

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Hymenoclea salsola	4	Y	~~Upl~~ NL
2. Acacia greggii	1	N	FACU
3. Salvia dorrii	4	Y	~~Upl~~ NL
4.			
5.			
Total Cover:	9		
Herb Stratum (Plot size:)			
1. Erioptera densiflorum	1	Y	NL ~~Upl~~
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	
FACW species	____	x2 =	
FAC species	____	x3 =	
FACU species	1	x4 =	4
UPL species	10	x5 =	30
Column Totals:	11 (A)		34 (B)

Prevalence Index = B/A = 3.09

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-8

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 20'; TOB 22' Blm line on topo. Tab to Ivanpah Dry Lake

R_LR SS. GD. WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-9
stigator(s): S. Halcon / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 2-7
Subregion (LRR): D Lat: W -115, 509 212 Long: 35, 502106 Datum: NAD 83
Soil Map Unit Name: Mayanis not mapped NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation N/A, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo: 1149, 1150

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	1	Y	UPL NL
2. Calliandra eriophylla	1	Y	UPL NL
3. Encelia virginensis	1	Y	UPL NL
4.			
5.			
Total Cover:	3		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:	
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 3	x5 =	15
Column Totals: 3 (A)		15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: gravel w/ cobble, small rocks. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2'; TOB 4' Trib to Ennesh Dry wash

B+B SD, S

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-10
Investigator(s): T. Olson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Flat Slope (%): 15
Subregion (LRR): D Lat: W -115.509956 Long: N 35.501035 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A zone11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ✓		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1151, 1152

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size: 1)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size: 1)			
1. Eriogonum fasciculatum	1%	Y	UPL NL
2. Salvia dorii	1%	Y	UPL NL
3. Hymenoclea salsola	1%	Y	UPL NL
4.			
5.			
Total Cover:	3		
Herb Stratum (Plot size: 1)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size: 1)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 3	x5 = 15	
Column Totals: 3 (A)	15 (B)	
Prevalence Index = B/A = 5		

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-10

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-10	10 YR 4/3	100					sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 10

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; TOB 12' Trib to Tranpan Dry Lake

B+B SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 10/2/2009
Applicant/Owner: Granite Point State: CA Sampling Point: 3-S-11
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 20
Subregion (LRR): D Lat: W-115,50'936 Long: N 35, 50093 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 2010
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo: 1153, 1154

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	1	Y	UPL
2. Ephedra nevadensis	1	Y	UPL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	2	x5 =	10
Column Totals:	2 (A)		10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-1R

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: gr w/ sandy cobble. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one reouired: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3' ; TOB 4' Trib to Iraypah Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-12
Investigator(s): J. Hanson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 20
Subregion (LRR): D Lat: N -115.505139 Long: N 35.497118 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 2006
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	
Hydric Soil Present?	Yes ____	No N/A	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1156, 1157

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	21	Y	UPL NL
2. Eriogonum sp.	21	Y	UPL NL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species ____	x4 = ____
UPL species 2	x5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

N/A.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gravel. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Inverlebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10'; 10812' Trib to Evergreen Dry Lake

R. R. Cr. SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / LSB Sampling Date: 10/7/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-5-43
Investigator(s): T. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 20
Subregion (LRR): D Lat: N 35.495360 Long: W -115.504380 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: No soil pit dug – upland veg. Photo: 1158, 1159

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover: 0			
Shrub Stratum (Plot size:)			
1. Eriogonum fasciculatum	3	Y	UPL NL
2. Ericameria sp.	2	Y	UPL NL
3. Acacia greggii	1	N	FAC U
4. Salvia dorrii	1	N	UPL NL
5. Encelia virginensis	3	Y	UPL NL
Total Cover: 10			
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 12

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 2 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 40 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species 1	x4 = 4
UPL species 9	x5 = 45
Column Totals: 10 (A)	49 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 25' ; TOB 30' Trib to Evaporation Dry Lake

OHWM Ind.: B+B, WL, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2004
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-14
Investigator(s): T. Holson / T. Hildeman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 30
Subregion (LRR): D Lat: W 115.496574 Long: N 35.487404 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: could not access drainage due to steep terrain, digitized w/ gps unit

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
Total Cover:	0		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 0 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)
Total Number of Dominant Species Across All Strata: ____ (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species ____	x4 = ____
UPL species ____	x5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = 0

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: No veg in drainage; v. flashy

Sampling Point: 3-S-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/6								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No N/A

Remarks: gr w/ cb, rock. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10' : TOB 12' Trib to Trapper Dry Lake

OHR

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-15
Investigator(s): T. Holeom / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 20
Subregion (LRR): D Lat: W -115.498810 Long: N 35.479277 Datum: NAD 83
Soil Map Unit Name: Mapping not complete. NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/M		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1167, 1169

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
4.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Acacia greggii	1	Y	FACU
2. Yucca schidigera	1	Y	~~FACU~~ NI
3. Ephedra nevadensis	1	Y	~~UPL~~ NI
4.			
5.			
Total Cover:	3		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	1	x4 =	4
UPL species	2	x5 =	10
Column Totals:	3	(A)	14 (B)

Prevalence Index = B/A = 4.66

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-15

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? N/A Yes ___ No ___

Remarks: gr w/ cb + rock. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2'; TOB 4' Trib to Wheaton Spring Wash to Ivanpah Dry la

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial/CB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-1 C
Investigator(s): T. Holcomb / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 30
Subregion (LRR): D Lat: W -115.499301 Long: N 35.478599 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 20NE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1170, 1171

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
4.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Hymenoclea salsola	1	Y	NL UPL
2. Yucca brevifolia	3	Y	NL UPL
3. Ephedra nevadensis	1	Y	NL UPL
4.			
5.			
Total Cover:	5		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	5	x5 =	15
Column Totals:	5 (A)		15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-5-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Other 12"; ToB 14" Blue Line on Topo. Trib to Wheatons Springs heads to Evaporite Dry Lake.

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-17
Investigator(s): J. Halgren / J. Hickerman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Concave Slope (%): 15
Subregion (LRR): D Lat: W -115.499844 Long: N 35.477040 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No N/A		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: Photo: 1172, 1173

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
4.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Hymenoclea salsola	3	Y	~~UPL~~ NL
2. Atriplex gregorii	2	Y	FACU
3. Salvia dorii	1	N	~~UPL~~ NL
4.			
5.			
Total Cover:	6		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:
OBL species	____	x1 = ____
FACW species	____	x2 = ____
FAC species	____	x3 = ____
FACU species	2	x4 = 8
UPL species	4	x5 = 20
Column Totals:	6 (A)	28 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-17

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 15' ; TOB 15' Blue Line on topo. Tob to Wheaton Springs Wash Ephemeral Dry Lake

R-B. SS CD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Tejon Pass / SB Sampling Date: 10/12/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-18
Investigator(s): T. Holsen / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): concave Slope (%): 20
Subregion (LRR): D Lat: W -118.500439 Long: N 35.476398 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A 20NE11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo: 1175, 1174

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Encelia virginensis	1	Y	NL UPL
2. Eriogonum fasciculatum	1	Y	NL UPL
3.			
4.			
5.			
Total Cover:	2		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	2	x5 =	10
Column Totals:	2	(A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 3-S-18

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-M								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ___

Depth (inches): ___

Hydric Soil Present? Yes ___ No N/A

Remarks: Sand w/ gr, cb. NO soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4' : TOB 4' Trib to Wheaton Springs Wash to Twentynine Palms Dry Lake.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/San Bernardino Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 3-S-19
Investigator(s): S. Halsor / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): Can cave Slope (%): 7%
Subregion (LRR): D ~~Lat:~~ W -115,501298 ~~Long:~~ 35,474952 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks)
Are Vegetation No, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No _____
Are Vegetation No, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No ✓	Is the Sampled Area within a Wetland?	Yes _____ No ✓
Hydric Soil Present?	Yes _____ No N/A		
Wetland Hydrology Present?	Yes _____ No ✓		

Remarks: Photo: 1176
1177

VEGETATION

Tree Stratum (Plot size:)	Absolute % Cover	Dominant Species?	Indicator Status?
1.			
2.			
3.			
4.			
Total Cover:	0		

Shrub Stratum (Plot size:)			
1. Fricamaria sp.	2	Y	Upl NL
2. Eriogonum fasciculatum	3	Y	Upl NL
3.			
4.			
5.			
Total Cover:	5		

Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		

Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:	
OBL species	x1 =	
FACW species	x2 =	
FAC species	x3 =	
FACU species	x4 =	
UPL species 5	x5 =	25
Column Totals: 5 (A)		25 (B)
Prevalence Index = B/A =		5

Hydrophytic Vegetation Indicators:
_____ Dominance Test is >50%
_____ Prevalence Index is ≤3.0[1]
_____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Sampling Point: 3-S-19

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: gr w/ sand; rocky outcrops in drainage. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required: check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 6' Blue line on topo. Trib to Wheaton Springs Wash to Dragoon Dry Lake

B of B, SD, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Victorville/SB Sampling Date: 10/2/2009

Applicant/Owner: Circle Bar State: CA Sampling Point: 4-S-1

Investigator(s): S. Hafeon / J. Hiddeman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): concave Slope (%): 3

Subregion (LRR): D Lat: N 34.509023 Long: W -115.594694 Datum: NAD 83

Soil Map Unit Name: Blasingame soil complex NWI classification: N/A ZONE II

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation NO, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation NO, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	N/A
Hydric Soil Present?	Yes _____	No _____	
Wetland Hydrology Present?	Yes _____	No ✓	
Is the Sampled Area within a Wetland?	Yes _____	No ✓	

Remarks: No pics

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	NL UPL
2. Encelia virginensis	1	Y	UPL
3.			NL
4.			
5.			
Total Cover:	3		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x 1 = _____
FACW species _____	x 2 = _____
FAC species _____	x 3 = _____
FACU species _____	x 4 = _____
UPL species 3	x 5 = 15
Column Totals: 3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Sampling Point: 4-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/14								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A.

Remarks: sand w/ gr, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 1":TOB 2" Trib to Trough Dry Lake

B+B, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow / SB Sampling Date: 10/7/2009

Applicant/Owner: Circle Bar State: CA Sampling Point: 4-S-2

Investigator(s): S. Holson / S. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Con Cave Slope (%): 5

Subregion (LRR): D Lat: N 34.915115 Long: W 115.509115 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: PFO ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A
Hydric Soil Present?	Yes ____	No ____	
Wetland Hydrology Present?	Yes ____	No ✓	
Is the Sampled Area within a Wetland?	Yes ____	No ✓	

Remarks: Photos: 1095, 1096

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	~~UPL~~ NL
2. Ephedra nevadensis	1	Y	~~UPL~~ NL
3. Hymenoclea salsola	1	Y	~~UPL~~ NL
4. Salvia dorrii	1	Y	~~UPL~~ NL
5.			
Total Cover:	5		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 5	x 5 = 25
Column Totals: 5 (A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-5-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 1'; TOB 2' T.b to Irrapah Dry Lake

B + B, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / CA Sampling Date: 10/2/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-3

Investigator(s): S. Nelson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Local relief (concave, convex, none): Concave Slope (%): 5

Subregion (LRR): D Lat: W -115.509231 Long: N 35.539 256 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1094 1094

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Fouquieria splendens	2	Y	UPL NL
2. Yucca schidigera	1	N	UPL NL
3. Hymenoclea salsola	1	N	UPL NL
4.			
5.			
Total Cover:	4		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 4	x 5 = 20
Column Totals: 4 (A)	20 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8'; 10 BLD

Blm line on Tpo. Tob to Irrapah Dry Leaf

B & B, SD, SS, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Evanpi / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-4
Investigator(s): J. Halsan / S. Hirtzman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): concave Slope (%): 8
Subregion (LRR): D Lat: N 35.537120 Long: W -115.509290 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks:

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	1	Y	FAC
2. Eriogonum fasciculatum	1	Y	UPL
3. Encelia virginensis	1	Y	UPL
4.			
5.			
Total Cover:	3		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 3	x 5 = 15
Column Totals: 3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/14								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr + cb No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 5' Trib to Trapper Dry Lake

B+B, Scour, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/09

Applicant/Owner: Circle Point State: CA Sampling Point: 4-S.S

Investigator(s): S. Halsey / T. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Toe of slope Local relief (concave, convex, none): concave Slope (%): 10

Subregion (LRR): D Lat: W -115.509249 Long: N 35.535877 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A 20NE11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1103 1104

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Lycium sp.	1	Y	NL
2. Ephedra nevadensis	1	Y	NL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 2	x 5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-5

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Cobble, gravel, and rock. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 8' Trib to Trampas Dry Lake

B&B, SS, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/Mi / SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 4-5-6
Investigator(s): T. Holcomb / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 8
Subregion (LRR): D Lat: W -115.91041H Long: N 35.532827 Datum: NAD 83
Soil Map Unit Name: Mapping not complete. NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ____ N/A	
Wetland Hydrology Present?	Yes ____ No ✓	

Remarks: Photos: 1107, 1108

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	2	Y	FACU
2. Ephedra verdensis	2	Y	~~FACW~~ UPL
3. Hymenoclea salsola	2	Y	UPL
4. Eriogonum fasciculatum	1	N	UPL
5.			
Total Cover:	7		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 2	x 4 = 8
UPL species 5	x 5 = 25
Column Totals: 7 (A)	33 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-6

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gravel + cobble. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 21' TOB 24' Trib to Tranquil Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Silverpeak/NB Sampling Date: 10/7/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-7
Investigator(s): J. Halsey / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Flat Slope (%): 4
Subregion (LRR): D Point B Lat: N -115.510224 Long: N 35.532665 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point B Lat. -115.510176 N 35.532665 Photos, 1109, 1110

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	2	Y	NL
2. Krameria erecta	1	Y	UPL
3.			
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 3	x 5 = 15	
Column Totals: 3 (A)	15 (B)	

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-16	10YR 4/3	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM : between pts a & b ; TOB ; +8' Span = 60 ft

Trib to Tranquilo Dry Lake

B, W, S, D, SS, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Flowers City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-8
Investigator(s): J. Halcon / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR): D Lat: W -115.510414 Long: N 35.530308 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A		
Wetland Hydrology Present?	Yes ____	No ✓		

Remarks: Photos: 1111, 1112

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	NL (UPL)
2. Acacia greggii	1	Y	UPL
3.			NL
4.			FACU
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 1	x 5 =	105
Column Totals: 2 (A)		109 (B)

Prevalence Index = B/A = 54.5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-8

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'; TOB 6' Trib to Ivanpah Dry Lake

B+B, Sc. Ouc

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside / SB Sampling Date: 10/2/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-9

Investigator(s): T. Olsen / J. Hes Section, Township, Range:

Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): Convex Slope (%): 3

Subregion (LRR): D Lat: N -115.510476 Long: N 35.530838 Datum: NAD83

Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation N/D, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A
Hydric Soil Present?	Yes ____	No ____	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1113, 1114

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	5	Y	NL
2. Krameria parvifolia	5	Y	NL
3. Encelia virginensis	1	N	NL
4.			
5.			
Total Cover:	11		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 11	x 5 =	55
Column Totals: 11 (A)		55 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A

Remarks: gravel w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- 1 ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4', TOB 6' Trib to Ivanpah Dry Lake

B+B, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Issaquah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-10
Investigator(s): J. Holman / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 5
Subregion (LRR): D Lat: N 35.529.234 Long: W 115.510349 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ~~naturally problematic~~ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation ND, Soil ____, or Hydrology ~~naturally problematic~~ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ✓	
Wetland Hydrology Present?	Yes ____ No ✓	

Remarks: Photo: 1115, 1116

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	NL UPL
2. Acacia greggii	2	Y	FACU
3. Ephedra nevadensis	1	N	NL UPL
4.			
5.			
Total Cover: 8			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 1 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 2	x 4 =	8
UPL species 6	x 5 =	30
Column Totals: 8 (A)		38 (B)

Prevalence Index = B/A = 4.75

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S10

SOIL

Profile Description: (Describe to the depth needed to document the Indicator or confirm the absence of Indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10 YR 4/3	100					Sand	w/ gr

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 14', TOB 22' Trib to Irwindale Dry Lake

BtB, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah, LCB Sampling Date: 10/12/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-11
Investigator(s): T. Wolson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Flat Slope (%): 8
Subregion (LRR): D Long: W -115.510622 Lat: N 35.527015 Datum: NAD 83
Soil Map Unit Name: Mariposa, dry complex NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg., no soil pit dug. Photo: 1117, 1114

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	Upl
2. Acacia greggii	4	Y	FACU
3. Salvia davisii	2	N	Upl
4.			NL
5.			
Total Cover: 11			
Herb Stratum			
1. Schismus arabicus	1	Y	upl
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 4	x 4 = 16
UPL species 8	x 5 = 40
Column Totals: 12 (A)	56 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-11

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A

Remarks: Sand w/ gr + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 20'
TOB 25'

multiple low-flow channels

Tcib to Ivanpah Dry Lake

B, FB, Wl, SS, SO

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-12
Investigator(s): T. Halsan Section, Township, Range:
Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): Concave Slope (%): 3
Subregion (LRR): D Lat: N 35, 526 691 Long: W -115, 510 691 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1122, 1123

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia greggii	1	Y	FacU
2. Hymenoclea salsola	1	Y	Upl
3.			NL
4.			
5.			
Total Cover: 2			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 1	x 5 = 5
Column Totals: 2 (A)	9 (B)

Prevalence Index = B/A = 4.5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-5-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/M								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- 1 Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B+B, Scour, WL Talk to Evaporite Dry Lake

0 Hum 2+; TOB 2'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-13
Investigator(s): D Jeffolson / S Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 10
Subregion (LRR): D lat: W -115.610783 long: N 35.523767 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1124 1125

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	(1)	Y	UPL NL
2. Krameria parvifolia	2	FAC N	UPL
3. Hymenoclea salsola	1	N	UPL NL
4. Yucca schidigera	1	N	UPL NL
5.			
Total Cover:	14		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 14	x 5 = 70
Column Totals: 14 (A)	70 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes N/A No _____

Remarks: Sand w/ or, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 4' Blue line on top. Tr.b to Inundation Dry Lake

B+B, SD, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial/SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-14
Investigator(s): S. Halcon / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): hillslope Local relief (concave, convex, none): concave Slope (%): 20
Subregion (LRR): D Lat: W -115.510646 Long: N 33.524561 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓		
Hydric Soil Present?	Yes ____	No ____ N/A	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓		

Remarks: Photo: 1126, 1127

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Yucca schidigera	4+1	Y	NL UPL
2. Acacia greggii	4+1	Y	FACU
3. Hymenoclea salsola	4+1	Y	UPL NL
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 2	x 5 = 10
Column Totals: 3 (A)	14 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: Lot much veg in channel.

Sampling Point: 45-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 9' Trib to Ironpoint Dry Lake

B+B, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/2 2007
Applicant/Owner: Grade Point State: CA Sampling Point: A-S-1S
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Hillslope Local relief (concave, convex, none): Flat Slope (%): 10
Subregion (LRR): D Lat: W -115.510624 Long: N 35.522151 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	
Hydric Soil Present?	Yes ____	No N/A	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Upland veg., no soil pit dug. Photos: 1128, 1129

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
4.			
Total Cover:	0		
Shrub Stratum (Plot size:)			
1. Salvadora mexicana	4%	Y	NL
2. Hymenoclea salsola	4%	Y	UPL
3.			NL
4.			
5.			
Total Cover:	2		
Herb Stratum (Plot size:)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x1 =	____
FACW species	____	x2 =	____
FAC species	____	x3 =	____
FACU species	____	x4 =	____
UPL species	2	x5 =	10
Column Totals:	2	(A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: very little veg present in drainage

Sampling Point: 4-5-15

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand, No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM ID: TOB 12

Blue line on Topo

Trib to Trapper Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 4-S-16
Investigator(s): T. Holcomb / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Concave Slope (%): 10
Subregion (LRR): D Lat: N 35.52480 Long: W -115.51487 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI Classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" Present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photos: 1130, 1131

VEGETATION

	Absolute % Cover	Dominant Species?	Indicator Status?
Tree Stratum (Plot size:)			
1.			
2.			
3.			
Total Cover: 0			
Shrub Stratum (Plot size:)			
1. Yucca schidigera	2	T	UPL NL
2. Ephedra nevadensis	4%	Y	UPL NL
3. Pleuraphis rigida	4%	Y	UPL NL
4.			
5.			
Total Cover: 4			
Herb Stratum (Plot size:)			
1. Eriogonum gilleniae (illegible. Unsure which spp.)	4%	Y	UPL NL?
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum (Plot size:)			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index Worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x1 = ____
FACW species ____	x2 = ____
FAC species ____	x3 = ____
FACU species ____	x4 = ____
UPL species 5	x5 = 25
Column Totals: 5 (A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
____ Dominance Test is >50%
____ Prevalence Index is ≤3.0[1]
____ Morphological Adaptation[1] (Provide supporting data in Remarks or on a separate sheet)
____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, CS=Covered or Coated Sand Grains. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? N/A Yes _____ No _____

Remarks: Sand w/ gr No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one required; check all that apply)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Thin Muck Surface (C7)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM is, TOB 20' Trib to Ironpoint Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/2/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S27
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 3
Subregion (LRR): D Lat: W -115.508.749 Long: N 35.543541 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1093, 1094

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	NL UPL
2. Eriogonum fasciculatum	2	Y	NL UPL
3. Ephedra nevadensis	1	N	NL UPL
4.			
5.			
Total Cover:	8		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 8	x 5 =	40
Column Totals: 8 (A)		40 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: #5-S-27 10/2/2009

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-10	10 YR 4/3	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Cobble, rock

Depth (inches): 10

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3', TOB 3' Jeb to Ivanpah Dry Lake

SD, B+B

Exhibit B2

DesertXpress Field Data
For
Ivanpah Lake Area
Ivanpah-Pahrump Valleys Watershed
(HUC 16060015)

HBG Watershed Number	HUC 12 Watershed Name	HBG Field Data	ICF Jones & Stokes Field Data	Comments
28	Wheaton Wash-Frontal Ivanpah Lake	Yes	Yes	
29	Kokoweef Canyon-Frontal Ivanpah Lake	No	No	Only north edge of this watershed is within previous route Segment 4A. This watershed not in currently preferred route Segment 4 ALT C. Urban Drainage features. Delineated by HBG using adjacent watershed data.
30	Ivanpah Lake	Yes	Yes	Watershed is shaped like an hourglass with Roach (dry) Lake in the north half and Ivanpah Lake in the south half. All of DesertXpress route within this watershed is in south half. Portion of Study Area in this watershed drains to Roach (dry) Lake.
31	Whiskey Spring-Frontal Ivanpah Lake	Yes	Yes	

Huffman-Broadway Group

Field Data Forms

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed *Ivanpah Lake*

HBG Watershed ID # 30

Within Ivanpah-Pahrump Valleys Watershed (HUC 16060015)

DesertXpress

Field Notebook

HBG Watershed ID # 30

Watershed Name: Ivanpah Lake

If found, please return to:

George Ball
Huffman-Broadway Group, Inc.
828 Mission Avenue
San Rafael, California 94901
415.925.2000
gball@h-bgroup.com

Return Postage Guaranteed

Potential Geomorphic OHWM Indicators

(A) Below OHW	(B) At OHW	(C) Above OHW
1) In-stream dunes 2) Crested ripples 3) Flaser bedding 4) Harrow marks 5) Gravel sheets to rippled sands 6) Meander bars 7) Sand tongues 8) Muddy point bars 9) Long gravel bars 10) Cobble bars behind obstructions 11) Scour holes downstream of obstructions 12) Obstacle marks 13) Stepped-bed morphology in gravel 14) Narrow berms and levees 15) Streaming lineations 16) Dessication/mud cracks 17) Armored mud balls 18) Knick Points	1) Valley flat 2) Active floodplain 3) Benches: low, mid, most prominent 4) Highest surface of channel bars 5) Top of point bars 6) Break in bank slope 7) Upper limit of sand-sized particles 8) Change in particle size distribution 9) Staining of rocks 10) Exposed root hairs below intact soil layer 11) Silt deposits 12) Litter (organic debris, small twigs and leaves) 13) Drift (organic debris, larger than twigs)	1) Desert pavement 2) Rock varnish 3) Clast weathering 4) Salt splitting 5) Carbonate etching 6) Depositional topography 7) Caliche rubble 8) Soil development 9) Surface color/tone 10) Drainage development 11) Surface relief 12) Surface rounding

Potential Vegetation OHWM Indicators

	(D) Below OHW	(E) At OHW	(F) Above OHW
Hydroriparian indicators	1) Herbaceous marsh species 2) Pioneer tree seedlings 3) Sparse, low vegetation 4) Annual herbs, hydromesic ruderals 5) Perennial herbs, hydromesic clonals	1) Annual herbs, hydromesic ruderals 2) Perennial herbs, hydromesic clonals 3) Pioneer tree seedlings 4) Pioneer tree saplings	1) Annual herbs, xeric ruderals 2) Perennial herbs, non-clonal 3) Perennial herbs, clonal and non-clonal co-dominant 4) Mature pioneer trees, no young trees 5) Mature pioneer trees w/upland species 6) Late-successional species
Mesoriparian indicators	6) Pioneer tree seedlings 7) Sparse, low vegetation 8) Pioneer tree saplings 9) Xeroriparian species	5) Sparse, low vegetation Annual herbs, hydromesic 6) Ruderals 7) Perennial herbs, hydromesic clonals 8) Pioneer tree seedlings 9) Pioneer tree saplings 10) Xeroriparian species 11) Annual herbs, xeric ruderals	7) Xeroriparian species 8) Annual herbs, xeric ruderals 9) Perennial herbs, non-clonal 10) Perennial herbs, clonal and non-clonal codominent 11) Mature pioneer trees, no young trees 12) Mature pioneer trees, xeric understory 13) Mature pioneer trees w/upland species 14) Late-successional species 15) Upland species
Xeroriparian indicators	10) Sparse, low vegetation 11) Xeroriparian species 12) Annual herbs, xeric ruderals	12) Sparse, low vegetation 13) Xeroriparian species 14) Annual herbs, xeric ruderals	16) Annual herbs, xeric ruderals 17) Mature pioneer trees w/upland species 18) Upland species

HBG OHWM Field Data Sheet (Arid West) — IVANPAH LAKE

HGB Team # TH/TL | Project Name: DesertXpress | HBG Sub-Basin # (1 – 41) 30 | HUC 12 #

Drainage Data												Comments
Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Use note pages at back of notebook for comments. Put comment number in block below.
5-15-10	1350	4	30 D10		~~2.5~~ 1.6	A	U		A: 5,6,7,18 D: 10,12	B: 2,6,7,8,11,12,13 E: 12,14	C: 6,12 F: 18	(31D4)*
5-15-10	1402	4	30 i11		—	I	U		A: D:	B: E:	C: 8,12 F:	(31i5)
5-15-10	1403	4	30 i12		—	I	U		A: D:	B: E:	C: 8,12 F:	(31i6)
5-15-10	1404	4	30 i13		—	I	U		A: D:	B: E:	C: 8,12 F:	(31i7)
5-15-10	1408	4	30 D14		2.5	A	U	Y3	A: 5,6,9,11,12,13,15,18 D: 10,12	B: 6,8,11,12,13 E: 12,14	C: 6,8,11,12 F: 16,18	(31D8)
5-15-10	1414	4	30 i15		—	I	U		A: D:	B: E:	C: F:	(31i9)
5-15-10	1415	4	30 i16		—	I	U	Y	A: D:	B: E:	C: F:	(31i10)

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

* FORMER SAMPLE POINT NUMBER in (—).

HBG OHWM Field Data Sheet (Arid West)

IVANPAH LAKE

HBG Team # TH/TL | Project Name: DesertXpress | HBG Sub-Basin # (1 – 41) 30 | HUC 12 #

Drainage Data												Comments
Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Use note pages at back of notebook for comments. Put comment number in block below.
5-15-10	1422	4	Road on Playa		—	A	—		A: D:	B: E:	C: F:	BLM gravel road built on top of Playa
5-15-10	1426	4	Playa		—	A	—	Y 3	A: D:	B: E:	C: F:	Polygonal cracking. Sorted fine gravels. Lineal gravel fingers spreading onto fine sandy material.
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

HBG OHWM Field Data Sheet (Arid West)

IVANPAH LAKE

IGB Team # GD/ES | Project Name: DesertXpress | HBG Sub-Basin # (1 – 41) 30 | HUC 12 #

Drainage Data												Comments
Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Use note pages at back of notebook for comments. Put comment number in block below.
5-16-10	0755	1	30BD 17E		3.0 –	~~I~~ A	D	Y	A: 5, 6, 11, 12 D: 10, 12	B: 6, 8, 11 E: 12, 14	C: 6, 12 F: 16, 18	comment #2E (OK, ~~XT~~) (30M14E)*
5-16-10	0837	1	30BD 18E		–	I	D	N	A: D:	B: E:	C: F:	Comment #3E (30D15E)
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	
									A: D:	B: E:	C: F:	

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

* FORMER SAMPLE POINT NUMBER IN (—).

ICF Jones & Stokes

Wetland Determination Data Forms – Arid West Region

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed *Ivanpah Lake*

HBG Watershed ID # 30

Within Ivanpah-Pahrump Valleys Watershed (HUC 16060015)

WETLAND DETERMINATION DATA FORM – Arid West Region

SB

Project/Site: Desert Xpress City/County: Primm / ~~NV~~ ~~Clark~~ Sampling Date: 9/29/2009

Applicant/Owner: Circle Point State: ~~NV~~ CA Sampling Point: 9-S-4

Investigator(s): S. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): D ~~Lat:~~ N 35.609408 ~~Long:~~ W -115.409112 Datum: NAD 83 zone 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ✓	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 7' TOB: 7' Photos: 861 N 860 S

Indicator: wrack line, bed + bank, sed dep, sed sort

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia greggii	2	Y	FACU
2.			
3.			
4.			
5.			
Total Cover: 2			
Herb Stratum			
1. Baileya radiata	1	~~Y~~	UPL
2. Schismus arabicus	1	~~Y~~	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 2	x 4 = 8
UPL species 2	x 5 = 10
Column Totals: 4 (A)	18 (B)

Prevalence Index = B/A = 4.50

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

SOIL

Sampling Point: 9-S-4

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10 YR 4/3	100					coarse Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 12

Hydric Soil Present? Yes _____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ___ Depth (inches): _____

Water Table Present? Yes _____ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tends to Evaporate Dry Late

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside, Ivanpah/San Bernardino Sampling Date: 9/29/2009

Applicant/Owner: Circle Point State: NV/CA Sampling Point: T-S-5

Investigator(s): J. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): D ~~Lat:~~ N 35.60586 ~~Long:~~ W 115.45949 Datum: NAD 83 ZONE 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 3 TOB: 3 Photos: 862 N 863 S

Tidi: Wrack, bed + bank, sed dep, sed sort

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover:	0		
Herb Stratum			
1. Schismus arabicus	1	Y	NL UPL
2. Salsola tragus	1	Y	UPL
3. S. kali			FACU
4. AR S. pestifer			FACU
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species ____	x 1 =	____
FACW species ____	x 2 =	____
FAC species ____	x 3 =	____
FACU species 1	x 4 =	4
UPL species 1	x 5 =	5
Column Totals: 2 (A)		9 (B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-S

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10 YR 4/3	100					Coarse sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: ~~Rock~~ Rock

Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ____ Depth (inches): ____

Water Table Present? Yes ____ No ____ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): ____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tab to Ironwash Dry Wash

Exhibit B2

DesertXpress Field Data
For
Ivanpah Lake Area
Ivanpah-Pahrump Valleys Watershed
(HUC 16060015)

HBG Watershed Number	HUC 12 Watershed Name	HBG Field Data	ICF Jones & Stokes Field Data	Comments
28	Wheaton Wash-Frontal Ivanpah Lake	Yes	Yes	
29	Kokoweef Canyon-Frontal Ivanpah Lake	No	No	Only north edge of this watershed is within previous route Segment 4A. This watershed not in currently preferred route Segment 4 ALT C. Urban Drainage features. Delineated by HBG using adjacent watershed data.
30	Ivanpah Lake	Yes	Yes	Watershed is shaped like an hourglass with Roach (dry) Lake in the north half and Ivanpah Lake in the south half. All of DesertXpress route within this watershed is in south half. Portion of Study Area in this watershed drains to Roach (dry) Lake.
31	Whiskey Spring-Frontal Ivanpah Lake	Yes	Yes	

Huffman-Broadway Group

Field Data Forms

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed
Whiskey Spring-Frontal Ivanpah Lake

HBG Watershed ID # 31

Within Ivanpah-Pahrump Valleys Watershed
(HUC 16060015)

DesertXpress

Field Notebook

HBG Watershed ID # 31

Watershed Name: Whiskey Spring - Frontal Ivanpah Lake

If found, please return to:

George Ball
Huffman-Broadway Group, Inc.
828 Mission Avenue
San Rafael, California 94901
415.925.2000
gball@h-bgroup.com

Return Postage Guaranteed

HBG OHWM Field Data Sheet (Arid West)

WHISKY SPRING - FRONTAL IVANPAH LAKE

HBG Team #

Project Name: DesertXpress

HBG Sub-Basin # (1 – 41) 31

HUC 12 #

Drainage Data

Date (M / D / Y)	Time (24-Hour)	GPS Unit #	Sample Point #	Map Sheet Ref #	OHW Width	Active (A) or Inactive (I) Channel	Up (U) / or Down (D) Slope from Road	Photo (Y/N)	Below OHWM	At OHWM	Above OHWM	Comments
05/13/2010	1835	4	31 D1 *	-	~~4"~~ 0.5	A	U	N	A: 5,12,15 D: 10	B: 6,7,11,12,13 E: 12,14	C: 5,11,12 F: 16,18	RTH FIELD VERIFIED
	1840	4	31MD2 *		~~4'4"~~ 1.5	A	U	N	A: 5,12,15 D: 10	B: 6,7,11,12,13 E: 12,14	C: 5,11,12 F: 16,18	
	1843	4	31D3		2'4" 2.3	A	U	N	A: 5,12,15 D: 10	B: 6,11,7,12,13 E: 12,14	C: 5,11,12 F: 16,18	
	1930	4	31MD 4	OBSERVATION POINT NOT ON ROUTE	3.0	A	U	Y	A: D:	B: E:	C: F:	At base of dirt road easting & adjacent to gabbron structure
10.12.10	~	5	31D5		0.5	A	U	Y	A: D:	B: E:	C: F:	RTH Rechecked SAME DRAINAGE DATA AS 31D3
10.12.10	~	5	31D6 *		0.5	A	U	Y	A: D:	B: E:	C: F:	Same Drainage Data AS 31D3
10.12.10	~	5	31D7 *		1.5	A	U	Y	A: D:	B: E:	C: F:	Same Drainage Data AS 31D3

Reference: D = Drainage; M = Manmade; MD = Major Drainage; R = River

*

ICF Jones & Stokes

Wetland Determination Data Forms – Arid West Region

For DesertXpress
Ivanpah Lake Area

HUC 12 Watershed
Whiskey Spring-Frontal Ivanpah Lake

HBG Watershed ID # 31

Within Ivanpah-Pahrump Valleys Watershed (HUC 16060015)

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyokern / SB Sampling Date: 10/11/2007

Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-1

Investigator(s): J. Holan / S. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1

Subregion (LRR): D Lat: W -115.508803 Long: N 35.545226 Datum: NAD 83

Soil Map Unit Name: Mapping not Complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1032 1033

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	VOT
2. Eriogonum fasciculatum	2	Y	UPL
3. Krameria erecta	1	N	UPL
4. Acacia greggii	1	N	UPL
5.			
Total Cover:	9		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 8	x 5 =	40
Column Totals: 9 (A)		44 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: SW-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10 YR 4/3						sandy w/ gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks: Sand w/ gr

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 15'; TOB 15' Blue line on Topo. Trib to Ivanpah Dry Lake

B & B, WL, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Lincoln / NV Sampling Date: 10/1/2007

Applicant/Owner: Circle Point State: CA Sampling Point: S-5-2

Investigator(s): J. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Gently sloping wash Local relief (concave, convex, none): Flat Slope (%): 2

Subregion (LRR): D Lat: N 115.508841 Long: N 35.546015 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation N*, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photos: 1034, 1035

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hyp. prunifolia ssp. sol.	5	Y	NL UPL
2. Atriplex canescens	2	Y	FACU
3. Larrea tridentata	1	N	NL UPL FACU
4.			
5.			
Total Cover:	8		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 2	x 4 =	8
UPL species 6	x 5 =	30
Column Totals: 8 (A)		38 (B)

Prevalence Index = B/A = 4.75

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: Sand & gravel w/ cobble, No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 54'; TOB FS' Trib to Irenpah Dry Lake

SD, SS, IV, B&B

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Victorville / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-7
Investigator(s): T. Nelson / T. Hibbs Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 2
Subregion (LRR): D Lat: 34.546622 Long: -115.506644 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1036, 1037

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	NL
2. Eriogonum fasciculatum	1	Y	NL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 2	x 5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes ____ No ____

Remarks: Sand No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): _____

Water Table Present? Yes ____ No ____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): _____

Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: 6 flow 4', 10B 10' T-6 to Evaporate Dry Later

SS SOP 8.1 K

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Terrace City/County: Ontario / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-S-4
Investigator(s): T. Halsor / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 2
Subregion (LRR): D Lat: W -115.509248 Long: W 35.547695 Datum: NAD 83
Soil Map Unit Name: Mapped, not Comp. Data NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A
Hydric Soil Present?	Yes ____	No ____	Is the Sampled Area within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1039, 1040

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	UPL
2. Eriogonum fasciculatum	2	Y	UPL
3. Salvia dorrii	2	Y	UPL
4.			
5.			
Total Cover:	9		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 9	x 5 =	45
Column Totals: 9 (A)		45 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/14								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A,

Hydric Soil Present? Yes _____ No _____

Remarks: sand w/ gravel. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM; 2 TO 3' Trib to Ironpah Dry Lake

B, B, SS, WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Rasor Ranch City/County: Imperial, SR Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-S
Investigator(s): T. Hatsor / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Basin Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W -115.598144 Long: N 35.549118 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1041, 1042

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	1	Y	UPL
2. Hymenoclea salsola	3	Y	UPL
3. Eriogonum fasciculatum	1	Y	UPL
4.			
5.			
Total Cover:	5		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 5	x 5 = 25
Column Totals: 5 (A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting date in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-2-S

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 8' Shown line on topo. Tie to Imnaha Dry Lake

RB by SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Drawpath / SB Sampling Date: 10/1/2007

Applicant/Owner: Circle Point State: CA Sampling Point: S-S-6

Investigator(s): T. Malone / J. Pinkerton Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1

Subregion (LRR): D Lat: W 115.505157 Long: D 35.54991 Datum: NAD83

Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1043 1044

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	3	Y	NL UPL
2. Larrea tridentata	1	Y	NL UPL
3. Ephedra nevadensis	1	Y	NL UPL
4.			
5.			
Total Cover:	5		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 106 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 5	x 5 =	25
Column Totals: 5 (A)		25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-6

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2', tops 3' Trib to Iranyah Dry Lake

BB, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Years City/County: Tuscon / SBC Sampling Date: 5-5-15
Applicant/Owner: Circle Point State: CA Sampling Point: In/Ditch
Investigator(s): J. Polson / J. Hi Section, Township, Range:
Landform (hillslope, terrace, etc.): Basin Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N -115.508193 Long: N 35.550514 Datum: NAD 83
Soil Map Unit Name: Mappins not complete NWI classification: N/A 20N E 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1045 1046

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	UPL
2. Ambrosia trifidata	1	N	UPL
3. Yucca schidigera	1	N	UPL
4.			
5.			
Total Cover: 7			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 7	x 5 = 35
Column Totals: 7 (A)	35 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-7

SOIL

Profile Description: (Describe to the depth needed to document the Indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: sandy w/ gr + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Observed 30', TOB 32' Trib to Ironwood Dry Lake

BJP, 14 May 08

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo / SB Sampling Date: 10-1-2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-S
Investigator(s): J. Nelson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 35.550825 Long: W -115.508255 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A 2 of 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1047, 1048

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover: 0			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover:			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)
Total Number of Dominant Species Across All Strata: ____ (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species	x 5 =	
Column Totals: (A)		(B)

Prevalence Index = B/A = 0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: No veg, extremely sandy

Sampling Point: S-S-8

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
NA								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____

Remarks: Sandy/ cobble. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 6' Blue line on Topo. Trib to Ivanpah Dry Lake

Secondary Indicators: Soil Cr, Biotic Crust, Drainage Patterns, Shallow Aquitard, FAC-Neutral Test

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow/SB Sampling Date: 10/1/2007
Applicant/Owner: Circle Point State: CA Sampling Point: S-S-9
Investigator(s): T. Holsen / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Basin Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W -115.501682 Long: N 35 55195 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photo: 1049 1050

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Y. schidigera	1	Y	UPL
2. Eriogonum fasciculatum	1	Y	UPL
3. Larrea tridentata	1	Y	UPL
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 3	x 5 = 15
Column Totals: 3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 7' to 8' Trib to Evenpah Dry Lake

B+B, SD, IS, WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Hesperia / SB Sampling Date: 10/1/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-10
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Point A Lat: N -115.507883 Long: N 35.553641 Datum: NAD 83
Soil Map Unit Name: Mappin silt loam NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point B W -115.507852 N. 35.553899 Photo: 1051 1052

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	UPL
2. Hymenoclea salsola	5	Y	UPL
3. Salvia dorrii	1	N	UPL
4. Acacia greggii	1	N	FACU
5.			
Total Cover:	9		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 8	x 5 =	40
Column Totals: 9 (A)		44 (B)

Prevalence Index = B/A = 4.88

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10 YR 4/3						sand w/ gr + cb	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Ledge Rock
Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___
Water Table Present? Yes ___ No ___ Depth (inches): ___
Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM, TOB between pts a + b Span = 90 ft
Trib to Brampton Dry lake
B+B, WL, SS, SD, B, Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xeriscape City/County: Ivanpah / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-S-11
Investigator(s): S. Halson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 2
Subregion (LRR): D Lat: N 35.554588 Long: W -115.507565 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A zone 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photo: 1053, 1054

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. H. parviflora salicifolia	5	Y	FACW
2. Ephedra viridis	2	Y	FAC
3. Acacia greggii	1	N	FAC
4. Yucca schidigera	1	N	UPL
5. Salvia dorrii	1	N	UPL
Total Cover:	10		
Herb Stratum			
1. Schismus arabicus	1	Y	UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 10	x 5 = 50
Column Totals: 11 (A)	54 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-11

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ____ No ____ N/A

Remarks: Sand w/ gr No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): _____

Water Table Present? Yes ____ No ____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM @ 45', TOB @ Trib to Trapper Dry Lake

B+B, WL, SI, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xeroscape City/County: Joshua / SB Sampling Date: 6/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-S-12
Investigator(s): J. Hatcher, S. Hickson Section, Township, Range:
Landform (hillslope, terrace, etc.): Backslope Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: N-115.507420 Long: N 35.555158 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photo: 1055 1056

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	7	Y	UPL/NL
2. Peganum sp.	1	N	UPL/NL
3. Prosopis glandulosa	1	N	FACU
4. Salsola tragus	1	N	UPL/NL
5.			
Total Cover:	10		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 9	x 5 =	45
Column Totals: 10 (A)		49 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-17

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ___ No ___ N/A

Remarks: Sand w/ cobs. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 65', TOB 49' Run line on topo Trib to Ironpoint Dry Lake

Wetland, SS, SD, WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial/SB Sampling Date: 10/1/2009
Applicant/Owner: Castle Point State: CA Sampling Point: S-S-13
Investigator(s): Halcon / JS Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W-115.507322 Long: N 35.555537 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1057, 1058

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	UPL/NL
2. Salix sp.	2	N	UPL/NL
3. Larrea sp. tridentata	1	N	UPL/NL
4. Larrea tridentata	1	N	UPL/NL
5.			
Total Cover: 9			
Herb Stratum			
1. Salsola ryanbiensis	1	Y	UPL/NL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 10	x 5 = 50
Column Totals: 10 (A)	50 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 65-2-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A

Remarks: Sandy gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3', TOB 5' Trib to Ivanpah Dry Lake

B + B, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Valley 55 City/County: Imperial ISB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-U1
Investigator(s): J. Holson, D. Hickmon Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W-115.506943 Long: N 35.557866 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1059, 1060

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	UPL/NL
2. Yucca schidigera	1	N	UPL/NL
3. Salsola tragus	1	N	UPL/NL
4.			
5.			
Total Cover:	7		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 7	x 5 = 35
Column Totals: 7 (A)	35 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
__ Dominance Test is >50%
__ Prevalence Index is ≤3.0[1]
__ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
__ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-5-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr, No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 9'; TOB 10' Blue line on topo. Trib to Dungeon Dry Lake

SL, SD, BR

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-15
Investigator(s): T. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Berm Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W -115.506963 Long: N 35.558210 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation ND, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo 1061
1062

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	UPL
2. Ephedra nevadensis	1	Y	UPL
3.			
4.			
5.			
Total Cover: 2			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 2	x 5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: Very little veg in drainage

Sampling Point: S-S-1-S

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	10YR 4/3	100					sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock / Cobble

Depth (inches): 14

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ___	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: 0 HWM 15', TOBS' Trib to Crampah Dry Lake

Pt B, WL, GS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo pch / SB Sampling Date: 10/1/2009
Applicant/Owner: Creek Point State: CA Sampling Point: S-S-16
Investigator(s): J. Hogan / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): concave Slope (%): 2
Subregion (LRR): D Lat: N -116.501784 Long: N 35.559726 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ~~✓~~ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ~~✓~~ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area	
Hydric Soil Present?	Yes ____ No ____ N/A	within a Wetland?	Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: Upland veg, no soil pit dug. Photo: 1063, 1064

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	UPL NL
2. Ephedra nevadensis	1	Y	~~FACW~~ NL
3. Acacia greggii	1	Y	FACU
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 2	x 5 = 10
Column Totals: 3 (A)	14 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (If present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: sand w/ gr + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10'; TOB 12' Tnb to Ivanpah Dry Lake

B+B Biology, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo pah / SB Sampling Date: 10/1/2014
Applicant/Owner: Cadiz Point State: CA Sampling Point: S-S-17
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): concave Slope (%): 2
Subregion (LRR): D Lat: N -115.506820 Long: N 35.559777 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area		
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland?	Yes ____	No ✓
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo : 1065 1066

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum inflatum	3	Y	UPL
2. Ambrosia dumosa	1	Y	UPL
3. Ephedra nevadensis	1	Y	UPL
4.			
5.			
Total Cover:	5		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 5	x 5 =	25
Column Totals: 5 (A)		25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-17

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A.

Remarks: gravel w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TAB 5'

Blue line on topo.

To/b to Trampas Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow/SB Sampling Date: 10/1/09
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-UP
Investigator(s): S. Holsen / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W -115.506736 Long: N 35.560198 Datum: NAD 83
Soil Map Unit Name: Mapper not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	N/A	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ____		
Wetland Hydrology Present?	Yes ✓ No ____		

Remarks: Upland veg., no soil pit dug. Photo: 1067, 1069

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra torreyana	4	Y	FACU
2. Acacia greggii	4	Y	FACU
3. Encelia farinosa	1	N	UPL
4.			
5.			
Total Cover:	9		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 4	x 4 =	16
UPL species 5	x 5 =	25
Column Totals: 9 (A)		41 (B)

Prevalence Index = B/A = 4.5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-5-18

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gr w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: 10B2' Trib to Evanpah Dry Lake

WL, BB, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Hinkley / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-19
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): concave Slope (%): 2
Subregion (LRR): D Lat: N 35.561424 Long: W 115.506501 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Rhoplaic, not whitelake NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1069, 1070

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia greggii	1	Y	FACU
2. Eriogonum fasciculatum	1	Y	UPL
3. Encelia virginensis	1	Y	UPL
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 2	x 5 =	10
Column Totals: 3 (A)		14 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-19

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gr w/ cobbles, small boulders. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10' : TOB 40' Blue line on Topo Tribs to Ironpoint Dry Lake

KB, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside/SB Sampling Date: 10/1/2019
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-20
Investigator(s): J. Halcon / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 2
Subregion (LRR): D Lat: W -115.506786 Long: 35.563301 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No ____ N/A			
Wetland Hydrology Present?	Yes ✓	No ____			

Remarks: Upland veg, no soil pit dug. Photo: 1071, 1072

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Fouquieria splendens	5	Y	UPL
2. Encelia virginensis	3	Y	UPL
3. Ephedra nevadensis	2	Y	UPL
4.			
5.			
Total Cover:	10		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 10	x 5 =	50
Column Totals: 10 (A)		50 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-3-20

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A

Remarks: gr w/ cb No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2', TOB 2' Trib to Irrapah Dry Lake

WL, B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Joshua/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-21
Investigator(s): J. Halson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 2
Subregion (LRR): D ~~Lat~~ N 115.506 816 ~~Long~~ N 35.563 682 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, ~~Soil~~ ____, or ~~Hydrology~~ ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: photo: 1073, 1074

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ericameria fasciculatum	5	Y	UPL
2. Ephedra nevadensis	3	Y	UPL
3. Eucelia virginensis	2	N	UPL
4. Acacia greggii	1	N	FACU
5.			
Total Cover:	11		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 10	x 5 =	50
Column Totals: 11	(A)	54 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-S-7.1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks:

gr w/ co. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'; TOB 4' Trib to Ivanpah Dry Lake

B1B, S5, S0

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Tooele/UT Sampling Date: 10/1/2003
Applicant/Owner: Circle Point State: UT Sampling Point: S-5-22
Investigator(s): T. Malcom Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Convex Slope (%): 2
Subregion (LRR): D Lat: N -115.506661 Long: N 35.564334 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1082, 1083

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	5	Y	UPL
2. Encelia virginensis	2	Y	UPL
3. Ephedra nevadensis	1	Y	UPL
4.			
5.			
Total Cover: 8			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 40 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 8	x 5 = 40
Column Totals: 5 (A)	40 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-22

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ____ No ____ N/A

Remarks: gravel w/ cb No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): ____

Water Table Present? Yes ____ No ____ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): ____

Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4' : TOB 6' Trib to Ivanpah Dry Lake

B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 5-5-23
Investigator(s): T. Nelson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): concave Slope (%): 3
Subregion (LRR): D Lat: N -115.505771 Long: N 35 51.4792 Datum: NAD 83
Soil Map Unit Name: Mappins not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ____ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 1084, 1085

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	5	Y	UPL/NL
2. Krascheninnikovia eggii	1	N	FACU
3.			
4.			
5.			
Total Cover:	6		
Herb Stratum			
1. Schismus arabicus	1	Y	Y/NL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 6	x 5 =	30
Column Totals: 7 (A)		34 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-23

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; TOB 14' Trib to Ivanpah Dry Lake

B+B, Algae SG, Scour, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/1/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-24
Investigator(s): S. Helsley / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Concave Slope (%): 5
Subregion (LRR): D Lat: N 35.515119 Long: W -115.506302 Datum: NAD83
Soil Map Unit Name: Mapping not complete NWI classification: N/A zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photo 1086 1087

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ephedra nevadensis	2	Y	Not UL
2. Encelia virginensis	2	Y	UPL
3. Larrea tridentata	1	N	UPL
4. Yucca schidigera	1	N	UPL
5.			
Total Cover: 6			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 6	x 5 = 30
Column Totals: 6 (A)	30 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-24

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 15'; TOB. Trib to Ivanpah Dry Lake

PD #84 WL, SS, SD, B & D Scour

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside/SB Sampling Date: 10/11/2007
Applicant/Owner: Circle Point State: CA Sampling Point: S-S-25
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Con cave Slope (%): 3
Subregion (LRR): D Point A Lat: W -115.55°19' Long: N 35, 50 631 Datum: NAD 83 2 WNE 11
Soil Map Unit Name: Mapping not complete NWI classification:
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Point B W -115.55572 N 35°51.594 No pictures

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	UPL
2. Eriogonum fasciculatum	3	Y	UPL
3. Larrea tridentata	1	N	UPL
4. Salvia dorrii	1	N	UPL
5. Acacia greggii	1	N	FACU
Total Cover:	11		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 10	x 5 =	50
Column Totals: 11	(A)	54 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: #5-5-25

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-8	10 YR 4/3	100					Sand w/ gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Cobble / rock
Depth (inches): 8

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___
Water Table Present? Yes ___ No ___ Depth (inches): ___
Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM / TOB: Between pts a+b Span = 90 ft
Trib to Evergreen Dry Lake
B+B, Scour, SS, SD Wash w/ multiple low flow channels

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-S-26
Investigator(s): J. Halsey / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): ± lat Slope (%): 2
Subregion (LRR): D Point Lat: W. -115.506239 Long: N 35.567256 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point B W -115.506280 N. 35.567364 Photos: 1089 1089
Upland veg.; no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	3	Y NL	~~Upl~~
2. Ephedra nevadensis	1	Y NL	~~Upl~~
3. Larrea tridentata	1	N NL	~~Upl~~
4. Krascia greggii	1	N	FacU
5.			
Total Cover:	6		
Herb Stratum			
1. Salsola arabicus	1	Y	Upl
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species ~~6~~	x 5 =	~~30~~ 35
Column Totals: 7	(A)	~~34~~ 39 (B)

Prevalence Index = B/A = 5.57

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 5-S-26

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: ofl WM/Ro between pts d+b on GPS Span = 45 ft
Blue line on Topo.
Trib to Ironpah Dry Lake

B or B, SS, SD, WL,

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/18/07
Applicant/Owner: Circle Point State: CA Sampling Point: A-SL 9
Investigator(s): S. Molyon / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N -115.495986 Long: N 35.590868 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point B -115.495986 N 35.590722 Photos: 966, 967

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	5	Y	NL ~~Upl~~
2. Krameria erecta	3	Y	NL ~~Upl~~
3. Acacia greggii	1	N	FacU
4. Yucca schidigera	2	N	NL ~~Upl~~
5. Ephedra viridis	2	N	NL ~~Upl~~
Total Cover:	13		
Herb Stratum			
1. Eriogonum polycladon	1	Y	NL ~~Upl~~
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 13	x 5 = 65
Column Totals: 14 (A)	69 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 4/3						Sandy gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Bedrock cobble
Depth (inches): 11

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___
Water Table Present? Yes ___ No ___ Depth (inches): ___
Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM / toe between pts a+b; multiple low flow channels span = 65'
↳ = 65'

Blue Line on Topo
Trib to Irrapah Dry Lake

B + B, WM, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside/SBD Sampling Date: 10/12/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 6-5-2
Investigator(s): J. Holsan / J. Hirtzer Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 34.997204 Long: W 115.497857 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photo: 9B 9C

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	N	NL UPL
2. Ephedra nevadensis	3	Y	NL UPL
3. H. munroeana salsola	5	Y	NL UPL
4. Acacia greggii	1	N	FACU
5. Larrea tridentata	1	N	NL UPL
Total Cover:	12		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 11	x 5 =	55
Column Totals: 12 (A)		59 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sandy gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOBS' Blue Line on Topo. Trib to Ivanpah Dry Lake

B & B; W, S, C, D

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyokern/KSB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-3
Investigator(s): J. Holyoak / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W -115.497348 Long: N 35.589442 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 970, 971

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	2	Y	FACU
2. Ambrosia dumosa	2	Y	~~UPL~~
3. Larrea tridentata	1	N	~~UPL~~
4. Yucca schidigera	1	N	~~UPL~~
5. Encelia virginensis	1	N	~~UPL~~
Total Cover:	7		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 2	x 4 =	8
UPL species 5	x 5 =	25
Column Totals: 5 (A)		25 32 (B)

Prevalence Index = B/A = 5.64

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: G-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sandy gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Offwy 2', Top 3' Blue line on topo.

B+B, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Twenty Nine Palms / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-3-4
Investigator(s): J. Holton / T. Hickmann Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Point A ~~Lat:~~ N -115.497660 ~~Long:~~ N 35.589094 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓ N/A	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓ N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point B W-115.497744 N 35.588655 Photo: 972 973

Upland veg., no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	12	Y	UPL
2. Ambrosia dumosa	11	N	UPL
3. Larrea tridentata	11	N	UPL
4.			
5.			
Total Cover:	14		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 14	x 5 = 70
Column Totals: 14 (A)	70 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: 5 gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM / TOB: between pts a & b Span = 90 ft

Trib to Evanpah Dry Lake

WL, BOB, 9/9/15

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: B-S-S
Investigator(s): J. Halsor / S. Hickson Section, Township, Range:
Landform (hillslope, terrace, etc.): Riparian Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Point A Lat: W -115.499256 Long: N 35.588157 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: major wash, large blue line. Upland veg, no soil pit dug. Photo 974 975
Point B W-115.499157 N 35.587971

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	10	Y	NL UPL
2. Eriogonum fasciculatum	3	N	NL UPL
3. Larrea tridentata	3	N	NL UPL
4. Ambrosia dumosa	2	N	NL UPL
5. Ephedra nevadensis	2	N	NL UPL
Total Cover:	20		
Herb Stratum			
1. Eriophyllum pulchellum	1	Y	NL UPL
2. Schismus arabicus	1	Y	NL UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 22	x 5 = 110
Column Totals: 22 (A)	110 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

SOIL

Sampling Point: 6-S-S

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (**LRR C**)
- ___ 1 cm Muck (A9) (**LRR D**)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (**LRR C**)
- ___ 2 cm Muck (A10) (**LRR B**)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sandy. SV. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (**Nonriverine**)
- ___ Sediment Deposits (B2) (**Nonriverine**)
- ___ Drift Deposits (B3) (**Nonriverine**)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (**Riverine**)
- ✓ Sediment Deposits (B2) (**Riverine**)
- ✓ Drift Deposits (B3) (**Riverine**)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: Between pts A & B; TOB; +25' off pts span = 70 ft

Blue line on Topo, Trib to Evanpaba Dry Lake

WL, B+B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Hesperia / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-5-6
Investigator(s): S. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D ~~Lat:~~ 34.499773 ~~Long:~~ -115.587047 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg., no soil pit dug. Photo: 976 977

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra sp. (probably coryi)	1	N	NL
2. Eriogonum fasciculatum	5	Y	NL
3. Yucca schidigera	1	N	NL
4.			
5.			
Total Cover:	7		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 7	x 5 =	35
Column Totals: 7 (A)		35 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-6

Oil

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravel. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2'; TOB 4' Tob to Ivanpah Dry lake

B+B, W/L, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-7
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D ~~Lat:~~ W -115.499967 ~~Long:~~ N 35.586540 Datum: NAD 83 ZONE11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: 974 979

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	~~FAC~~ UPL
2.			
3.			
4.			
5.			
Total Cover:	1		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 1	x 5 = 5
Column Totals: 1 (A)	5 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: Almost void of vegetation

Sampling Point: 6-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Texture	Remarks
0-16	10 YR 4/3	100					Sandy L	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ____ No ✓

Remarks: Very sandy, big change!

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): _____

Water Table Present? Yes ____ No ____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: 10'; TOB 14' Blue line on Topo. Trib to Irampah Dry Lake

Wk, B+B, S, SO

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Tranquil / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-6
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Playa Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 11S, 501654 Long: N 3555238 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ✓	No ____			

Remarks: No soil pit dug – Upland veg only. Photo: 980, 981

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra nevadensis	3	Y	NL wupl
2. Hymenoclea salsola	2	Y	NL wupl
3. Eriogonum fasciculatum	2	Y	NL wupl
4. Ambrosia dumosa	2	Y	NL wupl
5. Opuntia echinocarpa	1	N	NL UPL
Larrea tridentata	1	N	NL UPL
Total Cover:	11		
Herb Stratum continued			
1. Vulpia octoflora	1	N	NL wupl
2. Eriastrum virgatum	<1	N	NL wupl
3. total cover: 13			
4. Herb stratum			
5. Schismus arabicus	<1	Y	NL wupl
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 14	x 5 = 70
Column Totals: 14 (A)	70 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-SB

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (**LRR C**)
- ___ 1 cm Muck (A9) (**LRR D**)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (**LRR C**)
- ___ 2 cm Muck (A10) (**LRR B**)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (**Nonriverine**)
- ___ Sediment Deposits (B2) (**Nonriverine**)
- ___ Drift Deposits (B3) (**Nonriverine**)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (**Riverine**)
- ✓ Sediment Deposits (B2) (**Riverine**)
- ✓ Drift Deposits (B3) (**Riverine**)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: 30'; T0844 Trib to Ivanpah Dry Lake

B+B, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Valley City/County: Shasta / SR Sampling Date: 6/1/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-9
Investigator(s): J. Holmes / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 1
Subregion (LRR): D ~~Lat:~~ W -115.551447 ~~Long:~~ N 35.524479 Datum: NAD 83
Soil Map Unit Name: Maps not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 982 983

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover: 0			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 0 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species	x 5 =	
Column Totals: (A)		(B)

Prevalence Index = B/A = 0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: No veg in drainage

Sampling Point: 6-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand, No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'-10' 6" Tab to Ivanpah Dry Lake

B+B, SE, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 10-1-09
Applicant/Owner: Circle Point State: _____ Sampling Point: Lo-S-1D
Investigator(s): John Hobson James Section, Township, Range: _____
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): Ø
Subregion (LRR): D Lat: N -115.501641 Long: N 35.584401 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)
Are Vegetation NO, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____
Are Vegetation NO, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area within a Wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____	No N/A	
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks: Photo: 984 985

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	Ø		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1%	Y	UPL
2. Acacia greggii	1%	Y	FACU
3. Eriogonum fasciculatum	1%	Y	UPL
4.			
5.			
Total Cover:	3%		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	Ø		
Woody Vine Stratum			
1.			
2.			
Total Cover:	Ø		

% Bare Ground in Herb Stratum 100% % Cover of Biotic Crust Ø

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: Ø (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: Ø (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species _____	x 1 = _____
FACW species _____	x 2 = _____
FAC species _____	x 3 = _____
FACU species 1	x 4 = 4
UPL species 2	x 5 = 10
Column Totals: 3 (A)	14 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Sampling Point: 6-S-10

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (**LRR C**)
- ___ 1 cm Muck (A9) (**LRR D**)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (**LRR C**)
- ___ 2 cm Muck (A10) (**LRR B**)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sandy soils (fine). No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (**Nonriverine**)
- ___ Sediment Deposits (B2) (**Nonriverine**)
- ___ Drift Deposits (B3) (**Nonriverine**)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (**Riverine**)
- ✓ Sediment Deposits (B2) (**Riverine**)
- ___ Drift Deposits (B3) (**Riverine**)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Blue line on topo. Trib to Irvanpah Dry Lake.

B+B, SD, SS. OHWM - 5' TOB - 6'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/San Bernardino Sampling Date: 10/1/20[illegible]
Applicant/Owner: Circlepoint State: CA Sampling Point: 6-S-11
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.583046 Long: W -115.502267 Datum: NAD83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Pics: 986, 987

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	1	Y	NL Upl
2.			
3.			
4.			
5.			
Total Cover: 1			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 1	x 5 = 5
Column Totals: 1 (A)	5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No X

Remarks:

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/San Bernardino Sampling Date: 10/1/20[illegible]
Applicant/Owner: Circlepoint State: CA Sampling Point: 6-S-11
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.503047 Long: W -115.502267 Datum: NAD83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks:
Pics: 986
987

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	1	Y	UPL
2.			
3.			
4.			
5.			
Total Cover: 1			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 1	x 5 = 5
Column Totals: 1 (A)	5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No X

Remarks:

Sampling Point: 6-S-11

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
								Sandy soils

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (If present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2' ; Bed + Banks 2' Trib to Ivanpah Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/1/2009
Applicant/Owner: Circlepoint State: CA Sampling Point: 6-5-12
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.592295 Long: W 115.502295 Datum: NAD 83
Soil Map Unit Name: Soil Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: pics 988 989

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	3	Y	UPL
2. Eriogonum fasciculatum	1	Y	UPL
3.			
4.			
5.			
Total Cover: 4			
Herb Stratum			
1. Schismus arabicus	<1	Y	UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 5	x 5 =	25
Column Totals: 5	(A)	25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No X

Remarks:

Sampling Point: 6-S-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
								Sandy soils

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: No soil pit dug

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 5'; TOB 5' Trib to Dempsey Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside / San Bernardino Sampling Date: 10/1/2009
Applicant/Owner: Circlepoint State: CA Sampling Point: 6-5-13
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W-115.502749 Long: N 35.59.557 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No N/A			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Pics 990 991

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover: 0			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 0 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species ____	x 5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = 0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: Wash is void of vegetation

Sampling Point: 6-5-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
								Sandy soils

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: No soil pit dug

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8'; TOB 8' Tells to Evaporate Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 10/1/2009
Applicant/Owner: Circlepoint State: CA Sampling Point: 6-S-14
Investigator(s): S. Nelson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 3
Subregion (LRR): D Lat: W - 115.503588 Long: N 33.590547 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A 2012 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos 994 995

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	UPL
2. Eriogonum fasciculatum	1	Y	UPL
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 2	x 5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✗

Remarks: Very little veg. - in drainage

Sampling Point: 6-S-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
								Sandy soils

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: No pit dug

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 9'; TOB 9' Tab to Interpret Dry Lakes

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xing City/County: Indio / RIV Sampling Date: 10/1/2015

Applicant/Owner: Circle Point State: CA Sampling Point: 6-5-15

Investigator(s): J. Nelson / S. Hilburn Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1

Subregion (LRR): D Lat: -115.503782 Long: N 33580059 Datum: NAD 83 zone 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ✓	No ____	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Photos: 996 997

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover: 0			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)

Total Number of Dominant Species Across All Strata: ____ (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species	x 5 =	
Column Totals:	(A)	(B)

Prevalence Index = B/A = 0

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: No veg in drainage

Sampling Point: 6-S-15

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-16	10YR 3/2	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No ✓

Remarks:

So-ho

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No ✓ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No ✓ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Arrive 7:10am Trib to Evanpah Dry Lake

Bed Dry w/ Sand

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: [illegible] City/County: Imperial Sampling Date: 12/16/09

Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-16

Investigator(s): S. Halsan / S. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Terrace Local relief (concave, convex, none): flat Slope (%): 1

Subregion (LRR): D Lat: W -115.561041 Long: N 35.584401 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 9 9 (0-2)

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Encelia farinosa	2	Y	UPL
2. Opuntia echinocarpa	1	Y	UPL
3.			
4.			
5.			
Total Cover:	3		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 5	x 5 =	15
Column Totals: 5 (A)		15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 20' Blue line on Topo. Feeds to Irrapah Dry Lake

Pat B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow / SB Sampling Date: 10/1/20[illegible]
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-17
Investigator(s): S. Holcom / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 34.904039 Long: W 115.578549 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping unit complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1001 1007

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ericameria fasciculatum	2	Y	UPL
2. Prosopis glandulosa		Y	FACU
3. Encelia virginensis	1	Y	UPL
4.			
5.			
Total Cover: 4			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 3	x 5 = 15
Column Totals: 4 (A)	19 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:
__ Dominance Test is >50%
__ Prevalence Index is ≤3.0[1]
__ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
__ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

SOIL

Sampling Point: 6-S-17

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-1	N/A							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (If present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand

No Soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 5'; 103 SI

Blue line on Topo.

Trib to Evanpaia Dry Lake

T, P, IS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Proctor Wetness City/County: Imperial/CB Sampling Date: 10/11/2005
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-18
Investigator(s): J. Holcom / S. Hickson Section, Township, Range:
Landform (hillslope, terrace, etc.): Rolling Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W -115.504498 Long: N 33.577647 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping unit complete. NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area		
Hydric Soil Present?	Yes ____	No N/A	within a Wetland?	Yes ____	No ✓
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photo: 100 3, 100 4

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	3	Y	UPL
2. Lycium sp.	2	N	UPL
3. Opuntia echinocarpa	1	N	UPL
4.			
5.			
Total Cover:	6		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 6	x 5 = 30
Column Totals: 6 (A)	30 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: S-2-18

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 5' TO 8' Trib to Ivanpah Dry Lake

BAB, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Pressure Vaults City/County: Irvine/OC Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-19
Investigator(s): J. Nolan / J. Hicks Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 1
Subregion (LRR): D Lat: W -115.504585 Long: N 35.576996 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A 2006 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1005 1006

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	2	Y	UPL
2. Ambrosia dumosa	1	Y	FACU
3.			
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 2	x 5 = 10
Column Totals: 3 (A)	14 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-19

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	N 2/0							

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 16'; TOB 18' Blue line on Topo. Tie to Evergreen Dry Lake

B+S; SDCS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Bend Fence City/County: Ivanpah/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-5-20
Investigator(s): S. Holan / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W-115.50460 Long: N 35.57565 Datum: NAD 83 2009
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: 100% 100%

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia greggii	2	Y	FACU
2. Eriogonum fasciculatum	2	Y	UPL
3. Hymenoclea salsola	2	Y	UPL
4.			
5.			
Total Cover: 6			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species	2	x 4 =	8
UPL species	4	x 5 =	20
Column Totals:	6 (A)		28 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-5-20

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10 YR 4/3	100					sand w/ gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: rock / gravel
Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks: sand w/ gr

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): ____

Water Table Present? Yes ____ No ✓ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ✓ Depth (inches): ____

Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: DHWM 25'; TOB 25' Trib to Inampah Dry Lake

P1: P, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside / SB Sampling Date: 10/1/20
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-21
Investigator(s): J. Holcomb / S. Hixson Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W -115.503867 Long: N 35.573059 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not Complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No ____ (If no, explain in Remarks.)
Are Vegetation ____, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ____ No ____
Are Vegetation ____, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1009 10:10

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	1	Y	UPL
2. Ephedra nevadensis	1	Y	UPL
3. Yucca schidigera	1	Y	UPL
4. Lepidospartum squamatum	1	Y	FACU
5.			
Total Cover: 4			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 3	x 5 =	15
Column Totals: 4	(A)	19 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-21

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 21'; TOB 21' Blue line on topo. Trib to Ivanpah Dry Lake

B, H, S, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Yards City/County: Inyokern / SB Sampling Date: 10/1/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 6-5-09

Investigator(s): J. Hollman / S. Wilkinson Section, Township, Range:

Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Flat Slope (%): 2

Subregion (LRR): D Lat: W -115.504238 Long: N 35.573465 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Point B W -115.504227 N 35.573255 Photo: 1011, 1012

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Larrea tridentata	3	Y	UPL
2. Yucca schidigera	2	Y	UPL
3. Hymenoclea salsola	1	N	UPL
4. Acacia greggii	1	N	FACU
5. Amblyolepis douglasii	2	Y	UPL
Total Cover:	9		
Herb Stratum			
1. Schismus arabicus	1	Y	UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species		x 1 =	
FACW species		x 2 =	
FAC species		x 3 =	
FACU species	1	x 4 =	4
UPL species	9	x 5 =	45
Column Totals:	10 (A)		49 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:

__ Dominance Test is >50%

__ Prevalence Index is ≤3.0[1]

__ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

__ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: G-S 27

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
1-18+								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr, cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM between pts a+b = 75 ft

Trib to Drainage Dry Lake

BB, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/1/2004

Applicant/Owner: Circle West State: CA Sampling Point: 6-S-23

Investigator(s): J. Hinkson / S. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2

Subregion (LRR): D Lat: W -115.505137 Long: N 35.572188 Datum: NAD 83 ZONE 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (if no, explain in Remarks.)

Are Vegetation NO, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation NO, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes _____	No N/A	within a Wetland? Yes _____ No ✓
Wetland Hydrology Present?	Yes _____	No ✓	

Remarks: Photo: 1013, 1014

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	UPL
2. Krameria parvifolia	1	Y	UPL
3. Ephedra nevadensis	1	Y	UPL
4. Encelia virginensis	1	Y	UPL
5.			
Total Cover: 5			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 5	x 5 =	25
Column Totals: 5 (A)		25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Sampling Point: 6-S-23

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gravel. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'; Top 9' Trib to Evergreen Dry Lake

KB, SD 7/6

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Death Valley City/County: Inyo / SS Sampling Date: 10/1/2004
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-24
Investigator(s): S. Molson / J. Hitchcock Section, Township, Range:
Landform (hillslope, terrace, etc.): Basin Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W -115.505216 Long: N 35.570871 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1015 1016

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Salsola tragus	2	Y	UPL
2. Eriogonum fasciculatum	2	Y	UPL
3. Yucca schidigera	1	N	UPL
4. Acacia greggii	1	N	FACU
5.			
Total Cover: 6			
Herb Stratum			
1. Salsola tragus	1	Y	UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 6	x 5 = 30
Column Totals: 7 (A)	34 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-24

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
NJ / A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: SHWM 24' : TOB 24' Trib to Empire Dry Lake

B+B, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Mount Kyross City/County: Imperial/SB Sampling Date: 10/1/2007
Applicant/Owner: Civiltec Point State: CA Sampling Point: L-5-25
Investigator(s): S. Nelson / J. Hietman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 115.505480 Long: N 35.570543 Datum: NAD 83
Soil Map Unit Name: Mapping not Complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1017 1018

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Fouquieria splendens	1	N	UPL
2. Hymenoclea salsola	5	Y	UPL
3.			
4.			
5.			
Total Cover:	6		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 6	x 5 = 30
Column Totals: 6 (A)	30 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

SOIL

Sampling Point: 6-S-25

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 4/3	100					sand w/ gr	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 12

Hydric Soil Present? Yes _____ No ✓

Remarks: Sand w/ gr

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No ✓ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No ✓ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8'; 10 ft Trib to Dempsey Dry Lake

B-1 B, ES

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-26
Investigator(s): S. Nelson / J. Nielsen Section, Township, Range:
Landform (hillslope, terrace, etc.): Swale Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 32.950147 Long: W 115.592330 Datum: NAD 83
Soil Map Unit Name: Mapping not Complete NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ____ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ____ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photos: 1019 1020

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Pluchea sericea	1	Y	FAC
2.			
3.			
4.			
5.			
Total Cover: 1			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 1	x 5 = 5
Column Totals: 1 (A)	5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-C-27

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No N/A.

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 15', TOB 15' Trib to Evanpah Dry Lake

BoR 55 40 1.2

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Agent Xpress City/County: Irvine / OC Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-27
Investigator(s): TitleLaw / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 33.58383 Long: W 117.75394 Datum: NAD83
Soil Map Unit Name: Mapping unit complex NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area	
Hydric Soil Present?	Yes ____	No N/A	within a Wetland?	Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓		

Remarks: Photo # 1021, 1022

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	2	Y	UPL
2. Encelia virginensis	1	Y	UPL
3.			
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 3	x 5 = 15
Column Totals: 3 (A)	15 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-5-27

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N M								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand w/ gr. No Soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 3' Tie to Evaporation Dry Lake

SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/1/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 6-S-2Q

Investigator(s): J. Halgren / S. Kirkman Section, Township, Range:

Landform (hillslope, terrace, etc.): Playa Local relief (concave, convex, none): Flat Slope (%): 1

Subregion (LRR): D Lat: N 35.564338 Long: W -115.505338 Datum: NAD 83 ZONE 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 1023, 1024

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	No	UPL
2.			
3.			
4.			
5.			
Total Cover:	1		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 1	x 5 =	5
Column Totals: 1 (A)		5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-S-28

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes ____ No ____

Remarks: sand w/ gr. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): _____

Water Table Present? Yes ____ No ____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): _____

Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; 10812' Blue line on Topo Tails to Evaporite Dry Lake

SDP 8-8

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside / SB Sampling Date: 10/15/09
Applicant/Owner: Circle Point State: CA Sampling Point: 5-S-29
Investigator(s): T. Hotze / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: N 35.567941 Long: W -115.505791 Datum: NAD 83 2005
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1026 1025

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ephedra nevadensis	1	Y	UPL
2. Lycium sp.	1	Y	UPL
3.			
4.			
5.			
Total Cover: 2			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100% % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 2	x 5 = 10
Column Totals: 2 (A)	10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 6-9-29

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6', TOB 6' Toe to Evaporan Dry Lake

KEY, LL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Imperial Xpress City/County: Imperial ISR Sampling Date: 10/1/2007
Applicant/Owner: Creek Point State: CA Sampling Point: 6-S-3a
Investigator(s): S. Watson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Wash Local relief (concave, convex, none): Flat Slope (%): 1
Subregion (LRR): D Lat: W 115.565813 Long: N 35.567408 Datum: NAD 83
Soil Map Unit Name: Mapping Not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 1027 1028

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	2	Y	UPL
2. Ephedra nevadensis	1	Y	UPL
3. Larrea tridentata	1	Y	UPL
4. Acacia greggii	1	Y	FACU
5.			
Total Cover: 5			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 4	x 5 = 20
Column Totals: 5 (A)	24 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: GS-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-16	10YR 4/3	100					Sand	wet/gl

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 16

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): ____

Water Table Present? Yes ____ No ✓ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ✓ Depth (inches): ____

Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B+B, S1, S5

Blue line on topo. Trib to Ivanpah Dry Lake

Photo: 60, 55 08:66

Yes

WETLAND DETERMINATION FORM - Arid West Region

Jones & Stokes

Project/Site: Desert Xpress City/County: Barstow / SB Data Point: 7-S-1

Applicant/Owner: Crack Point State: CA Date: 9/31/2004

Investigator(s): S. Halsan / J. Hitchman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: 115.461706 Long: N 35.601256 Datum: NAD83

Soil Map Unit Name: Mapping not complete NWI classification: PAB

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks)

Are Vegetation No Soil _____ or Hydrology _____ significanly disturbed? Are "Normal Circumstances" present? ☑ YES ☐ NO

Are Vegetation No Soil _____ or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area within a wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____	No ✓	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks: Photos: 925, 926

VEGETATION

Tree Stratum (scientific names) woody plants >3" dbh	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum (woody plants <3"dbh)			
1. Ambrosia dumosa	2	Y	UPL
2. Hymenoclea salsola	2	Y	UPL
3. Eriogonum fasciculatum	2	Y	UPL
4. Atriplex greggii	1	N	FACU
5.			
Total Cover:	7		
Herb Stratum (non-woody plants, regardless of size)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (regardless of size)			
1.			
2.			
Total Cover:	0		

% Bare ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species that are OBL, FACW, or FAC #DIV/0! 0 (A/B)

Prevalence Index worksheet

Total % Cover of:		Multiply by:	
OBL species	_____	x 1 =	0
FACW species	_____	x 2 =	0
FAC species	_____	x 3 =	0
FACU species	1	x 4 =	4
UPL species	6	x 5 =	30
Column Total:	7 (A)		34 (B)

Prevalence Index = B/A = #DIV/0! 4.9

Hydrophytic vegetation indicators

_____ Dominance test is >50%

_____ Prevalence Index is ≤ 3.0[1]

_____ Morphological adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soils and wetland hydrology must be present

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Data point: 7-c-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Contrast[3]	Texture	Comments
0-16	10 YR 4/3	100						gr-s	w/ cb

[1]Type: C-m=Concentration - soft mass; C-n=Concentration - nodule/concretion; D=Depletion; RM=Reduced Matrix
[2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix
[3]Contrast: f=faint; d=distinct; p=prominent (see Table A1 for definitions)

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pool (F9)

Indicators for Problematic Hydric Soils:[4]

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A 10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

___ Listed on National/Local Hydric Soils List

[4]Indicators of hydrophytic vegetation and wetland hydrology must be present

Restrictive Layer (if present):
Type: Rock
Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2) (w/in 12")
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1) (w/in 12")
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soil (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ✓	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___ (12 inch determination)

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream guage, monitoring well, aerial photos, previous inspections), if available:

Remarks: Offset 10' to Bit Trib to Ivanpah Dry Lake

WL, Bt B, SD, SS

Texture and Rock Fragment Content

Texture
cos - coarse sand
s - sand
fs - fine sand
vfs - very fine sand
lcos - loamy coarse sand
ls - loamy sand
lfs - loamy fine sand
lvfs - loamy very fine sand
cosl - coarse sandy loam
sl - sandy loam
fsl - fine sandy loam
vfsl - very fine sandy loam
l - loam
sil - silt loam
si - silt
scl - sandy clay loam
cl - clay loam
sicl - silty clay loam
sc - sandy clay
sic - silty clay
c - clay

Rock Fragments
gr - gravelly
vgr - very gravelly
xgr - extremely gravelly
cb - cobbly
vcb - very cobbly
xcb - extremely cobbly
st - stony
vst - very stony
xst - extremely stony

Yes

WETLAND DETERMINATION FORM - Arid West Region

Jones & Stokes

Project/Site: Desert Xpress City/County: Victorville / SB Data Point: 2-S-2

Applicant/Owner: Circle Point State: CA Date: 9/31/2009

Investigator(s): T. Nelson / S. Hitchman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: 34.466290 Long: -115.600423 Datum: NAD 83

Soil Map Unit Name: Helendale rocky sandy loam NWI classification: N/A ZONE 11

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks)

Are Vegetation NO Soil _____ or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? ☑ YES ☐ NO

Are Vegetation No Soil _____ or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area within a wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____	No N/A	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks: No soil pit dug - all upland veg. Photo: 927 928

VEGETATION

Tree Stratum (scientific names) woody plants >3" dbh	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:			
Sapling/Shrub Stratum (woody plants <3"dbh)			
1. Ambrosia dumosa	3	Y	UPL
2. Ephedra viridis	2	Y	UPL
3. Yucca schidigera	1	N	UPL
4.			
5.			
Total Cover:	6		
Herb Stratum (non-woody plants, regardless of size)			
1. Erioneuron pulchellum	1	Y	UPL
2. Eriogonum inflatum	1	Y	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum (regardless of size)			
1.			
2.			
Total Cover:	0		

% Bare ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species that are OBL, FACW, or FAC #DIV/0! (A/B)

Prevalence index worksheet

Total % Cover of:	Multiply by:	
OBL species	x 1 =	0
FACW species	x 2 =	0
FAC species	x 3 =	0
FACU species	x 4 =	0
UPL species 8	x 5 =	40
Column Total: 8 (A)		40 (B)

Prevalence Index = B/A = #DIV/0! 5.0

Hydrophytic vegetation indicators

_____ Dominance test is >50%

_____ Prevalence index is ≤ 3.0[1]

_____ Morphological adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soils and wetland hydrology must be present

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Data point: 7-S-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Contrast[3]	Texture	Comments
N/A									

[1]Type: C-m=Concentration - soft mass; C-n=Concentration - nodule/concretion; D=Depletion; RM=Reduced Matrix
[2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix [3]Contrast: f=faint; d=distinct; p=prominent (see Table A1 for definitions)

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pool (F9)

Indicators for Problematic Hydric Soils:[4]

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A 10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

___ Listed on National/Local Hydric Soils List

[4]Indicators of hydrophytic vegetation and wetland hydrology must be present

Restrictive Layer (if present):
Type: _____
Depth (inches): _____

Hydric Soil Present? Yes N/A. No ___

Remarks: gr s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2) (w/in 12")
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1) (w/in 12")
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soil (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ✓	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___ (12 inch determination)

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream guage, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; 10ft 12' Trib to Ivanpah Dry Lake

W/n, B+B, SD, SS

Texture and Rock Fragment Content

Texture

- cos - coarse sand
- s - sand
- fs - fine sand
- vfs - very fine sand
- lcos - loamy coarse sand
- ls - loamy sand
- lfs - loamy fine sand
- lvfs - loamy very fine sand
- cosl - coarse sandy loam
- sl - sandy loam
- fsl - fine sandy loam
- vfsl - very fine sandy loam
- l - loam
- sil - silt loam
- si - silt
- scl - sandy clay loam
- cl - clay loam
- sicl - silty clay loam
- sc - sandy clay
- sic - silty clay
- c - clay

Rock Fragments

- gr - gravelly
- vgr - very gravelly
- xgr - extremely gravelly
- cb - cobbly
- vcb - very cobbly
- xcb - extremely cobbly
- st - stony
- vst - very stony
- xst - extremely stony

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 9/31/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-3
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: W -115.467943 Long: N 35.600018 Datum: NAD 83 ZONE 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ____ No ✓
Hydric Soil Present? Yes ____ No N/A
Wetland Hydrology Present? Yes ✓ No ____
Is the Sampled Area within a Wetland? Yes ____ No ✓

Remarks: Upland veg, no soil pit dug. Photos: 929, 930

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	3	Y	FacU
2. Hymenoclea salsola	1	Y	UPL
3.			
4.			
5.			
Total Cover:	4		
Herb Stratum			
1. Eriophyllum pinnatifidum	1	Y	NL UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 3	x 4 =	12
UPL species 2	x 5 =	10
Column Totals: 5 (A)		22 (B)

Prevalence Index = B/A = 4.4

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: P.S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: GY S w/ cb Soil pit not dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'; TOB 8' Trib to Iron Dry Lake

B, F, B, WL, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial/SB Sampling Date: 9/31/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-5-9
Investigator(s): J. Hotson / T. Hiemer Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: W-115.466087 Long: N 35.600168 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photos: 931, 932

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra viridis	1	Y	NL UPL
2. Eriogonum fasciculatum	1	Y	NL UPL
3. Ambrosia dumosa	2	Y	NL UPL
4.			
5.			
Total Cover:	4		
Herb Stratum			
1. Aristida purpurea	1	Y	NL UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 5	x 5 =	25
Column Totals: 5 (A)		25 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gr s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 6' Trib to Irvanpah Dry Lake.

B & B, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 9/31/2009
Applicant/Owner: Creed Pinto State: CA Sampling Point: 7-5-5
Investigator(s): T. Holsen, S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Alfalfa Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.471280 Long: W -115.595819 Datum: WGS 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Poss. continuation of 7-4 Photo: 933, 934

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ambrosia dumosa	2	Y	NL UPL
2. Acacia greggii	1	Y	FACU
3. Eriogonum fasciculatum	1	Y	NL UPL
4.			
5.			
Total Cover:	4		
Herb Stratum			
1. Aristida purpurea	1	Y	NL UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 4	x 5 = 20
Column Totals: 5 (A)	24 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

SOIL

Sampling Point: 7-S-S

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-16	10YR 4/3	100					gr S	w/ cb

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (**LRR C**)
- ___ 1 cm Muck (A9) (**LRR D**)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (**LRR C**)
- ___ 2 cm Muck (A10) (**LRR B**)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 16

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (**Nonriverine**)
- ___ Sediment Deposits (B2) (**Nonriverine**)
- ___ Drift Deposits (B3) (**Nonriverine**)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (**Riverine**)
- ✓ Sediment Deposits (B2) (**Riverine**)
- ✓ Drift Deposits (B3) (**Riverine**)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): ____

Water Table Present? Yes ____ No ✓ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ✓ Depth (inches): ____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 12' Trib to Ivanpah Dry Lake

B+B, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 9/31/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-6
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N -115.47.1457 Long: N 35.59.9423 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	
Is the Sampled Area within a Wetland?	Yes ____	No ✓	

Remarks: Poss. Continuation of 7-3 Photos: 935, 936
Upland veg, No soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ambrosia dumosa	3	Y	NL upl
2. Hymenoclea salsola	2	N	NL upl
3. Yucca schidigera	2	N	NL upl
4.			
5.			
Total Cover:	7		
Herb Stratum			
1. Eriogonum pulchellum	1	Y	NL upl
2. Aristida purpurea	1	Y	NL upl
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 9	x 5 =	45
Column Totals: 9 (A)		45 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: Z-S-6

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gr s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: 2'; TOB 10' Blm line on Topo. Trib to Ivanpah Dry Lake

B+B, WL, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SBS Sampling Date: 9/31/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-7
Investigator(s): J. Halsey / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.599703 Long: W -115.477513 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A Zone 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point 7B W -115.477048 N 35.599383 Photos: 937 940 938 939
Upland veg.; no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	5	Y	FAC U
2. Encelia farinosa	3	N	UPL
3. Hymenoclea salsola	3	N	UPL
4. Ephedra viridis	3	N	UPL
5. Yucca schidigera	2	N	UPL
Total Cover:	16		
Herb Stratum			
1. Eriogonum inflatum	+1	Y	UPL
2. Schismus arabicus	+1	Y	UPL
3. Eriogonum pulchellum	+1	Y	UPL
4.			
5.			
6.			
7.			
8.			
Total Cover:	3		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 97 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 5	x 4 =	20
UPL species 14	x 5 =	70
Column Totals: 19 (A)		90 (B)

Prevalence Index = B/A = 4.7

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gr. s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM/TOB between pts 7-S7a + 7-S-7b span = 764 ft

B + B, Wk, SS, SD, Multiple low flow channels

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-8
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: W -115.479350 Long: N 35.598764 Datum: NAD 83 ZONE 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Upland veg, no soil pit dug. Photos: 941, 942

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	5	Y	NL Upl
2. Ambrosia dumosa	2	Y	NL Upl
3.			
4.			
5.			
Total Cover:	7		
Herb Stratum			
1. Schismus arabicus	1	Y	NL Upl
2. Aristida purpurea	1	Y	NL Upl
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 9	x 5 =	45
Column Totals: 9 (A)		45 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gr s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4' ; TOB 12' Trib to Ivanpah Dry Lake

B+B, Scour, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo Co / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-9
Investigator(s): J. Halson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: W -115.49513 Long: N 35.579273 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photos: 943, 944

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ericameria fasciculatum	4	Y	UPL
2. Ambrosia dumosa	3	Y	UPL
3. Hymenoclea salsola	2	N	UPL
4. Yucca schidigera	1	N	UPL
5.			
Total Cover: 10			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 10	x 5 = 50
Column Totals: 10 (A)	50 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: gr s w/cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 2'; TOB 4' Trib to Brampton Dry Lake

WL, BoB, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/14/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-1D
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: 35.548145 Long: -115.481641 Datum: NAD 83
Soil Map Unit Name: Bryman loam, 2 to 5 percent slopes NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Photos: 945 946

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	3	Y	UPL
2. Eriogonum fasciculatum	2	Y	UPL
3. Ambrosia dumosa	2	Y	UPL
4. Acacia greggii	1	Y	FACU
5.			
Total Cover:	8		
Herb Stratum			
1. Schismus arabicus	1	Y	UPL
2. Erioneuron pulchellum	1	Y	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 6 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 11	x 4 =	44
UPL species 79	x 5 =	395
Column Totals: 90 (A)		439 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-10

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-11	10YR 4/3	100					gr s	w/ cb

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Rock / cobble
Depth (inches): 11

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ___	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 10' Trib to Iron Dry Lake

B+B, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyokern / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-11
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: W -115.485153 Long: N 35.597066 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓ N/A	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg, no soil pit dug. Photos: 948 949

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Eriogonum fasciculatum	3	Y	NL upl
2. Ambrosia dumosa	2	N	NL upl
3. Ephedra viridis	2	N	NL upl
4. Acacia greggii	1	N	FACU
5.			
Total Cover: 8			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 7	x 5 = 35
Column Totals: 8 (A)	39 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: Z-S-11

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gr s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12"; TOB 16" Trib to Ironpoint Drylake

WL, BoB, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-12
Investigator(s): J. Halsey / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 115.498944 Long: N 35.596461 Datum: NAD 83
Soil Map Unit Name: mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg.; no soil pit dug. Photos: 950, 951

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra viridis	3	Y	NL UPL
2. Hymenoclea salsola	2	Y	NL UPL
3. Eriogonum fasciculatum	2	Y	NL UPL
4. Yucca schidigera	1	N	NL UPL
5.			
Total Cover:	8		
Herb Stratum			
1. Evioneuron pulchellum	1	Y	NL UPL
2. Stipa sp.	1	Y	NL UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 10	x 5 =	50
Column Totals: 10 (A)		50 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: F-S-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gr S w/ cb. NO soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 5'; TOB 5' Trib to Ivanpah Dry Lake

WL, BOB, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-13
Investigator(s): T. Watson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N-115.489625 Long: N 35.594976 Datum: NAD 83 ZONE 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg.; no soil pit dug. Photo: 952, 953

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ambrosia dumosa	2	Y	UPL
2. Eriogonum fasciculatum	2	Y	UPL
3. Larrea tridentata	1	N	UPL
4. Acacia greggii	1	N	FACU
5.			
Total Cover:	6		
Herb Stratum			
1. Salsola arabica	<1	Y	UPL
2. Erioneuron pulchellum	<1	Y	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 7	x 5 =	35
Column Totals: 8	(A)	39 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0/14								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____

Remarks: gr s w/ cb

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10'; TOB 13' Trib to Evanpah Dry Lake

WL, B+B, SS, SD, Scour.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / SB Sampling Date: 10/1/2004
State: CA Sampling Point: 7-5-14
Applicant/Owner:
Investigator(s): J. Hotson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada point 14A Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N -115.49791 Long: N 35.59396 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Point 14B 115.492131 N 35.593767 Photo: 956 957
Upland veg, no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ephedra viridis	3	Y	NL UPL
2. Hymenoclea salsola	3	Y	NL UPL
3. Acacia greggii	2	Y	FacU
4. Yucca schidigera	1	Y	NL UPL
5.			
Total Cover: 9			
Herb Stratum			
1. Schismus arabicus	#1	Y	NL UPL
2. Erioneuron pulchellum	#1	Y	NL UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 6 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 2	x 4 =	8
UPL species 9	x 5 =	45
Column Totals: 11 (A)		53 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: F-S-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gr s w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM, TOB between pts a & b span = 100 ft

Blue line on Topo. Trib to Evanpah Dry Lake

BtB, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside / SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-15
Investigator(s): S. Holson, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 2
Subregion (LRR): D Lat: N 115,492672 Long: N 35,553357 Datum: NAD 83 ZONE 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No ✓	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 958, 959

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	3	Y	NL UPL
2. Ephedra viridis	2	Y	NL UPL
3. Eriogonum fasciculatum	2	Y	NL UPL
4. Acacia greggii	1	N	FacU
5. Yucca schidigera	1	N	NL UPL
Total Cover:	9		
Herb Stratum			
1. Eriogonum inflatum	<1	Y	NL UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 9	x 5 = 45
Column Totals: 10 (A)	49 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-15

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10 YR 4/3						gr S	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 16

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 10'; TOB 18' Trib to Irrapeh Dry Lake

B+B, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Yards City/County: Ivanpah / SB Sampling Date: 10/1/2009
Applicant/Owner: Cook Point State: CA Sampling Point: 7-5-16
Investigator(s): S. Halsor / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.49462 Long: W 115.59277 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area
Hydric Soil Present?	Yes ____	No N/A	within a Wetland? Yes ____ No ✓
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 960, 961

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ephedra viridis	3	Y	~~NL~~ UPL
2. Ambrosia dumosa	2	Y	~~NL~~ UPL
3. Acacia greggii	1	N	FACU
4. Eriogonum fasciculatum	1	N	~~NL~~ UPL
5. Yucca schidigera	1	N	~~NL~~ UPL
Total Cover:	8		
Herb Stratum			
1. Aristida purpurea	41	N	~~NL~~ UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 8	x 5 = 40
Column Totals: 9 (A)	44 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 7-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gr s. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ___ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3'; TOB 8' Tie to Examples Dry Lake

B+B, SS, GP

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Twentynine Palms/SBD Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7-S-17
Investigator(s): J. Nelson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D ~~Lat~~ Lat: 34.149462 ~~Long~~ Long: -115.597998 Datum: NAD 83 Zone 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 962, 963

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	NL-UPL
2.			
3.			
4.			
5.			
Total Cover:	1		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	____	x 1 =	____
FACW species	____	x 2 =	____
FAC species	____	x 3 =	____
FACU species	____	x 4 =	____
UPL species	1	x 5 =	5
Column Totals:	1	(A)	5 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: Very little vegetation

Sampling Point: 7-S-17

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (**LRR C**)
- ___ 1 cm Muck (A9) (**LRR D**)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (**LRR C**)
- ___ 2 cm Muck (A10) (**LRR B**)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: Sand, no soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (**Nonriverine**)
- ___ Sediment Deposits (B2) (**Nonriverine**)
- ___ Drift Deposits (B3) (**Nonriverine**)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (**Riverine**)
- ✓ Sediment Deposits (B2) (**Riverine**)
- ___ Drift Deposits (B3) (**Riverine**)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8'; TOB 12' Blue line on topo. Trib to Ivanpah Dry Lake

B&B, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 10/1/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 7 S 18
Investigator(s): J. Holson / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D ~~Lat:~~ N 35.591796 ~~Long:~~ W 115.495078 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A ZONE 11
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photo: 914, 965

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Yucca schidigera	1	NL	UPL
2. Eriogonum fasciculatum	1	NL	UPL
3. Ambrosia dumosa	1	NL	UPL
4.			
5.			
Total Cover:	3		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 3	x 5 =	15
Column Totals: 3	(A)	15 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks: very little veg in channel

Sampling Point: 7-5-18

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-24	10YR 4/3	100					Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ___ Depth (inches): _____

Water Table Present? Yes _____ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 3' ; TOB 8' Trib to Ivanpah Dry Lake

W, B, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: ~~Needles~~ / Ivanpah/CA Sampling Date: 9/30/2009

Applicant/Owner: J. Holson, J. Hickman State: CA Sampling Point: 8-5-1

Investigator(s): Circle Point Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 1

Subregion (LRR): D 8-5-1a Lat: W -115.427919 Long: N 35.606253 Datum: NAD 83 2006/11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 9' TOB: 9' Photos: 470 871

Ind.: B+B, Sed. D., SS, WL 8-5-1b W -115.428212 N 35.606056

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. A. greggii	2	~~Yes~~ No	~~FACU~~
2. Hymenoclea salsola	1	~~Yes~~ No	~~UPL~~
3.			
4.			
5.			
Total Cover: 3			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 97 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species ____	x 1 = ____	
FACW species ____	x 2 = ____	
FAC species ____	x 3 = ____	
FACU species 2	x 4 = 8	
UPL species 1	x 5 = 5	
Column Totals: 3	(A) 13	(B)

Prevalence Index = B/A = 4.3

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Spans from GPS point ~~8-5-1a~~ to 8-5-1b.

Sampling Point: 8-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (Inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10 YR 4/3						Gravelly Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Rocks
Depth (inches): 6

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ___	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Blue line on Topo. Tie to Ironpeak Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-2
Investigator(s): S. Holson, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.60607° Long: W -115.42901° Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation N/A, ~~Soil~~ ____, or ~~Hydrology~~ ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 2' TOB: 4' Photos: 876 SE, 877 NW
I: B+B, WL, SS, SD

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover: 0			
Herb Stratum			
1. Schismus arabicus	2	Y	UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 2	x 5 =	10
Column Totals: 2 (A)		10 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10 YR 4/3						gravelly Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 6

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Trib to Ivanpah Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Twentynine Palms/SB Sampling Date: 9/30/2009

Applicant/Owner: Circle Point State: CA Sampling Point: S-S-3

Investigator(s): S. Hotsony, J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: N 34.665429470 Long: N 35.665761 Datum: NAD 83 2011

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 4' TOB: 6'

Photos: 878 ~~SW~~ SE 879 NW

I: B+B, WL, SS, SD

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ambrosia dumosa	1	Y	UPL
2.			
3.			
4.			
5.			
Total Cover:	1		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 99 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 1	x 5 =	5
Column Totals: 1 (A)		5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-3

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10 YR 4/3						gravelly Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Cobble
Depth (inches): 12

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ___	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tails to Iron pan Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Victorville / San Bernardino Sampling Date: 9/30/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-4

Investigator(s): T. Hafenrichter, S. Watson Section, Township, Range:

Landform (hillslope, terrace, etc.): Drainage Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): D Lat: N 34.605401 Long: W -115.430028 Datum: NAD 83 Zone 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area		
Hydric Soil Present?	Yes ____	No N/A	within a Wetland?	Yes ____	No ✓
Wetland Hydrology Present?	Yes ✓	No ____			

Remarks: Upland vegetation, no soil pit dug. Photos: 880, 881

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ambrosia dumosa	1	Y	NL UPL
2.			
3.			
4.			
5.			
Total Cover:	1		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 1	x 5 =	5
Column Totals: 1 (A)		5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ✓	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Bed & Bank, WL, Sed. Sorting (-), Sed. deposition (SD)

OHWM 2'; TOB 2' Tcib to Ewiapah Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Oscar I Xpress City/County: I Joseph / San Covert Sampling Date: 9/30/2009

Applicant/Owner: Circle Point State: _____ Sampling Point: 8-5-56 (+b)

Investigator(s): J. Halson / E. Hickman Section, Township, Range: _____

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): <1

Subregion (LRR): D Lat: W -115.430703 Long: N 35.605523 Datum: NAD 83 ZONE 11

Soil Map Unit Name: Mapping not Complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks.)

Are Vegetation NO, Soil _____, or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No _____

Are Vegetation No, Soil _____, or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	Is the Sampled Area within a Wetland? Yes _____ No ✓
Hydric Soil Present?	Yes _____	No N/A	
Wetland Hydrology Present?	Yes ✓	No _____	

Remarks: 8-5-56 W -115.430905 N. 35.605332 Photos: 882 883

Upland veg., no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	5	Y	FACU
2. Larrea tridentata	8	Y	NL UPL
3. Ambrosia dumosa	10	Y	NL UPL
4. Hymenoclea salsola	2	N	NL UPL
5.			
Total Cover:	25		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species _____	x 1 = _____	
FACW species _____	x 2 = _____	
FAC species _____	x 3 = _____	
FACU species 5	x 4 = 20	
UPL species 20	x 5 = 100	
Column Totals: 25	(A) 120	(B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Sampling Point: 8-5-Sab

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Bar B, WL, SS, SD; Multiple low flow channels w/in wash

Offsite; between pts A & B Span = 90' Blue line on Topo. Trib to Tramp Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Decert Xpress City/County: Imperial/San Bernardino Sampling Date: 9/30/20

Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-6 dup

Investigator(s): J. Halsan / J. Hiemstra Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): D Lat: 8-S-66 W-115.430905 Long: N 35.605332 Datum: NAD 83 ZONE 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: 8-S-66 W-115.434870 N 35.605136 Photos: 884-885

Upland veg.; no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Lycium andersonii	10	Y	NL UPL
2. Yucca schidigera	7	N	NL UPL
3. Acacia greggii	1	N	FAC U
4. Ambrosia dumosa	4	Y	NL UPL
5.			
Total Cover:	21		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 20	x 5 =	100
Column Totals: 21 (A)		104 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-6 ab

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand, No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: ≈ 96' across (between 8a-8b) w/ multiple low flows

Trib to Ivanpah Dry Lake

Bt R, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Circle Point City/County: Imperial Co. Sampling Date: 9/30/2024
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-4
Investigator(s): T. H. Ison / S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: 7A W-115.437643 Long: N 35.604611 Datum: NAD 83 Zone 11
Soil Map Unit Name: mapping unit complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____			
Wetland Hydrology Present?	Yes ✓	No ____			

Remarks: 7B W-115.437753 N. 35.603946 Photos: 486 487
Upland veg., no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. A. greggii	10	Y	FacU
2. Ephedra viridis	5	Y	NL ~~Upl~~
3. Hyptis emoryi	5	Y	NL ~~Upl~~
4. Nymphaea salsola	3	N	NL ~~Upl~~
5.			
Total Cover: 23			
Herb Stratum			
1. Schismus arabicus	2	Y	NL ~~Upl~~
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 10	x 4 = 40
UPL species 13	x 5 = 65
Column Totals: 23 (A)	105 (B)

Prevalence Index = B/A = 4.56

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly Sand. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B+B, WL, SS, SD Blue line on Topo. Trib to Evanston Dry Lake

Offset > between pits a + b Span = 235 ft

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/Kern/San Bernardino Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-8
Investigator(s): S. Halsey / J. Hestmark Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: W -115.440253 Long: N 35.603657 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (if no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: 8b W. -115.440175 N.35.603821 Photos: 887 887
Upland veg., no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia greggii	5	Y	FacU
2. Encelia farinosa	2	Y	UPL sapl
3. Ambrosia dumosa	2	Y	UPL sapl
4. Larrea tridentata	1	N	UPL sapl
5.			
Total Cover: 10			
Herb Stratum			
1. Pleuraphis rigida	1	Y	UPL sapl
2. Salsola tragus	1	Y	UPL sapl
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 5	x 4 = 20
UPL species 7	x 5 = 35
Column Totals: 12 (A)	55 (B)

Prevalence Index = B/A = 4.6

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 4 S 2

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B-B, WC, SS, SD; multiple low flow channels

Blue line on Topo.

To be to Evanpah Dry Lake

Alluvium between a & b = 60 ft.

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Barstow / San Bernardino Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-9
Investigator(s): S. Halcon / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Swale Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: 34.603633 Long: -115.643091 Datum: NAD 83 ZONE 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg., no soil pit dug. Photos: 890 891

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Larrea tridentata	5	Y	NL UPL
2. Ephedra viridis	3	Y	NL UPL
3.			
4.			
5.			
Total Cover: 8			
Herb Stratum			
1. Schismus arabicus	1	Y	NL UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 9	x 5 = 45
Column Totals: 9 (A)	45 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes N/A No _____

Remarks: gravelly sand. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 4'; TOB 6' Trib to Ivanpah Dry Lake

B & B, WL, SS, SD

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside/San Bernardino Sampling Date: 9/20/2007
Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-10
Investigator(s): S. Haley / S. Nicholson Section, Township, Range:
Landform (hillslope, terrace, etc.): Playa Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 34.115,44318 Long: W 115.29342 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Photos: 497 [illegible]

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Larrea tridentata	4	Y	NL upl
2. Ephedra viridis	2	N	NL upl
3.			
4.			
5.			
Total Cover:	6		
Herb Stratum			
1. Schismus arabicus	1	Y	NL upl
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species ____	x 1 = ____	
FACW species ____	x 2 = ____	
FAC species ____	x 3 = ____	
FACU species ____	x 4 = ____	
UPL species 7	x 5 = 35	
Column Totals: 7 (A)	35 (B)	

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-10

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-17	10 YR 4/3	100					sandy	Sand

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Cobble

Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): ____

Water Table Present? Yes ____ No ____ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): ____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B & B; WL, SS, SD

Trib to Ivanpah Dry Lake

Ortho M 4; 1086'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Ypsilon City/County: Riverside / Coachella Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-11
Investigator(s): J. Holson / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D ~~Lat:~~ N 33.603796 ~~Long:~~ W -115.444799 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, ~~Soil ____, or Hydrology ____~~ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, ~~Soil ____, or Hydrology ____~~ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	N/A	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____			
Wetland Hydrology Present?	Yes ✓	No ____			

Remarks: Upland vegetation, no soil pit dug. Photos: 894, 895

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Encelia farinosa	15	Y	UPL
2.			
3.			
4.			
5.			
Total Cover: 10			
Herb Stratum			
1. Eriogonum inflatum	1	Y	UPL
2. Schismus arabicus	1	Y	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species 12	x 5 = 60
Column Totals: 12 (A)	60 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-1

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes ____ No N/A

Remarks: No soil pit excavated. Gravelly sand.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): _____

Water Table Present? Yes ____ No ____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B+B, WL, SS, SD Blue line on top. Trib to Evan park pond below

OHWM 6'; TOB 8'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Y... City/County: Ivanpah / San Bernardino Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: S-5-12
Investigator(s): J. Hickman / J. Holson Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.603218 Long: W -115.445854 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation ND, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 896, 897

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Encelia farinosa	5	Y	NL ~~Supl~~
2. Hymenoclea salsola	1	N	NL ~~Supl~~
3. Larrea tridentata	1	N	NL ~~Supl~~
4.			
5.			
Total Cover: 7			
Herb Stratum			
1. Schismus arabicus	1	Y	NL ~~Supl~~
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 8	x 5 =	40
Column Totals: 8 (A)		40 (B)

Prevalence Index = B/A = 5.0

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-12

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Bar B, WL Blue line on topo. Trib to Evangelo Dry Lake

OHWM 4'; Top 6'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Decoi Yard City/County: Riverside / San Bernardino Sampling Date: 9/30/2009

Applicant/Owner: Circle Point State: CA Sampling Point: 46-SC-13

Investigator(s): S. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: N -115.446115° Long: N 33.608837 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg., no soil pit dug. Photo: 898 899

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hyptis emoryi	2	Y	~~UPL~~ FACU
2. Larrea tridentata	2	Y	~~UPL~~ FACU
3. Ephedra viridis	2	Y	~~UPL~~ FACU
4. Acacia greggii	1	Y	FACU
5.			
Total Cover: 7			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 6	x 5 = 30
Column Totals: 6 (A)	34 (B)

Prevalence Index = B/A = 5.6

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-5-13

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B+B, WL, SS, SD

Trib to Ivanpah Dry Lake

OHWM 15'; TOB 15'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah / San Bernardino Sampling Date: 9/30/14

Applicant/Owner: Circle Point State: CA Sampling Point: 3-5-14

Investigator(s): J. Holsman / S. Hicks Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: N 35.466791 Long: W -115.449288 Datum: NAD 83

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area		
Hydric Soil Present?	Yes ____	No N/A	within a Wetland?	Yes ____	No ✓
Wetland Hydrology Present?	Yes ✓	No ____			

Remarks: Upland veg., no soil pit dug. Photos: 900, 902

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Encelia farinosa	2	Y	UPL
2.			
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 1 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 1	x 5 =	5
Column Totals: 1 (A)		5 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-14

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes _____ No _____ N/A.

Remarks: gravelly, sand. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) Minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B & B, WL, SS, SD Trib to Ivanpah Dry Lake

OHWM 6', TOB 9'

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Twentynine Palms/SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 8-5-15
Investigator(s): S. Halsey / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D point 15A lat: W -115.448302 long: N 35.603252 Datum: NAD 83 ZONE 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: point 15B W -115.448244 N 35.603557 Photos: 902, 903
Upland veg., no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	5	Y	FacU
2. Encelia farinosa	2	Y	NL ~~Upl~~
3. Larrea tridentata	2	Y	NL ~~Upl~~
4.			
5.			
Total Cover:	9		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 3 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 5	x 4 =	20
UPL species 4	x 5 =	20
Column Totals: 9	(A)	40 (B)

Prevalence Index = B/A = 4.44

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-1S

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Between points atb = 100-ft Blue line on Topo. Trib to Evanston Bay Lake

B & B, SD, SS, WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Riverside/CA Sampling Date: 9/30 & 10/1/09
Applicant/Owner: Circle Point State: CA Sampling Point: 9-5-16
Investigator(s): J. Holson, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.603025 Long: W -115.249405 Datum: NAD 83 Zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: point 16B 33-115.249416 N 35.602910 Photos: 904, 905
Upland veg., no soil pit dug.

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Acacia greggii	2	Y	FacU
2. Larrea tridentata	2	Y	NL UPL
3. Encelia farinosa	2	Y	NL UPL
4. Ephedra viridis	2	Y	NL UPL
5. Ambrosia dumosa	2	Y	NL UPL
Total Cover:	10		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 2	x 4 =	8
UPL species 8	x 5 =	40
Column Totals: 10 (A)		48 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand w/ cobble. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: B & B, WL, SD, SS; multiple low flow channels

OHWM between pts a & b = 50 ft Trib to Irrigation Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-17
Investigator(s): J. Holson/S. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Local relief (concave, convex, none): Slope (%):
Subregion (LRR): D Lat: N 35.602522 Long: W -115.455527 Datum: NAD 83 zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No (if no, explain in Remarks.)
Are Vegetation No, Soil , or Hydrology significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No
Are Vegetation No, Soil or Hydrology naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes	No ✓	Is the Sampled Area within a Wetland? Yes No ✓
Hydric Soil Present?	Yes	No N/A	
Wetland Hydrology Present?	Yes ✓	No	

Remarks: Upland veg., no soil pit dug. Photos: 906, 907

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:			
Sapling/Shrub Stratum			
1. Ambrosia dumosa	3	Y	NL UPL
2. Larrea tridentata	1	Y	NL UPL
3. Acacia greggii	1	Y	FACU
4. Ephedra viridis	1	Y	NL UPL
5.			
Total Cover:	6		
Herb Stratum			
1. Eriogonum inflatum	1	Y	NL UPL
2. Chaenactis carphoclinia	1	Y	NL UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 6 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species	x 1 =
FACW species	x 2 =
FAC species	x 3 =
FACU species 1	x 4 = 4
UPL species 7	x 5 = 35
Column Totals: 8 (A)	39 (B)

Prevalence Index = B/A = 4.87

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes No ✓

Remarks:

Sampling Point: 8-S-17

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly sand w/ cobble. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 6'; TOB 8' Trib to Ivanpah Dry Lake

SS, SD, WL, BED

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial/SB Sampling Date: 9/30/2009
Applicant/Owner: Cicada Point State: CA Sampling Point: 9-S-18
Investigator(s): S. Holson, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D ~~Lat:~~ W-115.45204 ~~Long:~~ N 35.60126 Datum: NAD 83 Zone 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg., no soil pit dug. Photos: 906, 909

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ambrosia dumosa	1	Y	FACU
2. Hymenoclea salsola	1	Y	~~UPL~~
3. Eurotia lanata	1	Y	~~UPL~~
4.			
5.			
Total Cover: 3			
Herb Stratum			
1. Eriogonum inflatum	1	Y	~~UPL~~
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 1			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 4 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 3	x 5 = 15
Column Totals: 4 (A)	19 (B)

Prevalence Index = B/A = 4.75

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-18

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly Sand. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ✓ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No _____ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No _____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8'; TOB 10' Trib to Evanpah Drylake

B+B, SD, Scouring, WL, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyokern / SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 8-S-19
Investigator(s): J. Holson / J. Hickerson Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.453476 Long: W -117.602547 Datum: NAD83 Zone 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation No, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation No, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg-, no soil pit dug. Photos: 910, 911

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Larrea tridentata	5	Y	NL ~~UPL~~
2. Ambrosia dumosa	3	Y	NL ~~UPL~~
3. Hymenoclea salsola	1	N	NL ~~UPL~~
4. Acacia greggii	1	N	FACU
5.			
Total Cover: 10			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species 1	x 4 = 4
UPL species 9	x 5 = 45
Column Totals: 10 (A)	49 (B)

Prevalence Index = B/A = 4.9

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-19

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A.

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly Sand w/ cobble. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): _____

Water Table Present? Yes ___ No ___ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): _____

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: 20'; TOB: 20' Blue line on Topo. Trib to Evergreen Dry Lake.

B+B, SS, SD, WL

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Imperial / SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 9-S-20
Investigator(s): S. Holson / T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: 33.115.453803 Long: W 35.602360 Datum: NAD 83
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No ✓			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: Photos: 912, 913

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Larrea tridentata	3	Y	NL FAC
2. Ambrosia dumosa	1	Y	NL UPL
3. Encelia farinosa	1	Y	NL UPL
4.			
5.			
Total Cover:	5		
Herb Stratum			
1. Erigeron pulchellus	1	Y	NL UPL
2. Schismus arabicus	1	Y	NL UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 5 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species 7	x 5 =	35
Column Totals: 7 (A)		35 (B)

Prevalence Index = B/A = 5

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 8-S-20

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10 YR 4/3	100					sand	w/ cobble

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 12

Hydric Soil Present? Yes ___ No ✓

Remarks: gravelly sand w/ cobble

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___

Water Table Present? Yes ___ No ✓ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ✓ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM: 20'; TOB 20' Trib to Evanpah Dry Lake

Multiple low flow channels, B+B, SD, SS

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/SB Sampling Date: 9/30/2004
Applicant/Owner: Circle Point State: CA Sampling Point: B-S-21
Investigator(s): J. Holson/T. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: W -115.455878 Long: N 35.601903 Datum: WAD 83 Zone 11
Soil Map Unit Name: mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No N/A	
Wetland Hydrology Present?	Yes ____	No ✓	

Remarks: Photos: 914, 915

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Hymenoclea salsola	3	Y	UPL
2. Encelia farinosa	2	Y	UPL
3. Acacia greggii	1	N	FACU
4. Ambrosia dumosa	1	N	UPL
5.			
Total Cover:	6		
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: 0 (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: 0 (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species 1	x 4 =	4
UPL species 5	x 5 =	25
Column Totals: 6	(A)	29 (B)

Prevalence Index = B/A = 4.8

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: B-S-21

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
N/A								

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) **(LRR C)**
- ___ 1 cm Muck (A9) **(LRR D)**
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) **(LRR C)**
- ___ 2 cm Muck (A10) **(LRR B)**
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

N/A

Hydric Soil Present? Yes _____ No _____

Remarks: gravelly, sand w/ cobble. No soil pit excavated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) **(Nonriverine)**
- ___ Sediment Deposits (B2) **(Nonriverine)**
- ___ Drift Deposits (B3) **(Nonriverine)**
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) **(Riverine)**
- ✓ Sediment Deposits (B2) **(Riverine)**
- ___ Drift Deposits (B3) **(Riverine)**
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes _____ No ✓ Depth (inches): _____

Water Table Present? Yes _____ No _____ Depth (inches): _____

Saturation Present? (includes capillary fringe) Yes _____ No _____ Depth (inches): _____

Wetland Hydrology Present? Yes _____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12'; TOB 12' Blm line on Topo. Trib to Tramp Lake Dry Lake

B+B, SD, SS

Yes

WETLAND DETERMINATION FORM - Arid West Region

Jones & Stokes

Project/Site: Desert Xeless City/County: Imperial/CB Data Point: 8-S-22

Applicant/Owner: Circle Point State: CA Date: 9/30/2009

Investigator(s): J. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: N -115.456794 Long: N 35.601978 Datum: NAD 83 ZONE 11

Soil Map Unit Name: mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)

Are Vegetation No Soil ____ or Hydrology ____ significanly disturbed? Are "Normal Circumstances" present? ☑ YES ☐ NO

Are Vegetation No Soil ____ or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ____ No ✓

Hydric Soil Present? Yes ____ No ____ N/A

Wetland Hydrology Present? Yes ✓ No ____

Is the Sampled Area within a wetland? Yes ____ No ✓

Remarks: Upland veg., no soil pit dug.

Photos: 916, 917

VEGETATION

Tree Stratum (scientific names) woody plants >3" dbh	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum (woody plants <3"dbh)			
1. H. memorlea salsola	2	Y	
2. Ephedra funerea	1	Y	
3.			
4.			
5.			
Total Cover:	3		
Herb Stratum (non-woody plants, regardless of size)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (regardless of size)			
1.			
2.			
Total Cover:	0		

% Bare ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species that are OBL, FACW, or FAC 0 (A/B)

Prevalence Index worksheet

Total % Cover of:	Multiply by:	
OBL species	x 1 =	0
FACW species	x 2 =	0
FAC species	x 3 =	0
FACU species	x 4 =	0
UPL species 3	x 5 =	15
Column Total: 3 (A)		15 (B)

Prevalence Index = B/A = 5

Hydrophytic vegetation indicators

____ Dominance test is >50%

____ Prevalence index is ≤ 3.0[1]

____ Morphological adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soils and wetland hydrology must be present

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Data point: 8-5-22

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Contrast[3]	Texture	Comments
N/A									

[1]Type: C-m=Concentration - soft mass; C-n=Concentration - nodule/concretion; D=Depletion; RM=Reduced Matrix
[2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix
[3]Contrast: f=faint; d=distinct; p=prominent (see Table A1 for definitions)

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pool (F9)

Indicators for Problematic Hydric Soils:[4]

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A 10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

___ Listed on National/Local Hydric Soils List

[4]Indicators of hydrophytic vegetation and wetland hydrology must be present

Restrictive Layer (if present):
Type: _____
Depth (inches): _____

Hydric Soil Present? Yes N/A No ___

Remarks: gravelly sand w/ cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2) (w/in 12")
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1) (w/in 12")
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soil (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ✓ Depth (inches): ___
Water Table Present? Yes ___ No ___ Depth (inches): ___
Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___ (12 inch determination)

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream guage, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 12; TOB 12 Blue line on topo. Trib to Irrapah Draw Lateral

B + B, W1, S5, C, D

Texture and Rock Fragment Content)

Texture

- cos - coarse sand
- s - sand
- fs - fine sand
- vfs - very fine sand
- lcos - loamy coarse sand
- ls - loamy sand
- lfs - loamy fine sand
- lvfs - loamy very fine sand
- cosl - coarse sandy loam
- sl - sandy loam
- fsl - fine sandy loam
- vfsl - very fine sandy loam
- l - loam
- sil - silt loam
- si - silt
- scl - sandy clay loam
- cl - clay loam
- sicl - silty clay loam
- sc - sandy clay
- sic - silty clay
- c - clay

Rock Fragments

- gr - gravelly
- vgr - very gravelly
- xgr - extremely gravelly
- cb - cobbly
- vcb - very cobbly
- xcb - extremely cobbly
- st - stony
- vst - very stony
- xst - extremely stony

Yes

WETLAND DETERMINATION FORM - Arid West Region

Jones & Stokes

Project/Site: Desert Xpress City/County: Inyo/168 Data Point: 9-5-13

Applicant/Owner: Circle Point State: CA Date: 9/30/2013

Investigator(s): D. Halsor / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: -115.458990 Long: W 35.601577 Datum: NAD 83 Zone 11

Soil Map Unit Name: mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks)

Are Vegetation NO Soil ____ or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? ☑ YES ☐ NO

Are Vegetation NO Soil ____ or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ____ N/A	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: Upland veg.; no soil pit dug. Photos: 918, 919

VEGETATION

Tree Stratum (scientific names) woody plants >3" dbh	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum (woody plants <3"dbh)			
1. Ephedra viridis	1	Y	NL UPL
2. Larrea tridentata	1	Y	NL UPL
3. Ambrosia dumosa	1	Y	NL UPL
4.			
5.			
Total Cover:	3		
Herb Stratum (non-woody plants, regardless of size)			
1. Eriogonum inflatum	1	Y	NL UPL
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum (regardless of size)			
1.			
2.			
Total Cover:	0		

% Bare ground in Herb Stratum 99 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species that are OBL, FACW, or FAC: #DIV/0! 0 (A/B)

Prevalence Index worksheet

Total % Cover of:	Multiply by:	
OBL species	x 1 =	0
FACW species	x 2 =	0
FAC species	x 3 =	0
FACU species	x 4 =	0
UPL species 4	x 5 =	20
Column Total: 4 (A)		20 (B)

Prevalence Index = B/A = #DIV/0! 5

Hydrophytic vegetation indicators

____ Dominance test is >50%

____ Prevalence index is ≤ 3.0[1]

____ Morphological adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soils and wetland hydrology must be present

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Data point: 8-S-23

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Contrast[3]	Texture	Comments
N/A									

[1]Type: C-m=Concentration - soft mass; C-n=Concentration - nodule/concretion; D=Depletion; RM=Reduced Matrix
[2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix [3]Contrast: f=faint; d=distinct; p=prominent (see Table A1 for definitions)

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pool (F9)

Indicators for Problematic Hydric Soils:[4]

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A 10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

___ Listed on National/Local Hydric Soils List

[4]Indicators of hydrophytic vegetation and wetland hydrology must ba present

Restrictive Layer (if present):
Type: _____
Depth (inches): _____

N/A.
Hydric Soil Present? Yes _____ No _____

Remarks: S w/ gr + cb. No soil pit dug.

HYDROLOGY

Wetland Hydrology Indicators:

Primary indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2) (w/in 12")
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1) (w/in 12")
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soil (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ✓	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (Includes capillary fringe)	Yes ____	No ____	Depth (inches): ____ (12 inch determination)

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream guage, monitoring well, aerial photos, previous inspections), if available:

Remarks: 0 HWM 6', 10 10' Tide to Inundation Dry Later

WL, SS, SD, B+B

Texture and Rock Fragment Content

Texture

cos - coarse sand
s - sand
fs - fine sand
vfs - very fine sand
lcos - loamy coarse sand
ls - loamy sand
lfs - loamy fine sand
lvfs - loamy very fine sand
cosl - coarse sandy loam
sl - sandy loam
fsl - fine sandy loam
vfsl - very fine sandy loam
l - loam
sil - silt loam
si - silt
sci - sandy clay loam
cl - clay loam
sicl - silty clay loam
sc - sandy clay
sic - silty clay
c - clay

Rock Fragments

gr - gravelly
vgr - very gravelly
xgr - extremely gravelly
cb - cobbly
vcb - very cobbly
xcb - extremely cobbly
st - stony
vst - very stony
xst - extremely stony

Yes

WETLAND DETERMINATION FORM - Arid West Region

Jones & Stokes

Project/Site: Desert Xpress City/County: Tuscan / SB Data Point: 8-S-24

Applicant/Owner: Circle Point State: CA Date: 9/30 /2008

Investigator(s): T. Holson / J. Hiatman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0

Subregion (LRR): D Lat: -115.459636 Long: N 35.600958 Datum: NAD 83 2007 11

Soil Map Unit Name: mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No _____ (If no, explain in Remarks)

Are Vegetation No Soil _____ or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? ☑ YES ☐ NO

Are Vegetation No Soil _____ or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks)

SUMMARY OF FINDINGS - Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No ✓	N/A
Hydric Soil Present?	Yes _____	No _____	
Wetland Hydrology Present?	Yes ✓	No _____	

Is the Sampled Area within a wetland? Yes _____ No ✓

Remarks: Upland veg.; no soil pit dug. Photos: 920 921

VEGETATION

Tree Stratum (scientific names) woody plants >3" dbh	Absolute % Cover	Dominant Species?	Indicator Status
1. Yucca schidigera	3	Y NL	Not
2.			
3.			
4.			
Total Cover:	3		
Sapling/Shrub Stratum (woody plants <3"dbh)			
1. Hymenoclea salsola	1	Y NL	Not
2. Acacia greggii	1	Y	FACU
3. Ambrosia dumosa	1	Y NL	Not
4.			
5.			
Total Cover:	3		
Herb Stratum (non-woody plants, regardless of size)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	0		
Woody Vine Stratum (regardless of size)			
1.			
2.			
Total Cover:	0		

% Bare ground in Herb Stratum 100 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That are OBL, FACW, or FAC: 0 (A)

Total Number of Dominant Species Across All Strata: 4 (B)

Percent of Dominant Species that are OBL, FACW, or FAC ~~#DIV/0!~~ 0 (A/B)

Prevalence index worksheet

Total % Cover of:	Multiply by:	
OBL species	x 1 =	0
FACW species	x 2 =	0
FAC species	x 3 =	0
FACU species 1	x 4 =	4
UPL species 5	x 5 =	25
Column Total: ~~0~~ 6 (A)		29 (B)

Prevalence Index = B/A = ~~#DIV/0!~~ 4.8

Hydrophytic vegetation indicators

_____ Dominance test is >50%

_____ Prevalence index is ≤ 3.0[1]

_____ Morphological adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

_____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soils and wetland hydrology must be present

Hydrophytic Vegetation Present? Yes _____ No ✓

Remarks:

Data point: 8-S-24

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Type[1]	Loc[2]	Contrast[3]	Texture	Comments
N/A									

[1]Type: C-m=Concentration - soft mass; C-n=Concentration - nodule/concretion; D=Depletion; RM=Reduced Matrix

[2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix

[3]Contrast: f=faint; d=distinct; p=prominent (see Table A1 for definitions)

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pool (F9)

Indicators for Problematic Hydric Soils:[4]

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A 10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

___ Listed on National/Local Hydric Soils List

[4]Indicators of hydrophytic vegetation and wetland hydrology must be present

Restrictive Layer (if present):

Type: _____

Depth (inches): _____

Hydric Soil Present? Yes N/A No ____

Remarks: gr S w/ cb

HYDROLOGY

Wetland Hydrology Indicators:

Primary indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2) (w/in 12")
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1) (w/in 12")
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soil (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine)
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ✓	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____ (12 inch determination)

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream guage, monitoring well, aerial photos, previous inspections), if available:

Remarks: OHWM 8', TOB 12' Trib to Ivanpah Dry Lake

WL, B+B, SS, SD

Texture and Rock Fragment Content

Texture

- cos - coarse sand
- s - sand
- fs - fine sand
- vfs - very fine sand
- lcos - loamy coarse sand
- ls - loamy sand
- lfs - loamy fine sand
- lvfs - loamy very fine sand
- cosl - coarse sandy loam
- sl - sandy loam
- fsl - fine sandy loam
- vfsl - very fine sandy loam
- l - loam
- sil - silt loam
- si - silt
- scl - sandy clay loam
- cl - clay loam
- sicl - silty clay loam
- sc - sandy clay
- sic - silty clay
- c - clay

Rock Fragments

- gr - gravelly
- vgr - very gravelly
- xgr - extremely gravelly
- cb - cobbly
- vcb - very cobbly
- xcb - extremely cobbly
- st - stony
- vst - very stony
- xst - extremely stony

WETLAND DETERMINATION DATA FORM – Arid West Region

SB

Project/Site: Desert Xpress City/County: Pinal / ~~Clark~~ Sampling Date: 9/29/2009

Applicant/Owner: Circle Point State: ~~NV~~ AZ Sampling Point: 9-S-4

Investigator(s): S. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): D Lat: N 32.709112 Long: W 111.409408 Datum: NAD 83 2007 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, ~~Soil~~ ____, or ~~Hydrology~~ ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 7' TOB: 7' Photos: 861 N 860 S

Indicator: wrack line, bed + bank, sed dep, sed sort

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Acacia gue. ggi	2	Y	FACU
2.			
3.			
4.			
5.			
Total Cover: 2			
Herb Stratum			
1. Baileya Viscidata	1	~~Y~~ N	UPL
2. Schismus arabicus	1	~~N~~ Y	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 2			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)

Total Number of Dominant Species Across All Strata: 3 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species ____	x 5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-4

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10 YR 4/3	100					coarse Sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Rock
Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ____	Depth (inches): ____
Water Table Present?	Yes ____	No ____	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ____	Depth (inches): ____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tie to Example Pay Item

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: [illegible] Ivanpah/San Bernardino Sampling Date: 9/29/2009

Applicant/Owner: Circle Point State: NV/CA Sampling Point: 9-S-5

Investigator(s): J. Holson / J. Hickman Section, Township, Range:

Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0

Subregion (LRR): D Lat: N 35.429140 Long: W 115.554288 Datum: NAD 83 zone 11

Soil Map Unit Name: Mapping not complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)

Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____

Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 3 TOB: 3 Photos: 862 N 863 S

Indicators: wrack, bed, bank, sed dep, sed sort

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1.			
2.			
3.			
4.			
5.			
Total Cover:	0		
Herb Stratum			
1. Schismus arabicus	1	Y	UPL
2. Salsola tragus	1	Y	UPL
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	2		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 98 % Cover of Biotic Crust 0

Dominance Test worksheet:

Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)

Total Number of Dominant Species Across All Strata: 2 (B)

Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:	
OBL species	x 1 =	
FACW species	x 2 =	
FAC species	x 3 =	
FACU species	x 4 =	
UPL species	x 5 =	
Column Totals: (A)		(B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:

___ Dominance Test is >50%

___ Prevalence Index is ≤3.0[1]

___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-5

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10 YR 4/3	100					coarse sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Rock
Depth (inches): 12

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ___	No ___	Depth (inches): ___
Water Table Present?	Yes ___	No ___	Depth (inches): ___
Saturation Present? (includes capillary fringe)	Yes ___	No ___	Depth (inches): ___

Wetland Hydrology Present? Yes ✓ No ___

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: TCB to Disappear Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: [illegible] Ivanpah/San Bernardino Sampling Date: 9/29/2009
Applicant/Owner: Circle Point State: [illegible] Sampling Point: 1-S-6
Investigator(s): S. Halso / J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0
Subregion (LRR): D Lat: 35.115,42000 Long: -115.35,06941 Datum: NAD83 zone 11
Soil Map Unit Name: Mapping Not Complete NWI classification: N/A

Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____	No ✓
Hydric Soil Present?	Yes ____	No ✓			
Wetland Hydrology Present?	Yes ____	No ✓			

Remarks: OHWM: 18 TOB: 12 Photos: 865 S 864 N
Ind.: Bed + Bank, wrack line

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover:	0		
Sapling/Shrub Stratum			
1. Ambrosia dumosa	2	Y	Upl
2.			
3.			
4.			
5.			
Total Cover:	2		
Herb Stratum			
1. Schismus arabicus	1	Y	Upl
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover:	1		
Woody Vine Stratum			
1.			
2.			
Total Cover:	0		

% Bare Ground in Herb Stratum 99-0- % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species ____	x 5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:
__ Dominance Test is >50%
__ Prevalence Index is ≤3.0[1]
__ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
__ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-16

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR 4/3	100					Sandy w/ gravel, cobble	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: Rock
Depth (inches): 12

Hydric Soil Present? Yes ___ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ___ No ___ Depth (inches): ___

Water Table Present? Yes ___ No ___ Depth (inches): ___

Saturation Present? (includes capillary fringe) Yes ___ No ___ Depth (inches): ___

Wetland Hydrology Present? Yes ___ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tie to Transect. Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 9-S-7
Investigator(s): J. Halsan, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: N 35.416223 Long: N 35.607866 Datum: NAD 83 2011
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation ND, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation ND, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓		
Wetland Hydrology Present?	Yes ✓	No ____		

Remarks: OHWM: 9' TOB: 8' No photos

F: B+B, Sed D., Sed S., Wrack L

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Hymenoclea salsola	1	Y	UPL
2.			
3.			
4.			
5.			
Total Cover: 1			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 qq % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species ____	x 5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-7

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-12	10YR-4/3	100					gravelly	sandy

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: rock

Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ____ Depth (inches): ____

Water Table Present? Yes ____ No ____ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ____ Depth (inches): ____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Blue line on Topo. Trib to Ivanpah Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Inyo/San B Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 9-S-8
Investigator(s): J. Halsey, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): flat Slope (%): 0
Subregion (LRR): D Lat: 36.115.41767 Long: N 35.607506 Datum: NAD 83 zone 11
Soil Map Unit Name: Mapping not complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____	No ✓	Is the Sampled Area within a Wetland? Yes ____ No ✓
Hydric Soil Present?	Yes ____	No ✓	
Wetland Hydrology Present?	Yes ✓	No ____	

Remarks: OHWM: 6' TOB: 8' No photos

I: B+B, Sed S., SD, WL

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ambrosia dumosa	1	Y	UPL
2.			
3.			
4.			
5.			
Total Cover: 1			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 - 99 = 1 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)
Total Number of Dominant Species Across All Strata: 1 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species ____	x 5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-8

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10YR 4/3	100					gravelly sand	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):

Type: Rock

Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ✓ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No ✓ Depth (inches): ____

Water Table Present? Yes ____ No ✓ Depth (inches): ____

Saturation Present? (includes capillary fringe) Yes ____ No ✓ Depth (inches): ____

Wetland Hydrology Present? Yes ✓ No ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tie to Imagery Dry Lake

WETLAND DETERMINATION DATA FORM – Arid West Region

Project/Site: Desert Xpress City/County: Ivanpah/SB Sampling Date: 9/30/2009
Applicant/Owner: Circle Point State: CA Sampling Point: 9-S-9
Investigator(s): J. Holson, J. Hickman Section, Township, Range:
Landform (hillslope, terrace, etc.): Bajada Local relief (concave, convex, none): Flat Slope (%): 0
Subregion (LRR): D Lat: 35.419682 Long: -115.452° Datum: NAD 83
Soil Map Unit Name: Mapping not Complete NWI classification: N/A
Are climatic / hydrologic conditions on the site typical for this time of year? Yes ✓ No ____ (If no, explain in Remarks.)
Are Vegetation NO, Soil ____, or Hydrology ____ significantly disturbed? Are "Normal Circumstances" present? Yes ✓ No ____
Are Vegetation NO, Soil ____, or Hydrology ____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ____ No ✓	Is the Sampled Area within a Wetland?	Yes ____ No ✓
Hydric Soil Present?	Yes ____ No ✓		
Wetland Hydrology Present?	Yes ____ No ✓		

Remarks: OHWM: 6' TOB: 10' No photos.

I: B+B, WL

VEGETATION

Tree Stratum (Use scientific names.)	Absolute % Cover	Dominant Species?	Indicator Status
1.			
2.			
3.			
4.			
Total Cover: 0			
Sapling/Shrub Stratum			
1. Ambrosia dumosa	3	Y	UPL
2. Cylindropuntia arbuscula	1	Y	UPL
3.			
4.			
5.			
Total Cover: 4			
Herb Stratum			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
8.			
Total Cover: 0			
Woody Vine Stratum			
1.			
2.			
Total Cover: 0			

% Bare Ground in Herb Stratum 100 96 % Cover of Biotic Crust 0

Dominance Test worksheet:
Number of Dominant Species That Are OBL, FACW, or FAC: ____ (A)
Total Number of Dominant Species Across All Strata: 2 (B)
Percent of Dominant Species That Are OBL, FACW, or FAC: ____ (A/B)

Prevalence Index worksheet:

Total % Cover of:	Multiply by:
OBL species ____	x 1 = ____
FACW species ____	x 2 = ____
FAC species ____	x 3 = ____
FACU species ____	x 4 = ____
UPL species ____	x 5 = ____
Column Totals: ____ (A)	____ (B)

Prevalence Index = B/A = ____

Hydrophytic Vegetation Indicators:
___ Dominance Test is >50%
___ Prevalence Index is ≤3.0[1]
___ Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)
___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present.

Hydrophytic Vegetation Present? Yes ____ No ✓

Remarks:

Sampling Point: 9-S-9

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	Matrix %	Redox Features Color (moist)	Redox Features %	Redox Features Type[1]	Redox Features Loc[2]	Texture	Remarks
0-12	10YR 4/3	100					Sandy gravel	

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix. [2]Location: PL=Pore Lining, RC=Root Channel, M=Matrix.

Hydric Soil Indicators: (Applicable to all LRRs, unless otherwise noted.)

- ___ Histosol (A1)
- ___ Histic Epipedon (A2)
- ___ Black Histic (A3)
- ___ Hydrogen Sulfide (A4)
- ___ Stratified Layers (A5) (LRR C)
- ___ 1 cm Muck (A9) (LRR D)
- ___ Depleted Below Dark Surface (A11)
- ___ Thick Dark Surface (A12)
- ___ Sandy Mucky Mineral (S1)
- ___ Sandy Gleyed Matrix (S4)
- ___ Sandy Redox (S5)
- ___ Stripped Matrix (S6)
- ___ Loamy Mucky Mineral (F1)
- ___ Loamy Gleyed Matrix (F2)
- ___ Depleted Matrix (F3)
- ___ Redox Dark Surface (F6)
- ___ Depleted Dark Surface (F7)
- ___ Redox Depressions (F8)
- ___ Vernal Pools (F9)

Indicators for Problematic Hydric Soils[3]:

- ___ 1 cm Muck (A9) (LRR C)
- ___ 2 cm Muck (A10) (LRR B)
- ___ Reduced Vertic (F18)
- ___ Red Parent Material (TF2)
- ___ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present.

Restrictive Layer (if present):
Type: rock
Depth (inches): 12

Hydric Soil Present? Yes ____ No ✓

Remarks:

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (any one indicator is sufficient)

- ___ Surface Water (A1)
- ___ High Water Table (A2)
- ___ Saturation (A3)
- ___ Water Marks (B1) (Nonriverine)
- ___ Sediment Deposits (B2) (Nonriverine)
- ___ Drift Deposits (B3) (Nonriverine)
- ___ Surface Soil Cracks (B6)
- ___ Inundation Visible on Aerial Imagery (B7)
- ___ Water-Stained Leaves (B9)
- ___ Salt Crust (B11)
- ___ Biotic Crust (B12)
- ___ Aquatic Invertebrates (B13)
- ___ Hydrogen Sulfide Odor (C1)
- ___ Oxidized Rhizospheres along Living Roots (C3)
- ___ Presence of Reduced Iron (C4)
- ___ Recent Iron Reduction in Plowed Soils (C6)
- ___ Other (Explain in Remarks)

Secondary Indicators (2 or more required)

- ___ Water Marks (B1) (Riverine)
- ___ Sediment Deposits (B2) (Riverine)
- ✓ Drift Deposits (B3) (Riverine) minor
- ___ Drainage Patterns (B10)
- ___ Dry-Season Water Table (C2)
- ___ Thin Muck Surface (C7)
- ___ Crayfish Burrows (C8)
- ___ Saturation Visible on Aerial Imagery (C9)
- ___ Shallow Aquitard (D3)
- ___ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No ✓	Depth (inches): ____
Water Table Present?	Yes ____	No ✓	Depth (inches): ____
Saturation Present? (includes capillary fringe)	Yes ____	No ✓	Depth (inches): ____

Wetland Hydrology Present? Yes ____ No ✓

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks: Tib to Ironpark Dry Lake

Exhibit C

Representative Areas Potentially Excluded from Corps Jurisdiction Based on Corps-EPA *Rapanos Guidance*, DesertXpress Project, HUC 8 Ivanpah – Pahrump Valleys Watershed Draining to Ivanpah Dry Lake

Legend

- Study Area
- Sampling Point
- Representative Ephemeral Drainages Found With an Observable Ordinary High Water Mark
- USGS NHD Playa
- **HUC 12 Digit Subwatersheds Crossed by the Rapanos Review Area**
  - 30 - Ivanpah Lake
  - 32 - Porter Wash-Frontal Ivanpah Lake
  - 33 - Town of Jean-Frontal Ivanpah Lake
  - 34 - Lookout Peak
  - 35 - Town of Goodsprings

Map Dated: July 24, 2010

Roach Dry Lake

30D14

31

31MD4

31D1

75-1w

Ivanpah Dry Lake

30

3-S-1

28

3-S-17

72-1 Alt c

71-1w Main

29

0 0.5 1 2 3 4 5 Miles

Aerial Source: NAIP 2005/2006

Exhibit C. Map Showing Representative Areas Potentially Subject to Corps Jurisdiction Under Section 404 of the Clean Water Act, DesertXpress Project, HUC 8 Ivanpah - Pahrump Valleys Watershed Draining to Ivanpah Dry Lake, Clark County, Nevada.

Exhibit D

Hydrology Maps for CWA Jurisdictional Analysis

Legend

Study Area/Rapanos Review Area

USGS NHD Playa

USGS NHD Flowline Type

StreamRiver

ArtificialPath

CanalDitch

Connector

Pipeline

USGS NHD Flow Indicator

Determinate Flow Direction Arrow

Indeterminate Flow

Uninitialized Flow

HUC 12 Digit Subwatershed

28 - Wheaton Wash-Frontal Ivanpah Lake
29 - Kokoweef Canyon-Frontal Ivanpah Lake
30 - Ivanpah Lake
31 - Whiskey Spring-Frontal Ivanpah Lake

Roach Dry Lake

ROACH

Ivanpah Dry Lake

31

28

30

29

0 0.5 1 2 3 4 5 Miles

Aerial Source: NAIP 2005/2006

Exhibit D1. Satellite Imagery With USGS NHD Flowlines and Arrows Showing Direction and Route of Surface Water Flow From Review Area toward Isolated Ivanpah Dry Lake

Legend

Study Area / Rapanos Review Area

USGS NHD Playa

USGS NHD Flowline Type

StreamRiver

ArtificialPath

CanalDitch

Connector

Pipeline

USGS NHD Flow Indicator

Determinate Flow Direction Arrow

Indeterminate Flow

Uninitialized Flow

HUC 12 Digit Subwatershed

28 - Wheaton Wash-Frontal Ivanpah Lake
29 - Kokoweef Canyon-Frontal Ivanpah Lake
30 - Ivanpah Lake
31 - Whiskey Spring-Frontal Ivanpah Lake

0 0.5 1 2 3 4 5 Miles

Base Map: USGS 1:100,000 Ivanpah California-Nevada (1985) and Mesquite Lake California-Nevada (1985)

Exhibit D2. USGS Topographic Mapping With USGS NHD Flowlines and Arrows Showing Direction and Route of Surface Water Flow From Review Area toward Isolated Ivanpah Dry Lake

Legend

- Study Area / Rapanos Review Area
- USGS NHD Playa
- Sampling Point
- Representative Ephemeral Drainages That Connect the Jurisdictional Delineation Study Area / Rapanos Review Area to Ivanpah Dry Lake via a Surface Water Connection (with flow arrow indicator)
- **HUC 12 Digit Subwatersheds Crossed by the Rapanos Review Area**
  - 30 - Ivanpah Lake
  - 32 - Porter Wash-Frontal Ivanpah Lake
  - 33 - Town of Jean-Frontal Ivanpah Lake
  - 34 - Lookout Peak
  - 35 - Town of Goodsprings

Map Dated: July 24, 2010

Roach Dry Lake

30D14

31

31MD4

31D1

75-1w

Ivanpah Dry Lake

30

3-S-1

28

3-S-17

72-1 Alt c

71-1w Main

29

0 0.5 1 2 3 4 5 Miles

Aerial Source: NAIP 2005/2006

Exhibit D3. Mapping Showing Surface Water Connection of Representative Ephemeral Drainages / non-RPWs within Rapanos Review Area to Ivanpah Dry Lake