



# California Regional Water Quality Control Board Los Angeles Region

320 W. 4<sup>th</sup> Street, Suite 200, Los Angeles, California 90013  
(213) 576-6600 • FAX (213) 576-6640  
<http://www.waterboards.ca.gov/losangeles>



Matthew Rodriguez  
Secretary for  
Environmental Protection

Edmund G. Brown Jr.  
Governor

December 15, 2011

Ms. Marilyn Glantz  
Masco Corporation  
21001 Van Born Road  
Taylor, Michigan 48180

## **TENTATIVE ORDER – TERMINATION OF WASTE DISCHARGE REQUIREMENTS FOR CAL-STYLE FURNITURE MANUFACTURING COMPANY, 18744 SOUTH REYES AVENUE, COMPTON, CALIFORNIA (ORDER NO. R4-2006-0072, CI-9085, FILE NO. 98-086)**

Dear Ms. Glantz:

On September 14, 2006, the Los Angeles Regional Water Quality Control Board (Regional Board) adopted Waste Discharge Requirements (WDR) Order No. R4-2006-0072 for Cal-Style Furniture Manufacturing Company (Discharger) to use a non-pathogenic chlorinated-ethene degrading microbial consortium, referred to as KB-1, to bioremediate chlorinated volatile organic compounds (VOCs) in shallow groundwater at the former Reyes Clarifier Vicinity Site located at 18744 South Reyes Avenue, Compton, California.

On November 16, 2011, you notified the Regional Board that the most recent groundwater monitoring results collected in September 2011 indicated that on-site VOC concentrations have been successfully reduced and no additional injections are planned. Because no further injection activities are anticipated at the subject site, the WDR is no longer needed.

In accordance with administrative procedures, this Regional Board, at a public meeting, will consider the enclosed tentative Order, which, in part, will terminate WDR Order No. R4-2006-0072. The meeting will be held at 9:00 a.m. on February 2, 2012, at the Metropolitan Water District of Southern California, 700 North Alameda Street, Los Angeles, California.

In order to be fully evaluated by Regional Board staff and included in the Board's agenda packet, written comments must be received at the Regional Board office by 5:00 p.m. on January 15, 2012. Failure to comply with these requirements is grounds for the Board to refuse to admit the proposed written comment or exhibit into evidence. Timely submittal of written comments is encouraged to ensure that all comments are accurately and fully included in the administrative record, that Board staff is able to provide a timely review, and that Regional Board Members have sufficient time to give full consideration to the comments and issues raised.

Ms. Marilyn Glantz  
Masco Corporation

- 2 -

December 15, 2011

If you have any additional questions, please contact the Project Manager, Mr. David Koo at (213) 620-6155 or me at (213) 576-6683.

Sincerely,

 For Eric Wu 12/13/11

Eric Wu, Ph.D., P.E.  
Chief of Groundwater Permitting Unit

Enclosure: Tentative Order No. R4-2011-XXXX, Terminating Waste Discharge Requirements

cc: Jim Maughan, State Water Resources Control Board, Division of Water Quality  
Cheryl Ross, West Basin Municipal Water District  
Mark Stuart, Watermaster - California Department of Water Resources  
Tom Cota, Department of Toxic Substances Control, Cypress  
Kurt Souza, Department of Health Services, Drinking Water Field Operation Branch  
Lisa Van Tassel, GeoSyntec Consultants

**California Environmental Protection Agency**



Recycled Paper

Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

**State of California**  
**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD**  
**LOS ANGELES REGION**

ORDER NO. R4-2011-XXXX

**TERMINATION OF WASTE DISCHARGE REQUIREMENTS**  
**FOR DISCHARGES TO LAND/GROUNDWATER**  
**(Cal-Style Furniture Manufacturing Company)**

The California Regional Water Quality Control Board, Los Angeles Region (Regional Board) finds:

1. On September 14, 2006, this Regional Board adopted Waste Discharge Requirements (WDR) contained in Order No. R4-2006-0072 for Cal-Style Furniture Manufacturing Company (Discharger) to use a non-pathogenic chlorinated-ethene degrading microbial consortium, referred to as KB-1, to bioremediate chlorinated volatile organic compounds (VOCs) in shallow groundwater at the former Reyes Clarifier Vicinity Site located at 18744 South Reyes Avenue, Compton, California.
2. On November 16, 2011, the Discharger notified the Regional Board that the most recent groundwater monitoring results collected in September 2011 indicated that on-site VOC concentrations have been successfully reduced and no additional injections are planned.
3. Because no further injection activities are anticipated at the subject site, the Regional Board finds that Order No. R4-2006-0072, with waste discharge requirements, is no longer applicable and shall be terminated, except for enforcement purposes.
4. The termination of Order No. R4-2006-0072 is exempt from the provisions of Chapter 3 (commencing with Section 21100), Division 13, Public Resources Code, in accordance with California Water Code (CWC) section 13389.

The Regional Board has notified the Discharger and interested agencies and persons of its intent to consider termination of Order No. R4-2006-0072, and has provided them with an opportunity to submit comments.

The Regional Board, in a public hearing, heard and considered all comments and testimony pertinent to the Order.

**IT IS HEREBY ORDERED** that Order No. R4-2006-0072 is terminated, except for enforcement purposes.

The Executive Officer of this Regional Board is authorized, and is hereby directed, to certify and submit copies of this Order to the Discharger, and to such individuals and governmental agencies that request it.

**T  
E  
N  
T  
A  
T  
I  
V  
E**

Cal-Style Furniture Manufacturing Company  
Former Reyes Clarifier Vicinity Site  
Order No. R4-2011-XXXX

I, Samuel Unger, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Los Angeles Region on February 2, 2012.

Samuel Unger  
Samuel Unger, P.E.  
Executive Officer

**T  
E  
N  
T  
A  
T  
I  
V  
E**