

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
LOS ANGELES REGION**

320 W. 4<sup>th</sup> Street, Suite 200  
Los Angeles, California 90013  
(213) 576-6600

Public Notice No. 15-012  
FILE No. 04-035

**NOTICE OF PUBLIC HEARING**

**PROPOSED ISSUANCE  
OF  
WASTE DISCHARGE REQUIREMENTS & WATER RECYCLING REQUIREMENTS**

<b>DISTRIBUTOR</b>	<b>RECYCLING LOCATION</b>	<b>RECEIVING WATER</b>
United States Navy (San Clemente Island Wastewater Treatment Plant)	Naval Auxiliary Landing Field, San Clemente Island, California	N/A

The United States Navy (hereinafter Navy or Distributor) recycles secondary-23 and tertiary-treated wastewater from its San Clemente Island Wastewater Treatment Plant (SCI WWTP) on San Clemente Island. Recycled water generated at the San Clemente Island Wastewater Treatment Plant is regulated under Waste Discharge Requirements (WDRs) and Water Recycling Requirements (WRRs) contained in Order No. R4-2004-0057 adopted by this Regional Water Board on April 1, 2004. The Distributor filed a Report of Waste Discharge (ROWD) and applied to the Regional Water Board for reissuance of WDRs and WRRs to recycle secondary-23 and tertiary-treated wastewater. The Navy also discharges secondary-23 and tertiary-treated effluent to the Pacific Ocean, under separate WDRs that serve as a National Pollutant Discharge Elimination System (NPDES) permit contained in Order No. R4-2013-0111.

The Navy owns and operates the SCI WWTP, a federally owned treatment works located at the Naval Auxiliary Landing Field, San Clemente Island, California, with a design capacity of 0.06 million gallons per day (MGD). The SCI WWTP currently recycles solely disinfected secondary-23 wastewater for soil compaction, mixing concrete, backfill consolidation, dust control, and flushing sanitary sewers, on the island. The facility has recently been upgraded and the Navy proposes to primarily recycle disinfected tertiary-treated wastewater for the aforementioned uses, plus five new Bachelor Enlisted Quarters (BEQs) dual-plumbed systems and two decorative fountains. The wastewater may be recycled for additional uses upon approval by the Executive Officer of the California Regional Water Quality Control Board (Regional Water Board).

On the basis of preliminary staff review and application of lawful standards and regulations, the Regional Water Board, tentatively proposes to issue waste discharge requirements, including effluent limitations and special conditions.

**PUBLIC HEARING DATE AND LOCATION**

The Regional Water Board will hold a public hearing on the tentative WDRs/WRRs during its regular Board meeting on the following date and time and at the following location:

Date: **May 14, 2015**  
Time: 9:00 a.m.

Place: Metropolitan Water District of Southern California Board Room  
700 North Alameda Street  
Los Angeles, California

Interested persons are invited to attend. At the public hearing, the Regional Water Board will hear testimony, if any, that is pertinent to the WDRs/WRRs. Oral testimony will be heard; however, for accuracy of the record, important testimony should be in writing.

Please be aware that dates and venues may change. Our Web address is <http://www.waterboards.ca.gov/losangeles/> where you can access the current agenda for changes in dates and locations.

### SCOPE OF HEARING

The adoption of new WDRs/WRRs to incorporate applicable water quality objectives associated with water recycling on San Clemente Island.

### AVAILABILITY OF DOCUMENTS

The Report of Waste Discharge (ROWD), other documents relied upon, tentative effluent limitations and special provisions, comments received, and other information are on file are available for inspection and copying between the hours of 8:00 a.m. and 4:30 p.m. by appointment at the following address:

Los Angeles Regional Water Quality Control Board  
320 West 4th Street, Suite 200  
Los Angeles, CA 90013

Arrangements for file review and/or obtaining copies of the documents may be made by calling the Regional Water Board at (213) 576-6600. Additionally, the agenda, the fact sheet, and the draft order will be available online at: <http://www.waterboards.ca.gov/losangeles/> under the "Tentative Permits" heading.

The entire file will become a part of the administrative record of this proceeding, irrespective of whether individual documents are specifically referenced during the hearing or contained in the agenda packet. The entire file will not be present in the hearing room. In addition to the materials generated for this proceeding, the file includes the administrative records for the applicable Basin Plan amendments. Should any interested persons desire staff to bring to the hearing any particular documents that are not included in the agenda packet, they must submit a written or electronic request to staff during business hours, not later than five business days before the hearing. The request must identify the documents with enough specificity for staff to locate them.

### PUBLIC COMMENTS AND SUBMITTAL OF EVIDENCE

Persons wishing to comment on, or object to, the tentative waste discharge requirements, or submit evidence for the Board to consider, are invited to submit them in writing to Steven Webb at the above address, or send them electronically to [Steven.Webb@waterboards.ca.gov](mailto:Steven.Webb@waterboards.ca.gov). To be evaluated and responded to by Regional Water Board staff, included in the Board's agenda folder, and fully considered by the Board, written comments or testimony regarding the tentative

must be received no later than **5:00 p.m. on April 13, 2015**. Failure to comply with these requirements is grounds for the Regional Water Board to refuse to admit the proposed written comment or exhibit into evidence pursuant to section 648.4, title 23 of the California Code of Regulations.

### NATURE OF HEARING

This proceeding will be a formal adjudicatory proceeding. For such proceedings, the Regional Water Board follows procedures established by the State Water Resources Control Board. These procedures are set forth in regulations commencing with section 647 of title 23 of the California Code of Regulations, in particular, Article 2, commencing with section 648.

### PARTIES TO THE HEARING

The following are the parties to this proceeding:  
United States Navy

Any other persons requesting party status must submit a written or electronic request to staff no later than 20 business days before the hearing. All parties will be notified if other persons are so designated.

Regional Water Board staff is not a party to the proceeding; their participation in this proceeding exists for the purpose of advising and assisting the Regional Water Board.

### HEARING PROCEDURE

The Board meeting, of which this hearing is a part, will start at 9:00 a.m. Interested persons are invited to attend. When the agenda item is called, staff will present the matter under consideration, after which oral statements from parties or interested persons will be heard. For accuracy of the record, all important testimony should be in writing. The Board will include in the administrative record written transcriptions of oral testimony that is actually presented at the hearing. Oral testimony may be limited to five minutes or less for each interested person, depending on the number of interested persons wishing to be heard.

Parties or interested persons with similar concerns or opinions are encouraged to choose one representative to speak and are encouraged to coordinate their presentations with each other. Parties will be advised after the receipt of public comments, but prior to the date of the hearing, of the amount of time each is allocated for presentations. That decision will be based upon the complexity and number of issues under consideration, the extent to which the parties have coordinated, the number of parties and interested persons anticipated, and the time available for the hearing. The parties are invited to contact staff not later than **April 30, 2015** (two weeks prior to the hearing) to discuss how much time they believe is necessary for their presentations, and staff will endeavor to accommodate reasonable requests. At the conclusion of testimony, the Board will deliberate in open or close session, and render a decision.

The Board does not generally require the prior identification of witnesses, the cross examination of witnesses, or other procedures not specified in this notice. Parties or persons with special procedural requests or requests for alternative hearing procedures should contact staff, who will endeavor to accommodate reasonable requests. Objections to any procedure to be used

during this hearing must be submitted in writing no later than close of business 15 business days prior to the date of the hearing. (Any objections related to the amount of time allocated for parties' presentations must be submitted within two business days of notice thereof, if that date is less than 15 business days before the hearing.) Absent such objections, any procedure not specified in this hearing notice will be waived pursuant to section 648(d) of title 23 of the California Code of Regulations. Procedural objections will not be entertained at the hearing.

If there should not be a quorum on the scheduled date of this meeting, all cases will be automatically continued to the next scheduled meeting in **June 2015**. A continuance will not extend any time set forth herein.

### STAFF CONTACTS

If you have any question regarding this proposed action, please contact Steven Webb at (213) 576-6793 or via email at [Steven.Webb@waterboards.ca.gov](mailto:Steven.Webb@waterboards.ca.gov) or Cris Morris, P.E., Chief, Municipal Permitting Unit at (213) 620-2083 or via email at [cmorris@waterboards.ca.gov](mailto:cmorris@waterboards.ca.gov).

Date: March 13, 2015