



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

May 4, 2016

Mr. Jerry Hensley
Saticoy Foods Corporation
P.O. Box 4547
Ventura, CA 93007

TENTATIVE WASTE DISCHARGE REQUIREMENTS (WDRs), TENTATIVE REVISED MONITORING AND REPORTING PROGRAM (MRP), AND TENTATIVE CEASE AND DESIST ORDER (CDO) FOR SATICOY FOODS CORPORATION – 554 TODD ROAD, SANTA PAULA, CA 93060 (FILE NO. 67-089, ORDER NO. 95-130, CI-5372, GLOBAL ID WDR10000853)

Dear Mr. Hensley:

The California Regional Water Quality Control Board, Los Angeles Region (Regional Board) is the public agency with primary responsibility for the protection of ground and surface water quality for all beneficial uses within major portions of Los Angeles and Ventura Counties, including the referenced property above.

On September 18, 1995, the Regional Board adopted WDRs Order No. 95-130 for Saticoy Foods Corporation. Pursuant to the California Water Code, all waste discharge requirements are reviewed periodically, and, upon such review, may be revised by the Regional Board. Following a review of the existing requirements contained in WDR Order No. 95-130, a tentative Order for WDRs, a tentative revised MRP, and a tentative CDO have been prepared.

Enclosed are copies of the Tentative WDRs consisting of:

- a. Tentative Regional Board Order No. R4-2016-XXXX specifying WDRs,
- b. Tentative Revised Monitoring and Reporting Program No. CI-5372, and
- c. Tentative Standard Provisions Applicable to WDRs.
- d. Tentative CDO No. R4-2016-YYYY

The documents are also available at the Regional Water Board's website:

http://www.waterboards.ca.gov/losangeles/board_decisions/tentative_orders/

In accordance with administrative procedures, the Regional Board will consider the enclosed tentative WDRs and comments at a public hearing to be held at 9:00 AM on June 28, 2016 at the Junipero Serra Building, 320 W. 4th Street, 1st Floor, Carmel Room, Los Angeles, California, 90013. The Regional Board will hear any testimony pertinent to this discharge and the tentative requirements. Although it is expected that the Regional Board will take action at the hearing on

this matter, the Regional Board at its discretion may postpone this matter to a future board meeting.

In order to be evaluated by the Regional Board staff and included in the Regional Board's agenda packet, written comments or evidence regarding these tentative WDRs must be received at the Regional Board's office by 5:00 p.m. on June 3, 2016. Failure to comply with these requirements is grounds for the Regional Board to refuse to admit the proposed written comment or evidence into the record. Timely submittal of written comments is encouraged to ensure that all comments are accurately and fully included in the administrative record, that Regional Board staff is able to provide timely review, and that Regional Board members have sufficient time to give full consideration to the comments and issues raised.

Standard Provisions, which are part of these tentative requirements, are enclosed for the addressee only. However, these are on file in our office, and a copy will be sent to interested persons upon request.

The agenda for the meeting will be posted on the Regional Water Board's website (http://www.waterboards.ca.gov/losangeles/board_info/agenda/index.shtml) approximately one week prior to the meeting.

If you have any additional questions, please contact the Project Manager, Mr. David Koo, at (213) 620-6155 (David.Koo@waterboards.ca.gov) or the Groundwater Permitting Unit Chief, Dr. Eric Wu, at (213) 576-6683 (Eric.Wu@waterboards.ca.gov).

Sincerely,



Eric Wu, Ph.D., P.E.
Chief of Groundwater Permitting Unit

Enclosures:

1. Tentative WDRs Order No. R4-2016-XXXX
2. Tentative Revised Monitoring and Reporting Program No. CI-5372
3. Tentative Standard Provisions Applicable to WDRs
4. Tentative CDO No. R4-2016-YYYY

cc: Mr. Charles Genkel, Environmental Health Division, County of Ventura
Mr. Ronald W. Crites, Brown and Caldwell
Mr. William W. Carter, Musick Peeler