

## Los Angeles Regional Water Quality Control Board

April 25, 2019

Ms. Naoko Munakata  
Supervising Engineer  
Joint Outfall System  
1955 Workman Mill Road  
Whittier, CA 90601

Dear Ms. Munakata:

**LOCATION CHANGE FOR BOARD HEARING AND TRANSMITTAL OF RESPONSE TO COMMENTS FOR THE TENTATIVE WASTE DISCHARGE REQUIREMENTS (WDRS) AND NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) PERMIT FOR JOINT OUTFALL SYSTEM, WHITE POINT OUTFALL MANIFOLD CONSTRUCTION DEWATERING PROJECT, 1800 KAY FIORENTINO DRIVE, SAN PEDRO, CALIFORNIA (NPDES NO. CA0064661)**

On March 18, 2019, the California Regional Water Quality Control Board, Los Angeles Region (Regional Water Board) transmitted the tentative Waste Discharge Requirements (WDRs) and National Pollutant Discharge Elimination System (NPDES) permit for the subject Facility. Comments were submitted by the Joint Outfall System and Heal the Bay on April 18, 2018. The Regional Water Board considered the comments submitted and is providing responses to the comments (enclosed). Changes to the chronic toxicity monitoring requirement were made in section V of the tentative Monitoring and Reporting Program (Attachment E) based on comments received from the Joint Outfall System. Minor modifications were also made to the tentative WDRs and NPDES permit based on administrative changes. Changes in the revised tentative WDRs and NPDES permit appear in the strikeout/underline format.

In the March 18, 2019, letter, we also informed you that the May Board hearing would be held at the City of Malibu, at 23825 Stuart Ranch Road, Malibu, California, at 9:00 a.m. on May 9, 2019. However, the location of the public hearing at which your item will be heard has been changed to the **City of Agoura Hills, at 30001 Ladyface Court, Agoura Hills, California**. The date and time of the public hearing remain the same.

In accordance with administrative procedure, the Regional Water Board at a public hearing to be held on May 9, 2019, at 9:00 a.m., at the City of Agoura Hills, at 30001 Ladyface Court, Agoura Hills, will consider the revised tentative WDRs and NPDES permit. It is expected that the Board will take action at the hearing; however, as testimony indicates, the Board, at its discretion, may order further investigation.

If you have any questions, please contact Ching To at [Ching-Yin.To@waterboards.ca.gov](mailto:Ching-Yin.To@waterboards.ca.gov) or at (213)576-6696.

Sincerely,



Cassandra D. Owens, Chief  
Industrial Permitting Unit (NPDES)

Enclosures

#### MAILING LIST

Ms. Elizabeth Sablad, Environmental Protection Agency, Region 9, Permits Branch (WTR-5)  
Ms. Robyn Stuber, Environmental Protection Agency, Region 9, Permits Branch (WTR-5)  
Ms. Becky Mitschele, Environmental Protection Agency, Region 9, Permits Branch (WTR-5)  
Mr. Kenneth Wong, U.S. Army Corps of Engineers  
Mr. Bryant Chesney, NOAA, National Marine Fisheries Service  
Mr. Jeff Phillips, Department of Interior, U.S. Fish and Wildlife Service  
Ms. Loni Adams, California Department of Fish and Wildlife, Region 5  
Ms. Amber Dobson, California Coastal Commission, South Coast Region  
Mr. Tim Smith, Los Angeles County, Department of Public Works  
Mr. Angelo Bellomo, Los Angeles County, Department of Public Health  
Mr. Russell Yoshida, Joint Outfall System  
Mr. William Van Wagoner, City of Los Angeles  
Mr. Hassan Rad, City of Los Angeles  
Mr. Theodore Johnson, Water Replenishment Districts of Southern California  
Ms. Annelisa Moe, Heal the Bay  
Ms. Sylvie Makara, Heal the Bay  
Mr. Bruce Reznik, Los Angeles Waterkeeper  
Mr. Arthur Pugsley, Los Angeles Waterkeeper  
Ms. Joan Matthews, Natural Resources Defense Council  
Ms. Corinne Bell, Natural Resources Defense Council  
Mr. Jason Weiner, Ventura Coastkeeper  
Mr. Pete Stauffer, Surfrider Foundation  
Mr. Daniel Cooper, Lawyers for Clean Water  
Environment Now  
Sierra Club