

CTR#	Parameters	Units	CV	MEC	CTR Water Quality Criteria (ug/L)								REASONABLE POTENTIAL							
					Freshwater		Saltwater		Human Health for consumption of:		LA River TMDL		Lowest C	MEC >= Lowest C	Tier 1 - Need limit?	B Available (Y/N)?	Are all B data points non-detected (Y/N)?	If all data points ND Enter the min detection limit (MDL) (ug/L)	Enter the pollutant B detected max conc (ug/L)	If all B is MDL>C?
					C acute = CMC tot	C chronic = CCC tot	C acute = CMC tot	C chronic = CCC tot	Water & organisms	Organisms only	Dry Weather WLAs (Based on Chronic CTR)	Wet Weather WLAs (Based on Acute CTR)								
1	Antimony	ug/L	0.6	13							4300.00	No	No	N						
2	Arsenic	ug/L	0.6	110	340.00	150.00					150.00	No	No	N						
3	Beryllium	ug/L	0.6	No Criteria							Narrative	No Criteria	No Criteria	N						
4	Cadmium (CTR)	ug/L	0.6	55	13.73	5.34					Narrative	5.34	Yes	Yes	N					
4	Cadmium (TMDL Wet Weather)	ug/L	0.6	55							3.10	3.10	Yes	Yes, TMDL	N					
5a	Chromium (III)	ug/L	0.6	260	3893.32	464.06					Narrative	464.06	No	No	N					
5b	Chromium (VI)	ug/L	0.6	30	16.29	11.43					Narrative	11.43	Yes	Yes	N					
6	Copper (CTR)	ug/L	0.6	110	35.44	21.66						21.66	Yes	Yes	N					
6	Copper (TMDL Dry Weather)	ug/L	0.6	110							22.00	22.00	Yes	Yes, TMDL	N					
6	Copper (TMDL Wet Weather)	ug/L	0.6	110							17.00	17.00	Yes	Yes, TMDL	N					
7	Lead (CTR)	ug/L	0.6	430	286.38	11.16					Narrative	11.16	Yes	Yes	N					
7	Lead (TMDL Dry Weather)	ug/L	0.6	430							11.00	11.00	Yes	Yes, TMDL	N					
7	Lead TMDL Wet Weather)	ug/L	0.6	430							62.00	62.00	Yes	Yes, TMDL	N					
8	Mercury	ug/L	0.6	0.16	Reserved	Reserved					0.051	0.051	Yes	Yes	N					
9	Nickel	ug/L	0.6	180	1080.28	120.11					4600.00	120.11	Yes	Yes	N					
10	Selenium	ug/L	0.6	4900	20.00	5.00					Narrative	5.00	Yes	Yes	N					
11	Silver	ug/L	0.6	2.9	22.12							22.12	No	No	N					
12	Thallium	ug/L	0.6	11							6.30	6.30	Yes	Yes	N					
13	Zinc (CTR)	ug/L	0.6	3600	276.23	276.23						276.23	Yes	Yes	N					
13	Zinc (TMDL Wet Weather)	ug/L	0.6	3600							159.00	159.00	Yes	Yes, TMDL	N					
14	Cyanide	ug/L	0.6	5.9	22.00	5.20					220000.00	5.20	Yes	Yes	N					
15	Asbestos	Fibers	0.6	No Criteria							No Criteria	No Criteria	No Criteria	N						
16	2,3,7,8 TCDD	ug/L	0.6	9.27E-06							0.000000014	0.000000014	Yes	Yes	N					
17	Acrolein	ug/L	0.6	0.44							780	780	No	No	N					
18	Acrylonitrile	ug/L	0.6	0.27							0.66	0.66	No	No	N					
19	Benzene	ug/L	0.6	0.23							71	71	No	No	N					
20	Bromoform	ug/L	0.6	0.23							360	360.00	No	No	N					
21	Carbon Tetrachloride	ug/L	0.6	0.32							4.4	4.40	No	No	N					
22	Chlorobenzene	ug/L	0.6	0.21							21000	21000	No	No	N					
23	Chlorodibromomethane	ug/L	0.6	0.29							34	34.00	No	No	N					
24	Chloroethane	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
25	2-Chloroethylvinyl ether	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
26	Chloroform	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
27	Dichlorobromomethane	ug/L	0.6	0.28							46	46.00	No	No	N					
28	1,1-Dichloroethane	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
29	1,2-Dichloroethane	ug/L	0.6	0.24							99	99.00	No	No	N					
30	1,1-Dichloroethylene	ug/L	0.6	0.34							3.2	3.200	No	No	N					
31	1,2-Dichloropropane	ug/L	0.6	0.18							39	39.00	No	No	N					
32	1,3-Dichloropropylene	ug/L	0.6	0.51							1700	1700	No	No	N					
33	Ethylbenzene	ug/L	0.6	0.17							29000	29000	No	No	N					
34	Methyl Bromide	ug/L	0.6	0.12							4000	4000	No	No	N					
35	Methyl Chloride	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
36	Methylene Chloride	ug/L	0.6	0.25							1600	1600.0	No	No	N					
37	1,1,2,2-Tetrachloroethane	ug/L	0.6	0.18							11	11.00	No	No	N					
38	Tetrachloroethylene	ug/L	0.6	0.27							8.85	8.9	No	No	N					
39	Toluene	ug/L	0.6	0.22							200000	200000	No	No	N					
40	1,2-Trans-Dichloroethylene	ug/L	0.6	0.23							140000	140000	No	No	N					
41	1,1,1-Trichloroethane	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
42	1,1,2-Trichloroethane	ug/L	0.6	0.25							42	42.0	No	No	N					
43	Trichloroethylene	ug/L	0.6	0.35							81	81.0	No	No	N					
44	Vinyl Chloride	ug/L	0.6	0.33							525	525	No	No	N					
45	2-Chlorophenol	ug/L	0.6	0.28							400	400	No	No	N					
46	2,4-Dichlorophenol	ug/L	0.6	0.26							790	790	No	No	N					
47	2,4-Dimethylphenol	ug/L	0.6	0.3							2300	2300	No	No	N					
48	4,6-dinitro-o-resol (aka2-methyl-4,6-Dinitrophenol)	ug/L	0.6	0.33							765	765.0	No	No	N					
49	2,4-Dinitrophenol	ug/L	0.6	1.6							14000	14000	No	No	N					
50	2-Nitrophenol	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
51	4-Nitrophenol	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
52	3-Methyl-4-Chlorophenol (aka P-chloro-m-resol)	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
53	Pentachlorophenol	ug/L	0.6	5.2	14.42	11.06					8.2	8.20	No	No	N					
54	Phenol	ug/L	0.6	0.16							4600000	4600000	No	No	N					
55	2,4,6-Trichlorophenol	ug/L	0.6	0.22							6.5	6.5	No	No	N					
56	Acenaphthene	ug/L	0.6	0.31							2700	2700	No	No	N					
57	Acenaphthylene	ug/L	0.6	No Criteria								No Criteria	No Criteria	No Criteria	N					
58	Anthracene	ug/L	0.6	0.28							110000	110000	No	No	N					

CTR#	Parameters	Units	CV	MEC	CTR Water Quality Criteria (ug/L)						REASONABLE POTENTIAL									
					Freshwater		Saltwater		Human Health for consumption of:		LA River TMDL		MEC >= Lowest C	Tier 1 - Need limit?	B Available (Y/N)?	Are all B data points non-detects (Y/N)?	If all data points ND Enter the min detection limit (MDL) (ug/L)	Enter the pollutant B detected max conc (ug/L)	If all B is ND, is MDL>C?	
					C acute = CMC tot	C chronic = CCC tot	C acute = CMC tot	C chronic = CCC tot	Water & organisms	Organisms only	Dry Weather WLAs (Based on Chronic CTR)	Wet Weather WLAs (Based on Acute CTR)								Lowest C
59	Benidine	ug/L	0.6							0.00054										
60	Benzo(a)Anthracene	ug/L	0.6							0.049										
61	Benzo(a)Pyrene	ug/L	0.6							0.049										
62	Benzo(b)Fluoranthene	ug/L	0.6							0.049										
63	Benzo(ghi)Perylene	ug/L	0.6	No Criteria																
64	Benzo(k)Fluoranthene	ug/L	0.6							0.049										
65	Bis(2-Chloroethoxy)Methane	ug/L	0.6	No Criteria																
66	Bis(2-Chloroethyl)Ether	ug/L	0.6	0.27						1.4										
67	Bis(2-Chloroisopropyl)Ether	ug/L	0.6	0.38						170000										
68	Bis(2-Ethylhexyl)Phthalate	ug/L	0.6	7.6						5.9										
69	4-Bromophenyl Phenyl Ether	ug/L	0.6	No Criteria																
70	Butylbenzyl Phthalate	ug/L	0.6	3						5200										
71	2-Chloronaphthalene	ug/L	0.6	0.26						4300										
72	4-Chlorophenyl Phenyl Ether	ug/L	0.6	No Criteria																
73	Chrysene	ug/L	0.6							0.049										
74	Dibenzo(a,h)Anthracene	ug/L	0.6							0.049										
75	1,2-Dichlorobenzene	ug/L	0.6	0.3						17000										
76	1,3-Dichlorobenzene	ug/L	0.6	0.36						2600										
77	1,4-Dichlorobenzene	ug/L	0.6	0.32						2600										
78	3,3-Dichlorobenzidine	ug/L	0.6							0.077										
79	Diethyl Phthalate	ug/L	0.6	3.2						120000										
80	Dimethyl Phthalate	ug/L	0.6	1.9						2900000										
81	Di-n-Butyl Phthalate	ug/L	0.6	1.2						12000										
82	2,4-Dinitrotoluene	ug/L	0.6	0.18						9.10										
83	2,6-Dinitrotoluene	ug/L	0.6	No Criteria																
84	Di-n-Octyl Phthalate	ug/L	0.6	No Criteria																
85	1,2-Diphenylhydrazine	ug/L	0.6	0.25						0.54										
86	Fluoranthene	ug/L	0.6	0.16						370										
87	Fluorene	ug/L	0.6	0.2						14000										
88	Hexachlorobenzene	ug/L	0.6							0.00077										
89	Hexachlorobutadiene	ug/L	0.6	0.41						50										
90	Hexachlorocyclopentadiene	ug/L	0.6	1.5						17000										
91	Hexachloroethane	ug/L	0.6	0.36						8.9										
92	Indeno(1,2,3-cd)Pyrene	ug/L	0.6							0.049										
93	Isophorone	ug/L	0.6	0.21						600										
94	Naphthalene	ug/L	0.6	No Criteria																
95	Nitrobenzene	ug/L	0.6	0.36						1900										
96	N-Nitrosodimethylamine	ug/L	0.6	0.14						8.10										
97	N-Nitrosodi-n-Propylamine	ug/L	0.6	0.26						1.40										
98	N-Nitrosodiphenylamine	ug/L	0.6	0.19						16										
99	Phenanthrene	ug/L	0.6	No Criteria																
100	Pyrene	ug/L	0.6	0.16						11000										
101	1,2,4-Trichlorobenzene	ug/L	0.6	No Criteria																
102	Aldrin	ug/L	0.6							0.00014										
103	alpha-BHC	ug/L	0.6	0.0018						0.013										
104	beta-BHC	ug/L	0.6	0.0031						0.046										
105	gamma-BHC	ug/L	0.6	0.0021						0.063										
106	delta-BHC	ug/L	0.6	No Criteria																
107	Chlordane	ug/L	0.6							0.00059										
108	4,4'-DDT	ug/L	0.6							0.00059										
109	4,4'-DDE (linked to DDT)	ug/L	0.6							0.00059										
110	4,4'-DDD	ug/L	0.6							0.00084										
111	Dieldrin	ug/L	0.6							0.00014										
112	alpha-Endosulfan	ug/L	0.6	0.0017						240										
113	beta-Endosulfan	ug/L	0.6	0.0019						240										
114	Endosulfan Sulfate	ug/L	0.6	0.008						240										
115	Endrin	ug/L	0.6	0.0028						0.81										
116	Endrin Aldehyde	ug/L	0.6	0.003						0.81										
117	Heptachlor	ug/L	0.6							0.00021										
118	Heptachlor Epoxide	ug/L	0.6							0.00011										
119-125	PCBs sum (2)	ug/L	0.6	0.72						0.00017										
126	Toxaphene	ug/L	0.6							0.0002										

Notes:

- Ud = Undetermined due to lack of data
- Uc = Undetermined due to lack of CTR Water Quality Criteria
- C = Water Quality Criteria
- B = Background receiving water data

CTR#	Parameters	FIAL ANALYSIS (RPA)				HUMAN HEALTH CALCULATIONS			AQUATIC LIFE CALCULATIONS											
		If B>C, effluent limit required	Tier 3 - other info. ?	RPA Result - Need Limit?	Reason	Organisms only			Saltwater / Freshwater / Basin Plan											
						AMEL hh = ECA = C hh O only	MDEL/AMEL multiplier	MDEL hh	ECA acute multiplier (p.7)	LTA acute	ECA chronic multiplier	LTA chronic	Lowest LTA	AMEL multiplier 95	AMEL aq life	MDEL multiplier 99	MDEL aq life			
1	Antimony	No detected value of B, Step 7		No	Ud;MEC<C & no B															
2	Arsenic	No detected value of B, Step 7		No	Ud;MEC<C & no B															
3	Beryllium	No Criteria	No Criteria	Uc	No Criteria															
4	Cadmium (CTR)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	0.00	0.53	2.82	0.00	1.55	0.00	3.11	0.00			
4	Cadmium (TMDL Wet Weather)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	1.00			1.00	1.55	1.55	3.11	3.10			
5a	Chromium (III)	No detected value of B, Step 7		No	Ud;MEC<C & no B															
5b	Chromium (VI)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	5.23	0.53	6.03	5.23	1.55	8.12	3.11	16.3			
6	Copper (CTR)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	0.00	0.53	11.42	0.00	1.55	0.00	3.11	0.0			
6	Copper (TMDL Dry Weather)	No detected value of B, Step 7		Yes	MEC>=C						0.53	11.60	11.60	1.55	18.01	3.11	36.14			
6	Copper (TMDL Wet Weather)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	5.46			5.46	1.55	8.47	3.11	17.00			
7	Lead (CTR)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	0.00	0.53	5.89	0.00	1.55	0.00	3.11	0.0			
7	Lead (TMDL Dry Weather)	No detected value of B, Step 7		Yes	MEC>=C						0.53	5.80	5.80	1.55	9.01	3.11	18.07			
7	Lead (TMDL Wet Weather)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	19.91			19.91	1.55	30.90	3.11	62.00			
8	Mercury	No detected value of B, Step 7		Yes	MEC>=C	0.051	2.01	0.10232							1.55		3.11			
9	Nickel	No detected value of B, Step 7		Yes	MEC>=C	4600	2.01	9228.47012	0.32	362.13	0.53	66.13	66.13	1.55	102.67	3.11	206.0			
10	Selenium	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	6.42	0.53	2.64	2.64	1.55	4.09	3.11	8.2			
11	Silver	No detected value of B, Step 7		No	Ud;MEC<C & no B		2.01													
12	Thallium	No detected value of B, Step 7		Yes	MEC>=C	6.3	2.01	12.63899							1.55		3.11			
13	Zinc (CTR)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	0.00	0.53	145.69	0.00	1.55	0.00	3.11	0.0			
13	Zinc (TMDL Wet Weather)	No detected value of B, Step 7		Yes	MEC>=C		2.01		0.32	51.05			51.05	1.55	79.25	3.11	159.00			
14	Cyanide	No detected value of B, Step 7		Yes	MEC>=C	220000	2.01	441361.615	0.32	7.06	0.53	2.74	2.74	1.55	4.26	3.11	8.5419			
15	Asbestos	No Criteria	No Criteria	Uc	No Criteria															
16	2,3,7,8 TCDD	No detected value of B, Step 7		Yes	MEC>=C	0.000000014	2.01	0.0000000281							1.55		3.11			
17	Acrolein	No detected value of B, Step 7		No	Ud;MEC<C & no B															
18	Acrylonitrile	No detected value of B, Step 7		No	Ud;MEC<C & no B															
19	Benzene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
20	Bromoform	No detected value of B, Step 7		No	Ud;MEC<C & no B															
21	Carbon Tetrachloride	No detected value of B, Step 7		No	Ud;MEC<C & no B															
22	Chlorobenzene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
23	Chlorodibromomethane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
24	Chloroethane	No Criteria	No Criteria	Uc	No Criteria															
25	2-Chloroethylvinyl ether	No Criteria	No Criteria	Uc	No Criteria															
26	Chloroform	No Criteria	No Criteria	Uc	No Criteria															
27	Dichlorobromomethane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
28	1,1-Dichloroethane	No Criteria	No Criteria	Uc	No Criteria															
29	1,2-Dichloroethane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
30	1,1,2,2-Tetrachloroethane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
31	1,2-Dichloropropane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
32	1,3-Dichloropropylene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
33	Ethylbenzene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
34	Methyl Bromide	No detected value of B, Step 7		No	Ud;MEC<C & no B															
35	Methyl Chloride	No Criteria	No Criteria	Uc	No Criteria															
36	Methylene Chloride	No detected value of B, Step 7		No	Ud;MEC<C & no B															
37	1,1,2,2-Tetrachloroethane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
38	Tetrachloroethylene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
39	Toluene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
40	1,2-Trans-Dichloroethylene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
41	1,1,1-Trichloroethane	No Criteria	No Criteria	Uc	No Criteria															
42	1,1,2-Trichloroethane	No detected value of B, Step 7		No	Ud;MEC<C & no B															
43	Trichloroethylene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
44	Vinyl Chloride	No detected value of B, Step 7		No	Ud;MEC<C & no B															
45	2-Chlorophenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
46	2,4-Dichlorophenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
47	2,4-Dimethylphenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
48	4,6-dinitro-o-resol (aka2-methyl-4,6-Dinitrophenol)	No detected value of B, Step 7		No	Ud;MEC<C & no B															
49	2,4-Dinitrophenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
50	2-Nitrophenol	No Criteria	No Criteria	Uc	No Criteria															
51	4-Nitrophenol	No Criteria	No Criteria	Uc	No Criteria															
52	3-Methyl-4-Chlorophenol (aka P-chloro-m-resol)	No Criteria	No Criteria	Uc	No Criteria															
53	Pentachlorophenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
54	Phenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
55	2,4,6-Trichlorophenol	No detected value of B, Step 7		No	Ud;MEC<C & no B															
56	Acenaphthene	No detected value of B, Step 7		No	Ud;MEC<C & no B															
57	Acenaphthylene	No Criteria	No Criteria	Uc	No Criteria															
58	Anthracene	No detected value of B, Step 7		No	Ud;MEC<C & no B															

CTR#	Parameters	TIAL ANALYSIS (RPA)				HUMAN HEALTH CALCULATIONS			AQUATIC LIFE CALCULATIONS										
		If B>C, effluent limit required	Tier 3 - other info. ?	RPA Result - Need Limit?	Reason	Organisms only			Saltwater / Freshwater / Basin Plan										
						AMEL hh = ECA = C hh O only	MDEL/AMEL multiplier	MDEL hh	ECA acute multiplier (p.7)	LTA acute	ECA chronic multiplier	LTA chronic	Lowest LTA	AMEL multiplier 95	AMEL aq life	MDEL multiplier 99	MDEL aq life		
59	Benzdine	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
60	Benzo(a)Anthracene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
61	Benzo(a)Pyrene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
62	Benzo(b)Fluoranthene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
63	Benzo(ghi)Perylene	No Criteria	No Criteria	Uc	No Criteria														
64	Benzo(k)Fluoranthene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
65	Bis(2-Chloroethoxy)Methane	No Criteria	No Criteria	Uc	No Criteria														
66	Bis(2-Chloroethyl)Ether	No detected value of B, Step 7		No	Ud;MEC<C & no B														
67	Bis(2-Chloroisopropyl)Ether	No detected value of B, Step 7		No	Ud;MEC<C & no B														
68	Bis(2-Ethylhexyl)Phthalate	No detected value of B, Step 7		Yes	MEC>=C	5.9	2.01	11.83652						1.55			3.11		
69	4-Bromophenyl Phenyl Ether	No Criteria	No Criteria	Uc	No Criteria														
70	Butylbenzyl Phthalate	No detected value of B, Step 7		No	Ud;MEC<C & no B														
71	2-Chloronaphthalene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
72	4-Chlorophenyl Phenyl Ether	No Criteria	No Criteria	Uc	No Criteria														
73	Chrysene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
74	Dibenzo(a,h)Anthracene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
75	1,2-Dichlorobenzene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
76	1,3-Dichlorobenzene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
77	1,4-Dichlorobenzene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
78	3,3-Dichlorobenzidine	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
79	Diethyl Phthalate	No detected value of B, Step 7		No	Ud;MEC<C & no B														
80	Dimethyl Phthalate	No detected value of B, Step 7		No	Ud;MEC<C & no B														
81	Di-n-Butyl Phthalate	No detected value of B, Step 7		No	Ud;MEC<C & no B														
82	2,4-Dinitrotoluene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
83	2,6-Dinitrotoluene	No Criteria	No Criteria	Uc	No Criteria														
84	Di-n-Octyl Phthalate	No Criteria	No Criteria	Uc	No Criteria														
85	1,2-Diphenylhydrazine	No detected value of B, Step 7		No	Ud;MEC<C & no B														
86	Fluoranthene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
87	Fluorene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
88	Hexachlorobenzene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
89	Hexachlorobutadiene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
90	Hexachlorocyclopentadiene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
91	Hexachloroethane	No detected value of B, Step 7		No	Ud;MEC<C & no B														
92	Indeno(1,2,3-cd)Pyrene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
93	Isophorone	No detected value of B, Step 7		No	Ud;MEC<C & no B														
94	Naphthalene	No Criteria	No Criteria	Uc	No Criteria														
95	Nitrobenzene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
96	N-Nitrosodimethylamine	No detected value of B, Step 7		No	Ud;MEC<C & no B														
97	N-Nitrosodi-n-Propylamine	No detected value of B, Step 7		No	Ud;MEC<C & no B														
98	N-Nitrosodiphenylamine	No detected value of B, Step 7		No	Ud;MEC<C & no B														
99	Phenanthrene	No Criteria	No Criteria	Uc	No Criteria														
100	Pyrene	No detected value of B, Step 7		No	Ud;MEC<C & no B														
101	1,2,4-Trichlorobenzene	No Criteria	No Criteria	Uc	No Criteria														
102	Aldrin	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
103	alpha-BHC	No detected value of B, Step 7		No	Ud;MEC<C & no B														
104	beta-BHC	No detected value of B, Step 7		No	Ud;MEC<C & no B														
105	gamma-BHC	No detected value of B, Step 7		No	Ud;MEC<C & no B														
106	delta-BHC	No Criteria	No Criteria	Uc	No Criteria														
107	Chlordane	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
108	4,4'-DDT	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
109	4,4'-DDE (linked to DDT)	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
110	4,4'-DDD	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
111	Dieldrin	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
112	alpha-Endosulfan	No detected value of B, Step 7		No	Ud;MEC<C & no B														
113	beta-Endosulfan	No detected value of B, Step 7		No	Ud;MEC<C & no B														
114	Endosulfan Sulfate	No detected value of B, Step 7		No	Ud;MEC<C & no B														
115	Endrin	No detected value of B, Step 7		No	Ud;MEC<C & no B														
116	Endrin Aldehyde	No detected value of B, Step 7		No	Ud;MEC<C & no B														
117	Heptachlor	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
118	Heptachlor Epoxide	No detected value of B, Step 7		No	UD;Effluent ND,MDL														
119-125	PCBs sum (2)	No detected value of B, Step 7		Yes	MEC>=C	0.00017	2.01	0.00034	0.32	0.53	0.01	0.01	1.55	0.01146	3.11	0.02300			
126	Toxaphene	No detected value of B, Step 7		No	UD;Effluent ND,MDL														

Notes:  
 Ud = Undetermined due to lack of data  
 Uc = Undetermined due to lack of CTR Water Que  
 C = Water Quality Criteria  
 B = Background receiving water data

CTR#	Parameters	LIMITS			Recommendation	Comment
		RPA		Title 22 (MCL) or Previous Limit		
		Lowest AMEL	Lowest MDEL			
1	Antimony			6.00	MCL	Based on MCL
2	Arsenic			10.00	Previous Permit Limit	Based on MCL
3	Beryllium				No Limit	
4	Cadmium (CTR)	0.0	0.0	5.00		
4	Cadmium (TMDL Wet Weather)	1.5	3.1		TMDL Wet Weather	TMDL-Based WQBEL
5a	Chromium (III)				No Limit	
5b	Chromium (VI)	8.1	16.3		CTR	CTR-Based WQBEL
6	Copper (CTR)	0.0	0.0			
6	Copper (TMDL Dry Weather)	18.0	36.1		TMDL Dry Weather	TMDL-Based WQBEL
6	Copper (TMDL Wet Weather)	8.5	17.0		TMDL Wet Weather	TMDL-Based WQBEL
7	Lead (CTR)	0.0	0.0			
7	Lead (TMDL Dry Weather)	9.0	18.1		TMDL Dry Weather	TMDL-Based WQBEL
7	Lead (TMDL Wet Weather)	30.9	62.0		TMDL Wet Weather	TMDL-Based WQBEL
8	Mercury	0.051	0.102	2.00	CTR	CTR-Based WQBEL
9	Nickel	102.7	206.0	100.00	MCL	Based on MCL
10	Selenium	4.1	8.2	50.00	CTR	CTR-Based WQBEL
11	Silver			50.00	Previous Limit	Previous Limit
12	Thallium	6.3	12.6	2.00	MCL	Based on MCL
13	Zinc (CTR)	0.0	0.0			
13	Zinc (TMDL Wet Weather)	79.3	159.0		TMDL Wet Weather	TMDL-Based WQBEL
14	Cyanide	4.3	8.5	200.00	CTR	CTR-Based WQBEL
15	Asbestos				No Limit	
16	2,3,7,8 TCDD	0.000000014	0.000000028	0.00000003	CTR	CTR-Based WQBEL
17	Acrolein				No Limit	
18	Acrylonitrile				No Limit	
19	Benzene				No Limit	
20	Bromoform				No Limit	
21	Carbon Tetrachloride				No Limit	
22	Chlorobenzene				No Limit	
23	Chlorodibromomethane				No Limit	
24	Chloroethane				No Limit	
25	2-Chloroethylvinyl ether				No Limit	
26	Chloroform				No Limit	
27	Dichlorobromomethane				No Limit	
28	1,1-Dichloroethane				No Limit	
29	1,2-Dichloroethane				No Limit	
30	1,1-Dichloroethylene				No Limit	
31	1,2-Dichloropropane				No Limit	
32	1,3-Dichloropropylene				No Limit	
33	Ethylbenzene				No Limit	
34	Methyl Bromide				No Limit	
35	Methyl Chloride				No Limit	
36	Methylene Chloride				No Limit	
37	1,1,2,2-Tetrachloroethane				No Limit	
38	Tetrachloroethylene				No Limit	
39	Toluene				No Limit	
40	1,2-Trans-Dichloroethylene				No Limit	
41	1,1,1-Trichloroethane				No Limit	
42	1,1,2-Trichloroethane				No Limit	
43	Trichloroethylene				No Limit	
44	Vinyl Chloride				No Limit	
45	2-Chlorophenol				No Limit	
46	2,4-Dichlorophenol				No Limit	
47	2,4-Dimethylphenol				No Limit	
48	4,6-dinitro-o-resol (aka 2-methyl-4,6-Dinitrophenol)				No Limit	
49	2,4-Dinitrophenol				No Limit	
50	2-Nitrophenol				No Limit	
51	4-Nitrophenol				No Limit	
52	3-Methyl-4-Chlorophenol (aka P-chloro-m-resol)				No Limit	
53	Pentachlorophenol			1.00	MCL	Based on MCL
54	Phenol				No Limit	
55	2,4,6-Trichlorophenol				No Limit	
56	Acenaphthene				No Limit	
57	Acenaphthylene				No Limit	
58	Anthracene				No Limit	

CTR#	Parameters	LIMITS			Recommendation	Comment
		RPA		Title 22 (MCL) or Previous Limit		
		Lowest AMEL	Lowest MDEL			
59	Benzidine				No Limit	
60	Benzo(a)Anthracene				No Limit	
61	Benzo(a)Pyrene				No Limit	
62	Benzo(b)Fluoranthene				No Limit	
63	Benzo(ghi)Perylene				No Limit	
64	Benzo(k)Fluoranthene				No Limit	
65	Bis(2-Chloroethoxy)Methane				No Limit	
66	Bis(2-Chloroethyl)Ether				No Limit	
67	Bis(2-Chloroisopropyl)Ether				No Limit	
68	Bis(2-Ethylhexyl)Phthalate	5.9	12	4.00	MCL	Based on MCL
69	4-Bromophenyl Phenyl Ether				No Limit	
70	Butylbenzyl Phthalate				No Limit	
71	2-Chloronaphthalene				No Limit	
72	4-Chlorophenyl Phenyl Ether				No Limit	
73	Chrysene				No Limit	
74	Dibenzo(a,h)Anthracene				No Limit	
75	1,2-Dichlorobenzene				No Limit	
76	1,3-Dichlorobenzene				No Limit	
77	1,4-Dichlorobenzene				No Limit	
78	3,3 Dichlorobenzidine				No Limit	
79	Diethyl Phthalate				No Limit	
80	Dimethyl Phthalate				No Limit	
81	Di-n-Butyl Phthalate				No Limit	
82	2,4-Dinitrotoluene				No Limit	
83	2,6-Dinitrotoluene				No Limit	
84	Di-n-Octyl Phthalate				No Limit	
85	1,2-Diphenylhydrazine				No Limit	
86	Fluoranthene				No Limit	
87	Fluorene				No Limit	
88	Hexachlorobenzene				No Limit	
89	Hexachlorobutadiene				No Limit	
90	Hexachlorocyclopentadiene				No Limit	
91	Hexachloroethane				No Limit	
92	Indeno(1,2,3-cd)Pyrene				No Limit	
93	Isophorone				No Limit	
94	Naphthalene				No Limit	
95	Nitrobenzene				No Limit	
96	N-Nitrosodimethylamine				No Limit	
97	N-Nitrosodi-n-Propylamine				No Limit	
98	N-Nitrosodiphenylamine				No Limit	
99	Phenanthrene				No Limit	
100	Pyrene				No Limit	
101	1,2,4-Trichlorobenzene				No Limit	
102	Aldrin				No Limit	
103	alpha-BHC				No Limit	
104	beta-BHC				No Limit	
105	gamma-BHC				No Limit	
106	delta-BHC				No Limit	
107	Chlordane				No Limit	
108	4,4'-DDT				No Limit	
109	4,4'-DDE (linked to DDT)				No Limit	
110	4,4'-DDD				No Limit	
111	Dieldrin				No Limit	
112	alpha-Endosulfan				No Limit	
113	beta-Endosulfan				No Limit	
114	Endosulfan Sulfate				No Limit	
115	Endrin				No Limit	
116	Endrin Aldehyde				No Limit	
117	Heptachlor				No Limit	
118	Heptachlor Epoxide				No Limit	
119-125	PCBs sum (2)	0.00017	0.00034	0.50	CTR	CTR-Based WQBEL
126	Toxaphene				No Limit	

Notes:  
 Ud = Undetermined due to lack of data  
 Uc = Undetermined due to lack of CTR Water Que  
 C = Water Quality Criteria  
 B = Background receiving water data