



California Regional Water Quality Control Board

Los Angeles Region



Linda S. Adams
Acting Secretary for
Environmental Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Edmund G. Brown Jr.
Governor

Mr. Steve Huang
City of Redondo Beach
415 Diamond Street,
Redondo Beach, CA 90277

WATER QUALITY CERTIFICATION FOR PROPOSED TRANSIENT VESSEL DOCK PROJECT (Corps' Project No. 2009-0054-MS), PACIFIC OCEAN, CITY OF REDONDO BEACH, LOS ANGELES COUNTY (File No. 10-180)


Dear Mr. Huang:

Board staff has reviewed your request on behalf of City of Redondo Beach (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on April 5, 2011.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo, Lead, Section 401 Program, at (213) 576-6759.



Samuel Unger, P.E.
Executive Officer

June 15, 2011
Date

DISTRIBUTION LIST

Jeff Townsend
City of Redondo Beach
415 Diamond Street
Redondo Beach, CA 90277

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

John Del Arroz
California Coastal Commission
200 Oceangate, 10th Floor
Long Beach, CA 90802

Melanie Stalder (via electronic copy)
U.S. Army Corps of Engineers
Regulatory Branch, Los Angeles District
P.O. Box 532711
Los Angeles, CA 90053-2325

Eric Raffini (via electronic copy)
U.S. Environmental Protection Agency, Region 9
75 Hawthorne Street
San Francisco, CA 94105

Jim Bartel
U.S. Fish and Wildlife Service
6010 Hidden Valley Road
Carlsbad, CA 92009

ATTACHMENT A

Project Information
File No. 10-180

1. Applicant: Steve Huang
City of Redondo Beach
415 Diamond Street
Redondo Beach, California 90277
Phone: (310) 318-0661 Fax: (310) 374-4828
2. Applicant's Agent: Jeff Townsend
City of Redondo Beach
415 Diamond Street
Redondo Beach, California 90277
Phone: (310) 318-0662 x.2520
3. Project Name: Transient Vessel Dock Project
4. Project Location: City of Redondo Beach, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
33.843868	118.394725
33.843858	118.394730
33.843848	118.394738
33.843829	118.394673
33.843810	118.394610
33.843820	118.394605
33.843831	118.394602
33.843849	118.394663

5. Type of Project: Dock construction
6. Project Purpose: The purpose of this project is to improve an existing wooden transient vessel dock.
7. Project Description: The project consists of constructing an addition to the existing wooden transient vessel dock. The wooden floating dock will be 8 feet by 40 feet and will be held in place by two (2) concrete piles. The piles are 16 inches in diameter and 44 feet long. The piles will be driven to a depth of 25 feet below sea floor elevation and the top of the pile will match the top of the existing wooden piles. The pile driving will take place from a barge over the water and the new

ATTACHMENT A

Project Information File No. 10-180

wooden dock will be constructed on land and floated into place. Construction of the entire project should take approximately three (3) weeks. The pile driving portion of the project will take a few days. In addition, caulerpa and eelgrass surveys will be conducted within a 30-day period prior to project construction.

8. Federal Agency/Permit: U.S. Army Corps of Engineers
Permit No. 2009-0054-MS
9. Other Required Regulatory Approvals: California Coastal Commission
Coastal Development Permit (No. 5-10-275)
10. California Environmental Quality Act Compliance: The proposed project is Categorical Exempt from CEQA pursuant to the CEQA Guidelines, Section 15301, Existing Facilities
11. Receiving Water: Redondo Beach, Pacific Ocean (Hydrologic Unit No. 405.12)
12. Designated Beneficial Uses: IND, NAV, REC-1, REC-2, COMM, MAR, WILD, RARE, MIGR, SPWN, SHELL
13. Impacted Waters of the United States: Ocean: 0.007 permanent acres (8-foot by 40-foot floating dock)
14. Dredge Volume: None
15. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- Implement Best Management Practices to contain and minimize the spread of any construction-related turbidity plume resulting from the project, including, but not limited to sand bagging, runoff diversions, and silt curtains where applicable.
 - Prohibit the discard of construction and trash debris into the intertidal zone or the near shore waters.

ATTACHMENT A

Project Information

File No. 10-180

- Maintain all construction-related equipment and fuel pier operation equipment in good working order to minimize the potential for hazardous waste spills. Maintain current hazardous material spill prevention and cleanup plans on site.
- Pre-and-post construction surveys for eelgrass and invasive algae will take place, as well as construction-period water quality monitoring to ensure that water quality is being maintained during the construction period.

17. Proposed
Compensatory
Mitigation:

The Applicant has not proposed any additional compensatory mitigation.

18. Required
Compensatory
Mitigation:

The Regional Board will not require any additional compensatory mitigation due to the small size of the project (0.007 acres).

See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 10-180

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Game's (CDFG) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, the approved maintenance plan, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

ATTACHMENT B

Conditions of Certification

File No. 10-180

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. All excavation, construction, or maintenance activities shall follow best management practices to minimize impacts to water quality and beneficial uses. Dust control activities shall be conducted in such a manner that will not produce downstream runoff.
8. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
9. All waste and/or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith.
10. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the 2005 Ocean Plan. The 2005 Ocean Plan sets forth limits or levels of water quality characteristics for ocean waters to ensure the reasonable protection of beneficial uses and the prevention of nuisance. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
11. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
12. Ocean water quality monitoring shall be performed by the Applicant. A Water Quality Monitoring Plan shall be submitted prior to any project construction activities. Baseline sampling may be conducted at one location within the project boundary. All other sampling shall take place on both sides of silt curtains at a minimum of two locations (4 locations total). Monitoring for the following shall be included:

- pH

ATTACHMENT B

Conditions of Certification File No. 10-180

- temperature
- dissolved oxygen
- turbidity
- total suspended solids(TSS)
- visual assessment for floating particulates (oil and grease shall not be visible)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to project commencement (baseline sampling) and then monitored on a daily basis during the first week of construction, and then on a weekly basis, thereafter, until the work is complete. Monitoring shall ensure compliance with all water quality objectives specified in the 2005 Ocean Plan.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Construction activities shall not result in the degradation of beneficial uses or non-compliance of any water quality objectives. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

13. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
14. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
15. All project activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting.
16. Pre-and-post construction surveys for eelgrass and invasive *caulerpa taxifolia* ("*Caulerpa*") will take place in accordance with the *Caulerpa* Control Protocol, as well as construction-period water quality monitoring to ensure that water quality is being maintained during the construction period.
17. The Applicant shall restore **all areas** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. The Applicant shall implement all necessary Best Management Practices to control erosion and runoff from areas associated with this project.

ATTACHMENT B

Conditions of Certification

File No. 10-180

18. The Applicant shall submit to this Regional Board a Final Project **Monitoring Report** (Final Report) by **January 1st** of the year following project completion. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration efforts. At a minimum the Annual Reports shall include the following documentation:
- (a) Color photo documentation before, during and after project construction.
 - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project areas;
 - (c) The overall status of project including a detailed schedule of work;
 - (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results (as required) compiled in an easy to interpret format;
 - (f) A certified Statement of "no net loss" of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and
 - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
19. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
20. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the

ATTACHMENT B

Conditions of Certification
File No. 10-180

person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _____ day of _____ at _____.

(Signature)
(Title)

21. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **10-180**. Submittals shall be sent to the attention of the 401 Certification Unit.
22. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
23. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
24. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
25. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.

ATTACHMENT B

Conditions of Certification

File No. 10-180

- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
 - (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
26. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application prior to termination of this Certification if renewal is requested.