



EDMUND G. BROWN JR.  
GOVERNOR



MATTHEW RODRIGUEZ  
SECRETARY FOR  
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

Mr. Paul Edelman  
Mountains Recreation Conservation Authority  
5810 Ramirez Canyon Road  
Malibu, CA 90265

VIA CERTIFIED MAIL  
RETURN RECEIPT REQUESTED  
No. 7008 1140 0002 8671 9493

**TECHNICALLY CONDITIONED WATER QUALITY CERTIFICATION FOR PROPOSED AGUA DULCE CANYON CREEK HABITAT RESTORATION PROJECT (Corps' Project No. SPL-2013-603-AJS), SANTA CLARA RIVER REACH 8, CITY OF AQUA DULCE, LOS ANGELES COUNTY (File No. 15-057)**


Dear Mr. Paul Edelman:

Board staff has reviewed your request on behalf of Mountains Recreation Conservation Authority (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on August 30, 2015.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

**Please read this entire document carefully.** The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo Zara, P.G., Lead, Section 401 Program, at (213) 576-6759.

  
\_\_\_\_\_  
Samuel Unger, P.E.  
Executive Officer

Dec. 16, 2016  
Date

## DISTRIBUTION LIST

Bill Orme (via electronic copy)  
State Water Resources Control Board  
Division of Water Quality  
P.O. Box 944213  
Sacramento, CA 94244-2130

Jeff Humble (via electronic copy)  
California Department of Fish and Wildlife  
Streambed Alteration Team  
3883 Ruffin Rd Suite A  
San Diego, CA. 92123-4813

Antal Szijj (via electronic copy)  
U.S. Army Corps of Engineers  
Regulatory Branch, Ventura Field Office  
2151 Alessandro Drive, Suite 110  
Ventura, CA 93001

Melissa Scianni (via electronic copy)  
U.S. Environmental Protection Agency, Region 9  
WRT-2-4  
75 Hawthorne Street  
San Francisco, CA 94105

G. Mendel Stewart  
Johnathan Snyder  
U.S. Fish and Wildlife Service  
2177 Salk Avenue  
Carlsbad, CA 92008

# ATTACHMENT A

## Project Information File No. 15-057

1. Applicant: Mountains Recreation Conservation Authority  
5810 Ramirez Canyon Road  
Malibu, CA 90265  
  
Phone: (310) 589-3230 x128 Fax: (310) 589-2408
2. Applicant's Agent: Paul Edelman
3. Project Name: Agua Dulce Canyon Creek Habitat Restoration
4. Project Location: Agua Dulce, Los Angeles County

<u>Latitude</u>	<u>Longitude</u>
34.465345	118.330724
34.466040	118.329630
34.464310	118.329351
34.463249	118.330730
34.465964	118.330531
34.465323	118.329426
34.463970	118.329662
34.464470	118.330724

5. Type of Project: Habitat restoration

6. Project Purpose: This habitat restoration project proposes to restore the channel to its historical alignment and create a larger, more stable, natural floodplain to maximize groundwater recharge to this highly disturbed, geomorphologically imbalanced, section of Agua Dulce Canyon Creek. The project will also maximize and expand the establishment of native riparian flora and buffer area. A system will be created with a high degree of ecological richness, structure, and capacity to flourish in a fire and flood environment.

The previous location of the culvert was 100 feet east of the current location. When Caltrans built State Route 14, they relocated it westward, which shifted the whole channel away from the historic alignment and it eroded and cut over the ensuing 50 years. Erosion was exacerbated when Caltrans built a berm at the culvert exit, preventing the channel from returning to its historic alignment.

## ATTACHMENT A

### Project Information File No. 15-057

#### 7. Project Description:

The proposed project will begin at the mouth of Agua Dulce Creek Culvert. The approximate grade of the proposed stream flowline is a descent of an average of 4.605 percent. Fill will be placed within the existing incised channel to block flow by the mouth of Agua Dulce Creek Culvert. An existing cottonwood tree by the culvert will be preserved and channel grading will occur around it. Grading and excavating activities will occur five feet outside the dripline or twenty-five feet outside of its trunk, whichever is greater.

The channel approaches a string of cottonwoods on the eastern portion of the property, marking the old channel. These cottonwoods will also be preserved. Past the string of cottonwoods the new channel will meander westward and reconnect with the historic confluence of Agua Dulce and Escondido Creeks.

The proposed width of the new channel bottom is approximately 40 feet wide. The channel's eastern bank will feature naturally contoured side slopes not exceeding 50 percent grade. Generally side slopes on the western embankment shall be gentler and more variable. Western side slopes shall also not exceed 50 percent grade and will typically average 15-20 percent grade. Final grading will involve multiple micro-variations to provide a more natural look, and will work around trees at the grading zone perimeter and avoid abrupt transitions between differently sloped zones so no harsh contact line is apparent between differently sloped habitat areas. An existing Southern California Edison (SCE) access road will be retained and it shall act as a natural dry creek crossing. The crossing will not be paved or reinforced with natural or unnatural materials. The crossing shall only be used by SCE staff and restoration crew staff.

The area north of the historic confluence of Agua Dulce and Escondido Creeks will be graded to help correct a disturbed and unstable section of excessive erosion. Excavating a broad channel in this downstream portion will allow for natural stream course variability, maximize the area available for riparian habitat, and reconnect the historic Agua Dulce and Escondido Creeks.

Excavated fill will be used to create additional upland chaparral habitat on site. Fill will also be used to construct an equipment access road off Agua Dulce Canyon Road. Unsuitable material found in the fill e.g., concrete, and metal debris shall be removed

## ATTACHMENT A

### Project Information File No. 15-057

prior to the fill material being placed within the existing incised channel, create upland habitat, and equipment access road. Unsuitable material found in the fill will be transported to an appropriate disposal facility.

The project will also establish new trees and increase the density of non-woody perennial understory cover once the newly aligned channel is complete. The primary objective of the restoration planting plan is to create a mosaic of riparian, transitional, and upland habitats to ultimately enhance habitat function of the site. This will be achieved by the establishment of Arroyo willows, Fremont cottonwoods, and Western sycamores along the newly aligned channel. Mexican elderberries and California walnuts will be planted along the margins. Coast Live Oaks will be installed on the periphery of the project area, as transitional habitat between the riparian zone and surrounding chaparral buffer. Once some shade is established, an understory layer of California roses, mugworts, and Virgin's bowers will be installed. All plantings will be field fitted per the planting plan under the direct supervision of the restoration biologist. Density and distribution of the plantings will be determined in the field by integrating hydrological conditions and existing vegetation patterns.

Existing desirable native plants that grow on their own, rather than deliberately planted by the MRCA, will be flagged, avoided, and left in place. Existing desirable native plants will be protected and encouraged to maximize community diversity. All container plantings will occur between November 1 and March 21 on any given year. No replanting of dead plants will occur outside of this timeframe. Any and all distribution of onsite collected seed will occur between October 15 and February 1. Collected seed will be stored in a cool dry place at an MRCA facility until it is distributed no earlier than October 15th. Seed collected onsite between October 15 and February 1 may be sown or broadcast immediately unless a period of refrigeration is recommended by experts.

Additional project activities include implementing an exotic species abatement plan. The plan will take a wholesale approach to non-native plant eradication. All non-natives, within and immediately surrounding the project work area, will be eradicated. The most widespread exotic plant species on site are Russian thistle (*Salsola tragus*), tree tobacco (*Nicotiana glauca*) and giant reed (*Arundo*

## ATTACHMENT A

### Project Information

File No. 15-057

*donax*). Non-native grasses will be hand pulled and left onsite if no viable seed heads are present. If viable seed heads are present they will be bagged and removed from the site. Mature Russian thistles will be pulled out/hoed out and removed from the site. During the first two years early growing plants will be removed by hand. Any remaining plants will be spot treated with glyphosate herbicide in the spring and fall. It is expected that once native plants establish, Russian thistle will be outcompeted from the site. Giant reed and tree tobacco will be cut by hand and the fresh stem cuts treated with Rodeo herbicide. Giant reed will continue to be treated using a foliar spray to control re-sprouting. The number of cut-stump cycles will depend on the cumulative success of the prior treatments. When plant quantities and densities make it possible, herbicide will be avoided and plants can successfully be removed by hand or by hand-operated power tools.

All of the above non-native plant removal methods will be employed year-round beginning with the first day of field work. At the end of the mitigation effort, no woody invasive species shall be present within the mitigation site and herbaceous invasive species shall not exceed 5% cover.

8. Federal Agency/Permit: U.S. Army Corps of Engineers  
NWP No. 27 (Permit No. SPL-2013-603-AJS)
9. Other Required  
Regulatory Approvals: California Department of Fish and Wildlife  
Streambed Alteration Agreement
10. California  
Environmental Quality  
Act Compliance: The proposed project is Categorical Exempt from CEQA pursuant to the CEQA Guidelines, Section 15307 Protection of Natural Resources
11. Receiving Water: Santa Clara River Reach 8 (Hydrologic Unit Code: 180701020104)
12. Designated Beneficial  
Uses: MUN\*, IND, PROC, AGR, GWR, FRSH, REC-1, REC-2, WARM,  
WILD, RARE, WET
- \*Conditional beneficial use
13. Impacted Waters of the  
United States: Non-wetland waters (unvegetated streambed): 0.12 permanent acres  
(168 linear feet)

## ATTACHMENT A

### Project Information File No. 15-057

14. Dredge Volume: None
15. Related Projects Implemented/to be Implemented by the Applicant: This project provides compensatory mitigation for impacts to waters of the United States authorized by three separate Water Quality certifications: 1) Los Angeles County Department of Public Works, Los Angeles Regional Water Board File No. 07-033; 2) Southern California Edison, State Water Board File No. SB110031N; and 3) California Department of Transportation, Los Angeles Regional Water Board File No. 07-161.
16. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
- Grading Limits
- The project boundary within the site will be staked and flagged.
- Vehicles/Equipment
- Vehicles and construction equipment will be periodically checked to ensure that there are no leaks or defective equipment.
  - No equipment maintenance shall be done within or near any stream channel margin where petroleum products or other pollutants from the equipment may enter these areas under any flow.
  - No equipment shall be operated or parked within the dripline of oak trees.
  - Staging, storage, fueling, and maintenance of equipment and materials shall be located in a designated location outside of waters of the state.
  - Any equipment or vehicles driven or operated adjacent to the drainage shall be checked and maintained daily to prevent leaks of materials.
  - Vehicles that are leaking fuel, oil, hydraulic fluid or other pollutants shall be immediately contained and either repaired immediately or removed from the site.

## ATTACHMENT A

### Project Information

File No. 15-057

- One or more emergency spill containment kits shall be placed onsite in easily visible locations, and personnel will be trained in proper use of disposal methods

#### Trash/Debris

- Littering is and shall be prohibited. Trash receptacles shall be provided in sufficient size and number to contain solid waste generated by project. Staff will remove artificial materials from the site at the end of each day.
- Stockpiled areas will be located away from obvious drainage areas.
- All solid wastes will be placed in covered receptacles.
- No hazardous or polluting materials shall be allowed to enter into waters of the state, and shall be properly stored and handled so that soil or surface waters are not contaminated.
- All trash/debris from the project area will be taken to a legal point of disposal.

#### Erosion

- Areas of disturbed soils with slopes toward a stream shall be stabilized to reduce erosion potential. Planting, seeding and mulching are conditionally acceptable erosion and sediment control devices.
- Where suitable vegetation cannot reasonably be expected to become established, non-erodible materials, such as straw bales, silt fences, and coconut fiber matting, shall be used for such stabilization.
- All erosion control devices will be periodically inspected to ensure that the devices are effective prior to and immediately after rainfall events.
- Erosion control measures will be in place around stockpiled materials.

## ATTACHMENT A

### Project Information

File No. 15-057

#### Biological Resources

- Prior to commencing restoration activities, a biologist will implement a program to ensure that the construction foreman and the crew are aware of the limits of construction activity.
- Prior to commencing restoration activities, a biologist will inform heavy equipment foreman and the crew of sensitive biological resources that occur in construction areas.
- Workers will be required to report the occurrence of any special status species observed at the project Site to the supervisor onsite.
- If any special status species observed at the project Site, then species protection measures will be implemented.
- Soil or invasive plant seed transfer from clothing, shoes, or equipment will be minimized through monitoring of personnel or equipment transfers between sites.
- Clearing of all vegetation will be restricted to within construction designated areas.
- Vegetation removal will be avoided during the nesting season (February 1st to September 1 for most birds). Where not feasible, a qualified biologist will conduct preconstruction surveys. Construction activity within 300 feet of active nesting areas will be prohibited until the nesting pair/young have vacated the nests.

#### Weather/Rain

- Five day weather forecasts will be conducted in order to identify potential storm events.
- Equipment, materials, and construction debris will be removed from the channel before storm events.
- If measurable rain is predicted within 72 hours during grading operations, protective measures to prevent siltation or erosion shall be implemented, maintained, and shall be inspected and repaired at the end of each work day.

## ATTACHMENT A

### Project Information

File No. 15-057

#### Crew

- Crew will have on hand hard-copies of regulatory permits.
- Crew will also have on site a listed/sensitive species pamphlet for use as reference if and when animals are encountered.
- Crew staff and field staff will be educated on identification of solid waste storage and removal.
- Crew shall have appropriate Personal Protective Equipment (PPE) while at the Project Site.

17. Proposed  
Compensatory  
Mitigation:

For this project the Applicant proposes to restore 0.5 acres of vegetated streambed and create 0.35 acres of jurisdictional wetlands and 1.15 acres of vegetated streambed. This entire project is for restoration purposes.

The Los Angeles County Aquatic Resources In-Lieu Fee Mitigation Program (Program), administered by the Mountains Recreation and Conservation Authority (MRCA), is conducting this mitigation project to create, restore, and enhance a section of Agua Dulce Canyon Creek, unincorporated Los Angeles County in an effort to mitigate three separate impact events that required habitat mitigation. This in-lieu program is still currently under review with the Army Corps of Engineers (ACOE). The impacts addressed in the mitigation section will all be covered under the April 2000 Los Angeles County Aquatic Resource Program, which was in full effect.

The mitigation requirements are still in place, regardless of whether through the new In-lieu Fee Mitigation (Program) is in place or not.

18. Required  
Compensatory  
Mitigation:

This project is restorative in nature and the Regional Board will not require any additional compensatory mitigation.

See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

## ATTACHMENT B

### Conditions of Certification File No. 15-057

#### STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

#### ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Wildlife's (CDFW) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFW's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 16, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

## ATTACHMENT B

### Conditions of Certification

File No. 15-057

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
8. All waste or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith. Please contact the Land Disposal Unit for further information regarding the disposal of solid wastes.
9. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
10. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
11. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
12. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2011-0003-DWQ, for Aquatic Animal

## ATTACHMENT B

### Conditions of Certification

File No. 15-057

Invasive Species Control; 2011-0004-DWQ, for Spray Applications; 2011-0002-DWQ, for Vector Control; and 2013-0002-DWQ, for Weed Control.

13. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
14. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
15. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge (ROWD)** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.
16. All project/ maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
17. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan** (plan) to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:
  - pH
  - temperature
  - dissolved oxygen
  - turbidity
  - total suspended solids(TSS)

## ATTACHMENT B

### Conditions of Certification

File No. 15-057

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

18. The Applicant shall restore **all acres** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years.
19. The Applicant shall submit to this Regional Board a **Final Monitoring Report** by **January 1<sup>st</sup>** of the year following project completion. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. The Annual Reports shall describe the status of other agreements (e.g., mitigation banking) or any delays in the mitigation process. At a minimum the Annual Reports shall include the following documentation and answered appropriately whether or not mitigation has been performed:
  - (a) Color photo documentation of the pre- and post-project site conditions;
  - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project areas;
  - (c) The overall status of project including a detailed schedule of whether or not work has begun on the Project;
  - (d) Copies of all permits revised as required in Additional Condition 1;
  - (e) Water quality monitoring results for each reach (as required) compiled in an easy to interpret format;

**ATTACHMENT B**

**Conditions of Certification  
File No. 15-057**

- (f) A certified Statement of "no net loss" of wetlands associated with this project;
  - (g) Discussion of any monitoring activities and exotic plant control efforts; and
  - (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
20. Prior to any subsequent maintenance activities within the subject drainages/basin, including clearing, maintenance by-hand, and/or the application of pesticides, the Applicant shall submit to this Regional Board a NOTIFICATION of any such activity. Notification shall include: (a) the proposed schedule; (b) a description of the drainage's/basin's existing condition/capacity; (c) the area of proposed temporary impact within waters of the State; (d) a description of any existing aquatic resources (e.g., wetland/riparian vegetation); and (e) any proposed compensatory mitigation. Notifications must be submitted a minimum of **three (3) weeks** prior to commencing work activities.
21. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
  - (b) For a partnership, by a general partner.
  - (c) For a sole proprietorship, by the proprietor.
  - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
22. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the \_\_\_\_\_ day of \_\_\_\_\_ at \_\_\_\_\_.

\_\_\_\_\_  
(Signature)

## ATTACHMENT B

### Conditions of Certification File No. 15-057

\_\_\_\_\_ (Title)”

23. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **15-057**. Submittals shall be sent to the attention of the 401 Certification Unit.
24. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
25. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Los Angeles County and co-permittees under NPDES No. CAS004001 and Waste Discharge Requirements Order No. R4-2012-0175. . The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2012-0011-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.
26. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
27. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
28. *Enforcement:*
  - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a

## ATTACHMENT B

### Conditions of Certification File No. 15-057

limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.

- (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
  - (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
29. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application at least 90 days prior to termination of this Certification if renewal is requested.

