



Los Angeles Regional Water Quality Control Board

Ken Matsuoka
City of Camarillo
601 Carmen Drive
Camarillo, CA 93010

VIA CERTIFIED MAIL
RETURN RECEIPT REQUESTED
No. 7008 1140 0002 8671 9516

TECHNICALLY CONDITIONED WATER QUALITY CERTIFICATION FOR PROPOSED CONEJO CREEK VEGETATION MAINTENANCE AT RIDGEVIEW STREET DRAINAGE CHANNEL PROJECT, CONEJO CREEK, CITY OF CAMARILLO, VENTURA COUNTY (File No. 15-112)

Dear Mr. Matsuoka:

Board staff has reviewed your request on behalf of City of Camarillo (Applicant) for a Clean Water Act Section 401 Water Quality Certification for the above-referenced project. Your application was deemed complete on November 13, 2015.

I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges that have received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

Please read this entire document carefully. The Applicant shall be liable civilly for any violations of this Certification in accordance with the California Water Code. This Certification does not eliminate the Applicant's responsibility to comply with any other applicable laws, requirements and/or permits.

Should you have questions concerning this Certification action, please contact Valerie Carrillo Zara, P.G., Lead, Section 401 Program, at (213) 576-6759.

Samuel Unger
Samuel Unger, P.E.
Executive Officer

12-14-15
Date

DISTRIBUTION LIST

Bill Orme (via electronic copy)
State Water Resources Control Board
Division of Water Quality
P.O. Box 944213
Sacramento, CA 94244-2130

Brian Trautwein
(via electronic copy)
Environmental Defense Center
906 Garden Street
Santa Barbara, CA 93101

Jeff Humble (via electronic copy)
California Department of Fish and Wildlife
Streambed Alteration Team
3883 Ruffin Rd Suite A
San Diego, CA 92123-4813

Joan Cardellino (via electronic copy)
Coastal Conservancy
1330 Broadway, Suite 1100
Oakland, CA 94612

Melissa Scianni (via electronic copy)
U.S. Environmental Protection Agency, Region 9
WRT-2-4
75 Hawthorne Street
San Francisco, CA 94105

Stephen Henry
U.S. Fish and Wildlife Service
2493 Portola Road, Suite B
Ventura, CA 93003

ATTACHMENT A

**Project Information
File No. 15-112**

1. Applicant: City of Camarillo
601 Carmen Drive
Camarillo, CA 93010
Phone: (805) 388-5340 Fax: (805) 388-5387
2. Applicant's Agent: Richard Nack
3. Project Name: Conejo Creek Vegetation Maintenance at Ridgeview Street
4. Project Location: Camarillo, Ventura County

<u>Latitude</u>	<u>Longitude</u>
34.20571026	118.9981247
34.20533613	118.9967462
34.20517814	118.9968023
34.20547163	118.9978452
34.2051101	118.9987599
34.20522207	118.9988906
34.20532754	118.9976118
34.20511069	118.9980467

5. Type of Project: Vegetation removal and trimming
6. Project Purpose: The purpose of the proposed project is to clear vegetation from Conejo Creek at Ridgeview Street for flood control.
7. Project Description: Vegetation removal will consist of trimming trees with less than 4-inch diameter and removal of exotic and invasive species. The vegetation removal will allow for increased capacity in the channel and alleviate flood potential in this reach and for the surrounding properties. All of the vegetation clearing activities shall be in accordance with the California Department of Fish and Wildlife specifications outlined in the project-specific Streambed Alteration Agreement.
- The project consists of three main clearing areas.
Area (1) consists of a 400-foot by 500-foot (0.50 acre) area where tree trimming will occur up to 10-feet above grade. All dead trees and dead tree limbs in this area will also be removed. In addition,

ATTACHMENT A

Project Information File No. 15-112

trees and brush with trunks less than 4-inch diameter will be removed.

Area (2) consists of a 300-foot by 60-foot (0.40 acre) area where *Arundo donax* will be treated and cut along the upper bench of the channel.

Area (3) is outside of waters and located adjacent to the channel on private property. This area consisting of 200-feet by 50-feet (0.25 acre) will be treated in order to reduce the *Arundo* and avoid spreading *Arundo* into the maintained channel. This clearing will provide a net benefit to the overall vegetation maintenance project.

8. Other Required Regulatory Approvals: California Department of Fish and Wildlife Streambed Alteration Agreement
9. California Environmental Quality Act Compliance: The proposed project is Categorical Exempt from CEQA pursuant to the CEQA Guidelines, Section 15301, Existing Facilities.
10. Receiving Water: Conejo Creek (Hydrologic Unit Code: 180701030105)
11. Designated Beneficial Uses: MUN*, GWR, FRSH, REC-1, REC-2, WARM, WILD, SPWN
*Conditional beneficial use
12. Impacted Waters of the United States: Non-wetland waters (vegetated streambed): 0.90 temporary acres
13. Dredge Volume: None
14. Related Projects Implemented/to be Implemented by the Applicant: The Applicant has not identified any related projects carried out in the last 5 years or planned for implementation in the next 5 years.
15. Avoidance/Minimization Activities: The Applicant has proposed to implement several Best Management Practices, including, but not limited to, the following:
Grading Limits
• The project boundary within the site will be staked and flagged.

ATTACHMENT A

Project Information File No. 15-112

Vehicles/Equipment

- Vehicles and construction equipment will be periodically checked to ensure that there are no leaks or defective equipment.
- No equipment maintenance shall be done within or near any stream channel margin where petroleum products or other pollutants from the equipment may enter these areas under any flow.
- No equipment shall be operated or parked within the dripline of oak trees.
- Staging, storage, fueling, and maintenance of equipment and materials shall be located in a designated location outside of waters of the state.
- Any equipment or vehicles driven or operated adjacent to the drainage shall be checked and maintained daily to prevent leaks of materials.
- Vehicles that are leaking fuel, oil, hydraulic fluid or other pollutants shall be immediately contained and either repaired immediately or removed from the site.
- One or more emergency spill containment kits shall be placed onsite in easily visible locations, and personnel will be trained in proper use of disposal methods

Trash/Debris

- Littering shall be prohibited. Trash receptacles shall be provided in sufficient size and number to contain solid waste generated by project.
- Stockpiled areas will be located away from obvious drainage areas.
- All solid wastes will be placed in covered receptacles.
- No hazardous or polluting materials shall be allowed to enter into waters of the state, and shall be properly stored and handled

ATTACHMENT A

Project Information File No. 15-112

so that soil or surface waters are not contaminated.

- All trash/debris from the project area will be taken to a legal point of disposal.

Erosion

- Areas of disturbed soils with slopes toward a stream shall be stabilized to reduce erosion potential.
- Planting, seeding and mulching are conditionally acceptable erosion and sediment control devices.
- Where suitable vegetation cannot reasonably be expected to become established, non-erodible materials, such as straw bales, silt fences, and coconut fiber matting, shall be used for such stabilization.
- All erosion control devices will be periodically inspected to ensure that the devices are effective prior to and immediately after rainfall events.
- Erosion control measures will be in place around stockpiled materials.

Biological Resources

- Prior to commencing restoration activities, a biologist will implement a program to ensure that the construction foreman and the crew are aware of the limits of construction activity.
- Prior to commencing restoration activities, a biologist will inform heavy equipment foreman and the crew of sensitive biological resources that occur in construction areas.
- Workers will be required to report the occurrence of any special status species observed to the supervisor onsite.
- If any special status species observed at the project Site, then species protection measures will be implemented.
- Soil or invasive plant seed transfer from clothing, shoes, or equipment will be minimized through monitoring of personnel/equipment transfers between sites.

ATTACHMENT A

Project Information File No. 15-112

- Clearing of all vegetation will be restricted to within project limits
- Vegetation removal will be avoided during the nesting season (February 1st to September 1st for most birds). Where not feasible, a qualified biologist will conduct preconstruction surveys. Construction activity within 300 feet of active nesting areas will be prohibited until the nesting pair/young have vacated the nests.

Weather/Rain

- Five day weather forecasts will be conducted in order to identify potential storm events.
- Equipment, materials, and construction debris will be removed from the channel before storm events.
- If measurable rain is predicted within 72 hours during grading operations, protective measures to prevent siltation or erosion shall be implemented, maintained, and shall be inspected and repaired at the end of each work day.

16. Proposed Compensatory Mitigation:

The Applicant has proposed to remove 0.40 acres of invasive species from the upper drainage bench and 0.25 acres of invasive species from the adjacent property

17. Required Compensatory Mitigation:

The Regional Board will not require any compensatory mitigation, as this project will only result in temporary impacts to vegetation and includes removal of invasive vegetation.

See *Attachment B, Conditions of Certifications, Additional Conditions* for modifications and additions to the above proposed compensatory mitigation.

ATTACHMENT B

Conditions of Certification File No. 15-112

STANDARD CONDITIONS

Pursuant to §3860 of Title 23 of the California Code of Regulations (23 CCR), the following three standard conditions shall apply to this project:

1. This Certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to §13330 of the California Water Code and Article 6 (commencing with 23 CCR §3867).
2. This Certification action is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to 23 CCR Subsection 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. Certification is conditioned upon total payment of any fee required pursuant to 23 CCR Chapter 28 and owed by the Applicant.

ADDITIONAL CONDITIONS

Pursuant to 23 CCR §3859(a), the Applicant shall comply with the following additional conditions:

1. The Applicant shall submit to this Regional Board copies of any other final permits and agreements required for this project, including, but not limited to, the U.S. Army Corps of Engineers' (ACOE) Section 404 Permit and the California Department of Fish and Wildlife's (CDFW) Streambed Alteration Agreement. **These documents shall be submitted prior to any discharge to waters of the State.**
2. The Applicant shall adhere to the most stringent conditions indicated with either this Certification, the CDFW's Streambed Alteration Agreement, or the ACOE Section 404 Permit.
3. The Applicant shall comply with all water quality objectives, prohibitions, and policies set forth in the *Water Quality Control Plan, Los Angeles Region (1994)*, as amended.
4. The Avoidance/Minimization activities proposed by the Applicant as described in Attachment A, No. 15, are incorporated as additional conditions herein.
5. The Applicant and all contractors employed by the Applicant shall have copies of this Certification, and all other regulatory approvals for this project on site at all times and shall be familiar with all conditions set forth.

ATTACHMENT B

Conditions of Certification File No. 15-112

6. Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the State. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the State.
7. No construction material, spoils, debris, or any other substances associated with this project that may adversely impact water quality standards, shall be located in a manner which may result in a discharge or a threatened discharge to waters of the State. Designated spoil and waste areas shall be visually marked prior to any excavation and/or construction activity, and storage of the materials shall be confined to these areas.
8. All waste or dredged material removed shall be relocated to a legal point of disposal if applicable. A legal point of disposal is defined as one for which Waste Discharge Requirements have been established by a California Regional Water Quality Control Board, and is in full compliance therewith.
9. The Applicant shall implement all necessary control measures to prevent the degradation of water quality from the proposed project in order to maintain compliance with the Basin Plan. The discharge shall meet all effluent limitations and toxic and effluent standards established to comply with the applicable water quality standards and other appropriate requirements, including the provisions of Sections 301, 302, 303, 306, and 307 of the Clean Water Act. This Certification does not authorize the discharge by the applicant for any other activity than specifically described in the 404 Permit.
10. The discharge shall not: a) degrade surface water communities and populations including vertebrate, invertebrate, and plant species; b) promote the breeding of mosquitoes, gnats, black flies, midges, or other pests; c) alter the color, create visual contrast with the natural appearance, nor cause aesthetically undesirable discoloration of the receiving waters; d) cause formation of sludge deposits; or e) adversely affect any designated beneficial uses.
11. The Applicant shall allow the Regional Board and its authorized representative entry to the premises, including all mitigation sites, to inspect and undertake any activity to determine compliance with this Certification, or as otherwise authorized by the California Water Code.
12. Application of pesticides must be supervised by a certified applicator and be in conformance with manufacturer's specifications for use. Compounds used must be appropriate to the target species and habitat. All pesticides directed toward aquatic species must be approved by the Regional Board. Pesticide utilization shall be in accordance with State Water Resources Control Board Water Quality Order Nos. 2011-0003-DWQ, for Aquatic Animal Invasive Species Control; 2011-0004-DWQ, for Spray Applications; 2011-0002-DWQ, for Vector Control; and 2013-0002-DWQ, for Weed Control.

ATTACHMENT B

Conditions of Certification File No. 15-112

13. The Applicant shall not conduct any construction activities within waters of the State during a rainfall event. The Applicant shall maintain a **five-day (5-day) clear weather forecast** before conducting any operations within waters of the State.
14. The Applicant shall utilize the services of a qualified biologist with expertise in riparian assessments during any vegetation clearing activities. The biologist shall be available on site during construction activities to ensure that all protected areas are marked properly and ensure that no vegetation outside the specified areas is removed. The biologist shall have the authority to stop the work, as necessary, if instructions are not followed. The biologist shall be available upon request from this Regional Board for consultation within 24 hours of request of consultation.
15. No activities shall involve wet excavations (i.e., no excavations shall occur below the seasonal high water table). A minimum **5-foot** buffer zone shall be maintained above the existing groundwater level. If construction or groundwater dewatering is proposed or anticipated, the Applicant shall file a **Report of Waste Discharge (ROWD)** to this Regional Board and obtain any necessary NPDES permits/Waste Discharge Requirements prior to discharging waste.
16. All project/maintenance activities not included in this Certification, and which may require a permit, must be reported to the Regional Board for appropriate permitting. Bank stabilization and grading, as well as any other ground disturbances, are subject to restoration and revegetation requirements, and may require additional Certification action.
17. All surface waters, including ponded waters, shall be diverted away from areas undergoing grading, construction, excavation, vegetation removal, and/or any other activity which may result in a discharge to the receiving water. If surface water diversions are anticipated, the Applicant shall develop and submit a **Surface Water Diversion Plan (plan)** to this Regional Board. The plan shall include the proposed method and duration of diversion activities, structure configuration, construction materials, equipment, erosion and sediment controls, and a map or drawing indicating the locations of diversion and discharge points. Contingency measures shall be a part of this plan to address various flow discharge rates. The plan shall be submitted prior to any surface water diversions. If surface flows are present, then upstream and downstream monitoring for the following shall be implemented:
 - pH
 - temperature
 - dissolved oxygen
 - turbidity
 - total suspended solids(TSS)

Analyses must be performed using approved US Environmental Protection Agency methods, where applicable. These constituents shall be measured at least once prior to diversion and

ATTACHMENT B

Conditions of Certification File No. 15-112

then monitored for on a daily basis during the first week of diversion and/or dewatering activities, and then on a weekly basis, thereafter, until the in-stream work is complete.

Results of the analyses shall be submitted to this Regional Board by the 15th day of each subsequent sampling month. A map or drawing indicating the locations of sampling points shall be included with each submittal. Diversion activities shall not result in the degradation of beneficial uses or exceedance of water quality objectives of the receiving waters. Downstream TSS shall be maintained at ambient levels. Where natural turbidity is between 0 and 50 Nephelometric Turbidity Units (NTU), increases shall not exceed 20%. Where natural turbidity is greater than 50 NTU, increases shall not exceed 10%. Any such violations may result in corrective and/or enforcement actions, including increased monitoring and sample collection.

18. The Applicant shall restore **all acres** of TEMPORARY IMPACTS to waters of the United States and all other areas of temporary disturbance which could result in a discharge or a threatened discharge to waters of the State. Restoration shall include grading of disturbed areas to pre-project contours and revegetation with native species. Restored areas shall be monitored and maintained with native species as necessary for five years.
19. The Applicant shall submit to this Regional Board a **Final Monitoring Report** by **January 1st** of the year following project completion. The Annual Reports shall describe in detail all of the project/construction activities performed during the previous year and all restoration and mitigation efforts; including percent survival by plant species and percent cover. At a minimum the Annual Reports shall include the following documentation:
 - (a) Color photo documentation of the pre- and post-project and mitigation site conditions;
 - (b) Geographical Positioning System (GPS) coordinates in decimal-degrees format outlining the boundary of the project and mitigation areas;
 - (c) The overall status of project including whether or not work has begun on the Project and a detailed schedule;
 - (d) Copies of all permits revised as required in Additional Condition 1;
 - (e) Water quality monitoring results for each reach (as required) compiled in a spreadsheet format;
 - (f) A certified Statement of "no net loss" of wetlands associated with this project;
 - (g) Discussion of any monitoring activities and exotic plant control efforts; and

ATTACHMENT B

Conditions of Certification
File No. 15-112

- (h) A certified Statement from the permittee or his/her representative that all conditions of this Certification have been met.
20. All applications, reports, or information submitted to the Regional Board shall be signed:
- (a) For corporations, by a principal executive officer at least of the level of vice president or his duly authorized representative, if such representative is responsible for the overall operation of the facility from which discharge originates.
 - (b) For a partnership, by a general partner.
 - (c) For a sole proprietorship, by the proprietor.
 - (d) For a municipal, State, or other public facility, by either a principal executive officer, ranking elected official, or other duly authorized employee.
21. Each and any report submitted in accordance with this Certification shall contain the following completed declaration:

"I declare under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who managed the system or those directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on the _____ day of _____ at _____.

(Signature)
(Title)"

22. All communications regarding this project and submitted to this Regional Board shall identify the Project File Number **15-112**. Submittals shall be sent to the attention of the 401 Certification Unit.
23. Any modifications of the proposed project may require submittal of a new Clean Water Act Section 401 Water Quality Certification application and appropriate filing fee.
24. The project shall comply with the local regulations associated with the Regional Board's **Municipal Stormwater Permit** issued to Ventura County and co-permittees under NPDES No. CAS004002 and Waste Discharge Requirements Order No. R4-2010-0108. This includes the Stormwater Quality Urban Impact Mitigation Plan (SQUIMP) and all related

ATTACHMENT B

Conditions of Certification

File No. 15-112

implementing local ordinances and regulations for the control of stormwater pollution from new development and redevelopment. The project shall also comply with all requirements of the National Pollutant Discharge Elimination System (NPDES) **General Permit** for Storm Water Discharges Associated with Construction Activity, Order No. 2012-0011-DWQ. All stormwater treatment systems shall be located outside of any water of the State and shall not be used as a wetland or riparian mitigation credit.

25. Coverage under this Certification may be transferred to the extent the underlying federal permit may legally be transferred and further provided that the Applicant notifies the Executive Officer at least 30 days before the proposed transfer date, and the notice includes a written agreement between the existing and new Applicants containing a specific date of coverage, responsibility for compliance with this Certification, and liability between them.
26. The Applicant or their agents shall report any noncompliance. Any such information shall be provided verbally to the Executive Officer within 24 hours from the time the Applicant becomes aware of the circumstances. A written submission shall also be provided within five days of the time the Applicant becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected; the anticipated time it is expected to continue and steps taken or planned to reduce, eliminate and prevent recurrence of the noncompliance. The Executive Officer, or an authorized representative, may waive the written report on a case-by-case basis if the oral report has been received within 24 hours.
27. *Enforcement:*
 - (a) In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under State law. For purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Certification.
 - (b) In response to a suspected violation of any condition of this Certification, the State Water Resources Control Board (SWRCB) or Regional Water Quality Control Board (RWQCB) may require the holder of any permit or license subject to this Certification to furnish, under penalty of perjury, any technical or monitoring reports the SWRCB deems appropriate, provided that the burden, including costs, of the reports shall be a reasonable relationship to the need for the reports and the benefits to be obtained from the reports.

ATTACHMENT B

Conditions of Certification

File No. 15-112

- (c) In response to any violation of the conditions of this Certification, the SWRCB or RWQCB may add to or modify the conditions of this Certification as appropriate to ensure compliance.
28. This Certification shall expire **five (5) years** from date of this Certification. The Applicant shall submit a complete application at least 90 days prior to termination of this Certification if renewal is requested.