



California Regional Water Quality Control Board

Los Angeles Region



Linda S. Adams
Agency Secretary

Recipient of the 2001 *Environmental Leadership Award* from Keep California Beautiful

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: <http://www.waterboards.ca.gov/losangeles>

Arnold Schwarzenegger
Governor

March 4, 2008

Mr. Donald L. Wolfe, Director
County of Los Angeles
Flood Control District
P.O. Box 1460
Alhambra, CA 91802-1460

VIA CERTIFIED MAIL

NOTICE OF VIOLATION (ORDER NO. 01-182 AS AMENDED BY ORDER NO. R4-2006-0074 AND ORDER NO. R4-2007-0042, NPDES PERMIT NO. CAS004001, WDID 4B190107101)

Dear Mr. Wolfe:

The California Regional Water Quality Control Board, Los Angeles Region (Regional Board) is the state regulatory agency responsible for protecting water quality in Los Angeles and Ventura Counties. To accomplish this, the Regional Board issues permits under the National Pollutant Discharge Elimination System (NPDES) as authorized by the federal Clean Water Act. On December 13, 2001, this Regional Board adopted the Los Angeles County Municipal Separate Storm Sewer System Permit, NPDES Permit No. CAS004001, Order No. 01-182 (LA MS4 Permit), under which the Los Angeles County Flood Control District is a Permittee.

BACKGROUND

The LA MS4 Permit includes Discharge Prohibitions, Receiving Water Limitations, and a Monitoring and Reporting Program, among other requirements. Under Part 1, Discharge Prohibitions, the LA MS4 Permit requires that the Permittees "effectively prohibit non-storm water discharges into the MS4 [municipal separate storm sewer system] and watercourses," except under limited circumstances, as specified in Part 1. Under Part 2, Receiving Water Limitations, the LA MS4 Permit prohibits "discharges from the MS4 that cause or contribute to the violation of Water Quality Standards or water quality objectives."

The LA MS4 Permit was subsequently amended on September 14, 2006 by Order No. R4-2006-0074 and on August 9, 2007 by Order No. R4-2007-0042 to implement the summer dry weather waste load allocations established in the Santa Monica Bay Beaches Bacteria Dry Weather Total Maximum Daily Load (TMDL) and the Marina del Rey Harbor Mothers' Beach and Back Basins Bacteria TMDL. The summer dry weather requirements were incorporated in the LA MS4 Permit as specific Receiving Water Limitations (RWLs) for fecal indicator bacteria in Parts 2.5 and 2.6, and a supporting specific prohibition on discharges from the MS4 that cause or contribute to exceedances of the bacteria RWLs.

California Environmental Protection Agency



Recycled Paper

Our mission is to preserve and enhance the quality of California's water resources for the benefit of present and future generations.

The Permittees collectively discharge urban runoff and storm water from the MS4 to the Santa Monica Bay and Marina del Rey Harbor, navigable waters of the United States, under the provisions and requirements of the LA MS4 Permit. These discharges, as demonstrated via shoreline and harbor water quality monitoring, contain total coliform, fecal coliform, enterococcus and other pollutants, which degrade water quality and impact beneficial uses of the receiving waters at beaches along Santa Monica Bay and within Marina del Rey Harbor. These bacterial indicators are defined as wastes under the California Water Code (CWC § 13000 et seq.).

VIOLATIONS OF RECEIVING WATER LIMITATIONS

The Los Angeles County Flood Control District is hereby notified that technical staff has concluded that the Flood Control District is in violation of waste discharge requirements established in Board Order No. 01-182 as amended by Order No. R4-2006-0074 and Order No. R4-2007-0042, and has therefore violated CWC § 13376, and is subject to liability pursuant to CWC § 13385.

The data submitted in the Permittees' shoreline and harbor monitoring reports for the summer dry weather compliance periods, beginning on September 14, 2006 through October 31, 2006 and April 1, 2007 through October 31, 2007, reveal violations of the RWLs set forth in Parts 2.5 and 2.6 of Order No. 01-182 as amended by Order No. R4-2006-0074 and Order No. R4-2007-0042. These violations occurred at 29 shoreline and harbor monitoring sites located along Santa Monica Bay beaches and within Marina del Rey Harbor to which the Los Angeles County Flood Control District discharges via the MS4, on 923 days, which included 1,603 instances where the bacteria water quality objectives set to protect water contact recreation were exceeded. These violations are summarized in Table 1, detailed in the attachments, and incorporated herein by reference. The Los Angeles County Flood Control District is jointly responsible for violations at these monitoring sites along with the other Permittees with land area within the watersheds draining to these sites.

CIVIL LIABILITY

Pursuant to CWC § 13385, the Los Angeles County Flood Control District is subject to penalties of up to \$10,000 for each day in which a violation of RWLs occurs. These civil liabilities may be assessed by the Regional Board beginning with the date that the violations first occurred, and without further warning. The Regional Board may also request that the State Attorney General seek judicially imposed civil liabilities of up to \$25,000 for each day in which a violation occurs, or injunctive relief, pursuant to CWC §§ 13385 and 13386. The Los Angeles County Flood Control District may also be subject to penalties pursuant to other sections, and other forms of enforcement proceedings, in addition to those described above.


To ensure that the causes of the violations are identified and abated, enclosed herewith, please find an Order directing the Los Angeles County Flood Control District to submit a variety of



reports pursuant to CWC § 13383. Specifically, these reports shall provide an evaluation and documentation of the causes of these violations, remedial actions to date, and the Flood Control District's plans for additional corrective and preventative actions to bring discharges from the MS4 into prompt compliance with the bacteria RWLs applicable to the Santa Monica Bay and Marina del Rey Harbor.

If you have any questions regarding this matter, please contact me at (213) 576-6605, or alternatively, your staff may contact Mr. Carlos Urrunaga at (213) 620-2083.

Sincerely,


Tracy J. Egoscue
Executive Officer

Enclosures: Table 1
Attachments 1-18, 21, 34-43
Order Pursuant to California Water Code Section 13383, dated March 4, 2008

cc: Mr. Mark Pestrella, Assistant Deputy Director, Los Angeles County Public Works
Mr. Michael Levy, Office of Chief Counsel, State Water Resources Control Board
Mr. Bruce Fujimoto, Storm Water Section, State Water Resources Control Board
Mr. Eugene Bromley, U.S. EPA, Region 9



TABLE 1

LOS ANGELES COUNTY
SUMMARY OF VIOLATIONS OF BACTERIA
RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042

Site ID	Single Sample RWL Violations				30-day Geometric Mean RWL Violations			Total RWL Violations by Site	Total Days of Violations by Site
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus		
MdRH-1	0	9	13	9	0	22	32	85	42
MdRH-2	0	2	4	1	0	0	0	7	6
MdRH-3	0	1	0	1	0	0	0	2	1
MdRH-5	0	3	2	1	28	26	2	62	29
MdRH-6 (D)	0	0	0	0	12	0	0	12	12
MdRH-6 (S)	1	0	0	0	49	0	0	50	49
MdRH-7	0	2	0	2	37	12	0	53	38
MdRH-9 (S)	0	1	1	0	0	0	0	2	1
SMB 1-06	0	1	2	1	0	0	0	4	2
SMB 1-07	1	1	4	1	0	0	45	52	47
SMB 1-08	0	1	1	1	0	0	0	3	1
SMB 1-09	1	1	4	1	0	0	32	39	34
SMB 1-10	0	1	4	3	19	0	71	98	74
SMB 1-11	0	0	1	0	0	0	0	1	1
SMB 1-12	11	9	32	8	129	33	197	419	197
SMB 1-13	1	0	4	1	0	0	41	47	41
SMB 1-18	1	6	6	4	0	0	0	17	10
SMB 2-01	10	9	19	3	48	40	69	198	75
SMB 2-07	0	1	8	1	0	0	0	10	10
SMB 4-01	0	1	0	1	0	0	0	2	1
SMB 5-02	6	7	10	5	0	0	11	39	21
SMB 5-03	0	0	0	1	0	0	0	1	1
SMB 6-01	0	2	4	2	0	0	0	8	4
SMB 6-05	1	1	0	1	0	0	0	3	3
SMB 7-07	0	0	4	0	0	0	5	9	9
SMB BC-01	30	15	7	8	113	36	0	209	119
SMB MC-01	0	1	0	0	4	1	13	19	14
SMB MC-02	7	25	9	18	28	37	8	132	62
SMB MC-03	0	0	3	1	0	0	16	20	19
Totals	70	100	142	75	467	207	542	1603	923

ATTACHMENTS

VIOLATIONS OF BACTERIA RECEIVING WATER LIMITATIONS BY SHORELINE AND HARBOR MONITORING SITES

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MdrH-1, MOTHERS' BEACH**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
8/15/2007				1100			
8/22/2007			190				
8/25/2007			360				
9/1/2007		3400	830	4200			
9/4/2007		740		1700			
9/5/2007			500	1200			
9/6/2007			410	1500			36
9/7/2007		1500	410	3000			42
9/8/2007		4200	1700	5900			52
9/9/2007							55
9/10/2007							55
9/11/2007			140				57
9/12/2007		1700		1700			61
9/13/2007							58
9/14/2007		430	110				58
9/15/2007			290			204	67
9/16/2007						214	72
9/17/2007						224	72
9/18/2007						214	68
9/19/2007						214	66
9/20/2007						214	66
9/21/2007						214	64
9/22/2007						225	69
9/23/2007						238	70
9/24/2007						233	64
9/25/2007						233	64
9/26/2007						233	64
9/27/2007						226	64
9/28/2007						239	68
9/29/2007						246	71
9/30/2007						263	71
10/1/2007						216	59
10/2/2007		430				223	56
10/3/2007						228	55
10/4/2007						215	54
10/5/2007		430	180			219	52
10/6/2007						212	47
10/7/2007							42
10/19/2007			110				
10/26/2007			660				
10/27/2007		500					

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MdrH-1, MOTHERS' BEACH**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
10/30/2007				2400			
Total Violations	0	9	13	9	0	22	32

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MdRH-2/S9, MOTHERS' BEACH**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
9/1/2007			120				
9/5/2007			110				
9/17/2007		580					
10/25/2007			140				
10/26/2007			620				
10/27/2007		2000		2000			
Total Violations	0	2	4	1	0	0	0

Notes: The Site ID MdRH-2 refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007. The Site ID S9 refers to sites identified in the Monitoring and Reporting Program CI 6948 for Order No. 01-182 as amended by Order No. R4-2006-0074 and Order No. R4-2007-0042. Site MdRH-2 and S9 are the same sampling site.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MDRH-3, MOTHERS' BEACH**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
9/17/2007		2600		2700			
Total Violations	0	1	0	1	0	0	0

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MdrH-5, OXFORD BASIN SD**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
8/13/2007	>13000	1900	110	>13000			
9/4/2007	>13000	4200	150	>13000	1258	233	
9/5/2007					2261	299	
9/6/2007		1300		6800	2716	382	37
9/7/2007					2716	382	37
9/8/2007					1884	298	
9/9/2007					1884	298	
9/10/2007					1799	247	
9/11/2007					1799	247	
9/12/2007					1356		
9/13/2007					1356		
9/14/2007					1011	219	
9/15/2007					1011	219	
9/16/2007					1011	219	
9/19/2007					1011	219	
9/20/2007					1011	219	
9/21/2007					1011	219	
9/22/2007					1011	219	
9/23/2007					1011	219	
9/24/2007					1011	219	
9/25/2007					1011	219	
9/26/2007					1101	277	
9/27/2007					1101	277	
9/28/2007					1101	277	
9/29/2007					1101	277	
9/30/2007					1101	277	
10/1/2007					1172	219	
10/2/2007					1172	219	
10/3/2007					1172	219	
Total Violations	0	3	2	1	28	26	2

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MdrH-6 DEPTH, BASIN E**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
10/10/2007					1149		
10/11/2007					1149		
10/12/2007					1149		
10/13/2007					1149		
10/14/2007					1149		
10/15/2007					1149		
10/16/2007					1149		
10/17/2007					1124		
10/18/2007					1124		
10/19/2007					1124		
10/20/2007					1124		
10/21/2007					1124		
Total Violations	0	0	0	0	12	0	0

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MDRH-6 SURFACE, BASIN E**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
8/9/2007					1932		
8/10/2007					1932		
8/11/2007					1932		
8/12/2007					1932		
8/13/2007	17000				2535		
8/14/2007					2535		
8/15/2007					2877		
8/16/2007					2877		
8/17/2007					2603		
8/18/2007					2603		
8/19/2007					2603		
8/20/2007					2072		
8/21/2007					2072		
8/22/2007					3113		
8/23/2007					3113		
8/24/2007					3113		
8/25/2007					3113		
8/26/2007					3113		
8/27/2007					2864		
8/28/2007					2864		
8/29/2007					2465		
8/30/2007					2465		
8/31/2007					1868		
9/1/2007					1868		
9/2/2007					1825		
9/3/2007					1825		
9/4/2007					1570		
9/5/2007					2305		
9/6/2007					2305		
9/7/2007					2305		
9/8/2007					2305		
9/9/2007					2305		
9/10/2007					1602		
9/11/2007					1602		
10/17/2007					1006		
10/18/2007					1006		
10/19/2007					1006		
10/20/2007					1006		
10/21/2007					1006		
10/22/2007					1948		
10/23/2007					1948		
10/24/2007					1948		
10/25/2007					1948		
10/26/2007					1948		

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MDRH-6 SURFACE, BASIN E**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
10/27/2007					1948		
10/28/2007					1948		
10/29/2007					1343		
10/30/2007					1343		
10/31/2007					1139		
Total Violations	1	0	0	0	49	0	0

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MdrH-7, BOONE-OLIVE PLANT SD**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
8/13/2007		500			1209		
8/14/2007					1209		
8/15/2007					1318	206	
8/16/2007					1318	206	
8/17/2007					1318	206	
8/18/2007					1318	206	
8/19/2007					1318	206	
8/22/2007					1318	206	
8/23/2007					1318	206	
8/24/2007					1318	206	
8/25/2007					1318	206	
8/26/2007					1318	206	
8/27/2007		430		3700	1500	226	
8/28/2007					1500	226	
8/29/2007					1281		
8/30/2007					1281		
8/31/2007					1067		
9/1/2007					1067		
9/2/2007					1095		
9/3/2007					1095		
9/5/2007					1044		
9/6/2007					1044		
9/7/2007					1044		
9/8/2007					1044		
9/9/2007					1044		
9/10/2007					1010		
9/11/2007					1010		
10/1/2007				1400			
10/22/2007					1609		
10/23/2007					1609		
10/24/2007					1609		
10/25/2007					1609		
10/26/2007					1609		
10/27/2007					1609		
10/28/2007					1609		
10/29/2007					1186		
10/30/2007					1186		
10/31/2007					1138		
Total Violations	0	2	0	2	37	12	0

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIOD
AUGUST 9, 2007 THROUGH OCTOBER 31, 2007
ORDER NO. 01-182 AS AMENDED BY ORDERS R4-2006-0074 AND R4-2007-0042
SITE ID MDRH-9 SURFACE, BASIN F**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limits	10000	400	104	1000	1000	200	35
8/13/2007		470	890				
Total Violations	0	1	1	0	0	0	0

Notes: Site ID refers to sites identified in the "Marina del Rey Harbor Mothers' Beach and Back Basins Bacterial TMDL Coordinated Monitoring Plan," dated June 25, 2007.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-06, WALNUT CREEK**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/24/2006		1800	>2000	2700			
6/5/2007			290				
Total Violations	0	1	2	1	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-07, PARADISE COVE

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/18/2006							38
9/19/2006							38
9/20/2006							52
9/21/2006							52
9/22/2006							52
9/23/2006							52
9/24/2006							52
9/25/2006							56
9/26/2006							56
9/27/2006							66
9/28/2006							66
9/29/2006							66
9/30/2006							66
10/1/2006							66
10/2/2006							45
10/3/2006							45
10/4/2006							45
10/5/2006							42
10/6/2006							42
10/7/2006							42
10/8/2006							42
10/9/2006							42
10/23/2006			359				48
10/24/2006							48
10/25/2006							46
10/26/2006							46
10/27/2006							46
10/28/2006							46
10/29/2006							46
8/13/2007			341				
8/15/2007	11000		150				48
8/16/2007							48
8/17/2007							37
8/18/2007							37
8/19/2007							37
8/29/2007							38
8/30/2007							38
8/31/2007							38
9/1/2007							38
9/2/2007							38
9/3/2007							38
9/5/2007							38
9/6/2007							38
9/7/2007							38

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-07, PARADISE COVE**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/8/2007							38
9/9/2007							38
10/29/2007		1017	350	1145			
Total Violations	1	1	4	1	0	0	45

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-08, ESCONDIDO CREEK**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/17/2006		1000	290	1200			
Total Violations	0	1	1	1	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-09, LATIGO SHORE DR**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/25/2006			754				
10/23/2006							42
10/24/2006							42
4/30/2007			1430				52
5/1/2007							52
5/2/2007							66
5/3/2007							66
5/4/2007							66
5/5/2007							66
5/6/2007							66
5/7/2007							59
5/8/2007							59
5/9/2007							105
5/10/2007							105
5/11/2007							105
5/12/2007							105
5/13/2007							105
5/14/2007							59
5/15/2007							59
5/16/2007							59
5/17/2007							59
5/18/2007							59
5/19/2007							59
5/20/2007							59
5/21/2007							41
5/22/2007							41
5/23/2007							41
5/24/2007							41
5/25/2007							41
5/26/2007							41
5/27/2007							41
5/28/2007							41
5/29/2007	14136	5504	637	14136			65
10/24/2007			108				
Total Violations	1	1	4	1	0	0	32

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-10, SOLSTICE CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006			140	1300			54
9/15/2006							54
9/16/2006							42
9/17/2006							42
9/18/2006							42
9/19/2006							43
9/20/2006							43
9/21/2006							43
9/22/2006							43
9/23/2006							55
9/24/2006							55
9/25/2006							55
9/26/2006		430	140	3000			63
9/27/2006							63
9/28/2006							69
9/29/2006							69
9/30/2006							69
10/1/2006							69
10/2/2006							69
10/3/2006							59
10/4/2006							59
10/5/2006					1229		59
10/6/2006					1229		59
10/7/2006					1229		59
10/8/2006					1229		59
10/9/2006					1229		59
10/10/2006					1260		58
10/11/2006					1260		58
10/12/2006					1094		46
10/13/2006					1094		46
10/14/2006					1063		38
10/15/2006					1063		38
10/16/2006					1387		44
10/17/2006					1435		38
10/18/2006					1435		38
10/19/2006					1387		36
10/20/2006					1387		36
10/21/2006					1387		36
10/22/2006					1387		36
10/23/2006					1387		36
5/1/2007			140				
5/22/2007							38
5/23/2007							38
5/24/2007							49

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-10, SOLSTICE CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
5/25/2007							49
5/26/2007							49
5/27/2007							49
5/28/2007							49
5/29/2007							42
5/30/2007							42
8/7/2007				1400			
8/21/2007			>2000				
9/8/2007							36
9/9/2007							36
9/10/2007							36
9/11/2007							41
9/12/2007							41
9/13/2007							54
9/14/2007							54
9/15/2007							54
9/16/2007							54
9/17/2007							54
9/18/2007							56
9/19/2007							56
9/27/2007							36
9/28/2007							36
9/29/2007							36
9/30/2007							36
10/1/2007							36
10/4/2007							36
10/5/2007							36
10/6/2007							36
10/7/2007							36
10/8/2007							36
Total Violations	0	1	4	3	19	0	71

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-11, PUERCO BEACH**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
5/21/2007			399				
Total Violations	0	0	1	0	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-12, MARIE CANYON SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006			740		6253	201	454
9/15/2006					6253	201	454
9/16/2006					5150		356
9/17/2006					5150		356
9/18/2006					5150		356
9/19/2006			180		4975		336
9/20/2006					4975		336
9/21/2006	13000	910	500		5357		346
9/22/2006					5357		346
9/23/2006	>13000		1300		5357		351
9/24/2006					5357		351
9/25/2006					4975		323
9/26/2006	>13000	2200	>2000	>13000	5357		372
9/27/2006					5357		372
9/28/2006	13000		880		5357		382
9/29/2006					5357		382
9/30/2006			530		5330		390
10/1/2006					5330		390
10/2/2006					5737		433
10/3/2006			110		5016		390
10/4/2006					5016		390
10/5/2006			340		4818		383
10/6/2006					4818		383
10/7/2006					4551		332
10/8/2006					4551		332
10/9/2006					4312		326
10/10/2006			140		4214		305
10/11/2006					4214		305
10/12/2006					4122		276
10/17/2006			360		4630		312
10/18/2006					4630		312
10/19/2006			180		4607		312
10/20/2006					4607		312
10/21/2006					3691		254
10/22/2006					3691		254
10/23/2006					3292		219
10/24/2006	>13000	6300	830	>13000	3691		244
10/25/2006					3691		244
10/26/2006	>13000	740	1300		3691		236
10/27/2006					3691		236
10/28/2006			160	3400	3301		204
10/29/2006					3301		204
10/30/2006					3131		188
10/31/2006			240		3120		191

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-12, MARIE CANYON SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
4/30/2007							70
5/1/2007							69
5/2/2007							69
5/3/2007							63
5/4/2007							63
5/5/2007							63
5/6/2007							63
5/7/2007							63
5/8/2007	>13000	1900	590	>13000	1294		111
5/9/2007					1294		111
5/10/2007	13000	3200	1400	13000	4830	406	251
5/11/2007					4830	406	251
5/12/2007			180		4741	283	235
5/13/2007					4741	283	235
5/14/2007					4741	283	235
5/15/2007					3178	223	203
5/16/2007					3178	223	203
5/17/2007					3178	223	203
5/18/2007					3178	223	203
5/19/2007					3178	223	203
5/20/2007					3178	223	203
5/21/2007					3178	223	203
5/22/2007				2700	3105	238	172
5/23/2007					3105	238	172
5/24/2007					2921	238	129
5/25/2007					2921	238	129
5/26/2007					2921	238	129
5/27/2007					2921	238	129
5/28/2007					2921	238	129
5/29/2007			110		2687	220	127
5/30/2007					2687	220	127
5/31/2007		580	620	1300	2662	289	168
6/1/2007					2662	289	168
6/2/2007					2280	245	151
6/3/2007					2280	245	151
6/4/2007					2280	245	151
6/5/2007			240		2373	249	158
6/6/2007					2373	249	158
6/7/2007					1653		105
6/8/2007					1653		105
6/9/2007					1315		79
6/10/2007					1315		79
6/11/2007					1130		71
6/12/2007			160		1297		78

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-12, MARIE CANYON SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
6/13/2007					1297		78
6/14/2007					1341		71
6/15/2007					1341		71
6/16/2007					1341		71
6/17/2007					1341		71
6/18/2007					1341		71
6/19/2007	>13000	430	1400		1683		95
6/20/2007					1683		95
6/21/2007					1163		92
6/22/2007					1163		92
6/23/2007					1131		117
6/24/2007					1131		117
6/25/2007					1131		117
6/26/2007							92
6/27/2007							92
6/28/2007							90
6/29/2007							90
6/30/2007							70
7/1/2007							70
7/2/2007							71
7/3/2007			190				81
7/4/2007							81
7/5/2007							54
7/6/2007							54
7/7/2007							69
7/8/2007							69
7/9/2007							69
7/10/2007			120				74
7/11/2007							74
7/12/2007							52
7/13/2007							52
7/14/2007							54
7/15/2007							54
7/16/2007							54
7/17/2007							44
7/18/2007							44
8/7/2007	>13000	2300	2000	>13000			48
8/8/2007							48
8/9/2007			120				48
8/10/2007							48
8/11/2007	>13000		250		1821	210	83
8/12/2007					1821	210	83
8/13/2007					1821	210	83
8/14/2007			120		1955		87

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-12, MARIE CANYON SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
8/15/2007					1955		87
8/16/2007					2801		102
8/17/2007					2801		102
8/18/2007					2801		102
8/19/2007					2801		102
8/20/2007					2801		102
8/21/2007					2160		88
8/22/2007					2160		88
8/23/2007					2720		120
8/24/2007					2720		120
8/25/2007					2720		120
8/26/2007					2720		120
8/27/2007					2720		120
8/28/2007					2372		113
8/29/2007					2372		113
8/30/2007					2647		127
8/31/2007					2647		127
9/1/2007					2647		127
9/2/2007					2647		127
9/3/2007					2647		127
9/4/2007			190		2486		133
9/5/2007					2486		133
9/6/2007					1539		88
9/7/2007					1539		88
9/8/2007					1244		85
9/9/2007					1244		85
9/10/2007							71
9/11/2007							59
9/12/2007							59
9/13/2007							52
9/14/2007							52
9/15/2007							58
9/16/2007							58
9/17/2007							58
9/18/2007							52
9/19/2007							52
9/20/2007							58
9/26/2007							58
9/27/2007							55
9/28/2007							55
9/29/2007							55
9/30/2007							55
10/1/2007							55
10/2/2007							58

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-12, MARIE CANYON SD**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/3/2007							58
10/4/2007							43
10/5/2007							43
10/9/2007			500				69
10/10/2007							69
10/11/2007							58
10/17/2007							58
10/18/2007					1204		72
10/19/2007					1204		72
10/20/2007					1204		72
10/21/2007					1204		72
10/22/2007					1204		72
10/23/2007					1204		72
10/24/2007							76
10/25/2007							76
10/26/2007							76
10/27/2007							76
10/28/2007							76
10/29/2007							76
10/30/2007							50
10/31/2007							50
Total Violations	11	9	32	8	129	33	197

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-13, SWEETWATER CANYON

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006							42
9/15/2006							42
9/16/2006							42
9/17/2006							42
9/18/2006							42
9/19/2006			320	1900			59
9/20/2006							59
9/21/2006	11000		>2000				97
9/22/2006							97
9/23/2006							97
9/24/2006							97
9/25/2006							97
9/26/2006							97
9/27/2006			150				103
9/28/2006							107
9/29/2006							107
9/30/2006							80
10/1/2006							80
10/2/2006							80
10/3/2006							63
10/4/2006							63
10/5/2006							80
10/6/2006							80
10/7/2006							80
10/8/2006							80
10/9/2006							80
10/10/2006							80
10/11/2006							63
10/12/2006							56
10/13/2006							56
10/14/2006							57
10/15/2006							57
10/16/2006							57
10/17/2006							46
10/18/2006							46
10/24/2007			180				42
10/25/2007							42
10/26/2007							38
10/27/2007							38
10/28/2007							38

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-13, SWEETWATER CANYON**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/29/2007							38
Total Violations	1	0	4	1	0	0	41

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 1-18, TOPANGA CANYON**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/7/2006			450				
10/25/2006			220				
4/13/2007			160				
4/24/2007		660	110	5500			
4/25/2007		1100		4900			
7/5/2007	11000	8700	160	11000			
7/20/2007		3000		3000			
7/24/2007		500					
7/31/2007		580					
10/26/2007			150				
Total Violations	1	6	6	4	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 2-01, CASTLEROCK SD**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006			340		6705	204	555
9/15/2006					6705	204	555
9/16/2006			380		6505		470
9/17/2006					6505		470
9/18/2006					6023		416
9/19/2006					6023		416
9/20/2006	>13000	500	2000		6505	217	487
9/21/2006					6505	217	487
9/22/2006	>13000		1700		6927	222	546
9/23/2006					6505	201	479
9/24/2006					6505	201	479
9/25/2006					6229	228	477
9/26/2006	>13000	430	>2000		6705	243	550
9/27/2006					6705	243	550
9/28/2006	>13000	910	>2000		8509	315	810
9/29/2006					8509	315	810
9/30/2006	>13000	660	2000		8843	337	879
10/1/2006					8843	337	879
10/2/2006					8843	337	879
10/3/2006					7316	294	707
10/4/2006					7316	294	707
10/5/2006					6944	304	674
10/6/2006					6944	304	674
10/7/2006					7190	353	701
10/8/2006					7190	353	701
10/9/2006					8773	374	915
10/10/2006			160		7706	337	769
10/11/2006					7706	337	769
10/12/2006	13000		1100		7706	238	724
10/13/2006					7706	238	724
10/14/2006					7753	254	787
10/15/2006					7753	254	787
10/16/2006					7549	300	863
10/17/2006	>13000	1900	>2000	>13000	8019	369	947
10/18/2006					8019	369	947
10/19/2006			250		7107	311	829
10/20/2006					6646	295	752
10/21/2006			220		6611	254	665
10/22/2006					6132	252	599
10/23/2006					6132	252	599
10/24/2006					6132	252	599
10/25/2006					6132	252	599
10/26/2006					5582	235	515
10/27/2006					5582	235	515

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 2-01, CASTLEROCK SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/28/2006	>13000		1400		5582		493
10/29/2006					5582		493
10/30/2006					4947		403
10/31/2006					4947		403
4/10/2007	>13000		>2000				
4/12/2007		660	780				
7/10/2007			110				
7/17/2007			380				
7/19/2007		430	1400	3900			75
7/20/2007							75
7/21/2007							56
7/22/2007							56
7/23/2007							56
7/24/2007							45
7/25/2007							45
7/26/2007							56
7/27/2007							56
7/28/2007							56
7/29/2007							56
7/30/2007							56
7/31/2007		1500		1500			45
8/1/2007							45
8/2/2007							45
8/3/2007							45
8/4/2007							45
8/5/2007							45
8/6/2007							45
8/7/2007							38
8/8/2007							38
9/4/2007	>13000		590				
9/11/2007		580					
Total Violations	10	9	19	3	48	40	69

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
 SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
 ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
 SITE ID SMB 2-07, SANTA MONICA CANYON SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/15/2006			250				
8/28/2007			150				
9/8/2007				2700			
9/26/2007		430					
9/29/2007			110				
10/2/2007			190				
10/4/2007			150				
10/11/2007			110				
10/25/2007			110				
10/26/2007			250				
Total Violations	0	1	8	1	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 4-01, NICHOLAS CREEK**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/2/2006		1178		1178			
Total Violations	0	1	0	1	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 5-02, 28th STREET SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006			590				
9/20/2006			140				
9/26/2006		830	1700	2000			40
9/27/2006							40
9/28/2006							40
9/29/2006							40
9/30/2006							43
10/1/2006							46
10/2/2006							43
10/3/2006							40
10/4/2006							38
10/5/2006							38
10/7/2006							37
10/17/2006	>13000	5500	>2000	>13000			
10/18/2006	>13000						
4/19/2007	>13000	9600	>2000	>13000			
4/26/2007	>13000	660	270				
4/30/2007	>24192	2987	3255	>24192			
8/22/2007		1100	740	1100			
9/7/2007			>2000				
9/26/2007	>13000	830	940				
Total Violations	6	7	10	5	0	0	11

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
 SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
 ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
 SITE ID SMB 5-03, MANHATTAN BEACH PIER SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
7/30/2007				1036			
Total Violations	0	0	0	1	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

**VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB 6-01, HERONDO SD**

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/31/2006			140				
6/4/2007			146				
10/25/2007		1700	1400	2700			
10/26/2007		1800	480	2600			
Total Violations	0	2	4	2	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
 SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
 ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
 SITE ID SMB 6-05, AVENUE I SD

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/30/2006		601					
6/25/2007	24912						
8/13/2007				1240			
Total Violations	1	1	0	1	0	0	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
 SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
 ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
 SITE ID SMB 7-7, WHITE POINT COUNTY BEACH

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
4/2/2007			110				
7/30/2007			360				
8/1/2007			140				
10/1/2007			230				
10/17/2007							40
10/18/2007							40
10/19/2007							40
10/20/2007							40
10/21/2007							40
Total Violations	0	0	4	0	0	0	5

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB-BC-01, BALLONA CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006					1452		
9/15/2006					1225		
9/16/2006					1176		
9/17/2006					1186		
9/18/2006					1180		
9/19/2006					1137		
9/20/2006					1020		
4/24/2007	>13000	4400	190	>13000			
6/15/2007				1900			
6/22/2007	11000						
6/28/2007	11000						
6/30/2007			140		1092		
7/1/2007					1096		
7/2/2007					1191		
7/3/2007					1315		
7/4/2007					1259		
7/5/2007					1423		
7/6/2007					1516		
7/7/2007					1587		
7/8/2007					1512		
7/9/2007					1536		
7/10/2007					1505		
7/11/2007					1307		
7/12/2007					1513		
7/13/2007	13000				1755		
7/14/2007					1817		
7/15/2007					1813		
7/16/2007					1814		
7/17/2007	>13000				1992		
7/18/2007	>13000				2170		
7/19/2007	>13000				2675		
7/20/2007					2161		
7/21/2007	>13000				2746		
7/22/2007					2570		
7/23/2007					2531		
7/24/2007					2599		
7/25/2007					2427		
7/26/2007	13000				2612		
7/27/2007	>13000				2910		
7/28/2007					2650		
7/29/2007					2602		
7/30/2007					2563		
7/31/2007					2482		
8/1/2007	13000				2676		

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB-BC-01, BALLONA CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
8/2/2007	>13000				2713		
8/3/2007	>13000	500			3146		
8/4/2007	>13000				3535		
8/5/2007					3427		
8/6/2007					3255		
8/7/2007	13000				3477		
8/8/2007	13000				3691		
8/9/2007					4001		
8/10/2007	>13000				5084		
8/11/2007					5039		
8/12/2007					4817		
8/13/2007					5553		
8/14/2007	11000	1300		11000	5737		
8/15/2007	>13000	6800		>13000	5955		
8/16/2007	>13000	11000		>13000	5955		
8/17/2007	11000	5500		11000	5909	235	
8/18/2007	>13000	13000		>13000	5909	299	
8/19/2007					7315	321	
8/20/2007					7107	336	
8/21/2007					6983	337	
8/22/2007			590		6837	329	
8/23/2007	>13000	1100			7183	374	
8/24/2007	13000				8273	403	
8/25/2007					7647	391	
8/26/2007					7456	426	
8/27/2007					8106	467	
8/28/2007					7618	426	
8/29/2007					6888	391	
8/30/2007					7316	403	
8/31/2007	>13000	1300			7316	461	
9/1/2007		830			7216	502	
9/2/2007					7017	502	
9/3/2007					6803	524	
9/4/2007		500			6852	523	
9/5/2007					6958	491	
9/6/2007	13000	500			6958	499	
9/7/2007					6041	468	
9/8/2007					5723	454	
9/9/2007					5504	460	
9/10/2007					5894	506	
9/11/2007					5679	460	
9/12/2007	>13000	430			5897	458	
9/13/2007	>13000	1800		>13000	5942	465	
9/14/2007	>13000	830			5942	423	

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB-BC-01, BALLONA CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/15/2007					5598	335	
9/16/2007					5421	293	
9/17/2007					5189	243	
9/18/2007					5220	241	
9/19/2007					4822	227	
9/20/2007					3967	211	
9/21/2007					3948	211	
9/22/2007					3719		
9/23/2007					3482		
9/24/2007					3563		
9/25/2007					3543		
9/26/2007	13000				3781		
9/27/2007					3722		
9/28/2007			140		3879		
9/29/2007			150		3785		
9/30/2007					3547		
10/1/2007					3356		
10/2/2007					3036		
10/3/2007					2753		
10/4/2007					2594		
10/5/2007					2143		
10/6/2007					1821		
10/7/2007					1934		
10/8/2007					1941		
10/9/2007					1753		
10/10/2007					1577		
10/11/2007					1355		
10/12/2007					1203		
10/13/2007					1054		
10/23/2007			110				
10/25/2007			320				
Total Violations	30	15	7	8	113	36	0

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB MC-01, MALIBU COLONY DR

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006					2235	222	123
9/15/2006					1442		90
9/16/2006					1442		90
9/17/2006					1442		90
9/18/2006							70
9/19/2006							70
9/20/2006							46
9/21/2006							46
9/22/2006							52
9/23/2006							52
9/24/2006							52
9/25/2006							42
9/26/2006							42
6/4/2007		419					
Total Violations	0	1	0	0	4	1	13

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB-MC-02, MALIBU CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
9/14/2006		1100		6800	1390	242	
9/15/2006		1100		7900	1629	276	
9/16/2006					1827	276	
9/17/2006					2155	297	
9/18/2006					2587	321	
9/19/2006					2341	297	
9/20/2006					2512	300	
9/21/2006					2114	280	
9/22/2006					1904	262	
9/23/2006					1526	236	
9/24/2006					1378		
9/25/2006					1232		
9/26/2006					1132		
9/27/2006					1248		
9/28/2006		500			1414		
9/29/2006		430		2200	1443		
9/30/2006				1400	1304		
10/1/2006					1169		
10/2/2006					1036		
10/3/2006	>13000	6300		>13000	1169		
10/4/2006					1058		
10/5/2006	13000	7300	1400	13000	1128	222	
10/6/2006						216	
10/7/2006		740				241	
10/8/2006						248	
10/9/2006					1006	265	
10/10/2006		1000	530	5500	1091	282	
10/11/2006					1053	272	
10/12/2006					1058	252	
10/13/2006						246	
10/14/2006						228	
10/15/2006						210	
10/16/2006						224	
10/17/2006		1300		6300		246	
10/18/2006			110	1100		238	
10/19/2006						238	
10/20/2006		500				263	
10/21/2006						263	
10/22/2006						283	
10/23/2006					1155	307	38
10/24/2006						283	
10/25/2006		3200	160	3200	1054	319	38
10/26/2006						319	39
10/27/2006		430	110	3400		326	42

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB-MC-02, MALIBU CREEK

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform Ratio > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/28/2006						317	43
10/29/2006						312	47
10/30/2006						314	51
10/31/2006						289	47
4/6/2007		580		3400			
4/7/2007	>13000	1600		>13000			
4/24/2007	11000	740					
4/25/2007	11000	7300		11000			
4/27/2007		430		1600			
5/18/2007		430	190				
5/19/2007		430					
6/2/2007			270				
6/16/2007		8700	310	9600			
10/19/2007		500		1300			
10/20/2007	>13000	830					
10/24/2007	11000	500					
10/30/2007		580	120				
10/31/2007		910		5900			
Total Violations	7	25	9	18	28	37	8

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.

VIOLATIONS OF RECEIVING WATER LIMITATIONS FOR SUMMER DRY WEATHER PERIODS
SEPTEMBER 14, 2006 - OCTOBER 31, 2006 AND APRIL 1, 2007 - OCTOBER 31, 2007
ORDER 01-182 AS AMENDED BY R4-2006-0074 AND R4-2007-0042
SITE ID SMB MC-03, MALIBU PIER

Date of Violation(s)	Single Sample Result (MPN/100 ml)				30-day Geometric Mean Result* (MPN/100 ml)		
	Total Coliform	Fecal Coliform	Enterococcus	Total Coliform (Fecal:Total Coliform > 0.1)	Total Coliform	Fecal Coliform	Enterococcus
Basin Plan Limit	10000	400	104	1000	1000	200	35
10/10/2006			422				
10/11/2006							40
10/12/2006							40
10/13/2006							40
10/14/2006							40
10/15/2006							40
10/16/2006							40
10/17/2006							40
10/23/2006							42
10/24/2006							42
10/25/2006							68
10/26/2006							68
10/27/2006							68
10/28/2006							68
10/29/2006							68
10/30/2006							42
10/31/2006							42
6/4/2007			131				
10/29/2007			109	2046			
Total Violations	0	0	3	1	0	0	16

Notes: Site ID refers to sites identified in the "Santa Monica Bay Beaches Bacterial TMDLs Coordinated Shoreline Monitoring Plan," dated April 7, 2004.

* Regional Board staff calculated the rolling 30-day geometric mean values presented.