



**California Regional Water Quality Control Board**  
**North Coast Region**  
**Beverly Wasson, Chairperson**



Alan C. Lloyd, Ph.D.  
Agency Secretary

<http://www.waterboards.ca.gov/northcoast>  
5550 Skylane Boulevard, Suite A, Santa Rosa, California 95403  
Phone: 1 (877) 721-9203 (toll free) • Office: (707) 576-2220 • FAX: (707) 523-0135

Arnold  
Schwarzenegger  
Governor

October 25, 2005

Ms. Carol Ruth Silver  
68 Ramona Avenue  
San Francisco, CA 94103

Dear Ms. Silver:

Subject: Issuance of Clean Water Act Section 401 Certification (Water Quality Certification) for Summer Bridge at Myers Flat

File: Silver, Carol Ruth - Summer Bridge at Myers Flat  
WDID No. 1B05115WNHU

This Order by the California Regional Water Quality Control Board, North Coast Region (Regional Water Board), is being issued pursuant to Section 401 of the Clean Water Act (33 USC 1341), in response to your request for Water Quality Certification to annually install and remove a summer bridge at Myers Flat in Humboldt County. On August 15, 2005, the Regional Water Board received your application and a \$500 processing fee. On September 28, 2005, we deemed the application complete and posted information describing the project on the Regional Water Board's website for a 21-day public review and comment period. We did not receive any comments on this project.

Project Description: This project involves annual installation and removal of a temporary summer bridge crossing over the South Fork Eel River. The purpose of this project is to allow access to private property that can only be accessed by crossing the river. The bridge will consist of a 50-foot long railroad flatcar placed on concrete beams and/or log abutments. Heavy equipment will be used to excavate river-run gravel from the adjacent gravel bar to fill the bridge abutments and to create approach ramps. The bridge must be placed at an elevation that will allow kayaks and all stream flows to pass beneath the structure, unobstructed by the structure.

Receiving Waters: South Fork Eel River in the Weott Hydrologic Subarea No. 111.31

Filled or Excavated Area: Area Temporarily Impacted: 0.1 acre

***California Environmental Protection Agency***

*Recycled Paper*

Area Permanently Impacted: none

Total Linear Impacts: Length temporarily impacted: 15 feet  
Length permanently impacted: none

Federal Permit: U.S. Army Corps of Engineers Individual Permit (297760)

Compensatory Mitigation: None

Noncompensatory Mitigation: Noncompensatory mitigation measures include the use of Best Management Practices for sediment and turbidity control and for heavy equipment use in a stream channel. The applicant has obtained a Lake or Streambed Alteration Agreement (1600 Permit) from the California Department of Fish and Game.

CEQA Compliance: The California Department of Fish and Game, as the lead agency for CEQA, determined that this project will have no significant effect on the environment and is categorically exempt from CEQA (Class 4, Section 15304).

Standard Conditions: Pursuant to Title 23, California Code of Regulations, Section 3860 (23 CCR 3860), the following three standard conditions shall apply to this project:

- 1) This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Section 13330 of the California Water Code and 23 CCR 3867.
- 2) This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to 23 CCR 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3) The validity of any nondenial certification action (actions 1 and 2) shall be conditioned upon total payment of the full fee required under 23 CCR 3833, unless otherwise stated in writing by the certifying agency.

Additional Conditions: Pursuant to 23 CCR 3859(a), the applicant shall comply with the following additional conditions:

- 1) The applicant shall notify the Regional Water Board at least five working days (working days are Monday – Friday) prior to the commencement of the project, with details regarding the schedule of operations, to allow staff the opportunity to be present on-site and to answer any public inquiries that may arise regarding the project.
- 2) No debris, soil, silt, sand, bark, slash, sawdust, rubbish, cement or concrete washings, oil or petroleum products, or other organic or earthen material from any construction or associated activity of whatever nature, other than that authorized by this permit, shall be allowed to enter into or be placed where it may be washed by rainfall into waters of the State. When operations are completed, any excess material or debris shall be removed from the work area. No rubbish shall be deposited within 150 feet of the high water mark of any stream.
- 3) Fueling, lubrication, maintenance, operation, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the United States. At no time shall the applicant use any vehicle or equipment, which leaks any substance that may impact water quality. Staging and storage areas for vehicles and equipment shall be located outside of waters of the United States.
- 4) Project activities shall comply with provisions in the North Coast Region Water Quality Control Plan (Basin Plan).
- 5) Adequate Best Management Practices for sediment and turbidity control shall be implemented and in place prior to and during construction.
- 6) Bridge installation activities may not occur before June 1. The bridge and abutments must be removed and the gravel bar must be restored to pre-existing contours by October 15 each year unless the Army Corps of Engineers and the California Department of Fish and Game have granted an extension of the deadline to remove the bridge.

- 7) The project site may be visited and assessed by Regional Water Board staff to document compliance with this certification.
- 8) A copy of this permit must be provided to the contractor and all subcontractors conducting the work, and a copy must be in their possession at the work site. It is the applicant's responsibility to ensure that the contractor and all subcontractors are provided a copy of this permit.
- 9) If, at any time, an unauthorized discharge to surface waters occurs, or any water quality problem arises, the project shall cease immediately and the Regional Water Board shall be notified promptly.
- 10) This Order is not transferable. In the event of any change in control of ownership of land presently owned or controlled by the applicant, the applicant shall notify the successor-in-interest of the existence of this Order by letter and shall forward a copy of the letter to the Regional Water Board at the above address.

To discharge dredged or fill material under this Order, the successor-in-interest must send to the Regional Water Board Executive Officer a written request for transfer of the Order. The request must contain the requesting entity's full legal name, the state of incorporation if a corporation, address, and telephone number of the person(s) responsible for contact with the Regional Water Board. The request must also describe any changes to the Project proposed by the successor-in-interest or confirm that the successor-in-interest intends to implement the Project as described in this Order.

Water Quality Certification: I hereby issue an order [23 CCR Subsection 3831(e)] certifying that any authorized discharge from Carol Ruth Silver's Summer Bridge at Myers Flat, (Facility No. 1B05115WNHU) will comply with the applicable provisions of sections 301 ("Effluent Limitations"), 302 ("Water Quality Related Effluent Limitations"), 303 ("Water Quality Standards and Implementation Plans"), 306 ("National Standards of Performance"), and 307 ("Toxic and Pretreatment Effluent Standards") of the Clean Water Act [33 USC Subsection 1341 (a)(1)], and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003 - 0017 - DWQ,

"General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

Except as may be modified by any preceding conditions, all certification actions are contingent on: a) the discharge being limited and all proposed mitigation being completed in strict compliance with the applicant's project description, and b) compliance with all applicable requirements of the Regional Water Board's Water Quality Control Plan for the North Coast Region (Basin Plan).

Expiration: The authorization of this certification for any dredge and fill activities expires on October 25, 2010. Conditions and monitoring requirements outlined in this certification are not subject to the expiration date outlined above, and remain in full effect and are enforceable.

Please notify Dean Prat of our staff at (707) 576-2801 prior to construction (pursuant to Additional Condition No. 1 above) so that we can answer any public inquiries about the work.

Sincerely,

Catherine Kuhlman  
Executive Officer

102505\_DLP\_tmk\_silver\_401cert\_101705

Enclosure:  
State Water Resources Control Board Order No. 2003-0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification"

cc: Ms. Jane Hicks, U.S. Army Corps of Engineers, Regulatory Functions, 333 Market Street,  
San Francisco, CA 94599  
U.S. Army Corps of Engineers, District Engineer, P.O. Box 4863, Eureka, CA 95502