



**California Regional Water Quality Control Board  
North Coast Region  
William R. Massey, Chairman**



*Linda S. Adams*  
Agency Secretary

[www.waterboards.ca.gov/northcoast](http://www.waterboards.ca.gov/northcoast)  
5550 Skylane Boulevard, Suite A, Santa Rosa, California 95403  
Phone: (877) 721-9203 (toll free) • Office: (707) 576-2220 • FAX: (707) 523-0135

**Arnold  
Schwarzenegger**  
Governor

June 6, 2006

Ms. Carol Bruno  
P.O. Box 962  
Redway, CA 95560

Dear Ms. Bruno:

**Subject:** Issuance of Clean Water Act Section 401 Certification (Water Quality Certification) for the Mateel Community Center/Reggae on the River – Seasonal Bridge Installation

**File:** Mateel Community Center/Reggae on the River – Seasonal Bridge Installation  
WDID No. 1B05083WNHU

This Order by the California Regional Water Quality Control Board, North Coast Region (Regional Water Board), is being issued pursuant to Section 401 of the Clean Water Act (33 USC 1341) in response to your request (applicant) for Water Quality Certification to install a temporary summer bridge over the South Fork Eel River for the annual Reggae on the River event near the town of Piercy, Humboldt County. On January 27, 2006, the Regional Water Board received your application and processing fee. On April 28, 2006, we posted information describing the project on the Regional Water Board's website for a 21-day public review and comment period. We did not receive any public comments on this project.

**Project Description:** The project is located on the east side of Highway 101, near the intersection of Highway 271 and Highway 101. The project involves annual installation and removal of a summer bridge crossing over the South Fork Eel River between the Dimmick Ranch and French's Campground. The purpose of the bridge is to provide access for camping and other activities associated with the annual Reggae on the River event.

The temporary bridge will consist of four 90-foot long flatcars placed on concrete block and gravel fill abutments. A row of pre-fabricated interlocking concrete blocks will be placed on both sides of the river. Native gravel bar material will be excavated from the surrounding area and placed behind the concrete blocks to build approach ramps to the height of the bridge span. The flatcar bridges will then be placed on the abutments. The flatcar bridges and concrete blocks will be removed from the river each year and

***California Environmental Protection Agency***

*Recycled Paper*

the gravel used for the approach ramps will be spread to the natural contour of the gravel bar.

Receiving Waters: South Fork Eel River in the Benbow Hydrologic Subarea No. 111.32.

Latitude/Longitude: 40.0067N/123.7799W

Filled or Excavated Area: Area Temporarily Impacted: 0.20 acre of stream channel  
Area Permanently Impacted: none

Total Linear Impacts: Length temporarily impacted: 120 feet of stream channel  
Length permanently impacted: none

Federal Permit: U.S. Army Corps of Engineers Nationwide Permit No. 14 (29942N)

Compensatory Mitigation: None

Noncompensatory Mitigation: Noncompensatory mitigation measures include the use of Best Management Practices for sediment and turbidity control and for heavy equipment use in a stream channel. The applicant has applied for a Lake or Streambed Alteration Agreement (1600 Permit) from the California Department of Fish and Game.

CEQA Compliance: The Humboldt County Planning Commission, as lead California Environmental Quality Act (CEQA) agency, adopted an Environmental Impact Report for the Reggae on the River Event in 1993. The Humboldt County Planning Commission adopted a Supplemental Environmental Impact Report for the event on March 2, 2006.

Standard Conditions: Pursuant to Title 23, California Code of Regulations, Section 3860 (23 CCR 3860), the following three standard conditions shall apply to this project:

- 1) This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Section 13330 of the California Water Code and 23 CCR 3867.
- 2) This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application

was filed pursuant to 23 CCR 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.

- 3) The validity of any nondenial certification action (actions 1 and 2) shall be conditioned upon total payment of the full fee required under 23 CCR 3833, unless otherwise stated in writing by the certifying agency.

Additional Conditions:

Pursuant to 23 CCR 3859(a), the applicant shall comply with the following additional conditions:

- 1) The applicant shall notify Regional Water Board staff at least five working days (working days are Monday – Friday) prior to the commencement of the project, with details regarding the schedule of operations, to allow staff the opportunity to be present onsite and to answer any public inquiries that may arise regarding the project.
- 2) A copy of this permit must be provided to all contractors and subcontractors conducting work on this project, and a copy must be in their possession at the work site. It is the applicant's responsibility to ensure that the contractor and all subcontractors are provided a copy of this permit.
- 3) Adequate Best Management Practices for sediment and turbidity control shall be implemented and in place during and after construction in order to ensure that no silt or sediment enters surface waters.
- 4) If, at any time, an unauthorized discharge to surface waters occurs, or any water quality problem arises, the project shall cease immediately and Regional Water Board staff shall be notified promptly.
- 5) No debris, bark, slash, sawdust, rubbish, cement or concrete washings, oil or petroleum products, or other organic or earthen material from any construction or associated activity of whatever nature, other than that authorized by this permit, shall be allowed to enter into or be placed where it may be washed by rainfall into waters of the State.
- 6) Fueling, lubrication, maintenance, and storage of vehicles and equipment shall not result in a discharge or a threatened discharge to waters of the United States. At no time shall the applicant use any vehicle or equipment, which leaks any substance that may impact water quality. Staging and storage

areas for vehicles and equipment shall be located outside of waters of the United States.

- 7) Bridge installation activities may not occur before June 15 each year. The bridge, abutments and approach ramps must be removed and the gravel bar must be restored to pre-existing contours by October 15 each year.
- 8) The project site may be visited and assessed by Regional Water Board staff to document compliance with this certification.
- 9) All activities, Best Management Practices, and associated mitigation will be conducted as described in this Water Quality Certification and the application for this project.
- 10) Project activities shall comply with provisions in the North Coast Region Water Quality Control Plan (Basin Plan).
- 11) This Order is not transferable. In the event of any change in control of ownership of land presently owned or controlled by the applicant, the applicant shall notify the successor-in-interest of the existence of this Order by letter and shall forward a copy of the letter to the Regional Water Board at the above address.

To discharge dredged or fill material under this Order, the successor-in-interest must send to the Regional Water Board Executive Officer a written request for transfer of the Order. The request must contain the requesting entity's full legal name, the state of incorporation if a corporation, address, and telephone number of the person(s) responsible for contact with the Regional Water Board. The request must also describe any changes to the Project proposed by the successor-in-interest or confirm that the successor-in-interest intends to implement the Project as described in this Order.

Water Quality Certification: I hereby issue an order [23 CCR Subsection 3831(e)] certifying that any authorized discharge from the Mateel Community Center/Reggae on the River – Seasonal Bridge Installation, (Facility No. 1B05083WNHU) will comply with the applicable provisions of sections 301 (“Effluent Limitations”), 302 (“Water Quality Related Effluent Limitations”), 303 (“Water Quality Standards and Implementation Plans”), 306 (“National Standards of Performance”), and 307 (“Toxic and Pretreatment Effluent Standards”) of the Clean Water Act [33 USC Subsection 1341 (a)(1)], and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control

***California Environmental Protection Agency***

Board Order No. 2003 - 0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification" which requires compliance with all conditions of this Water Quality Certification.

Except as may be modified by any preceding conditions, all certification actions are contingent on: a) the discharge being limited and all proposed mitigation being completed in strict compliance with the applicant's project description, and b) compliance with all applicable requirements of the Regional Water Board's Water Quality Control Plan for the North Coast Region (Basin Plan).

Expiration: The authorization of this certification for any dredge and fill activities expires on October 15, 2010. Conditions and monitoring requirements outlined in this certification are not subject to the expiration date outlined above, and remain in full effect and are enforceable.

Please notify Dean Prat of our staff at (707) 576-2801 prior to construction (pursuant to Additional Condition No. 1 above) so that we can answer any public inquiries about the work.

Sincerely,

Catherine Kuhlman  
Executive Officer

060606\_DLP\_reggae401cert.doc

Enclosure:

State Water Resources Control Board Order No. 2003-0017 - DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification"

cc: Ms. Jane Hicks, U.S. Army Corps of Engineers, Regulatory Functions, 333 Market Street,  
San Francisco, CA 94599  
U.S. Army Corps of Engineers, District Engineer, P.O. Box 4863, Eureka, CA 95502  
Ms. Ronnean Lund, P.O. Box 265, Eureka, CA 95502