



**California Regional Water Quality Control Board  
North Coast Region  
John W. Corbett, Chairman**



**Linda S. Adams**  
Secretary for  
Environmental Protection

[www.waterboards.ca.gov/northcoast](http://www.waterboards.ca.gov/northcoast)  
5550 Skylane Boulevard, Suite A, Santa Rosa, California 95403  
Phone: (877) 721-9203 (toll free) • Office: (707) 576-2220 • FAX: (707) 523-0135

**Arnold  
Schwarzenegger**  
Governor

August 8, 2007

In the Matter of

**Water Quality Certification**

for the

**LAKE COUNTY DPW – BEAR CREEK ROAD AT PARRAMORE CREEK, ROAD  
EMBANKMENT REPAIR  
WDID NO. 1B07049WNLA**

APPLICANT: Lake County Department of Public Works  
RECEIVING WATER: Parramore Creek  
HYDROLOGIC UNIT: Lake Pillsbury Hydrologic Subarea 111.63  
COUNTY: Lake  
FILE NAME: Lake Co. DPW – Bear Creek Rd., P.M. 2.1, Road  
Embankment Repair

BY THE EXECUTIVE OFFICER:

1. On April 26, 2007 the Lake County Department of Public Works (Applicant) filed an application for water quality certification (certification) under section 401 of the Clean Water Act (33 U.S.C. § 1341) with the California Regional Water Quality Control Board, North Coast Region (Regional Water Board) for activities associated with a storm damage repair project on Bear Creek Road at Post Mile 2.1 in the Mendocino National Forest. The Regional Water Board provided public notice of the application pursuant to title 23, California Code of Regulations, section 3858 on June 15, 2007, and posted information describing the project on the Regional Water Board's website. We did not receive any public comments on this project.
2. Parramore Creek is culverted under Bear Creek Road at two locations within approximately 500 feet in the project area. During heavy storm events in December 2005 and January 2006, high flows in Parramore Creek caused debris and water to overflow these culverts, eroding the road surface and areas around the culvert inlets and outlets. Water overflowing the road at the downstream culvert washed out sections of the narrow road shoulder and fill embankment along both sides of the road. The washed out area on the south side of the road at the downstream culvert is approximately 80 feet long and approximately six feet from the waters edge in Parramore Creek during typical flow conditions. The purpose of this project is to

**California Environmental Protection Agency**

Recycled Paper

restore the road surface, repair the eroded sections of the road embankments, and protect the embankment from future erosion into the creek.

3. Repairing the section of failed embankment that is adjacent to the creek involves placing a layer of fabric-backed rock slope protection (RSP) over the failed embankment slope. The project also includes construction of a berm with RSP facing in an upland area adjacent to a washout at the inlet end of the upstream culvert. A washout located at the inlet end of the downstream culvert will be repaired with rock fill.
4. Compensatory mitigation is not required. Noncompensatory mitigation for this project includes the use of Best Management Practices for sediment and turbidity control and the operation of heavy equipment near a waterway. The project is scheduled for the summer 2007 when flows in Parramore Creek are low. Construction activities are expected to take approximately eight working days to complete.
5. The Applicant has applied to the California Department of Fish and Game for a Lake or Streambed Alteration Agreement for the project.
6. The Applicant has applied to the United States Army Corps of Engineers to perform the project under Nationwide Permit Number 14, pursuant to Clean Water Act, section 404.
7. The Regional Water Board, as the lead California Environmental Quality Act (CEQA) agency, has determined that this project qualifies for a Categorical Exemption, section 15301 – existing facilities, pursuant to CEQA.

Receiving Water: Parramore Creek in the Lake Pillsbury Hydrologic Subarea No. 111.63.

Filled or Excavated Area: Area Temporarily Impacted: None  
Area Permanently Impacted: None

Total Linear Impacts: Length Temporarily Impacted: None  
Length Permanently Impacted: None

Dredge Volume: None

Latitude/Longitude: 39.31738 N/122.92344 W

Accordingly, based on its independent review of the record, the Regional Water Board certifies that the Bear Creek Road Embankment Repair Project (WDID No. 1B07049WNLA), as described in the application, will comply with sections 301, 302, 303, 306 and 307 of the Clean Water Act, and with applicable provisions of state law, provided that the Applicant complies with the following terms and conditions:

1. This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330 and title 23, California Code of Regulations, section 3867.
2. This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to title 23, California Code of Regulations, section 3855, subdivision (b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. This certification is conditioned upon total payment of any fee required under title 23, California Code of Regulations, section 2200, and owed by the Applicant.
4. The Regional Water Board shall be notified prior to the commencement of ground disturbing activities, with details regarding the construction schedule, in order to allow staff to be present onsite during construction, and to answer any public inquiries that may arise regarding the project.
5. No debris, soil, silt, sand, bark, slash, sawdust, rubbish, cement or concrete washings, oil or petroleum products, or other organic or earthen material from any construction or associated activity of whatever nature, other than that authorized by this Order, shall be allowed to enter into or be placed where it may be washed by rainfall into waters of the State. When operations are completed, any excess material or debris shall be removed from the work area. No rubbish shall be deposited within 150 feet of the high water mark of any stream.
6. BMPs for erosion, sediment and turbidity control shall be implemented and in place at commencement of, during and after any ground clearing activities or any other project activities that could result in erosion or sediment discharges to surface water.
7. All activities and BMPs shall be implemented according to the submitted application and the conditions in this certification.
8. Equipment used for placing the RSP shall be operated from the road surface.
9. The RSP shall not extend into the wet channel of Parramore Creek.
10. A copy of this Order shall be provided to all contractors and subcontractors conducting the work, and shall be in their possession at the work site.
11. If, at any time, an unauthorized discharge to surface water (including wetlands, rivers or streams) occurs, or any water quality problem arises, the associated project activities shall cease immediately until adequate BMPs are implemented. The Regional Water Board shall be notified promptly and in no case more than 24 hours after the unauthorized discharge or water quality problem arises.

12. Disturbance or removal of vegetation shall not exceed the minimum necessary to complete the project.
13. Prior to implementing any change to the project that may have a significant or material effect on the findings, conclusions, or conditions of this Order, the Applicant shall obtain the written approval of the Regional Water Board Executive Officer.
14. All project work shall be conducted as described in this Order and in the application submitted by the Applicant. If the Regional Water Board is not notified of a significant alteration to the project, it will be considered a violation of this Order, and the Applicant may be subject to Regional Water Board enforcement actions.
15. The Regional Water Board may add to or modify the conditions of this Order, as appropriate, to implement any new or revised water quality standards and implementation plans adopted and approved pursuant to the Porter-Cologne Water Quality Control Act or Section 303 of the Clean Water Act.
16. The Applicant shall provide Regional Water Board staff access to the project site to document compliance with this certification.
17. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under applicable State or federal law. For the purposes of section 401(d) of the Clean Water Act, the applicability of any State law authorizing remedies, penalties, process or sanctions constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this certification. In response to a suspected violation of any condition of this certification, the Regional Water Board may require the holder of any federal permit or license subject to this certification to furnish, under penalty of perjury, any technical or monitoring reports the Regional Water Board deems appropriate, provided that the burden, including costs, of the reports shall bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports. In response to any violation of the conditions of this certification, the Regional Water Board may add to or modify the conditions of this certification as appropriate to ensure compliance.
18. In the event of any change in control of ownership of land presently owned or controlled by the Applicant, the Applicant shall notify the successor-in-interest of the existence of this Order by letter and shall forward a copy of the letter to the Regional Water Board at the above address.

To discharge dredged or fill material under this Order, the successor-in-interest must send to the Regional Water Board Executive Officer a written request for transfer of the Order. The request must contain the requesting entity's full legal name, the state of incorporation if a corporation, and the address and telephone number of the person(s) responsible for contact with the Regional Water Board. The request must

also describe any changes to the project proposed by the successor-in-interest or confirm that the successor-in-interest intends to implement the project as described in this Order.

19. Except as may be modified by any preceding conditions, all certification actions are contingent on: a) the discharge being limited to and all proposed mitigation being completed in strict compliance with the Applicant's project description, and b) compliance with all applicable requirements of the Water Quality Control Plan for the North Coast Region (Basin Plan).

20. The authorization of this certification for any dredge and fill activities expires on October 15, 2011. Conditions and monitoring requirements outlined in this certification are not subject to the expiration date outlined above, and remain in full effect and are enforceable.

If you have any questions or comments please call Dean Prat at (707) 576-2801.

---

Catherine E. Kuhlman  
Executive Officer

080807\_DLP\_lakeco\_bearcreek\_401cert.doc

Original to: Mr. Robert L.A. Lossius, Lake County Department of Public Works, 255 N. Forbes St., Lakeport, CA 95453

Copies to: U.S. Army Corps of Engineers, District Engineer, P.O. Box 4863, Eureka, CA 95502  
Ms. Jane Hicks, U.S. Army Corps of Engineers, Regulatory Functions, 1455 Market Street, San Francisco, CA 94103-1398