
North Coast Regional Water Quality Control Board

November 20, 2015

**In the Matter of
Water Quality Certification**

for

**State Route 96 Sugar Bowl Ranch Curve Project
41.003, -123.6489¹
WDID No. 1B15133WNHU, ECM PIN CW-816418
Caltrans EA No. 01-0A900, EFIS No. 01-1200-0001**

APPLICANT: California Department of Transportation
RECEIVING WATER: Trinity River
HYDROLOGIC AREA: Hoopa Hydrologic Sub Area No. 116.11
COUNTY: Humboldt
FILE NAME: CDOT Highway 96 PM R 6.2-6.6 Sugar Bowl Ranch Curve
Realignment Project

FINDINGS BY THE EXECUTIVE OFFICER:

1. On September 28, 2015, the North Coast Regional Water Quality Control Board (Regional Water Board) received an application from the California Department of Transportation (Caltrans), requesting Federal Clean Water Act, section 401, Water Quality Certification (certification) for activities related to the proposed State Route 96 Sugar Bowl Ranch Curve Project (Project).

¹ WGS84 datum

2. **Receiving Waters:** The proposed Project would cause disturbances to tributaries of the Trinity River (Basin Planning Area No. 116.11, Hoopa Hydrologic Sub Area).
3. **Public Notice:** The Regional Water Board provided public notice of the application pursuant to title 23, California Code of Regulations, section 3858 on August 6, 2015, and posted information describing the Project on the Regional Water Board's website. No comments were received.
4. **Project Description:** The purpose of the Project is to reduce the frequency and severity of collisions by improving curve radii and increasing shoulder width through the Project area. The Project area is on State Route 96 (SR 96) through Humboldt County between post-miles (PM) 6.2 and 6.6. The scope of the proposed work includes realigned curves, widened shoulders, three culvert replacements, and installation of a bonded wear course road surface overlay. Caltrans is proposing the following activities at these specific locations:
 - PM 6.2-6.6: Reconstruct and widen the existing roadway to provide 4-foot shoulders, restripe roadway, install asphalt concrete dikes, shoulder backing, and centerline and shoulder rumble strips;
 - PM R6.3-R6.40: Realign curves
 - PM R6.36-R6.39 and PM 6.43-6.47: Construct overside drains and two biofiltration swales;
 - PM R6.29-R6.33 and R6.46-6.58: Construct guardrail;
 - PM R6.25: Remove existing 24-inch corrugated metal pipe and replace in-kind with a 24-inch culvert;
 - PM R6.31: Replace existing 18-inch culvert with a 24-inch corrugated metal pipe culvert, construct new culvert inlet and outlet, construct a downdrain, and place rock energy dissipation (riprap) at the downdrain outlet;
 - PM R6.37: Line the existing 48-inch culvert with a high density polyethylene slipliner, and replace the flared-end section of the culvert inlet with a headwall; and
 - PM 6.46: Replace the existing 24-inch culvert with a 36-inch corrugated metal pipe, construct new flared-end sections at culvert inlet and outlet, and place riprap at the culvert outlet.

The maximum depth of Project excavation would be approximately 125 feet. Approximately 51,000 cubic yards of excess material would be removed and hauled to the Hoopa Valley Aggregates Disposal Site. Vegetation and tree removal would be required for the realignment as well as to facilitate access by construction equipment and personnel. One-way reversing traffic control would also be required during construction. Staging would be located on paved roadway, existing pullouts, and private property within the Project limits.

5. **Construction Timing:** The Project is expected to require 70 days of construction. The Project is proposed to begin in the spring of 2016, and be completed in the fall of 2017.
6. **Project Impacts:** The proposed Project would result in approximately 48 linear feet (0.009 acres) of permanent impacts to jurisdictional waters due to placement of riprap. The proposed Project would result in approximately 50 linear feet (0.007 acres) of temporary impacts to jurisdictional waters due to culvert construction activities. The proposed Project may also result in removal of two white alders for construction access.

Project implementation would result in approximately 0.24 acres of new and approximately 0.76 acres of reworked impervious surface. Storm water runoff from roadway impervious surfaces carries pollutants such as petroleum hydrocarbons and metals.

7. **Mitigation for Project Impacts:** To compensate for 48 linear feet (0.009 acres) of permanent impacts to jurisdictional waters, Caltrans is proposing to remove invasive Himalayan blackberry and plant native sword fern (*Polystichum munitum*) on 0.046 acres at PM R6.37. Caltrans shall revegetate temporarily impacted areas.
8. **Disturbed Soil Area:** Project implementation would result in greater than one acre of disturbed soil area. Caltrans shall apply for coverage under the National Pollutant Discharge Elimination System General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities (Order No. 2009-0009-DWQ) and prepare a Stormwater Pollution Prevention Plan detailing best management practices (BMPs) to control pollution from the Project area during construction. All temporarily disturbed areas within the Project area shall be appropriately stabilized and/or replanted with appropriate native vegetation.
9. **Utility Relocations:** Utility relocations affecting jurisdictional waters are not proposed for this Project.
10. **Other Agency Actions:** Caltrans has applied for coverage under a non-reporting U.S. Army Corps of Engineers Nationwide Permit No. 14, *Linear Transportation Projects*, pursuant to section 404 of the Clean Water Act. Caltrans has applied for a Section 1600 Streambed Alteration Agreement from the California Department of Fish and Wildlife.
11. **CEQA Compliance:** On April 22, 2015, Caltrans signed a Notice of Determination approving a Mitigated Negative Declaration for the Project (State Clearinghouse No. 2015021063) in order to comply with the California Environmental Quality Act.
12. **Total Maximum Daily Load:** The Project is within the Lower Trinity River hydrologic area. The Lower Trinity River watershed is included on the Clean Water Act section

303(d) list as impaired for sediment and temperature. The TMDL identifies Caltrans facilities as a contributor to sediment in the watershed and recommends implementation of erosion control measures set forth in the Caltrans statewide National Pollutant and Discharge Elimination System storm water permit and implementation of routine maintenance measures to minimize sediment delivery. Caltrans would be required to obtain coverage under the statewide construction general permit to control sediment delivery during construction. The Project certification would include a requirement to install a biofiltration swale to capture roadway pollutants after construction is completed.

13. Antidegradation Policy: The federal antidegradation policy requires that State water quality standards include an antidegradation policy consistent with the federal policy. The State Water Board established California's antidegradation policy in State Water Board Resolution No. 68-16. Resolution No. 68-16 incorporates the federal antidegradation policy where the federal policy applies under federal law. Resolution No. 68-16 requires that existing quality of waters be maintained unless degradation is justified based on specific findings. The Regional Water Board's Basin Plan implements, and incorporates by reference, both the State and federal antidegradation policies. This certification is consistent with applicable federal and State antidegradation policies, as it does not authorize the discharge of increased concentrations of pollutants or increased volumes of treated wastewater, and does not otherwise authorize degradation of the waters affected by this Project.

14. This discharge is also regulated under State Water Resources Control Board [Order No. 2003-0017-DWQ](#), "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification," which requires compliance with all conditions of this certification. A weblink to this Order is included at the end of this certification.

Receiving Water:	Lower Trinity River (Hoopa Hydrologic Sub Area No. 116.11)	
Filled and/or Excavated Areas:	Permanent – jurisdictional waters	48 linear feet (0.009 acres)
	Temporary – jurisdictional waters	50 linear feet (0.007 acres)
Dredge Volume:	none	
Latitude/Longitude:	41.003, -123.6489	

Accordingly, based on its independent review of the record, the Regional Water Board certifies that the State Route 96 Sugar Bowl Ranch Curve Project (WDID No. 1B15133WNHU), as described in the application will comply with sections 301, 302, 303, 306 and 307 of the Clean Water Act, and with applicable provisions of state law, provided that Caltrans complies with the following terms and conditions:

All conditions of this certification apply to Caltrans (and all its employees) and all contractors (and their employees), sub-contractors (and their employees), and any other entity or agency that performs activities or work on the Project as related to this Water Quality Certification.

Project-Specific Conditions

1. To compensate for approximately 48 linear feet (0.009 acres) of permanent impacts to jurisdictional waters, Caltrans shall remove invasive Himalayan blackberry and plant native sword fern (*Polystichum munitum*) on 0.046 acres at PM R6.37. In addition, Caltrans shall replace white alders removed during construction activities at a 3:1 ratio.

Project-Specific Conditions Requiring Reports

2. Caltrans shall implement the *Simple Revegetation Plan (Plan)*, dated September 2015. Upon completion of mitigation construction, Caltrans shall submit a report with photos documenting the completed restoration activities no later than January 1, 2018. Additionally, Caltrans shall submit monitoring reports on years 1, 3, and 5, following the revegetation completion date. The monitoring reports shall include photos, plant counts, and success criteria for survival counts consistent with the revegetation plan. Monitoring reports shall use the following performance and success criteria for survival counts from the *Plan*:
 - i) Year 1: At least 70% of installed container plants will be alive in monitoring year 1, with at least 3 surviving plants (including volunteers) being white alder;
 - ii) Year 3: At least 60% of installed container plants will be alive in monitoring year 3, with at least 3 surviving plants (including volunteers) being white alder; and
 - iii) Year 5: At least 50% of installed container plants will be alive in monitoring year 5, with at least 2 surviving plants (including volunteers) being white alder.

Standard Conditions

3. Herbicides and other pesticides shall not be used within the Project limits. If Caltrans has a compelling case as to why pesticides should be used, then a request for pesticide use and a BMP plan may be submitted to the Regional Water Board staff for review and acceptance.
4. All Project activities and BMPs shall be implemented according to the submitted application package and the findings and conditions of this certification. Subsequent changes to the Project that could significantly impact water quality shall first be submitted to Regional Water Board staff for prior review, consideration, and written

Standard Conditions (continued)

concurrency. If the Regional Water Board is not notified of an alteration to the Project that results in an impact to water quality, it will be considered a violation of this certification, and Caltrans may be subject to Regional Water Board enforcement actions.

5. All conditions required by this certification shall be included in the Contract Documents prepared by Caltrans for the contractor. In addition, Caltrans shall require compliance with all conditions included in this certification in the bid contract for this Project.
6. Caltrans is prohibited from discharging waste to waters of the State, unless explicitly authorized by this certification. For example, no debris, soil, silt, sand, bark, slash, sawdust, rubbish, cement or concrete or concrete washings, welding slag, oil or petroleum products, or other organic or earthen material from any construction or associated activity of whatever nature, shall be allowed to enter into State waters.
7. Except for temporary stockpiling of waste generated during demolition operations ("temporary" in this instance means generated and removed during the same working day), waste materials shall not be placed in a manner where the materials may be transported into waters of the State. Waste materials shall not be placed within 100 linear feet of State waters. Exceptions to the 100-foot limit may be granted on a case-by-case basis provided Caltrans first submits a proposal in writing that is found acceptable by Regional Water Board staff.
8. Caltrans is liable and responsible for the proper disposal, reuse, and/or recycling of all Project-generated waste in compliance with applicable State and Federal laws and regulations, and as described in Caltrans 2010 Standard Specifications 13-4.03D, Waste Management. Additionally, when handling, transporting, disposing, reusing, and/or recycling Project-generated waste, Caltrans and their contractors shall:
 - i) Provide the Regional Water Board with a copy of the Solid Waste Disposal and Recycling Report prepared for Caltrans by the contractor per Caltrans 2010 Standard Specification 14-10.02A(1), Submittals. These reports shall be provided not later than January 31 for each year work is performed during the previous calendar year. A copy of the final Solid Waste Disposal and Recycling Report shall be submitted to the Regional Water Board within 30 days after being received by Caltrans from the contractor.
 - ii) For waste other than solid waste, obtain evidence that waste has been appropriately disposed, reused, and/or recycled. Evidence shall include type and quantity of waste and may include, but not be limited to, property owner agreements, permits, licenses, and environmental clearances. Evidence shall be provided to the Regional Water Board upon request; and
 - iii) For waste other than solid waste, ensure the Resident Engineer has given

Standard Conditions (continued)

written permission for disposal, reuse, and/or recycling, prior to the actual disposal, reuse, and/or recycling.

9. Asphalt-concrete grindings shall not be placed in any location where they may, at any time, be directly exposed to surface waters or seasonally high ground water, except asphalt-concrete grindings may be re-used and incorporated into hot mix asphalt products or encapsulated within the roadway structural section.
10. Caltrans and their contractors shall comply with the activity restrictions detailed in Caltrans 2010 Standard Specifications 13-4.03C(1). In addition, fueling, maintenance, storage and staging of vehicles and equipment shall be prohibited within waters of the State (e.g., gravel bars, seeps, ephemeral streams) and riparian areas.
11. Fueling, maintenance, and/or staging of individual equipment types within waters of the State or riparian areas may be authorized if Caltrans first prepares a plan for review and approval by Regional Water Board staff that:
 - i) Identifies the specific piece of machinery that may require fueling, maintenance, and/or staging within waters of the State or riparian areas;
 - ii) Provides justification for the need to refuel, maintain, or stage within State waters or riparian areas. The justification shall describe why conducting the activity outside of jurisdictional waters is infeasible; and
 - iii) Includes a narrative of specific BMPs that shall be employed to prevent discharges to State waters and riparian areas;
12. Caltrans shall not use leaking vehicles or equipment within State waters or riparian areas.
13. Only 100-percent biodegradable erosion and sediment control products that will not entrap or harm wildlife shall be used. Photodegradable synthetic products are not considered biodegradable. If Caltrans finds that erosion control netting or products have entrapped or harmed wildlife, personnel shall remove the netting or product and replace it with wildlife-friendly biodegradable products. This condition does not prohibit the use of plastic sheeting used in water diversion or dewatering activities. Caltrans shall request approval from the Regional Water Board if an exception to this requirement is needed for a specific location.
14. Work in flowing or standing surface waters, unless otherwise proposed in the project description and approved by the Regional Water Board, is prohibited.
15. Non-stormwater discharges are prohibited unless the discharge is first approved by the

Standard Conditions (continued)

Regional Water Board and in compliance with the Basin Plan. If dewatering of groundwater is necessary, then Caltrans shall use a method of water disposal other than disposal to ground or surface waters, such as land disposal. Groundwater disposed of to land shall not enter State waters. Alternatively, Caltrans may apply for coverage under the Low Threat Discharge Permit or an individual National Pollutant Discharge Elimination System (NPDES) Permit. If Caltrans applies for coverage under either of these permits, then discharge is prohibited until Caltrans has received notification of coverage under the respective permit.

16. Gravel bags used within State waters shall:

- i) Comply with Caltrans 2010 Standard Specifications sections 13-5.02G and 88-1.02F;
- ii) Be immediately removed and replaced if the bags have developed or are developing holes or tears; and
- iii) Be filled only with clean washed gravel.

Exceptions to these criteria are subject to the review and acceptance of Regional Water Board staff.

17. This certification does not authorize drafting of surface waters.

18. Caltrans shall provide access to the Project construction site upon request by Regional Water Board staff.

19. Initial water pollution control training described in Caltrans 2010 Standard Specifications 13-1.01D(2), Training, shall apply to all Caltrans employees, contractors, and sub-contractors. Initial water pollution control training topics shall include Regional Water Board 401 certification and construction general permit requirements, identification of state waters and riparian areas, and violation avoidance and discharge reporting procedures.

20. Caltrans shall maintain logs of all Caltrans staff, contractors, and sub-contractors trained pursuant to the Caltrans 2010 Standard Specifications 13-1.01D(2). The logs shall include the names of trainees, training dates, and summary of the scope of training. Caltrans shall provide evidence of this documentation upon the request of the Regional Water Board.

21. If an unauthorized discharge to surface waters (including wetlands, rivers or streams) occurs, or any other threat to water quality arises as a result of Project implementation, the associated Project activities shall cease immediately until the threat to water quality is otherwise abated. If there is a discharge to State waters, the Regional Water

Standard Conditions (continued)

Board shall be notified no more than 24 hours after the discharge occurs.

22. Uncured concrete shall not be exposed to State waters or surface waters that may discharge to State waters. Concrete sealants may be applied to the concrete surface where difficulty in excluding flow for a long period may occur. If concrete sealant is used, water shall be excluded from the site until the sealant is cured. If groundwater comes into contact with fresh concrete, it shall be prevented from flowing towards surface water.
23. Ground and surface water that has come into contact with fresh concrete, and all other wastewater, shall not be discharged to State waters or to a location where it may discharge to State waters; the wastewater shall be collected and re-used or disposed of in a manner approved by the Regional Water Board.
24. All imported fill material shall be clean and free of pollutants. All fill material shall be imported from a source that has the appropriate environmental clearances and permits. The reuse of low-level contaminated solids as fill on-site shall be performed in accordance with all State and Federal policies and established guidelines and must be submitted to the Regional Water Board for review and consideration of acceptance.
25. Caltrans shall provide a copy of this certification and State Water Resources Control Board (SWRCB) Order No. 2003-0017-DWQ (web link referenced below) to the contractor and all subcontractors conducting the work, and require that copies remain in their possession at the work site. Caltrans shall be responsible for work conducted by its contractor and subcontractors.
26. The validity of this certification is conditioned upon total payment of any fee required under title 23, California Code of Regulations, section 3833. The total application fee is \$200. The Regional Water Board received \$200 from Caltrans on September 29, 2015.
27. This certification will be subject to annual billing during the construction phase ("Annual Active Discharge Fee") and during the monitoring phase of the Project ("Annual Post Discharge Monitoring Fee"), per the current fee schedule, which can be found on our website:
http://www.swrcb.ca.gov/northcoast/water_issues/programs/water_quality_certification.shtml. These fees will be automatically invoiced to Caltrans.
28. Caltrans shall notify the Regional Water Board upon Project construction completion to request termination of the Annual Active Discharge Fee and to receive a "Notice of Completion of Discharges Letter." If the Project is subject to the Annual Post Discharge Monitoring Fee, then Caltrans shall also notify the Regional Water Board at the end of the monitoring period to request termination of the fee and receive a "Notice of Project

Standard Conditions (continued)

Complete Letter.” Caltrans may be required to submit completion reports at the end of each of these phases. Regional Water Board staff may request site visits at the end of each Project phase to confirm Project status and compliance with this certification.

29. This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to title 23, California Code of Regulations, section 3855, subdivision (b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
30. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under applicable state or federal law. For the purposes of section 401(d) of the Clean Water Act, the applicability of any state law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this certification. In response to a suspected violation of any condition of this certification, the State Water Board may require the holder of any federal permit or license subject to this certification to furnish, under penalty of perjury, any technical or monitoring reports the State Water Board deems appropriate, provided that the burden, including costs, of the reports shall bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports. In response to any violation of the conditions of this certification, the Regional Water Board may add to or modify the conditions of this certification as appropriate to ensure compliance.
31. This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Water Code section 13330 and title 23, California Code of Regulations, section 3867.
32. This certification is not transferable. In the event of any change in control of ownership of land presently owned or controlled by Caltrans, Caltrans shall notify the successor-in-interest of the existence of this certification by letter and shall forward a copy of the letter to the Regional Water Board. The successor-in-interest must send to the Regional Water Board Executive Officer a written request for transfer of this certification to discharge dredged or fill material under this certification. The request must contain the following:
 - i) Requesting entity’s full legal name;
 - ii) The state of incorporation, if a corporation;

Standard Conditions (continued)

- iii) The address and phone number of contact person; and
- iv) A description of any changes to the project or confirmation that the successor-in-interest intends to implement the project as described in this certification.

33. Except as may be modified by any preceding conditions, all certification actions are contingent on:

- i) The discharge being limited, and all proposed revegetation, avoidance, minimization, and mitigation measures being completed, in strict compliance with Caltrans's project description and CEQA documentation, as approved herein;
- ii) Caltrans shall construct the Project in accordance with the project described in the application and the findings above; and
- iii) Compliance with all applicable water quality requirements and water quality control plans including the requirements of the Water Quality Control Plan for the North Coast Region (Basin Plan), and amendments thereto.

Any change in the design or implementation of the Project that would have a significant or material effect on the findings, conclusions, or conditions of this certification must be submitted to the Executive Officer of the Regional Water Board for prior review, consideration, and written concurrence. If the Regional Water Board is not notified of a significant alteration to the project, it will be considered a violation of this certification, and Caltrans may be subject to Regional Water Board enforcement actions.

34. The authorization of this certification for any dredge and fill activities expires five years from the date of this certification. Conditions and monitoring requirements outlined in this certification are not subject to the expiration date outlined above, and remain in full effect and are enforceable.

Condition 2 is a requirement for information and reports. Any requirement for a report made as a condition to this certification is a formal requirement pursuant to California Water Code section 13267, and failure or refusal to provide, or falsification of such required report is subject to civil liability as described in California Water Code, Section 13268.

The Regional Water Board may add to or modify the conditions of this certification, as appropriate, to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act or section 303 of the Clean Water Act.

Please contact our staff Environmental Scientist, Brandon Stevens at (707) 576-2377, or via e-mail, at Brandon.Stevens@waterboards.ca.gov, if you have any questions.

Matthias St. John
Executive Officer

151120_BDS_dp_CDOT_SugarBowlRanchCurve_401

Original to: Mr. Troy Arseneau, Caltrans, District 1, 1656 Union Street, Eureka, CA 95501
Troy.Arseneau@dot.ca.gov

cc: Holly Costa, U.S. Army Corps of Engineers Holly.N.Costa@usace.army.mil
Richard Lis, California Department of Fish and Wildlife Richard.Lis@wildlife.ca.gov
State Water Resources Control Board Stateboard401@waterboards.ca.gov
Environmental Protection Agency, Region 9 R9-WTR8-Mailbox@epa.gov
Allison Kunz, Caltrans Allison.Kunz@dot.ca.gov