



Linda S. Adams
Secretary for
Environmental Protection

**California Regional Water Quality Control Board
North Coast Region
John W. Corbett, Chairman**

www.waterboards.ca.gov/northcoast
5550 Skylane Boulevard, Suite A, Santa Rosa, California 95403
Phone: (877) 721-9203 (toll free) • Office: (707) 576-2220 • FAX: (707) 523-0135



Arnold
Schwarzenegger
Governor

**NOTICE OF CONSIDERATION OF COVERAGE UNDER
GENERAL WASTE DISCHARGE REQUIREMENTS
ORDER NO. R1-2006-0048**

FOR

Sebastopol Chevron
5640 Sebastopol Road
Sebastopol, California

Sonoma County

The California Regional Water Quality Control Board, North Coast Region, proposes to extend coverage to Sebastopol Chevron, located at 5640 Sebastopol Road in Sebastopol, California, under General Waste Discharge Requirements (WDRs) Order No. R1-2006-0048 for discharges of highly treated groundwater to surface water. The North Coast Regional Water Quality Control Board adopted General Order No. R1-2006-0048 General NPDES Permit No. CAG911001 *Waste Discharge Requirements for Discharges of Highly Treated Groundwater to Surface Waters Following Extraction and Cleanup of Groundwater Polluted with Petroleum Hydrocarbons and Volatile Organic Compounds* on June 29, 2006. The discharger intends to operate a groundwater extraction system at the site to clean up groundwater impacted with petroleum hydrocarbons. Extracted groundwater will be treated by an activated carbon system and discharged to a tributary to the Laguna de Santa Rosa at 3 to 5 gallons per minute. The Laguna de Santa Rosa is a tributary of the Russian River.

The discharger and other interested persons may call Beth Lamb at (707) 576-2669 or submit to the Regional Board office at 5550 Skylane Boulevard, Suite A, Santa Rosa, CA 95403, written comments, technical reports, testimony, and other evidentiary material concerning this matter by 5:00 p.m., up to 30 days from the date of publication.

The order is available for review on the North Coast Regional Water Quality Control Board website at: <http://water100.waterboards.ca.gov/rb1/orders/>. Order No. R1-2006-0048, related documents, and comments received are on file and may be inspected or copied at the Regional Board office Mondays through Fridays from 8:00 a.m. to 5:00 p.m. Appointments are recommended for file review and can be made by calling (707) 576-2220.

Coverage under Order No. R1-2006-0048 will be granted after thirty days from the date of the publication and posting of this notice, unless the Executive Officer receives information that the project may not meet the intent of the Order.

Catherine E. Kuhlman
Executive Officer

June 13, 2007

BML:061307_ChevronSeb NOC.

California Environmental Protection Agency

Recycled Paper