

NOTICE OF CONSIDERATION OF COVERAGE UNDER
GENERAL WASTE DISCHARGE REQUIREMENTS

for

Addition of Chemical Oxidants to Soil and Groundwater
at the
Big Oil & Tire, McKinleyville BP Facility
2698 Central Avenue
McKinleyville, California
Humboldt County

Internet Posting Date: November 12, 2014

End of Public Comment Period: December 12, 2014

The California Regional Water Quality Control Board (Regional Water Board), North Coast Region is considering the implementation of coverage for the addition of chemical oxidants(ozone) to remediate petroleum compounds in groundwater and/or soil at the above named site under General Waste Discharge Requirements (GWDR) Order No. R1-2006-0107 (Revised June 12, 2008). This remedial technique has been proposed as a corrective action to cleanup groundwater contaminated by releases from underground storage tanks and/or piping located at the active Big Oil & Tire, McKinleyville BP Facility (Case No. 1THU341, Humboldt County Local Oversight Program Case No. 12341).

Any interested party may contact David W. Parson with the Regional Water Board at (707) 576-2556 or David.Parson@waterboards.ca.gov, or submit comments to his attention at:

North Coast Regional Water Quality Control Board
Attn: David Parson
5550 Skylane Boulevard, Suite A
Santa Rosa, CA 95403

GWDR Order No. R1-2006-0107 is available for review on the Regional Water Board's web site at: http://water100.waterboards.ca.gov/rb1/adopted_orders/. The Order, the site file, related documents, and comments received are on file and may be inspected or copied at the Regional Board office Monday through Friday from 8:00am to 5:00pm. Appointments are recommended for file review and can be made by calling (707) 576-2220. Information and documents regarding the site can also be found on the State Water Resources Control Board's GeoTracker website at <http://geotracker.waterboards.ca.gov/>.

Coverage under WDR Order No. R1-2006-0107 may be granted after thirty days from the date of this notice and posting of this notice, unless the Executive Officer receives information that the project may not meet the intent of the Order.