

NOTICE OF CONSIDERATION OF COVERAGE UNDER
GENERAL WASTE DISCHARGE REQUIREMENTS

for

IN SITU, BIOREMEDIATION OF PETROLEUM HYDROCARBONS
BY THE ADDITION OF NUTRIENTS, MICROORGANISMS, AND/OR AN OXYGEN SOURCE TO
GROUNDWATER AND/OR SOIL

at the

Joes Chevron, Chevron No. 9-9063
900 Highway 101 North
Crescent City, California
Del Norte County

Internet Posting Date: December 4, 2014

End of Public Comment Period: January 5, 2015

The California Regional Water Quality Control Board, North Coast Region is considering the coverage for the addition of nutrients, microorganisms and/or oxygen sources at the above named site under General Waste Discharge Requirements (GWDR) Order No. R1-2004-0021. This remedial technique has been proposed as a corrective action to cleanup groundwater contaminated by fuel releases from underground storage tank system(s) located at the active Joe's Chevron, Chevron No. 9-9063, 900 Highway 101, North in Crescent City, California.

Any interested party may contact David W. Parson, PG 6037, CEG 1889, with the Regional Water Board with any questions or comments at (707) 576-2556 or David.Parson@waterboards.ca.gov, or submit comments to his attention at:

North Coast Regional Water Quality Control Board
Attn: David W. Parson
5550 Skylane Boulevard, Suite A
Santa Rosa, CA 95403

GWDR Order No. R1-2004-0021 is available for review on the Regional Water Board's web site at: http://water100.waterboards.ca.gov/rb1/adopted_orders/. The Order, the site file, related documents, and comments received are on file and may be inspected or copied at the Regional Water Board office Monday through Friday from 8:00am to 5:00pm. Appointments are recommended for file review and can be made by calling (707) 576-2220. Information and documents regarding the site can also be found on the State Water Resources Control Board's GeoTracker website at <http://geotracker.waterboards.ca.gov/>.

Coverage under GWDR Order No. R1-2004-0021 may be granted after thirty days from the date of this notice and posting of this notice, unless the Executive Officer receives information that the project may not meet the intent of the Order.