

12.0 REFERENCES CITED

- Allen, D.M., 2008. Development and application of a process-based, basin scale stream temperature model. [dissertation]. Berkeley, California. University of California, Berkeley. 183p.
- AquaTerra 2012. Shasta River Tailwater Reduction: Demonstration and Implementation Project. Final project report. Prepared for Shasta Valley Resource Conservation District. March 2012.
- Bakker, E. 1972. An island called California. University of California Press, Berkeley and Los Angeles. 357 pp.
- Bartholow, J.M, S.G. Campbell, and M. Flug. 2005. Predicting the Thermal Effects of Dam Removal on the Klamath River. *Environmental Management*. 34(6): 856-874
- Bartholow, J.M., 2000, Estimating cumulative effects of clearcutting on stream temperatures: *Rivers*, vol. 7, no. 4, p. 284-297.
- Bartholow, J. M. 2005. Recent water temperature trends in the lower Klamath River, California. *North American Journal of Fisheries Management*, 25(1), 152-162.
- Barlow, P.M. and Leake, S.A., 2012. Streamflow depletion by wells—Understanding and managing the effects of groundwater pumping on streamflow: U.S. Geological Survey Circular 1376, 84 p.
- Belchik, M 1997. Summer Locations and Salmonid Use of Cool Water Areas in the Klamath River; Iron Gate Dam to Seiad Creek, 1996. Yurok Tribal Fisheries Program. Klamath, CA, 13pp.
- Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby, and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. *IN: E.O. Salo and T.W. Cundy Eds. Streamside management: Forestry and fishery interactions*. Contrib. 57: University of Washington, College of Forest Resources, Seattle, pp.191–232.
- Bogan, T., Mohseni, O., Stefan, H.G., 2003. Stream temperature – equilibrium temperature relationship. *Water Resources Research* 39 (9), 1245.
- Bogan, T., H. G. Stefan, and O. Mohseni. 2004. Imprints of secondary heat sources on the stream temperature/equilibrium temperature relationship, *Water Resour. Res.*, 40(12).
- Boyd, M., and Kasper, B., 2003, Analytical methods for dynamic open channel heat and mass transfer: Methodology for heat source model Version 7.0, 193 p.

- Brandow, C.A., Cafferata, P.H., and Munn, J. R., 2006. Modified completion report monitoring program: monitoring results from 2001 through 2004. CA Department of Forestry and Fire Protection, 94p
- Brosofske, K. D., Chen, J., Naiman, R.J., and Franklin J.F., 1997, Harvesting effects on microclimatic gradients from small streams to uplands in western Washington: Ecological Applications, vol. 7, no. 4, p. 1188-1200.
- Brown, G., 1970, Predicting the effect of clearcutting on stream temperature. Journal of Soil and water Conservation, 25(1): 11-13
- Cafferata, P., M. Berbach, J. Burke, J. Hendrix, R. Klamt, R. Macedo, T. Spittler, K. Vyverberg, and C. Wright-Shacklett. 2005. Flood prone area considerations in the coast redwood zone. Final Report of the Riparian Protection Committee. California Department of Forestry and Fire Protection. Sacramento, CA 67p
- California Air Pollution Control Officers Association (CAPCOA). 2013. California's progress toward clean air: A report by the California Air Pollution Control Officers' Association. Sacramento. 155 pp.
- California Department of Conservation (CDC), California Geological Survey, 2002. California Geomorphic Provinces. Note 36. Sacramento. 4 pp.
- California Department of Transportation, Office of Engineering, Bid Summary Results, Website accessed August 16, 2013
http://www.dot.ca.gov/hq/esc/oe/planholders/oe_bidsum_result.php
- Cayan, D., A. L. Luers, M. Hanemann, G. Franco, and B. Croes. 2006. Scenarios of climate change in California: An overview. California Climate Change Center.
- Chen, J., Franklin, J.F., and Spies, T.A., 1993, An empirical model for predicting diurnal air temperature gradients from edge into old-growth Douglas-fir forest: Ecological Modelling, vol. 67, p. 179-198.
- Chen, J., Saunders, S.C., Crow, T.R., Naiman, R.J., Brososke, K.D., Mroz, G.D., Brookshire, B.L., and Franklin, J.F., 1999, Microclimate in forest ecosystem and landscape ecology: variations in local climate can be used to monitor and compare the effects of different management regimes: Bioscience, v. 49, no. 4, p. 288-297.
- Chen, Y.D., Carsel, R.F., McCutcheon, S.C., Nutter, W.L, 1998a. Stream Temperature Simulation of forested riparian areas: I watershed-scale development. Journal of Environmental Engineering, 124(4):304-315

- Chen, Y.D., McCutcheon, S.C., Norton, D.J., Nutter, W.L, 1998b. Stream Temperature Simulation of forested riparian areas: II model application. *Journal of Environmental Engineering*, 124(4):316-325
- Coos Watershed Association, undated, Willanch Creek: project effectiveness monitoring and stream temperature study 1997-2002, 6 p.
- De la Fuente, J., and Elder, D., 1998, The flood of 1997, Klamath National Forest, Phase I Final Report, November 24, 1998: Klamath National Forest, Yreka, CA, 76 p. plus appendices.
- Deas, M., Abbot, A.; and Bale, A., 2003, Shasta River flow and temperature modeling project, April, 2003: Watercourse Engineering Inc., Napa, CA, 188 p. plus appendices.
- Deas, M. 2005. Technical Memorandum: TVA River Modeling System: ADYN and RQUAL-RMS Model Specifications and Background. Watercourse Engineering, Inc. August 17, 2005. 11pp.
- Dong, J., Chen, J., Brosofske, K.D., and Naiman, R.J., 1998, Modeling air temperature gradients across managed small streams in western Washington: *Journal of Environmental Management*, v.53, p. 309-321.
- Federal Energy Regulatory Commission (FERC). 2007. Final Environmental Impact Statement for Relicensing of the Klamath Hydroelectric Project No. 2082-027. November 16, 2007.
- Fitzgerald, R. 2005. Memorandum from R. Fitzgerald of the North Coast Regional Water Quality Control Board to Gerald Horner, OSI regarding Erosion Control Plan costs for the Scott TMDL. August 29, 2005.
- Five Counties Salmonid Conservation Program (5C). 2009. About us. Website accessed August 5, 2013. Available at <<http://www.5counties.org>>.
- Gathard Engineering Consulting. 2006. Klamath River Dam and Sediment Investigation. Prepared for the California State Coastal Conservancy and the Ocean Protection Council. November 2006.
- Goldsmith, W., M. Silva, and C. Fischenich. 2001. Determining optimal degree of soil compaction for balancing mechanical stability and plant growth capacity. *ERDC TN-EMRRP-SR-26*. U.S. Army Engineer Research and Development Center, Vicksburg, MS. 9 pp.
- Harris Blade Rental. Personal communication from Lauren Clyde of the North Coast Regional Water Quality Control Board via telephone to Harris Blade Rental, Livermore, CA on June 30, 2009.

- Heath, Ralph C., 1983. Basic ground-water hydrology; U.S. Geological Survey Water-Supply Paper 2220, 86 p.
- Herb, W. and S. Heinz. 2010. Projecting the impact of climate change on coldwater stream temperatures in Minnesota using equilibrium temperature models. St. Anthony Falls Laboratory Project Report no. 546. Prepared for the Legislative-Citizens Commission on Minnesota Resources, St. Paul, Minnesota. 66 p.
- Hickman, J.C., editor. 1993. The Jepson manual: higher plants of California. University of California Press, Berkeley and Los Angeles. 1400 pp.
- Independent Multidisciplinary Science Team (IMST), 2000. Influences of human activity on stream temperatures and existence of cold water fish in streams with elevated temperature. Report of a workshop. Technical report 2000-2 to the Oregon Plan for Salmon and Watersheds. Oregon Watershed Enhancement Board. Salem, Oregon. 35 p. + appendices.
- Johnson, S. L., 2003, Stream temperature: scaling of observations and issues for modeling: Hydrological Processes, v. 17, p. 497-499.
- Johnson, S. L. 2004. Factors influencing stream temperatures in small streams: substrate effects and a shading experiment. Canadian Journal of Fisheries and Aquatic Sciences. 61:913-923.
- Johnson, S. L., and Jones, J. A., 2000, Stream temperature responses to forest harvest and debris flows in western Cascades, Oregon: Canadian Journal of Fisheries and Aquatic Sciences, v. 57(Suppl. 2), p. 30-39.
- Kennedy, J.A., Shilling, F.M., and Viers, J.H., 2005, Current and potential riparian forest condition along Scott River watershed tributaries: a report to the NCRWQCB: Department of Environmental Science and Policy, University of California, Davis, June 13, 2005, 50 p.
- Kier Associates. 1999. Mid-term Evaluation of the Klamath River Basin Fisheries Restoration Program. Prepared for the Klamath River Basin Fisheries Task Force. April 1999.
- Klamath Facilities Removal Environmental Impact Statement/Environmental Impact Report, U.S. Department of the Interior, California Department of Fish and Wildlife, December 2012, State Clearinghouse number 2010062060
- Ledwith, Tyler, 1996, The effects of buffer strip width on air temperature and relative humidity in a stream riparian zone: The Watershed Management

Council Newsletter, Summer 1996, 4 p. Available online at:
http://www.watershed.org/news/sum_96/buffer.html

- Lisle, T.E. 1982. Effects of aggradation and degradation on riffle-pool morphology in natural gravel channels, northwestern California. *Water Resources Research*. 18(6):1643-1651.
- Loheide, S.P., Gorelick, S.M. 2006. Quantifying Stream-Aquifer Interactions through the Analysis of Remotely Sensed Thermographic Profiles and In Situ Temperature Histories. *Environmental Science and Technology* 40(10):3336-3341.
- Methany, T.M., Dawson, B.J., Shelton, J.L., and Belitz, Kenneth, 2011, Groundwater-quality data in the northern Coast Ranges study unit, 2009: Results from the California GAMA Program: U.S. Geological Survey Data-Series 609, 88 p.
- Micheli, E.R., and J.W. Kirchner. 2002. Effects of wet meadow riparian vegetation on streambank erosion. 2. measurements of vegetated bank strength and consequences for failure mechanics. *Earth Surfaces and Landforms* 27: 687-697.
- Micheli, E.R., J.W. Kirchner, and E.W. Larsen. 2004. Quantifying the effect of riparian forest versus agricultural vegetation on river meander migration rates, central Sacramento River, California, USA. *River Research and Applications* 20: 536-548.
- Miner, J.R., and Godwin, D., 2003, Documenting progress toward achieving stream temperature compliance in Oregon TMDL plans: Oregon State University Extension, Salem, Oregon, 10 p.
- Mohseni, O., T.R. Erickson, and H. G. Stefan. 2002. Upper Bounds for stream temperatures in the contiguous United States. *Journal of Environmental Engineering*, 128(1): 4-11.
- Moore, R. D., D. L. Spittlehouse, and A. Story, 2005. Riparian Microclimate and Stream Temperature Response to Forest Harvesting: A Review. *Journal of the American Water Resources Association (JAWRA)* 41(4):813-834.
- Morrill, J., Bales, R., and Conklin, M. (2005). "Estimating Stream Temperature from Air Temperature: Implications for Future Water Quality." *J. Environ. Eng.*, 131(1), 139-146.
- National Research Council of the National Academies (NRC). 2004. Endangered and Threatened Fishes in the Klamath River Basin. Washington, D.C. National Academies Press.

- Natural Resources Conservation Service. 2008. "California Approved Fiscal Year 2008 Payment Schedule" provided by Jim Patterson of the Siskiyou County District of the Natural Resources Conservation Service.
- Nielsen, J.L., T.E. Lisle, and V. Ozaki. 1994. Thermally stratified pools and their use by steelhead in northern California streams. *Transactions of the American Fisheries Society*. 123:613-626.
- North Coast Regional Water Quality Control Board (NCRWQCB), 2000, Navarro River watershed technical support document for the total maximum daily load for sediment and technical support document for the total maximum daily load for temperature. December 2002.
- North Coast Regional Water Quality Control Board (NCRWQCB) 2002. Staff Report for the Action Plan for the Mattole River Watershed Sediment and Temperature Total Maximum Daily Loads. December 2002
- North Coast Regional Water Quality Control Board (NCRWQCB) 2005. Staff Report for the Action Plan for the Scott River Watershed Sediment and Temperature Total Maximum Daily Loads. December 2005.
- North Coast Regional Water Quality Control Board (NCRWQCB) 2006. Staff Report for the Action Plan for the Shasta River Watershed Temperature and Dissolved Oxygen Total Maximum Daily Loads. June 2006.
- North Coast Regional Water Quality Control Board (NCRWQCB). 2007. Water Quality Control Plan for the North Coast Region (Basin Plan). January 2007.
- North Coast Regional Water Quality Control Board (NCRWQCB) 2010 Final staff report for the Klamath River Total Maximum Daily Loads (TMDLs) addressing Temperature, Dissolved Oxygen, Nutrient, and Microcystin Impairments in California, the Proposed Site Specific Dissolved Oxygen Objectives for the Klamath River in California, and the Klamath River and Lost River Implementation Plans. March 2010.
- Null, S. E., Viers, J. H., Deas, M. L., Tanaka, S. K., & Mount, J. F. 2013. Stream temperature sensitivity to climate warming in California's Sierra Nevada: impacts to coldwater habitat. *Climatic Change*, 116(1), 149-170.
- Oregon Department of Environmental Quality (ODEQ), 2002, Upper Klamath Lake drainage stream temperature analysis: vegetation, hydrology, and morphology, Upper Klamath Lake drainage TMDL, attachment 1: prepared by ODEQ, May, 2002.
- Pettit, N. E. ; Naiman, R.J. 2007. Fire in the Riparian Zone: Characteristics and Ecological Consequences. *Ecosystems*, v 10, No. 5 p. 673-687

- Poole, G. C., and C.H. Berman. 2001. An Ecological Perspective on In-Stream Temperature: Natural Heat Dynamics and Mechanisms of Human-Caused Thermal Degradation. *Environmental Management* 27(6):787-802.
- R2 Resource Consultants, Inc. & Stetson Engineers, Inc., 2007. North Coast Instream Flow Policy: Scientific basis and development of alternatives protecting anadromous salmonids.
- Rantz, S.E., and T.H. Thompson., 1967. Surface water hydrology of California coastal basins between San Francisco Bay and Eel River. U.S. Geological Survey Water-Supply Paper 1851. 60 p.
- Rashin, E.B., C.J. Clishe, A.T. Loch, J.M. Bell, 2006. Effectiveness of timber harvest practices for controlling sediment related water quality impacts. *Journal of the American Water Resources Association*, 42(5):1397-1327.
- Riley, A, Region 2, January 2008, Putting a Price on Riparian Corridors,
- Sawyer, J. O., Jr., and D. A. Thronburgh. 1977. Montane and subalpine vegetation of the Klamath mountains. Pages 699-732 *in* M. G. Barbour and J. Major, editors. *Terrestrial vegetation of California*. John Wiley & Sons, New York.
- Shih, Tian-Ting. 2002. Timberland site class on private lands zoned for timber production: Technical working paper 1-03-02. California Department of Forestry and Fire Protection, FRAP. Sacramento, 10 pp.
- Sinokrot, B.A. and H.G. Stefan. 1993. Stream temperature dynamics: Measurements and modeling. *Water Resources Research*. 29(7):2299-2312.
- Siskiyou County Public Works. 2008. Road Cost Information. Facsimile sent by Scott Sumner, Deputy Director of Public Works, Siskiyou County, 9/12/2008.
- Stetson Engineers Inc., 2008a. North Coast Instream Flow Policy; Potential indirect impacts on municipal, industrial and agricultural water use and related indirect impacts on other environmental resources. (Included as Appendix D of the 2008 Substitute Environmental Document for the North Coast Instream Flow Policy).
- Stetson Engineers Inc., 2008b. Approach to Delineate Subterranean Streams and Determine Potential Stream Depletion Areas, Final Technical Memorandum prepared for the Policy for Maintaining Instream Flows in Northern California Coastal Streams.
- Stillwater Sciences, 1999. Stillwater Sciences Temperature Model (SSTM): A watershed-scale stream temperature model. Unpublished 16 p. Appendix A

of South Fork Eel River Total Maximum Daily Loads for Sediment and Temperature.

- Sunding, D. and A. P. Zwane. 2004. Cost and Socioeconomic Impacts of Implementing the California Coho Salmon Recovery Strategy. *IN: California Department of Fish and Game. Recovery Strategy for California Coho Salmon: Report to the California Fish and Game Commission. Sacramento, CA. 1Appendix 1.*
- Tetra Tech, 2002. Qual2E-Shade Temperature Modeling System (Draft). Prepared for U.S. EPA Region 9. September 2002.
- Tetra Tech, 2009. Model configuration and results: Klamath River model for TMDL development. Fourth revision, December 2009. Prepared for USEPA region 9, USEPA region 10, North Coast Regional Water Quality Control Board, and Oregon Department of Environmental Quality.
- Theurer, F. D., Voos, K. A., and Miller, W. J., 1984, Instream water temperature model: instream flow information paper 16: USFWS, Washington D.C., 316 pp. approx.
- Tompkins, M. 2006. Floodplain and river corridor complexity: implications for river restoration and planning for floodplain management. PhD dissertation, University of California, Berkeley. Available at: <http://www.lib.berkeley.edu/WRCA/restoration/theses.html>
- Tooth, S. 2000. Process, form and change in dryland rivers: a review of recent research. *Earth-Science Reviews* 51: 67-107.
- United States Environmental Protection Agency (USEPA), 1999. South Fork Eel River Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 1999.
- United States Environmental Protection Agency (USEPA). 2000. Navarro River Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 2000.
- United States Environmental Protection Agency (USEPA). 2002a. Mattole River Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 2001
- United States Environmental Protection Agency (USEPA). 2002b. North Fork Eel River Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 2002.

- United States Environmental Protection Agency (USEPA). 2003a. Middle Fork Eel River Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 2003.
- United States Environmental Protection Agency (USEPA). 2003b. National Management Measures for the Control of Nonpoint Pollution from Agriculture. Office of Water. July 2003.
- United States Environmental Protection Agency (USEPA). 2004. Upper Main Eel River and Tributaries (including Tomki Creek, Outlet Creek and Lake Pillsbury) Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 2004.
- United States Environmental Protection Agency (USEPA). 2005. Middle Main Eel River and Tributaries (from Dos Rios to the South Fork) Total Maximum Daily Loads for Temperature and Sediment. San Francisco, CA. December 2005.
- United States Environmental Protection Agency (USEPA). 2007. Lower Eel River Total Maximum Daily Loads for Sediment and Temperature. San Francisco, CA. December 2007.
- United States Federal Highway Administration. Accessed August 5, 2009. Available at <<http://www.fhwa.dot.gov/programadmin.cfm>>
- United States Fish and Wildlife Service. 1995a. Draft environmental alternatives analysis for a 4(d) rule for the conservation of the northern spotted owl on nonfederal lands. U.S. Fish and Wildlife Service. Portland, OR. 468 pp.
- United States Forest Service (USFS). 2000. Water quality management for forest systems lands in California: Best management practices. Forest Service, Pacific Southwest Region 138 pp.
- Vassey, Sheila K. 1999. Memorandum to Stefan Lorenzato, TMDL Coordinator, Division of Water Quality, State Water Resources Control Board from Sheila K. Vassey, Senior Staff Counsel, Office of Chief Counsel, State Water Resources Control Board regarding "Economic Considerations in TMDL Development and Basin Planning" dated October 27, 1999.
- Vaux, W.G. 1968. Intergravel flow and interchange of water in a streambed. Bureau of Commercial Fisheries Biological Laboratory. Auke Bay, Alaska. Fishery Bulletin. 66(3): 479-489.
- Watercourse Engineering, 2006. Klamath River thermal refugia study: flow and temperature characterization: summer 2004. Prepared for the United States Bureau of Reclamation Klamath Area Field Office

- Weaver, W. and D. Hagans. 2004. Road Upgrading, Decommissioning and Maintenance—Estimating Costs on Small and Large Scales. *IN*: Allen, S.T., C. Thomson, and R. Carlson, eds. Proceedings of the Salmon Habitat Restoration Cost Workshop. November 14-16, 2000; Gladstone, OR. Pacific States Marine Fisheries Commission
- Weaver, B., Hagans, D., and Weppner, E. 2006. Salmonid Stream Habitat Restoration Manual Part X: Upslope Erosion Inventory and Sediment Control Guidance. California Department of Fish and Game, Inland Fisheries Division. Sacramento, CA.
- Wondzell, S.M. and F.J. Swanson. 1999. Floods, channel change, and the hyporheic zone. *Water Resources Research*. 35(2): 555-567.
- Wu, H., J. S. Kimball, M. M. Elsner, N. Mantua, R. F. Adler, and J. Stanford (2012), Projected climate change impacts on the hydrology and temperature of Pacific Northwest rivers, *Water Resour. Res.*, 48(11).
- Zinke, P. J. 1977. N The redwood forest and associated north coast forest. Pages 679-698 *in* M. G. Barbour and J. Major, editors. *Terrestrial vegetation of California*. John Wiley & Sons, New York.