

**CHAPTER 16
REFERENCES CITED IN STAFF REPORT**

Anderson, J.R. Hardy, E.E., Roach, J.T. and R.E. Witmer. 1976. A Land Use and Land Cover Classification System for use with Remote Sensor Data. Geological Survey Professional Paper 964. U.S. Geological Survey, Washington, DC.

Anderson, S.A., Turner, S.J., and G.D. Lewis. 1997. enterococci in the New Zealand environment: implications for water quality monitoring. *Water Science and Technology* 35(11-12): 325-31.

Applied Survey Research 2005. 2005 Mendocino County Homeless Census and Survey. Applied Survey Research, Watsonville, CA.

Applied Survey Research 2013. 2013 Sonoma County Homeless Census and Survey Comprehensive Report. Applied Survey Research, Watsonville, CA.

BAE Urban Economics 2013. Final Report: 2013 Napa County Farmworker Housing Needs Assessment. Submitted to Napa County Housing and Intergovernmental Affairs. March 29, 2013.

Basu, S., Page, J., and Wei, I.W. 2007. UV Disinfection of Treated Wastewater Effluent: Influent of Color, Reactivation, and Regrowth of Coliform Bacteria. *Environmental Engineer: Applied Research and Practice*. Vol. 4, Fall 2007.

Benito, C.A. 2005. The Economic Impact of Equestrian Activities in Sonoma County. Sonoma State University, School of Business and Economics. Prepared for the Sonoma County Horse Council, Santa Rosa, CA.

Bernhard, A.E., and Field, K.G. 2000a. Identification of nonpoint sources of fecal pollution in coastal waters by using host-specific 16S ribosomal DNA genetic markers from fecal anaerobes. *Applied and Environmental Microbiology* 66(4): 1587-1594.

Bernhard, A.E., and Field, K.G. 2000b. A PCR assay to discriminate human and ruminant feces on the basis of host differences in Bacteroides-Prevotella genes encoding 16S rRNA. *Applied and Environmental Microbiology* 66(10): 4571-4574.

Budnick, G.E., Howard, R.T., and D.R. Mayo. 1996. Evaluation of enterolert for enumeration of enterococci in recreational waters. *Applied and Environmental Microbiology* 62(10): 3881-3884.

Butkus, S. 2013a. Assessment of Fecal Indicator Bacteria Concentrations measured Draining from Areas with Different Land Covers. Memorandum to the Russian River TMDL

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

File dated January 18, 2013. North Coast Regional Water Quality Control Board, Santa Rosa, CA.

Butkus, S. 2013b. Evaluation of the Averaging Period for Application of Fecal Indicator Bacteria Water Quality Criteria. Memorandum dated July 25, 2013 to the File: Russian River Pathogen TMDL Development and Planning, North Coast Water Quality Control Board. Santa Rosa, CA.

Butkus, S. 2013c. Evaluation of Fecal Coliform Bacteria Concentrations Measured in the Russian River Watershed Indicator Bacteria Water Quality Criteria. Memorandum dated July 25, 2013 to the File: Russian River Pathogen TMDL Development and Planning, North Coast Water Quality Control Board. Santa Rosa, CA.

Butkus, S. 2013d. Fecal Indicator Bacteria Concentration Reductions needed to meet Water Quality Criteria. Memorandum to the Russian River TMDL File dated November 7, 2013. North Coast Regional Water Quality Control Board, Santa Rosa, CA.

Butkus, S. 2014a. Summary and review of report titled “Russian River Human Impact Study – Phylochip Microbial Community Analysis”. Memorandum dated June 5, 2014 to the File: Russian River Pathogen TMDL Development and Planning, North Coast Water Quality Control Board. Santa Rosa, CA.

Butkus, S. 2014b. Effect of Russian River Dry Season Stream Flow Management on *E. coli* Bacteria Concentrations. Memorandum to the Russian River TMDL File dated June 4, 2014. North Coast Regional Water Quality Control Board, Santa Rosa, CA.

Cabelli, V.J., Dufour, A.P., McCabe, L.J., Levin, M.A. 1982. Swimming Associated Gastroenteritis and Water Quality. *American Journal of Epidemiology* 115 (4). 606-616 as cited in U.S. EPA 2012. Recreational Water Quality Criteria. Publication No. EPA 820-F-12-058. U.S. Environmental Protection Agency, Washington, DC. As reported in (U.S. EPA 2012).

Cabelli, V.J., Dufour, A.P., McCabe, L.J., Levin, M.A. 1983. A Marine Recreational Water Quality Criterion consistent with Indicator Concepts and Risk Analysis. *Journal Water Pollution Control Federation* 55 (10). 1306-1314. As reported in (U.S. EPA 2012).

Casanovas-Massana, A., and Blanch, A. R. 2012. Determination of fecal contamination origin in reclaimed water open-air ponds using biochemical fingerprinting of enterococci and fecal coliforms. *Environmental Science and Pollution Research*. Published online DOI 10.1007/s11356-012-1197-1. Springer-Verlag Berlin Heidelberg.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

California Department of Housing and Community Development (CDHCD) 2014. Mobile Homes and RV Parks Listing. Data downloaded January 2014 from <https://ssw1.hcd.ca.gov/ParksListing/faces/parkslist/mp.jsp>.

California Department of Health Services (CDHS) 2006. Draft Guidance for Fresh Water Beaches. Last Update: May 8, 2006. Initial Draft: November 1997. CDHS Division of Drinking Water and Environmental Management. Sacramento, CA

California Department of Health Services (CDHS) 2007. Treatment Technology Report for Recycled Water. Division of Drinking Water and Environmental Management. Carpinteria, CA.

City of Santa Rosa 2013. Santa Rosa Non-Stormwater Discharge Best Management Practices (BMP) Plan for NPDES MS4 Permit Order No. R1-2009-0050. City of Santa Rosa Utilities Department, CA

Corbett, S.J., Rubin, G.L., Curry, G.K., Kleinbaum, D.G. and the Sydney Beach Users Study Advisory Group. 1993. The Health Effects of Swimming at Sydney Beaches. *American Journal of Public Health* 83(12): 1701-1706.

Devriese, L.A., Vancanneyt, M., Descheemaeker, P., Baele, M., Van Landuyt, H.W., Gordts, B., Butaye, P. Swings, J. and F. Hasesbrouck. 2002. Differentiation and identification of enterococci durans, E. hirae and E. villorum. *Journal of Applied Microbiology* 92: 821-827.

Dubinsky, E.A., Esmaili, L., Hulls, J.R., Cao, Y., Griffith, J.F. and G.L. Andersen. 2012. Application of Phylogenetic Microarray Analysis to Discriminate Sources of Fecal Pollution. *Environmental Science and Technology* 46:4340-4347.

Dubinsky, E., and G. Andersen. 2014. Russian River Human Impact Study PhyloChip Microbial Community Analysis. Final Report dated May 1, 2014. Lawrence Berkeley National Laboratory, Berkeley, CA.

Dufour, A.P. 1983. Health Effects Criteria for Fresh Recreational Waters. Publication No. EPA-600/1-84-004. U.S. Environmental Protection Agency, Cincinnati, OH.

Favero, M.S. 1985. Microbiological indicators of health risks associated with swimming. *American Journal of Public Health* 75(9): 1051-3.

Ferguson, D.M., Moore, D.F., Getrich, M.A. and M.H. Zhouwandai. 2005. Enumeration and speciation of enterococci found in marine and intertidal sediments and coastal water in southern California. *Journal of Applied Microbiology* 99(3):598-608.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

Ferguson, D., Griffith, J., Cao, Y., Othmann, L., Manajsan, M. and Andre Sonksen. 2011. Assessing natural sources and regrowth of enterococci in urban runoff impacting coastal beaches in San Diego. Great Lakes Beach Association Conference. September 2011, Michigan City, IN.

Ferguson, D.M., Griffith, J.F., McGee, C.D., Weisberg, S.B., and C. Hagedorn. 2013. Comparison of enterococci Species Diversity in Marine Water and Wastewater Using Enterolert and EPA Method 1600. *Journal of Environmental and Public Health*, Volume 2013, Article ID 848049. <http://dx.doi.org/10.1155/2013/848049>

Fisher, K. and C. Phillips. 2003. The ecology, epidemiology and virulence of enterococci. *Microbiology* 155, 1749–1757

Fry, J., Xian, G., Jin, S., Dewitz, J., Homer, C., Yang, L., Barnes, C., Herold, N., and J. Wickham. 2011. Completion of the 2006 National Land Cover Database for the Conterminous United States. *Photogrammetric Engineering & Remote Sensing* Vol. 77(9):858-864.

Griffith, J.F., Layton, B.A., Boehm, A.B., Holden, P.A., Jay, J.A., Hagedorn, C., McGee, C.D., and S. B. Weisberg. 2013. The California Microbial Source Identification Manual: A Tiered Approach to Identifying Fecal Pollution Sources to Beaches. Technical Report 804. Southern California Coastal Water Research Project, Costa Mesa, CA.

Hansen, D.L., Clark, J.J., Ishii, S., Sadowsky, M.J. and R.E. Hicks. 2008. Sources and Sinks of *Escherichia coli* in Benthic and Pelagic Fish. *Journal of Great Lakes Research* 34:228-234.

Hartel, P.G., Rodgers, K., Fisher, J.A., McDonald, J.L., Gentit, L.C., Otero, E., Rivera-Torres, Y., Bryant, T.L., and S.H. Jones. 2005. Proceedings of the 2005 Georgia Water Resources Conference, held April 25-27, 2005, at The University of Georgia. Kathryn J. Hatcher, editor, Institute Ecology, The University of Georgia, Athens, Georgia.

Hartel, P.G., Jones, S. and E. Otero. 2006. Field-testing Targeted Sampling and enterococci faecalis to Identify Human Fecal Contamination in Three National Estuarine Research Reserves. Report Submitted to The NOAA/UNH Cooperative Institute for Coastal and Estuarine Environmental Technology. NOAA Grant Number NA03NOS4190195.

Hazen, T.C., Dubinsky, E.A.; DeSantis, T.Z.; Andersen, G.L., Piceno, Y.M., Singh, N, Jansson, J.K.; Probst, A., Borglin, S.E., Fortney, J.L., Stringfellow, W.T.; Bill, M., Conrad, M. E., Tom, L.M., Chavarria, K.L., Alusi, T.R., Lamendella, R., Joyner, D.C.; Spier, C., Baelum, J., Auer, M.; Zemla, M., Chakraborty, R., Sonnenthal, E.L., D’Haeseleer, P., Holman, H. Y. N., Osman, S., Lu, Z. M, Van Nostrand, J.D., Deng, Y., Zhou, J.Z., and O.U. Mason. 2010. Deep-Sea Oil Plume Enriches Indigenous Oil-Degrading Bacteria. *Science* 2010, 330 (6001), 204–208.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

Howard, J. 2010. Sensitive Freshwater Mussel Surveys in the Pacific Southwest Region: Assessment of Conservation Status. Prepared for USDA Forest Service, Pacific Southwest Region. The Nature Conservancy.

IDEXX. 2001. Colilert® and Enterolert® Test Pack Procedures IDEXX Laboratories, Inc., Westbrook, Maine.

Layton, A., McKay, L., Williams, D., Garrett, V., Gentry, R., and G. Saylor 2006. Development of Bacteroides 16S rRNA Gene TaqMan-Based Real-Time PCR Assays for Estimation of Total, Human, and Bovine Fecal Pollution in Water. *Applied and Environmental Microbiology* 72(6): 4214–4224.

Lim, S. and V. Olivieri. 1982. Sources of Microorganisms in Urban Runoff. Johns Hopkins School of Public Health and Hygiene. Jones Falls Urban Runoff Project. Baltimore, MD. As reported in (Schueler 2000).

Linegar, T. 2013. Sonoma County Agricultural Crop Report – 2012. Office of the Agricultural Commissioner, County of Sonoma, Santa Rosa, CA.

Marks, R. 2001. Cesspools of Shame – How Factory Farm Lagoons and Sprayfields threaten Environmental and Public Health. Natural Resources Defense Council and the Clean Water Network. Washington, DC.

Mattison K, Shukla A , Cook A, Pollari F, Friendship R, Kelton D, Bidawid S, Farber JM. Human norovirus in swine and cattle. *Emerg Infect Dis* 2007; 13(8):1184-1188.

McAllister, T.A. and E. Topp. 2012. Role of Livestock in microbial contamination of water: Commonly the blame, but not always the source. *Animal Frontiers* 2(2):17-27.

Molina, M. 2007. Evaluation of Selected DNA-based Technology in Impaired Watersheds Impacted by Fecal Contamination from Diverse Sources. Publication No. EPA/600/R-07/123. U.S. Environmental Protection Agency, Athens, GA.

Morse, C. 2012. Mendocino County Agricultural Crop Report – 2012. Office of the Agricultural Commissioner, County of Mendocino, Ukiah, CA.

National Resources Conservation Service (NRCS). 2007. Chapter 7 - Hydrologic Soil Groups. Part 630 Hydrology National Engineering Handbook. 210-VI-NEH. U.S. Department of Agriculture. Washington, DC.

National Resources Conservation Service (NRCS). 2013. Soil Survey Geographic Database (SSURGO). U. S. Department of Agriculture. Washington, DC. Available at <http://websoilsurvey.nrcs.usda.gov/>

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

Niemi, R.M., Ollinkangas, T., Paulin, L., Svec, P., Vandamme, P., Karkman, A., Kosina, M., and K. Lindström. 2012. *enterococci rivorum* sp. nov., from water of pristine brooks. *International Journal of Systematic and Evolutionary Microbiology* 62(9):2169-73.

North Coast Regional Water Quality Control Board (NCRWQCB). 1967. Water Quality Control Policy for the Klamath River in California. State of California. The Resources Agency. March 1967.

North Coast Regional Water Quality Control Board (NCRWQCB). 1971a. Interim Water Quality Control Policy for the Klamath River Basin. State of California. The Resources Agency. June 1971.

North Coast Regional Water Quality Control Board (NCRWQCB). 1971b. Interim Water Quality Control Policy for the North Coastal Basin. State of California. The Resources Agency. June 1971.

North Coast Regional Water Quality Control Board (NCRWQCB). 1975. Water Quality Control Policy for the North Coastal Basin. State of California. State Water Resources Control Board. April 1975

North Coast Regional Water Quality Control Board (NCRWQCB) 2011. Water Quality Control Plan for the North Coast Region. NCRWQCB, Santa Rosa, CA.

North Coast Regional Water Quality Control Board (NCRWQCB) 2012. Russian River Pathogen TMDL: 2011-2012 Monitoring Report. NCRWQCB, Santa Rosa, CA. May 2012.

North Coast Regional Water Quality Control Board (NCRWQCB) 2013a. Russian River Pathogen TMDL: Onsite Wastewater Treatment System Impact Study Report. NCRWQCB, Santa Rosa, CA. July 2013.

North Coast Regional Water Quality Control Board (NCRWQCB) 2013b. Russian River Pathogen TMDL: Beach Recreation Impact Study Report. NCRWQCB, Santa Rosa, CA. November 2013.

North Coast Regional Water Quality Control Board (NCRWQCB) 2013c. Upper Russian River Fecal Indicator Bacteria Monitoring Report. NCRWQCB, Santa Rosa, CA. November 2013.

Ode, P. and K. Schiff. 2009. Recommendations for the Development and Maintenance of a Reference Conditional Management Program (RCMP) to Support Biological Assessment of California's Wadeable Streams. Final Technical Report. California Water Boards. Surface Water Ambient Monitoring Program.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

Palencia, L. and E. Archibald. 2013. Sonoma County Water Agency Watershed Sanitary Survey. Second Update. Final Report. November 2013.

Pitt, R. 1998. "Epidemiology and Stormwater Management." In Stormwater Quality Management. CRC/Lewis Publishers. New York, NY. As reported in (Schueler 2000).

Roberts, G.S. 2012. When Bacteria call the Storm Drain "Home". Stormwater Journal for Surface Water Quality Professionals. May 2012. Santa Barbara, CA.

Schueler, T. 2000. Microbes in Urban Watersheds: Concentrations, Sources, & Pathways: The Practice of Watershed Protection. Center for Watershed Protection, Ellicott City, MD. *Watershed Protection Techniques* 3(1): 554-565.

Sercu, B. Van De Werfhorst, L.C., Murray, L.S. and P.A. Holden. 2010. Cultivation-independent analysis of bacteria in IDEXX Quanti-1 Tray/2000 fecal indicator assays. *Applied Environmental Microbiology*, doi:10.1128/AEM.01113-10, American Society for Microbiology.

Seyfried, P.L., Tobin, R.S., Brown, N.E., and P.F. Ness, P.F. 1985a. A prospective study of swimming-related illness: I. Swimming-associated health risk. *American Journal of Public Health* 75:1068-1070.

Seyfried, P.L., Tobin, R.S., Brown, N.E., and P.F. Ness. 1985b. A prospective study of swimming-related illness: II. Morbidity and the microbiological quality of water. *American Journal of Public Health* 75:1071-1075.

Shanks, O.C., White, K., Kelty, C.A., Sivaganesan, M., Blannon, J., Meckes, M., Varma, M., and R.A. Haugland. 2010a. Performance of PCR-based assays targeting Bacteroidales genetic markers of human fecal pollution in sewage and fecal samples. *Environmental Science and Technology* 44(16):6281-6288.

Shanks, O.C., White, K., Kelty, C.A., Hayes, S., Sivaganesan, Jenkins, M., Varma, M., and R.A. Haugland. 2010b. Performance Assessment PCR-Based Assays Targeting Bacteroidales Genetic Markers of Bovine Fecal Pollution. *Applied and Environmental Microbiology* 76(5): 1359-1366

Soller, J.A., Bartrand, T., Ashbolt, N.J., Ravenscroft, J., Wade, T., 2010. Estimating the primary aetiologic agents in recreational freshwaters impacted by human sources of faecal contamination. *Water Research* 44 (16), 4736-4747.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

Sonoma County Department of Health Services (SCDHS). 2014. Fresh Water Quality Sampling: Russian River Beaches and Spring Lake Lagoon. Data downloaded on November 14, 2014 from <http://www.sonoma-county.org/health/services/pdf/russianriver2014.pdf>.

Stoddard, J.L., D.P. Larsen, C.P. Hawkins, R.K. Johnson, and R.H. Norris. 2006. Setting Expectations for the Ecological Condition of Streams: The Concept of Reference Condition. *Ecological Applications* 16(4), 2006, pp. 1267-1276.

Trial, W. et al. 1993. Bacterial Source Tracking: Studies in an Urban Seattle Watershed. *Puget Sound Notes* 30:1-3. As reported in (Schueler 2000)

Tyler, J. 2013. Personal Communication from James Tyler, Supervising Environmental Health Specialist with the County of Sonoma Department of Health Services to Steve Butkus (Regional Water Board Staff) on October 4, 2013.

U.S. Census Bureau (2010) Annual Estimates of the Resident Population. April 1, 2010. Available at <http://www.census.gov/2010census/popmap/ipmtext.php?fl=06>

U.S. Census Bureau (2013). Annual Estimates of the Resident Population. July 1, 2013. Available at <http://factfinder2.census.gov/faces/tableservices/jsf/pages/productview.xhtml?src=bkmk>

U.S. Department of Health, Education, and Welfare (U.S. DHEW). 1972. Manual of Septic-Tank Practice. Rockville, MD.

U.S. Environmental Protection Agency (U.S. EPA) 1976. Quality Criteria for Water. U.S. EPA, Washington, DC.

U.S. Environmental Protection Agency (U.S. EPA) 1986. Ambient Water Quality Criteria for Bacteria – 1986. Publication No. EPA440/5-84-002. U.S. EPA, Washington, DC.

U.S. Environmental Protection Agency (U.S. EPA) 1999. Protocol for Developing Nutrient TMDLs. Publication No. EPA 841-B-99-007. Office of Water (4503F). U.S. EPA, Washington, DC.

U.S. Environmental Protection Agency (U.S. EPA) 2001a. Protocol for Developing Pathogen TMDLs. Publication No. EPA 841-R-00-002. Office of Water (4503F). U.S. EPA, Washington, DC.

U.S. Environmental Protection Agency (U.S. EPA) 2001b. EPA Requirements for Quality Assurance Project Plans. Publication No. EPA/240/B-01/003. U.S. EPA, Washington DC.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

U.S. Environmental Protection Agency (U.S. EPA) 2002a. Method 1600: enterococci in Water by Membrane Filtration Using membrane-enterococci Indoxyl- β -D-Glucoside Agar (mEI). Publication No. EPA 821-R-02-022. U.S. EPA, Washington, D.C.

U.S. Environmental Protection Agency (U.S. EPA) 2002b. Method 1603: Escherichia coli (E. coli) in Water by Membrane Filtration Using Modified Membrane-Thermotolerant Escherichia coli Agar (Modified mTEC). Publication No. EPA 821-R-02-023. U.S. EPA, Washington, D.C.

U.S. Environmental Protection Agency (U.S. EPA) 2002c. Guidance for Quality Assurance Project Plans EPA QA/G-5. Publication No. EPA/240/R-02/09. U.S. EPA, Washington, D.C.

U.S. Environmental Protection Agency (U.S. EPA). 2009. Review of zoonotic pathogens in ambient water. Publication No. EPA 822-R-09-002. USEPA, Washington, D.C.

U.S. Environmental Protection Agency (U.S. EPA) 2010. Report on 2009 National Epidemiologic and Environmental Assessment of Recreational Water Epidemiology Studies (NEEAR 2010 - Surfside & Boquerón). Publication No. EPA-600-R-10-168. U.S. EPA, Washington, DC.

U.S. Environmental Protection Agency (U.S. EPA) 2012. Recreational Water Quality Criteria. Publication No. EPA 820-F-12-058. U.S. EPA, Washington, DC.

U.S. Food and Drug Administration (U.S. FDA) 2011. Guide for the Control of Molluscan Shellfish. National Shellfish Sanitation Program. U.S. FDA, College Park, MD.

van der Wel, B. 1995. "Dog Pollution." *The Magazine of the Hydrological Society of South Australia* 2(1)1. As reported in (Schueler 2000).

Wexler, H.M. 2007. Bacteroides: the Good, the Bad, and the Nitty-Gritty. *Clinical Microbiology Reviews* 20(4):593-621.

Wheeler, A.L., Hartel, P.G., Godfrey, D.G., Hill, J.L., and W.I. Segars. 2002. Potential of enterococci faecalis as a Human Fecal Indicator for Microbial Source Tracking. *J. Environ. Qual.* 31:1286-1293.

Wilhelm, S., S. Schiff, and J. Cherry. 1994. Biogeochemical Evolution of Domestic Wastewater in Septic Systems: 1. Conceptual model." *Groundwater* 32: 905-916.

Yakub,G.P., Castric, D.A., Stadterman-Knauer, K.L., , Tobin, M.J., Blazina, M., Heineman, T.N., Yee, G.Y. and L. Frazier. 2002. Evaluation of Colilert and Enterolert Defined Substrate Methodology for Wastewater Applications. *Water Environment Research* Vol. 74, No. 2 (Mar. - Apr., 2002), pp. 131-135.

**Draft Staff Report
for the Action Plan for the Russian River Pathogen TMDL**

Zhang, Z., and B.E. Johnson. 2010. HEC-HMS Development in Support of Russian River Watershed Assessment. Publication No. ERDC/EL TN-10-3. U.S. Army Corps of Engineers. Army Engineer Research and Development Center, Vicksburg, MS.