

## REFERENCES

- Armentrout, S., Brown, H., Chappell, S., Everett-Brown, M., Fites, J., Forbes, J., MacFarland, M., Riley, J., Roby, K., Villalovos, A., Walden, R., Watts, D., Williams, M.R., 1998, Watershed analysis for Mill, Deer, and Antelope Creeks: prepared by the Watershed Analysis Team, Almanor Ranger District, Lassen National Forest.
- Armstrong, Marcia, 2005, Draft Comments on the TMDL Report for the Scott: August 15, 2005. 7 p.
- Barnes, H.H., 1967, Roughness characteristics of natural channels: USGS water supply paper 1849, US Government Printing Office, Washington, 219 p.
- Bartholow, J.M., 1999, SSTEMP Version 1.1.0: As retrieved from USGS, Midcontinent Ecological Science Center website: [http://www.mesc.usgs.gov/rsm/rsm\\_software.html](http://www.mesc.usgs.gov/rsm/rsm_software.html)
- Bartholow, J.M., 2000, Estimating cumulative effects of clearcutting on stream temperatures: Rivers, vol. 7, no. 4, p. 284-297.
- Bennett, B., 2005, personal communication, California Department of Water Resources, August 31, 2005.
- Beschta, R.L., 1997, Riparian shade and stream temperature: An alternative perspective: Rangelands, v. 19, no. 2, p. 25-28.
- Beschta, R.L., Bilby, R.E., Brown, G.W. [and others], 1987, Stream temperature and aquatic habitat: fisheries and forestry interactions: in E.O. Salo and T.W. Cundy eds., Streamside management: Forestry and fishery interactions, Contrib. 57: University of Washington, College of Forest Resources, Seattle, p. 191-232.
- Boyd, M.S., 1996, Heat Source: stream temperature prediction: Master's Thesis, Departments of Civil and Bioresource Engineering, Oregon State University, Corvallis, Oregon.
- Boyd, M., and Kasper, B., 2003, Analytical methods for dynamic open channel heat and mass transfer: Methodology for heat source model Version 7.0, 193 p.
- Brosofske, K. D., Chen, J., Naiman, R.J., and Franklin J.F., 1997, Harvesting effects on microclimatic gradients from small streams to uplands in western Washington: Ecological Applications, vol. 7, no. 4, p. 1188-1200.
- Brown, G.W, 1980, Forestry and water quality: School of Forestry, Oregon State University.
- Brown, L.R., and Moyle, P.B., 1991, Status of coho salmon in California: Report to the National Marine Fisheries Service, Department of Wildlife and Fisheries Biology, University of California, Davis, 98 p.

Brown, L.R., Moyle, P.B., and Yoshiyama R.M., 1994, Historical decline and current status of coho salmon in California: North American Journal of Fisheries Management, v. 14, no. 2, p. 237-261.

Brungs, W.A., and Jones B.R., 1977, Temperature criteria for freshwater fish: Protocol and procedures: Environmental Research Laboratory, Duluth, USEPA, 136 p.

California Department of Fish and Game (CDFG), 1965, California fish and wildlife plan, Volume III, Supporting Data: Part B-Inventory Salmon-Steelhead and Marine Resources, 356 p.

California Department of Fish and Game (CDFG), 2002, Status review of California coho salmon north of San Francisco: Report to the California Fish and Game Commission: The Resources Agency, Sacramento, CA, 232 p. plus appendices.

California Department of Fish and Game (CDFG), 2003, California stream bioassessment procedure. Protocol brief for biological and physical/habitat assessment in wadeable streams: Water Pollution Control Laboratory, Aquatic Bioassessment Laboratory. Revised December 2003, 15 p.

California Department of Fish and Game (CDFG), 2004a, Recovery strategy for California coho salmon: Report to the California Fish and Game Commission. Available online at <http://www.dfg.ca.gov/nafwb.cohorecovery> .

California Department of Fish and Game (CDFG), 2004b, Federal and State Endangered Species Act Status for California Anadromous Fish as of August 6, 2004: <http://www.dfg.ca.gov/nafwb/> (Choose Document "Listing Status.pdf" from left column), downloaded December 2, 2004.

California Department of Fish and Game (CDFG), 2005, Fact sheet regarding incidental take permitting and streambed alteration agreement requirements for agricultural diversions in the Shasta and Scott River watersheds: 4 p.

California Department of Transportation (Caltrans), 2005, Caltrans storm water management program: Division of Environmental Analysis. Available online <http://www.dot.ca.gov/hq/env/stormwater/index.htm> , downloaded March 22, 2005.

California State Lands Commission. 1993. California's Rivers: A Public Trust Report. Sacramento, Calif.

California State University (CSU) Sacramento, 2005a, Estimated storm water runoff loads for HAS: 105.41: Office of Water Programs Water Quality Planning Tool, <http://stormwater.water-programs.com/loadmodel/loadswdist.asp?chsacode=105.41> , downloaded March 22, 2005.

- California State University (CSU) Sacramento, 2005b, Estimated storm water runoff loads for HAS: 105.42: Office of Water Programs Water Quality Planning Tool, <http://stormwater.water-programs.com/loadmodel/loadswdist.asp?chsacode=105.42> , downloaded March 22, 2005.
- Carter, Katharine, 2005, The effects of temperature on steelhead trout, coho salmon, and chinook salmon biology and function by life stage: implications for Klamath basin TMDLs: NCRWQCB, August, 2005.
- Chen, J., Franklin, J.F., and Spies, T.A., 1993, An empirical model for predicting diurnal air-temperature gradients from edge into old-growth Douglas-fir forest: Ecological Modelling, vol. 67, p. 179-198.
- Chen, J., Saunders, S.C., Crow, T.R., Naiman, R.J., Brosofske, K.D., Mroz, G.D., Brookshire, B.L., and Franklin, J.F., 1999, Microclimate in forest ecosystem and landscape ecology: variations in local climate can be used to monitor and compare the effects of different management regimes: Bioscience, v. 49, no. 4, p. 288-297.
- Chesney, W.R., 2000, Annual Report: Study 3a1, Shasta and Scott River juvenile steelhead trapping, 2000: California Department of Fish and Game, Northern California North Coast Region, Steelhead Research and Monitoring Program, Yreka, CA., 37 p.
- Chesney, W.R., 2002, Annual report: Shasta and Scott River juvenile salmonid outmigrant study, 2000-2001: Project 2a1: California Department of Fish and Game, Northern California North Coast Region, Steelhead Research and Monitoring Program, Yreka, CA, 38 p.
- Chesney, W.R., and Yokel, E.M., 2003, Annual report: Shasta and Scott River juvenile salmonid outmigrant study, 2001-2002: Project 2a1: California Department of Fish and Game, Northern California North Coast Region, Steelhead Research and Monitoring Program, Yreka, CA. 40 p.
- Chesney, W.R., Unger, S.D., and Yokel, E.M.. 2004. Annual report: Shasta and Scott River juvenile salmonid outmigrant study, 2003: Project 2a1: California Department of Fish and Game, Northern California North Coast Region, Anadromous Fisheries Resource Assessment and Monitoring Program, Yreka, CA, 58 p.
- Coates, D.A., 2006, Memo to David Leland. Subject: Conversation with Don Elder, June 2005, regarding landslides, 1 p.
- Coates, D.A., and McFadin, Bryan, 2004, Scott River Basin Sediment TMDL stratified random sampling for streamside and road-associated sediment contribution: Unpublished report distributed by Regional Water board at TMDL Technical Advisory Group meeting, Greenview, CA, July, 2004, 8 p.
- Coats, R.N., and Miller, T.O., 1981, Cumulative silvicultural impacts on watersheds: a hydrologic and regulatory dilemma: Environmental Management, v. 5, no. 2, p. 147-160.

- Coos Watershed Association, undated, Willanch creek: project effectiveness monitoring and stream temperature study 1997-2002, 6 p.
- County of Siskiyou, 1975, Land Development Manual. Public Works Department.
- Deas, Michael; Abbot, Alida; and Bale, Andrew, 2003, Shasta River flow and temperature modeling project, April, 2003: Watercourse Engineering Inc., Napa, CA, 188 p. plus appendices.
- De la Fuente, Juan, and Elder, Don, 1998, The flood of 1997, Klamath National Forest, Phase I Final Report, November 24, 1998: Klamath National Forest, Yreka, CA, 76 p. plus appendices.
- Derksen, Jan, 2005, Scott shallow landslide hazard maps: Online report available at [www.krisweb.com](http://www.krisweb.com)
- Dietrich, W.E., Real de Asua, R., Coyle, John, Orr, Bruce, and Trso, Martin, 1998, A validation study of the shallow slope stability model, SHALSTAB, in forested lands of Northern California: prepared for Louisiana-Pacific Corporation, Calpella, CA, 29 June 1998, 15 p. plus figures. Available online at [http://www.krisweb.com/biblio/gen\\_ucb\\_dietrichetal\\_1998\\_shalstab.pdf](http://www.krisweb.com/biblio/gen_ucb_dietrichetal_1998_shalstab.pdf) .
- Dong, J., Chen, J., Brosofske, K.D., and Naiman, R.J., 1998, Modeling air temperature gradients across managed small streams in western Washington: *Journal of Environmental Management*, v.53, p. 309-321.
- Dunne, Thomas, and Leopold, L.B., 1978, *Water in environmental planning*: W.H. Freeman and Company, New York, 825 p. approx.
- Dunne, Thomas; Agee, James; Beissinger, Stephen; Dietrich, William; Gray, Donald; Power, Mary; Resh, Vincent, and Rodrigues, Kimberly, 2001, A scientific basis for the prediction of cumulative watershed effects: University of California Wildland Resource Center Report No. 46., 103 p.
- Elder, Don, 2005, USFS, oral communication, June 2005. See memo of 1/13/06 from D.A. Coates to D.F. Leland
- Elliot, J.M., 1981, Some aspects of thermal stress on freshwater teleosts: *in* A.D. Pickering, ed., *Stress and Fish*: Academic Press, London, p. 209-245.
- Fitzgerald, R.M., 2004, Memorandum to File: Subject: Inter-agency General Water Quality Monitoring Conditions and Monitoring Objectives, June 29, 2004.
- Fitzgerald, R.M., 2005a, Memo to Gerald Horner. Subject: Scott TMDL – Economic Analysis – ECP Costs, August 29, 2005.

Fitzgerald, R.M., 2005b, Memo to File. Subject: Economic Analysis – Grazing and Riparian Management Plans, August 31, 2005.

Fitzgerald, R.M., 2005c, Memo to file. Subject: Scott River TMDL Action Plan. Meeting with Bill Bennett, DWR, on water use in the Scott Valley, 2 p.

Five Counties Salmonid Conservation Program, 2002, A Water Quality and Stream Habitat Protection Manual for County Road Maintenance in Northwestern California Watersheds: Administrative Draft 9/02.

Flanagan, S.A., Furniss, M.J., Ledwith T.S., Thiesen Stan, Love, Michael, Moore, Kemset, and Ory, Jill, 1998, Methods for inventory and environmental risk assessment of road drainage crossings: USDA Forest Service Research Paper No. 9877-1809-SDTDC. December 1998, 38 p. plus appendices. Available online at: <http://www.stream.fs.fed.us/water-road/w-r-pdf/handbook.pdf> .

Flosi, Gary; Downie, Scott; Hopelain, James; Bird, Michael; Coey, Robert, and Collins, Barry, updated 2004, California salmonid stream habitat restoration manual, Third Edition, Volume I: California Department of Fish and Game. Inland Fisheries Division, 270 p. plus appendices. <http://www.dfg.ca.gov/nafwb/pubs/1998/manual3.pdf>

Fox, Martin, 2001, A new look at the quantities and volumes of instream wood in forested basins within Washington State: M.S. Thesis, University of Washington, College of Forest Resources, 116 p. plus Appendices.

French Creek Watershed Advisory Group (WAG), 1996, French Creek Watershed Advisory Group Program Narrative, Etna, CA, 2 p.

Furniss, M.J., Flanagan, S.A., and McFadin, B., 2000, Hydrologically-connected roads: An indicator of the influence of roads on chronic sedimentation, surface water hydrology, and exposure to toxic chemicals: Stream Notes, Stream Systems Technology Center, USDA Forest Service, Rocky Mountain Research Station, Fort Collins, Colo., July 2000, 3 p. Available online at: [http://stream.fs.fed.us/news/streamnt/pdf/SN\\_7-00.pdf](http://stream.fs.fed.us/news/streamnt/pdf/SN_7-00.pdf) , accessed 2/05

Graham Matthews & Associates, 2001, Sediment source analysis for the mainstem Trinity River, Trinity County, CA, Volume 1: Text, Tables, Figures: consultant report prepared for Tetra Tech, Work Assignment # 0-34, 89 p. plus tables and figures.

Hardy, T.B., and Addley, R.C., 2001, Evaluation of interim instream flow needs in the Klamath River, phase II, draft final report: report prepared for USDI, Institute for Natural Systems Engineering, Utah Water Research Laboratory, Utah State University, Logan UT, November 2001, 304 p.

- Harrington, J., and Born, M., 1999, Measuring the Health of California Streams and River. A Methods Manual for: Water Resource Professionals, Citizen Monitors, and Natural Resources Students: Sustainable Land Stewardship Int'l. Inst.
- Harris, R., 2002, The Five County Salmon Conservation Plan, California Forest Stewardship Program. Available online at: <http://ceres.ca.gov/foreststeward/html/fivecounty.html> , downloaded July 14, 2005.
- Harvey, B.C., and Lisle, T., 1998, Effects of suction dredging on streams: a review and an evaluation: Fisheries Habitat: Fisheries, v. 23, no. 8, p. 8-17.
- Harvey, B.C., and Lisle, T., 1999, Scour of chinook salmon redds on suction dredge tailings, American Fisheries Society: North American Journal of Fisheries Management, v. 19, p. 613-617.
- Harvey, B.C., and Nakamoto, R.J., 1996, Effects of steelhead density on growth of coho salmon in small coastal California stream: Transactions of the American Fisheries Society, v. 125, p. 237-243.
- Hesseldenz, Tom; Poore, Rick; and Cook, Jeff, 1999, Preliminary floodplain restoration plan for a 1-mile portion of the Scott River degraded by past gold dredging: Consultant report for U.S. Fish and Wildlife Service, 68 p.
- Hilton, Sue, and Lisle, T.E., 1993, Measuring the fraction of pool volume filled with fine sediment: U.S. Forest Service, Pacific Southwest Research Station, Research Note PSW-RN-414-WEB, 11 p.
- Horner, G., 2005, Scott River Watershed Economics Report – 1<sup>st</sup> Draft, September 6, 2005.
- Independent Multidisciplinary Science Team (IMST), 2000, Influences of human activity on stream temperatures and existence of cold water fish in streams with elevated temperature: report of a workshop, Technical report 2000-2 to the Oregon Plan for Salmon and Watersheds: Oregon Watershed Enhancement Board, Salem, Oregon, 35 p. plus appendices.
- Jennings, C.W., 1977, Geologic Map of California: State of California, The Resources Agency, Department of Conservation, California Geologic Data Map series, Map no 2, scale 1:750,000.
- Jobling, M. 1981. Temperature tolerance and the final preferendum - rapid methods for the assessment of optimum growth temperatures: Journal of Fish Biology, v. 19, p. 439-455.
- Johnson, S. L., and Jones, J. A., 2000, Stream temperature responses to forest harvest and debris flows in western Cascades, Oregon: Canadian Journal of Fisheries and Aquatic Sciences, v. 57(Suppl. 2), p. 30-39.

Johnson, S. L., 2003, Stream temperature: scaling of observations and issues for modeling: Hydrological Processes, v. 17, p. 497-499.

Johnson, S. L., 2004, Factors influencing stream temperatures in small streams: substrate effects and a shading experiment: Canadian Journal of Fisheries and Aquatic Sciences, v. 61, p. 913-923.

Kellogg, E.M., 1992, Predicting sedimentation from decomposed granitic slopes of the Scott River watershed, *in* Sari Sommarstrom ed., Proceedings on the Conference on decomposed granitic soils: Problems and solutions, October 21-23, Redding, CA, University Extension, UC Davis, p. 64-72.

Kennedy, J.A., Shilling, F.M., and Viers, J.H., 2005, Current and potential riparian forest condition along Scott River watershed tributaries: a report to the NCRWQCB: Department of Environmental Science and Policy, University of California, Davis, June 13, 2005, 50 p.

Kier Associates, 1999, Mid-term Evaluation of the Klamath River Basin Fisheries Restoration Program: prepared for the Klamath River Basin Fisheries Task Force, April 1999.

Klamath River Basin Fisheries Task Force (KRBFTF), 1991, Long range plan for the Klamath River Basin conservation area Fishery Restoration Program: prepared with assistance from Kier Associates, Yreka, CA, 403 p.

Knopp, Christopher (principal investigator), 1993, Testing indices of cold water fish habitat – Final report for: Development of techniques for measuring beneficial use protection and inclusion into the North Coast Region’s Basin Plan by amendment of the *Guidelines for implementing and enforcement of discharge prohibitions related to logging, construction and associated activities*: North Coast Regional Water Quality Control Board, Santa Rosa, CA, in cooperation with the California Department of Forestry, 45 p. plus appendices.

Koteen, J., S. Alexander, and Loomis, J., 2002. Evaluating the benefits and costs of changes in water quality: USDA Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-548, July 2002.

Ledwith, Tyler, 1996, The effects of buffer strip width on air temperature and relative humidity in a stream riparian zone: The Watershed Management Council Newsletter, Summer 1996, 4 p. Available online at: [http://www.watershed.org/news/sum\\_96/buffer.html](http://www.watershed.org/news/sum_96/buffer.html)

Leidy, R.A., and Leidy, G.R., 1984, Life stage periodicities of anadromous salmonids in the Klamath River basin, northwestern California: US Fish and Wildlife Service, Sacramento, CA, 21 p. plus appendix.

- Lester, Janet, 1999, Gravel summary 1997: Canyon & Tompkins Watershed Stewards Project, 33 p. (Baseline data on sediment in Canyon and Tompkins Creeks, work reviewed by Jim Kilgore, USFS Biologist)
- Lewis, J., 1998, Evaluating the impact of logging activities on erosion and suspended sediment transport in Caspar Creek watersheds, *in* Proceedings of the Conference on Coastal Watersheds: The Casper Creek Story, May 6, 1998: U.S. Department of Agriculture Forest Service General Technical Report PSW-GTR-168, 15 p. Available online at: <http://www.fs.fed.us/psw/publications/documents/gtr-168/07lewis.pdf> . Accessed 6/14/05.
- Ligon, Frank; Rich, Alice; Rynearson Gary; Thornburgh, Dale; and Trush, William; 1999, Report of the Scientific Review Panel on California Forest Practice Rules and salmonid habitat: prepared for the Resource Agency of California and the National Marine Fisheries Sacramento, California, 92 p. plus appendices. Available online at: [http://resources.ca.gov/SRP\\_Rept.pdf](http://resources.ca.gov/SRP_Rept.pdf) . Accessed 6/16/05.
- Lisle, T.E., 1989, Sediment transport and resulting deposition in spawning gravels, north coast California: Water Resources Research, v. 25, no. 6, p. 1303-1319. Available online at: <http://www.rsl.psw.fs.fed.us/projects/water/Lisle89.pdf> .
- Lytle, D.A. and Merritt, D.M., 2004, Hydrologic regimes and riparian forests: a structured population model for cottonwood: Ecology, vol. 85, no. 9, p. 2493-2503.
- MacDonald, L.H., Smart, A.W., and Wissmar, R.C. 1991, Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska: developed for Region 10, U.S. Environmental Protection Agency with the University of Washington, EPA 910/9-91-001.
- Mack, S., 1958, Geology and ground-water features of Scott Valley, Siskiyou County, California: U.S. Geological Survey Water-Supply Paper 1462, Washington D.C., 95 p.
- Mangelsdorf, Alydda, and Clyde, Lauren, 2000, Draft assessment of aquatic conditions in the Mendocino Coast hydrologic unit, Chapter 3: Ten Mile River.
- Maurer, S., 2004, Resource Management, personal communication, September 23, 2004.
- McCullough, D.A., 1999, A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to Chinook salmon: prepared for the U.S. Environmental Protection Agency, Region 10, Seattle, Wash., EPA 910-R-99-010, 279 p. Available online at: <http://www.critfc.org/tech/EPAreport.htm>
- McFadin, Bryan, 2006, Memo to the File. Subject: Personal communication with Sue Maurer, September 23, 2004 regarding springs near Boulder and Canyon Creeks, Scott River, 2 p.

- McNeil, W.J., and Ahnell, W.H, 1964, Success of pink salmon spawning relative to size of spawning bed materials: Contribution No. 157, College of Fisheries, University of Washington, U.S. Fish and Wildlife Service Special Scientific Report – Fisheries no. 469, 15 p.
- Megahan, W.F., 1982, Channel sediment storage behind obstructions in forested drainage basins draining the granitic bedrock of the Idaho Batholith, *in* Swanson, F.J., and Janda R.J., Sediment budgets and routing in forested drainage basins: USDA Forest Service Technical Report PNW-141, p. 114-121.
- Megahan, W.F., 1992, An overview of erosion and sedimentation processes on granitic soils *in* Sari Sommarstrom ed., Proceedings on the Conference on decomposed granitic soils: Problems and solutions, October 21-23, Redding, CA, University Extension, UC Davis, p. 11-39.
- Miner, J.R., and Godwin, Derek, 2003, Documenting progress toward achieving stream temperature compliance in Oregon TMDL plans: Oregon State University Extension, Salem, Oregon, 10 p.
- National Academy of Sciences, 2004, Valuing Ecosystem Services: Toward Better Environmental Decision-Making. National Research Council: The National Academies Press. Washington, D.C.
- National Association of Conservation Districts, 2005. Available online at: <http://www.nacdnet.org/about/abtnacd.htm>
- National Center for Air and Stream Improvement (NCASI), 2002, SEDMODL2 Release version, User Manual, 17 p. Available online at: <http://www.ncasi.org/Support/Downloads/Default.aspx?id=5> . Accessed June 3, 2005.
- National Center for Air and Stream Improvement (NCASI), date not given, NCASI tools and information to support landscape management and planning: <http://www.abouthfb.org/workshopPDFs/Eco1f.pdf> accessed January 4, 2006.
- National Marine Fisheries Service (NMFS), 2004, Coho salmon, Southern Oregon/Northern California coasts ESU listed threatened, May 1997. Available online at: <http://www.nwr.noaa.gov/1salmon/salmesa/cohosoc.htm> . Accessed December 2, 2004.
- Nationmaster.com, 2005, Encyclopedia: Siskiyou County, California. Available online at: <http://www.nationmaster.com/encyclopedia/Siskiyou-County,-California#Demographics> Accessed 6/14/05 .
- Norgaard, K. 2004, The effects of altered diet on the health of the Karuk people: a preliminary report: Written under contract by the Karuk Tribe of California, Department of Natural Resources Water Quality Program, 2004.

- Norman Braithwaite Incorporated, 1999, Flood risk evaluation and flood damage reduction reconnaissance study, Town of Callahan, Siskiyou County: consultant report prepared for Siskiyou County Department of Public Works, Yreka, CA, 22 p. plus appendices.
- North Coast Regional Water Quality Control Board (NCRWQCB), 2004, Initial Study. Project title: Categorical Waivers for Discharges Related to Timber Harvest activities on Non-Federal Land in the North Coast Region: Contact person Blatt, Fred, 707-576-2800, 24 p. plus appendix.
- North Coast Regional Water Quality Control Board (NCRWQCB), 2005a, Water Quality Control Plan for the North Coast Region: Approved by the State Water Resources Control Board, March 1994, and by the Office of Administrative Law August 1994, Latest amendments adopted 2001, 120 p. approx.
- North Coast Regional Water Quality Control Board (NCRWQCB), 2005b, Draft South Fork Scott River watershed pilot study for the Total Maximum Daily Load for Sediment, 19 p. plus figures and tables.
- Oregon Department of Environmental Quality (ODEQ), 2000, Upper Grande Ronde sub-basin Total Maximum Daily Load (TMDL) and Water Quality Management Plan (WQMP): Oregon Department of Environmental Quality, May, 1999, 63 p. Available online at: <http://www.deq.state.or.us/WQ/TMDLs/GrandRondeBasin/UpperGrandRonde/UprGRTMDL.pdf>
- Oregon Department of Environmental Quality (ODEQ), 2002, Upper Klamath Lake drainage stream temperature analysis: vegetation, hydrology, and morphology, Upper Klamath Lake drainage TMDL, attachment 1: prepared by ODEQ, May, 2002.
- Oregon State, 2005, Successful Strategies in Grazing Cattle in Riparian Zones, Ehrhart & Hansen (1998). Available online at <http://.extension.oregonstate.edu/warmsprings/Successful%20Strategies%20in%20Grazing%20Cattle%20in%20Riparian%20Zones.pdf> .
- PacifiCorp, 2004, Final Technical Report: Fish Resources, Klamath Hydroelectric Project: Federal Energy Regulatory Commission Project No. 2082, Portland, OR, 46 p. Plus appendix.
- Pacific Watershed Associates (PWA), 1998, Sediment source investigation for the lower Eel River (draft): prepared for U.S. Environmental Protection Agency, San Francisco, CA. January, 1998.
- Quigley, Danielle, 2001, Scott River monitoring program, Contract # P9985081, June 2000 – July 31 2001: prepared for Siskiyou Resource Conservation District, 16 p.
- Quigley, Danielle, 2003, Stream inventory report Scott River Watershed, 2003: prepared for the Siskiyou RCD, 13 p.

- Quigley, Danielle; Farber, Stuart; Conner, Kelly; Power, Jay; and Bundy, Lorrie, 2001, Water Temperatures in the Scott River Watershed in Northern California: prepared for the U.S. Fish and Wildlife Service and the Siskiyou Resource Conservation District, 50 p.
- Reid, L.M., 1993, Research and cumulative watershed effects: Gen. Tech Rep. PSW-GTR-141, Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture, 181 p.
- Reid, L.M., 2001, Cumulative watershed impacts: then and now: WMC Networker, Summer 2001, p. 24-33.
- Resource Management, 2003, Etna Creek road erosion inventory: consultant report prepared for Siskiyou Resource Conservation District, Timber Products Company, and Fruit Growers Supply Company, 110 p.
- Ribaudo, M., 1989, Water Quality Benefits from the Conservation Reserve Program: Natural Resource Economics Division, Economic Research Service, U.S. Department of Agriculture, Agricultural Economic Report No. 606, Washington, D.C., 25 plus appendices.
- Roberts, R.G., and Church, M., 1986, The sediment budget in severely disturbed watersheds, Queen Charlotte Ranges, British Columbia: Canadian Journal of Forest Research, no. 16, p. 1092-1106.
- Rosgen, Dave, 1996, Applied river morphology: Wildland Hydrology, Pagosa Springs, CO, 390 p.
- Royer, R.V., Prussian, A. M., and Minshall, G.W., 1999, Impact of suction dredging on water quality, benthic habitat, and biota in the Fortymile River and Resurrection Creek, Alaska: Prepared for the U. S. Environmental Protection Agency, Region 10, Seattle, Washington: Dept. of Biological Sciences, Idaho State University, Pocatello, Idaho, Final Report, April, 1999.
- Saucedo, G.J., Bedford, D.R., Raines, G.L., Miller, R.J., and Wentworth, C.M., 2000, GIS data for the geologic map of California: Geology from Jennings, C.W., 1977, Geologic Map of California: State of California, The Resources Agency, Department of Conservation, California Geologic Data Map series, Map no. 2, scale 1:750,000.
- Schuett-Hames, Dave; Pleus, A.E.; Ward, Jim; Fox, Martin; and Light, Jeff, 1999, TFW monitoring program method manual for the large woody debris survey: prepared for the Washington State Dept. of Natural Resources under the Timber, Fish, and Wildlife Agreement, TFW-AM9-99-004. DNR #106. 36 p. plus appendices.
- Scott River Watershed Council (SRWC), 2004, Initial phase of the Scott River Watershed Council Strategic Action Plan, living document, pages indefinite.

- Scott River Watershed CRMP Committee, 1995, Scott River watershed fish population and habitat plan: prepared by the Committee, 22 p. approx.
- Scott Valley Chamber of Commerce, 2005. Available online at: <http://members.tripod.com/~ScottValley/history.htm> . Accessed 6/9/05 .
- Shaw, T.A., Jackson, C., Nehler, Dan, and Marshall, Michael, 1997, Klamath River (Iron Gate Dam to Seiad Creek) life stage periodicities for Chinook, coho, and steelhead: USDI-Fish and Wildlife Service, Coastal Calif. Fish and Wildlife office, Arcata, CA. 43 p. plus appendices.
- SHN Consulting Engineers & Geologists, Inc., 1999, Road erosion inventory, Shackleford and Mill Creek watersheds: prepared for Siskiyou Resource Conservation District and Fruit Growers Supply Company, 20 p. plus appendices, plates, and location map.
- SHN Consulting Engineers & Geologists, 2003, Moffett Creek: Gross sedimentation assessment, Siskiyou County, California: prepared for Siskiyou Conservation District, Reference 501026, Version 1.4 Revised, 22 p.
- SHN Consulting Engineers & Geologists, 2003, Moffett Creek: gross sedimentation assessment, Siskiyou County, California: prepared for Siskiyou Conservation District, Reference 501026, Version 1.4 Revised, 22 p.
- Sinokrot, B.A., and Stefan, H.G., 1993, Stream temperature dynamics: Measurements and modeling: Water Resources Research, v. 29, no. 7, p. 2299-2312.
- Siskiyou County, 2005, Siskiyou County DPW-Road Department: Siskiyou County Department of Public Works, available online at: <http://www.co.Siskiyou.ca.us/dpw/roads.htm> , download March 21, 2005.
- Siskiyou Resource Conservation District (SRCD), 2003, Shackleford-Mill road erosion reduction project 98-JITW-27 Agreement #14-48-11333-8-J161: completed by Siskiyou Resource Conservation District, funded by USFWS – Klamath River Restoration Act, 7 p. approx. plus exhibits and plates.
- Siskiyou Resource Conservation District (SRCD), 2005a, History and Background. 2 p.
- Siskiyou Resource Conservation District (SRCD), 2005b, History of Scott River Watershed Restoration Improvement 1957-2005, 6 p.
- Siskiyou Resource Conservation District (SRCD), 2005c, Scott River Watershed Adult Coho Spawning Ground Surveys, November 2004-January 2005, Prepared for the U.S. Fish and Wildlife Service and California Department of Fish and Game, May 31, 2005.
- DON...the above reference is cited on P. 2-5 of Chapter 2 and appears to be the new 2005c, thus the document below should be 2005 d.

**DON Check this**

- Siskiyou Resource Conservation District (SRCD), 2005c, Incidental Take Permit Application for Coho Salmon (*Oncorhynchus kisutch*), March 29, 2005.
- Snyder, J.O., 1931, Salmon of the Klamath River, California: Calif. Dept. of Fish and Game, v. 10, no. 4. 121 p.
- Sommarstrom, Sari, ed., 1992, Proceedings of the conference on decomposed granite soils: Problems and solutions: October 21-23, 1992, Redding, CA, University Extension, University of California, Davis, 241 p.
- Sommarstrom, Sari, 2001, Scott River Monitoring Plan: Sediment Sampling & Analysis – 2000: prepared for the Siskiyou Resource Conservation District and Scott River Watershed Council, 15 p. plus appendices. (Includes photos of sample sites.)
- Sommarstrom, Sari, Kellogg, Elizabeth, and Kellogg, Jim, 1990, Scott River watershed granitic sediment study: report for Siskiyou Resource Conservation District, 152 p. plus appendices.
- State Water Resources Control Board (SWRCB), 1974, Report on water supply and use of water: Scott River system, December, 1974: Division of Water Rights, 34 p. plus appendices.
- State Water Resources Control Board (SWRCB), 2005, Information pertaining to water rights in California – 1990. Available online at: <http://www.waterrights.ca.gov/application/forms/infobook.htm> , downloaded April 25, 2005 .
- Stedman, S. and J. Hanson. 2005. Habitat Connections. NOAA Fisheries Office of Habitat Conservation. <http://www.nmfs.noaa.gov/habitat/habitatconservation/publications/habitatconnections/habitatconnections.htm> Downloaded August 2, 2005.
- Stillwater Sciences, 1999, South Fork Eel TMDL: Sediment source analysis: prepared for Tetra Tech, Inc., Fairfax, VA, 65p.
- Sullivan, Kathleen, Martin, D.J., Cardwell, R.D., Toll, J.E., and Duke, Stephen, 2000, An analysis of the effects of temperature on salmonids of the Pacific Northwest with implications for selecting temperature criteria: Sustainable Ecosystems Institute, Portland, OR,. 147 p. Available online at: <http://www.sei.org/pub.html#reports> . Accessed 6/8/05.
- Superior Court for Siskiyou County, 1980, Scott River Adjudication: Decree No. 30662. Scott River Stream System, Siskiyou County, 24 p.

- Theurer, Fred D., Voos, Kenneth A., and Miller, William J., 1984, Instream water temperature model: instream flow information paper 16: USFWS, Washington D.C., 316 pp. approx.
- U.S. Department of Agriculture (USDA), United States Department of the Interior (USDI), 1997, Riparian Area Management, Grazing Management for Riparian-Wetland Areas, TR 1737-14 1997.
- U.S. Department of Agriculture (USDA), 2004, Work plan for adaptive management, Klamath River Basin, Oregon and California: Natural Resources Conservation Service, 16p.
- U.S. Department of Agriculture (USDA), U.S. Forest Service, 2001, Draft Environmental Impact Statement, Suction Dredging Activities, Operating Plan Terms and Conditions for Programmatic Approval of Suction Dredge Plans of Operations, Siskiyou National Forest, Coos, Curry, and Josephine Counties, OR, Del Norte County, CA, Available online at [http://www.fs.fed.us/r6/siskiyou/planning/suction\\_dredge/toc.pdf](http://www.fs.fed.us/r6/siskiyou/planning/suction_dredge/toc.pdf)
- U.S. District Court for the Northern District of California (U.S. District Court), 2004, Karuk Tribe of California, Plaintiff, vs. United States Forest Service; Jeff Walter, Forest Supervisor, Six Rivers National Forest; Margaret Boland, Forest Supervisor, Klamath Nation Forest, Defendants. First Amended Complaint for Declaratory and Injunctive Relief. 38 p.
- U.S. Environmental Protection Agency (USEPA), 1991, Guidance for water quality-based decisions: the TMDL process: USEPA, 440/4-91-001. Available online at: <http://www.epa.gov/OWOW/tmdl/decisions/>
- U.S. Environmental Protection Agency (USEPA), 1998a, South Fork Trinity River and Hayfork Creek Total Maximum Daily Load for Sediment. Available online at: <http://www.epa.gov/region09/water/tmdl/fsftmdl.pdf> .
- U.S. Environmental Protection Agency (USEPA), 1998b, Report of the Federal Advisory Committee on the Total Maximum Daily Load Program, EPA 100-R-98-006. Available online at: <http://www.epa.gov/owow/tmdl/faca/facaall.pdf> .
- U.S. Environmental Protection Agency (USEPA), 1999, Noyo River Total Maximum Daily Load for Sediment, 84 p. Available online at: <http://www.epa.gov/region09/water/tmdl/novo/novo.pdf> .
- U.S. Environmental Protection Agency (USEPA), 2001, Trinity River total maximum daily load for sediment: USEPA, Region 9, 77 p. Available online at: <http://www.epa.gov/region09/water/tmdl/trinity/finaltrinitytmdl.pdf> .
- U.S. Environmental Protection Agency (USEPA), 2003a, EPA Region 10 Guidance for Pacific Northwest State and Tribal Water Quality Standards, EPA 910-B-03-002: Region 10, Seattle, WA, EPA 910-B-03-002. Available online at: [www.epa.gov/r10earth/temperature.htm](http://www.epa.gov/r10earth/temperature.htm) . Accessed 6-8-05.

- U. S. Environmental Protection Agency (USEPA), 2003b, Polluted Runoff (Nonpoint Source Pollution) Chapter 2:F, Management Measures for Agriculture. Available online at: <http://www.epa.gov/owow/nps/MMGI/Chapter2/ch2-2f.html> .
- U.S. Environmental Protection Agency (USEPA), 2005, Protecting water quality from agricultural runoff, EPA 841-R-05-011, 2 p. Available online at: [http://www.epa.gov/owow/Nps/Ag\\_Runoff\\_Fact\\_Sheet.pdf](http://www.epa.gov/owow/Nps/Ag_Runoff_Fact_Sheet.pdf) .
- U.S. Fish and Wildlife Service (USFWS), 2004, Habitat Conservation Plans: Section 10 of the Endangered Species Act. <http://endangered.fws.gov/hcp/> .
- U.S. Fish and Wildlife Service (USFWS), 2005, Klamath River Basin Fisheries Task Force, U.S. Fish & Wildlife Service – Pacific Region, Yreka Fish and Wildlife Office, 2 p. Available online at: <http://www.fws.gov/yreka/tf.htm> downloaded 8/30/05 .
- U.S. Forest Service (USFS), 1994, Upper South Fork of the Salmon River ecosystem analysis: USDA-Klamath National Forest, Salmon River & Scott River Ranger Districts.
- U.S. Forest Service (USFS), 1997, Callahan Ecosystem Analysis: USDA Klamath National Forest, Pacific Southwest Region, Scott River Ranger District, 78 p. approx. plus appendices and maps.
- U.S. Forest Service (USFS), 2000a, Field Guide: Explanations and Instructions for Klamath National Forest road sediment source field inventory form, Revised 2000, 13 p.
- U.S. Forest Service (USFS), 2000b, Lower Scott ecosystem analysis: Klamath National Forest, Scott River Ranger District, United States Department of Agriculture, Pacific Southwest Region.
- U.S. Forest Service (USFS), 2001, Draft Environmental Impact Statement, Suction Dredging Activities, Operating Plan Terms and Conditions for Programmatic Approval of Suction Dredge Plans of Operation: Siskiyou National Forest, Coos, Curry, and Josephine Counties, Oregon, and Del Norte County, California, December, 2001, 139 p.
- U.S. Forest Service and U.S. Bureau of Land Management, 1994, Record of decision for amendments to Forest Service and Bureau of Land Management planning documents within the range of the northern spotted owl and standards and guidelines for management of habitat for late-successional and old-growth forest related species within the range of the northern spotted owl (President’s Forest Plan). Available online: <http://www.environment.pdx.edu/record.html>
- U.S. Forest Service and U.S. Bureau of Land Management, 2005, Northwest Forest Plan Documents, Appendix F: Standards and Guidelines for Riparian Reserves: Available online at: [http://pnwin.nbio.gov/nwfp/FEMAT/Chapter\\_5/app\\_f.htm](http://pnwin.nbio.gov/nwfp/FEMAT/Chapter_5/app_f.htm) .

- U.S. Geological Survey (USGS), 2005, USGS California Water Resources Website, accessed 9/6/2005. Available online at:  
[http://waterdata.usgs.gov/ca/nwis/discharge/?site\\_no=11519500](http://waterdata.usgs.gov/ca/nwis/discharge/?site_no=11519500) .
- U.S. Soil Conservation Service (USSCS), 1991, Phase II – Scott River granitic sediment study: French Creek Subbasin erosion control assessment: Yreka Field Office, prepared for Siskiyou RCD, 40 p. plus appendices.
- University of California Davis, 2003, Ecology and geomorphology of streams: a study of juvenile salmonid habitat in select Scott River tributaries, August, 2003, 108 p. Available online at:  
[http://watershed.ucdavis.edu/scott\\_river/docs/finalreport/Final%20Scott%20Report.pdf](http://watershed.ucdavis.edu/scott_river/docs/finalreport/Final%20Scott%20Report.pdf) .
- Valentine, B.E., 1995, Stream substrate quality for salmonids: guidelines for sampling, processing, and analysis, *in* Taylor, R.N. compiler, 1996, Aquatic Field Protocols Adopted by the Fish, Farm, and Forest Communities (FFFC) Technical committee, Version 1.1, 21 p., Appendix B. Available online at:  
<http://www.humboldt.edu/~fffc/appendix/appendB.pdf> . Accessed 6/9/05 .
- Wagner, D.L., and Saucedo, G.J., 1987, Geologic map of the Weed quadrangle, California, 1:250,000: State of California, The Resources Agency, Division of Mines and Geology.
- Watershed Sciences, 2004, Aerial surveys using thermal infrared and color videography: Scott River and Shasta River sub-basins, final report, Corvallis, Oregon, February 26, 2004, 59 p. Appendix B in Staff Report.
- Weaver, W.E., and Hagans, D.K., 1994, Handbook for forest and ranch roads, a guide for planning, designing, constructing, reconstructing, maintaining and closing wildland roads: prepared for the Mendocino County Resource Conservation District, 161 p. plus appendices.
- Weaver, W. and Hagans, D. 2004. Memorandum to Steve Horner, Scotia Pacific Company/Pacific Lumber Company. Subject: Assumptions and cost estimate for preparing Erosion Control Plans for a typical 100 acre Timber Harvest Plan. Dated June 14, 2004
- Ziemer, R.R., 1998, Flooding and stormflows: USDA Gen. Tech. Report, PSW GTR-168, p. 15-23. Available online at: [http://www.psw.fs.fed.us/Tech\\_Pub/Documents/gtr-168/03ziemer.pdf](http://www.psw.fs.fed.us/Tech_Pub/Documents/gtr-168/03ziemer.pdf) .