

Attachment E to Order R5-2012-0116 – Definitions, Acronyms & Abbreviations
Eastern San Joaquin River Watershed

2012. November. (Updated)

Approved Backflow Prevention Devices List: 6 CCR Subsection: 6610

California Department of Public Health: Certificates & Licenses: Drinking Water
Systems: Selected Publications from the Drinking Water Program.

For access to the Approved Backflow Prevention Devices List: 6 CCR Subsection: 6610,
please refer to:

<http://www.cdph.ca.gov/certlic/drinkingwater/pages/publications.aspx>


Foundation for Cross-Connection Control and Hydraulic Research

List of Approved Backflow Prevention Assemblies

Additions to the List after November 22, 2013
may be found on the USC Foundation's website
fccchr.usc.edu



USC University of
Southern California




**The List of Approved Backflow Preventions Assemblies
is published by the Foundation for Cross-Connection Control and Hydraulic Research
a Division of the University of Southern California**

**2013 © University of Southern California
All Rights Reserved**

Table of Contents

Legend	4
Notices	5
Orientation of Assemblies	6
Shutoff Valve Designation	7
Detector Assembly Meters	11
Special Notices	12
AVB	13
DC	14
DCDA	194
PVB	280
RP	294
RPDA	464
SVB	489
Manufacturers of Approved Backflow Prevention Assemblies	493

Legend



Notices

NOTICE REGARDING RENEWALS:

The original Certificate of Approval—identified by the Edition of the Manual and the Approved date shown in this list—is valid as of the date of this list, only if the original or renewal date shown hereon is within three (3) years of the date of this list. The responsibility to request a renewal of an Approval is that of each manufacturer. The USC Foundation retains the right of determining the extent of re-evaluation required before renewal is granted. Certificates of Approval are not recalled for the purpose of updating the effective date. This revision of date is only published via the current *List of Approved Backflow Prevention Assemblies*.

NOTICE REGARDING INSTALLATION:

Unless otherwise specified by the manufacturer all assemblies are to be installed on cold potable water applications - below 110°F. Also all of the assemblies listed are Approved for the **INDICATED ORIENTATION(S) ONLY** (Please see the legend page 6). Rotation of assemblies on either axis will invalidate the USC Foundation's Approval. Use of spare parts other than those of the original manufacturer invalidates the Approval. Rotation of shutoff valves of one bolt hole only is permitted only for the 2 1/2" and larger flanged assemblies.


NOTICE REGARDING LEAD CONTENT:

In order to determine if backflow preventers comply with lead-free requirements of several states and the Safe Drinking Water Act, USC Foundation Approved assemblies which comply with the $\leq 0.25\%$ lead requirement are indicated by a Y in the column $\leq 0.25\%Pb$.

NOTICE REGARDING LIST UPDATES

The List of Approved Assemblies is printed annually in the first quarter of the year. Update notices are printed and sent to USC Foundation Members quarterly. The most recent changes to the List may be found on the USC Foundation's website. The web version of the List is updated each time a change is made.

Orientation of Assemblies



Shutoff Valve Designation

The backflow prevention assemblies shown on this list have been evaluated with a specific set of shutoff valves as an integral part of the assembly. The specific shutoff valves are coded by a parenthetic code show with each assembly. This coding of shutoff valves is defined below. Other shutoff valves having similar performance characteristics which permit the assembly to comply with the standards are also shown immediately after the original shutoff valves. The use of any shutoff valve on a specific assembly, other than those listed for that specific assembly invalidates the Approval. Assemblies listed with a Y in the “spare parts only” column may not include the shutoff valve designation.

(aa)	American Figure 1-QT
(bb)	American Figure 17-NRS RW
(cc)	American Figure 37OOSY RW
(dd)	Apollo Series 7B-QT
(ee)	AVK Series 25-NRS
(ff)	AVK Series 25-OSY (Nibco F607RW OSY)
(gg)	Clow R/W Model 2640 (FxF) - NRS
	(formerly Clow R/W F6102-NRS)
(hh)	Clow R/W Model 2640 (FxF) - OSY
	(formerly Clow R/W F6136-OSY)
(ii)	Fortune Series 620/623 (C84400 Bronze) (Formerly Figure 601)
	Private labeled as: Ames, Buckner, Febco, Flomatic, Hersey and Wilkins
(jj)	Kennedy Ken Seal I-NRS
(kk)	Kennedy Ken Seal-OSY
(ll)	Kennedy Model KS-FW Figure 8561 (FxF) - NRS (2 1/2" - 10")
	Kennedy Model KS-RW Figure 7561 (FxF) - NRS (4" - 10")
	(formerly Kennedy Ken Seal II-NRS)
(mm)	Kennedy Model KS-FW Figure 8068 (FxF) - OSY (2 1/2" - 10")
	Kennedy Model KS-RW Figure 7068 (FxF) - OSY (4" - 10")
	(formerly Kennedy Ken Seal II-OSY)
(nn)	Lee Brass-QT
(oo)	Watts 405-RW
(pp)	Watts 408-OSY
(qq)	Mueller R/W HP NRS
(rr)	Mueller R/W HP OSY
(ss)	Toro.Orion Integral Ball Valve-QT
(tt)	American Flow Control (Waterous) Series 500-NRS
(uu)	American Flow Control (Waterous Series 500-OSY)
(vv)	Watts Figure FBV (FBV-E)-QT [Ames Figure FBV (FBV-E)-QT]
(ww)	Watts G4000FDA-QT
(xx)	Watts Series 6080 (& 6080-E)-QT
(yy)	Matco-Norca 10RW (NRS)
(zz)	Matco-Norca 105U (OSY)
(aaa)	American Flow Control Series 2500-NRS
(bbb)	American Flow Control Series 2500-OSY
(ccc)	M&H Model 4067-02 (NRS)
(ddd)	M&H Model 4068-02(OSY)
(eee)	Stockham Model G-610 (OSY)

Shutoff Valve Designation

The backflow prevention assemblies shown on this list have been evaluated with a specific set of shutoff valves as an integral part of the assembly. The specific shutoff valves are coded by a parenthetic code show with each assembly. This coding of shutoff valves is defined below. Other shutoff valves having similar performance characteristics which permit the assembly to comply with the standards are also shown immediately after the original shutoff valves. The use of any shutoff valve on a specific assembly, other than those listed for that specific assembly invalidates the Approval. Assemblies listed with a Y in the “spare parts only” column may not include the shutoff valve designation.

(fff)	Febco Series 620 QT
(ggg)	Fortune Figure 620U-QT
(hhh)	Watts Figure S-FBV (S-FBV-E)-QT
(iii)	Mueller Model A2360-NRS
(int)	Shutoff Valve is integral part of assembly
(jjj)	Febco Series 621-QT
(kkk)	Febco Series 620U-QT
(lll)	Mueller Model R2360-OSY
(mmm)	Conbraco Series IBVE-125-QT
(nnn)	Kennedy Model KS-FW Figure 8701 (FxF) - NRS (3" - 10") Post Indicator/Tapping
	Kennedy Model KS-RW Figure 7701 (FxF) - NRS (4" - 10") Post Indicator/Tapping
	(formerly Kennedy Ken Seal II Post Indicator/Tapping)
(ooo)	Ningbo Ball Valves (Febco Series 622-QT, Watts Series 855-QT & Wilkins Series 850-QT
(ppp)	Clow R/W Model 2639 (GxF) - NRS (2 1/2" - 3")
	Clow R/W Model 2638 (GxF) - NRS (4" - 10")
(qqq)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3")
	Clow R/W Model 2638 (GxF) - OSY (4" - 10")
	(formerly Clow Series F6138-OSY)
(rrr)	Apollo Series 7B-308-01 (& 7B-308-31)
(sss)	Clow R/W Model 2639 (GxG) - NRS (2 1/2" - 3")
	Clow R/W Model 2638 (GxFG) - NRS (4" - 10")
	(formerly Clow Series F6104-NRS)
(ttt)	Clow R/W Model 2639 (GxG) - OSY (2 1/2" - 3")
	Clow R/W Model 2638 (GxFG) - OSY (4" - 10")
	(formerly Clow Series F6137-OSY)
(uuu)	Apollo Series 7H-QT
(vvv)	Clow R/W Model 2640 (FxF) - OSY Post Indicator/Tapping Valve
	(formerly Clow R/W F6136-OSY Post Indicator/Tapping Valve)
(www)	Clow R/W Model 2639 (GxF) - OSY (2 1/2" - 3") Post Indicator/Tapping Valve
	Clow R/W Model 2640 (GxF) - OSY (4" - 10") Post Indicator/Tapping Valve
	(formerly Clow R/W F6138-OSY Post Indicator/Tapping Valve)
(xxx)	Ningbo Union Ball Valves (FEBCO 622UQT & Wilkins 850U-QT)
(yyy)	Victaulic Series 702 (Butterfly valves)
(zzz)	Kennedy Model KS-RW Figure 7092ABF (FxG) - OSY
	(formerly Kennedy Series 7092ABF-OSY)
(aaaa)	Union Model GV12 (flange by groove)-OSY
(bbbb)	Enbee Model GV12 (flange by groove)-OSY
(cccc)	Kennedy Model KS-RW Figure 7092 (FxG) - OSY
	(formerly Kennedy Series 7092 (GxF) - OSY)

Shutoff Valve Designation

The backflow prevention assemblies shown on this list have been evaluated with a specific set of shutoff valves as an integral part of the assembly. The specific shutoff valves are coded by a parenthetic code show with each assembly. This coding of shutoff valves is defined below. Other shutoff valves having similar performance characteristics which permit the assembly to comply with the standards are also shown immediately after the original shutoff valves. The use of any shutoff valve on a specific assembly, other than those listed for that specific assembly invalidates the Approval. Assemblies listed with a Y in the “spare parts only” column may not include the shutoff valve designation.

(dddd)	Kennedy Model KS-RW Figure 7592 (FxG) - NRS (formerly Kennedy Series 7592ABF - NRS)
(eeee)	Kennedy Model KS-RW Figure 7592PABF (FxG) - NRS Post Indicator/Tapping Valve (formerly Kennedy Series 7592PABF-Post Indicator/Tapping Valve)
(ffff)	Watts 409RW (FxG)- OSY
(ggggg)	Watts 409RW (FxG)- OSY
(hhhh)	Watts Figure LF-FBV-QT (1/2”-2”)
(iiii)	Wilkins Series 85oXL - QT
(jjjj)	Watts 409 RW 2” - OSY
(kkkk)	Kennedy Model KS-RW Figure 7093 (GxG) - OSY
(llll)	Kennedy Model KS-RW Figure 7593 (GxG) - NRS
(mmmm)	Kennedy Model KS-RW Figure 7093ABF (GxG) - OSY
(nnnn)	Kennedy Model KS-RW Figure 7593ABF (GxG) - NRS
(oooo)	Kennedy Model KS-RW Figure 7593PABF (GxG) - NRS Post Indicator
(pppp)	Watts Figure L-FBV-QT, Ames Figure L-FBV-QT, FEBCO Figure L-FBV-QT
(qqqq)	Kennedy Figure G300E - Butterfly Valve (4”,6”)
(rrrr)	Kennedy Figure o2G - Butterfly Valve (8”)
(ssss)	Wilkins Model 48 (GXF) - NRS (2-1/2” - 12”)
(tttt)	Wilkins Model 48 (FXF) - NRS (2-1/2” - 12”)
(uuuu)	Wilkins Model 48 (GXG) - NRS (2-1/2” - 12”) Post Indicator/Tapping Valve
(vvvv)	Wilkins Model 48 (GXF) - NRS (2-1/2” - 12”) Post Indicator/Tapping Valve
(wwww)	Wilkins Model 48 (FXF) - NRS (2-1/2” - 12”) Post Indicator/Tapping Valve
(xxxx)	Wilkins Model 48 (GXG) - OSY (2-1/2” - 12”)
(yyyy)	Wilkins Model 48 (GXF) - OSY (2-1/2” - 12”)
(zzzz)	Wilkins Model 48 (FXF) - OSY (2-1/2” - 12”)
(aaaaa)	Wilkins Model 48 (GXG) - NRS (2-1/2” - 12”)
(bbbbb)	Milwaukee BB-SC100 - Butterfly Valve
(ccccc)	Milwaukee BB-SCSo2 - Butterfly Valve (with gearbox)
(ddddd)	Flomatic Model NRS
(eeeee)	Watts Model FBV-FP (FBV-E-FP)-QT
(fffff)	Watts L-FBV-QT (2 1/2” - 4”)
(ggggg)	Wilkins Model 85oMSS
(hhhhh)	Fortune Series 620/623 (c89520 unleaded bronze)
(iiiiii)	Apollo Series 77B-100 and 77C-100 - QT
(jjjjj)	Apollo Series 77BLF-100 and 77CLF-100 - QT
(kkkkk)	Wilkins Model 49 (GXF) - (2 1/2” - 10”)
(lllll)	Wilkins Model 49 (GXG) - (2 1/2” - 10”)
(mmmmm)	Wilkins 85oUXL (85oTUXL) -QT
(nnnnn)	Watts Series 405-NRW-RW (FxG)

Detector Assembly Meters

The Detector Assemblies contained herein have been evaluated with a specific meter as the detector element of the assembly. That specific meter is coded by a parenthetic letter shown in the "meters" column. The coding of meters is shown in this Section. Other meters having similar performance characteristics to permit the assembly to meet the Standard are shown immediately after the original evaluation meter. The use of any other meter or modified bypass piping invalidates the Approval.

Some of the detector assemblies use a line-size assembly, which is not a standard stock Approved assembly. Increased load are required in these line-size units to allow the assembly to accurately record low flow rates in the bypass meter. Therefore, various 'off the shelf' components can not be assembled and expected to perform satisfactorily. The bypass backflow preventer Approved with the detector assembly is listed under the 'bypass' column. This is only for verification purposes. Should replacement parts or complete bypass be needed, the model number of the complete detector assembly should be used in ordering these components.

A	Hersey Model F-F 5/8" x 3/4"
B	Carlton 5/8" x 3/4"
C	Dandé Model D-3 5/8" x 3/4"
D	Gamon-Calmet 5/8"
E	Hays Acumeter 5/8" x 3/4"
F	Arad 5/8" x 3/4" (Master Meter)
G	Schlumberger 5/8" x 3/4" Model MBRF
H	Rockwell (Sensus) SR-II 5/8" x 3/4"
I	Hersey Model 430 - 5/8"
J	Elster AMCO Model C700 5/8"x3/4" (Formerly Kent, ABB)
K	Precision 5/8"
L	Neptune Trident 8 5/8"
M	Neptune T-10 5/8"
N	Badger Model 25 3/4"
O	Badger 5/8" x 3/4" Model M25
P	Hersey Model 430 Series II 5/8"
Q	Hersey Model MVR-30 3/4"
R	Neptune T-10 1"
S	Neptune T-10 1 1/2"

Special Notices

From time to time the Foundation issues Special Notices when specific information needs to be brought before the Members of the Foundation. A copy of the notices are sent to Foundation Members as they are published.

Notices are summarized as follows.

Notice 96-001

This notice lists Ames assemblies which have been reported with low check valve readings. Corrections to the problem are discussed.

Notice 97-001

This Notice discusses changes in the Wilkins 975 8" and 10" reduced pressure principle assemblies. A change in the retaining cup in the relief valve stem.

Notice 97-002

This notice identifies Ames 2000SS, 3000SS, and 4000SS series assemblies were discovered to have unapproved components.

Notice 97-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 98-001

This notice advises members of certain action in the Federal Register regarding cross-connection control programs.

Notice 98-002

This notice advises members of Wilkins 950 series and 975 series modifications.

Notice 99-001

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-002

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 99-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 01-001

Discuss silicon parts in certain Febco relief valves

Notice 01-002/Revised Notice 01-002-R1

This notice discusses some check valves not approved in certain Ames and Watts assemblies

Notice 01-003

This notice lists assemblies which were NOT Approved by the Foundation, although advertisements may have implied otherwise.

Notice 02-001

This notice explains there are some specific Febco assemblies with unapproved check valve retainers.

Notice 03-001

This notice explains there are some improper markings of model designations on some Wilkins assemblies

Notice 03-002

This notice explains there is the possibility of the interference of the check valves on some Ames and Watts assemblies

Notice 04-001

This notice identifies some Febco 825YA assemblies sold with a dimensional variation

Notice 05-001

This Notice identifies some Ames and Watts assemblies sold with unapproved disc material.

Notice 06-001

This notice identifies unapproved guides found in certain Febco assemblies

Notice 06-002

This notice identifies a change in the design of the Flomatic PVBs

Notice 06-003

Notice regarding Cash-Acme Assemblies

Notice 07-001

Out of tolerance springs on Conbraco assemblies

Notice 09-001

Unapproved Third party components are being distributed

Type: AVB Size: 3/4 Manual: 8 Approved: 01-Nov-1991	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 01-Nov-2012	Model: A100 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 1 Manual: 8 Approved: 01-Nov-1991	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 01-Nov-2012	Model: A100 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 1 1/2 Manual: 8 Approved: 27-Sep-1991	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 27-Sep-2012	Model: A100 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 2 Manual: 8 Approved: 21-Aug-1991	Manufacturer: Ames Orientation: VUH 0.25% Pb: No Renewed: 21-Aug-2012	Model: A100 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 1 1/4 Manual: 8 Approved: 12-Aug-1991	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 12-Aug-2012	Model: 288AM3 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 1 1/2 Manual: 8 Approved: 27-Sep-1991	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 27-Sep-2012	Model: 288AM3 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 2 Manual: 8 Approved: 21-Aug-1991	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 21-Aug-2012	Model: 288AM3 Meters: Spare Parts Only: No Bypass:
Type: AVB Size: 2 1/2 Manual: 8 Approved: 10-Sep-1991	Manufacturer: Watts Orientation: VUH 0.25% Pb: No Renewed: 10-Sep-2012	Model: 288AM3 Meters: Spare Parts Only: No Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 16-Jun-1997
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Previous 8th Ed. Approval

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 16-Jun-2012

Model: 2000B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 16-Jun-1997
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 16-Jun-2012

Model: 2000B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 8
Approved: 05-Apr-1993
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 05-Apr-2011

Model: 2000B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 8
Approved: 27-Aug-1996
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 27-Aug-2011

Model: 2000B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 8
Approved: 26-Feb-1991
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Upgraded to 9th Ed.

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 26-Feb-2012

Model: 2000B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 18-May-1998
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Previous 8th Ed. Approval

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 18-May-2013

Model: 2000B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B R10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B R10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B R10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B R10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B R10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B R10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B-A
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B-A
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B-A
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 21-Apr-2006
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 21-Apr-2012

Model: 200B-A
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 6
Manual: 9
Approved: 10-Feb-2006
Shutoffs: ppp,qqq,aaaa,bbbb,nnnn

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 10-Feb-2012

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 6
Manual: 9
Approved: 10-Feb-2006
Shutoffs: (yyy),zzz,dddd,eeee,gggg,kkkk,llll,mmmm,nnnn

Manufacturer: Ames
Orientation: VU
0.25% Pb: Yes
Renewed: 10-Feb-2012

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 8
Manual: 9
Approved: 02-May-2008
Shutoffs: ppp,qqq,aaaa,bbbb,nnnn

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 02-May-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 8
Manual: 9
Approved: 02-May-2008
Shutoffs: (yyy),zzz,dddd,eeee,gggg

Manufacturer: Ames
Orientation: H
0.25% Pb: Yes
Renewed: 02-May-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 8
Manual: 9
Approved: 02-May-2008
Shutoffs: ppp,qqq,aaaa,bbbb,nnnn

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 02-May-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 8
Manual: 9
Approved: 02-May-2008
Shutoffs: (yyy),zzz,dddd,eeee,gggg

Manufacturer: Ames
Orientation: VU
0.25% Pb: Yes
Renewed: 02-May-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 10
Manual: 9
Approved: 20-Oct-2008
Shutoffs: (ppp),qqq,aaaa,bbbb

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 20-Oct-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 10
Manual: 9
Approved: 20-Oct-2008
Shutoffs: yyy,zzz,dddd,eeee,gggg

Manufacturer: Ames
Orientation: H
0.25% Pb: Yes
Renewed: 20-Oct-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 10
Manual: 9
Approved: 20-Oct-2008
Shutoffs: (ppp),qqq,aaaa,bbbb

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 20-Oct-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 10
Manual: 9
Approved: 20-Oct-2008
Shutoffs: yyy,zzz,dddd,eeee,gggg

Manufacturer: Ames
Orientation: VU
0.25% Pb: Yes
Renewed: 20-Oct-2011

Model: Maxim 200
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2 1/2
Manual: 9
Approved: 07-Oct-2002
Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 07-Oct-2011

Model: Maxim 200a
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2 1/2
Manual: 9
Approved: 07-Oct-2002
Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 07-Oct-2011

Model: Maxim 200a
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3
Manual: 9
Approved: 07-Oct-2002
Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 07-Oct-2011

Model: Maxim 200a
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3
Manual: 9
Approved: 07-Oct-2002
Shutoffs: (yyy),ppp,qqq,zzz,aaaa,bbbb,dddd,eeee,gggg,nnnnn

Manufacturer: Ames
Orientation: VU
0.25% Pb: No
Renewed: 07-Oct-2011

Model: Maxim 200a
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 8
Approved: 22-May-1993
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 22-May-2011

Model: 40-106-A2T
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 17-Mar-1989
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 17-Mar-2013

Model: 40-107-02
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 22-May-1993
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 22-May-2011

Model: 40-107-A2
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 22-May-1993
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 22-May-2011

Model: 40-107-A2T
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 17-Mar-1989
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 17-Mar-2013

Model: 40-108-02
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 22-May-1993
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 22-May-2011

Model: 40-108-A2
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 22-May-1993
Shutoffs: dd

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 22-May-2011

Model: 40-108-A2T
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 28-Sep-2001
Shutoffs: fff,jjj

Manufacturer: Febco
Orientation: H
0.25% Pb: No
Renewed: 28-Sep-2013

Model: 850F
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 28-Sep-2001
Shutoffs: (fff),jjj

Manufacturer: Febco
Orientation: VD
0.25% Pb: No
Renewed: 28-Sep-2013

Model: 850F
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 28-Sep-2001
Shutoffs: (fff),jjj

Manufacturer: Febco
Orientation: VU
0.25% Pb: No
Renewed: 28-Sep-2013

Model: 850F
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 12-Oct-1998
Shutoffs: (kkk)

Manufacturer: Febco
Orientation: H
0.25% Pb: No
Renewed: 12-Oct-2013

Model: 850U
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (kkk)

Manufacturer: Febco
Orientation: VD
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 850U
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 17-Dec-1999
Shutoffs: (kkk)

Manufacturer: Febco
Orientation: VU
0.25% Pb: No
Renewed: 17-Dec-2011

Model: 850U
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 08-Mar-1999
Shutoffs: (kkk)

Manufacturer: Febco
Orientation: H
0.25% Pb: No
Renewed: 08-Mar-2011

Model: 850U
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 27-Sep-1994
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Sep-2012

Model: 007M1PCQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 8
Approved: 26-Feb-1991
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 26-Feb-2012

Model: 007M1QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1
Manual: 8
Approved: 26-Feb-1991
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Upgraded to 9th Ed.

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 26-Feb-2012

Model: 007M1QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 18-May-1998
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Previous 8th Ed. Approval

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 18-May-2013

Model: 007M1QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 18-May-1998
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 18-May-2013

Model: 007M1QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 30-Jun-1992
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 30-Jun-2013

Model: 007M1QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 18-Oct-1999
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 18-Oct-2011

Model: 007M3QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 18-Oct-1999
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 18-Oct-2011

Model: 007M3QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 8
Approved: 17-Feb-1995
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 17-Feb-2013

Model: 007PCQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 27-Sep-1994
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Sep-2012

Model: 007PCQT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 27-Sep-1994
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Sep-2012

Model: 007PCQT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1/2
Manual: 8
Approved: 06-Dec-1993
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Upgraded to 9th Ed.

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 08-Dec-2011

Model: 007QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 16-Jun-1997
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: Previous 8th Ed. Approval

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 16-Jun-2012

Model: 007QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 8
Approved: 19-Apr-1996
Shutoffs: pppp
Notes: Upgraded to 9th Ed.

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 19-Apr-2011

Model: 007QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 16-Jun-1997
Shutoffs: (vv),xx,pppp
Notes: Previous 8th Ed. Approval

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 16-Jun-2012

Model: 007QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 7
Approved: 11-Jan-1988
Shutoffs: pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 11-Jan-2012

Model: 007QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1
Manual: 7
Approved: 11-Jan-1988
Shutoffs: pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 11-Jan-2012

Model: 007QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 7
Approved: 21-Jul-1988
Shutoffs: pppp
Notes: Upgraded to 9th Ed.

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 21-Jul-2012

Model: 007QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 3/4
Manual: 6
Approved: 04-Aug-1982
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Aug-2012

Model: 709QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1
Manual: 6
Approved: 04-Aug-1982
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Aug-2012

Model: 709QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 6
Approved: 27-Apr-1982
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Apr-2012

Model: 709QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 6
Approved: 27-Apr-1982
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Apr-2012

Model: 709QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Oct-2011

Model: 719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 03-Jul-2013
Shutoffs: (hhhh)

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed:

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 03-Jul-2013
Shutoffs: (hhhh)

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed:

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VU
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VU
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VU
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VU
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LF719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VU
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VU
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 22-Aug-2005
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 22-Aug-2011

Model: LFU719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 8
Approved: 30-Aug-1993
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 30-Aug-2011

Model: U007M1QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1
Manual: 8
Approved: 30-Aug-1993
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 30-Aug-2011

Model: U007M1QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 20-Oct-1993
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 20-Oct-2011

Model: U007M1QT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 20-Oct-1993
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 20-Oct-2011

Model: U007M1QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 06-Sep-1994
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VDVD
0.25% Pb: No
Renewed: 06-Sep-2012

Model: U007M2AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 06-Sep-1994
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VDVU
0.25% Pb: No
Renewed: 06-Sep-2012

Model: U007M2AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 06-Sep-1994
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 06-Sep-2012

Model: U007M2AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 06-Sep-1994
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed: 06-Sep-2012

Model: U007M2AQT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/4
Manual: 8
Approved: 01-Oct-1996
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 01-Oct-2011

Model: U007M2QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 06-Sep-1994
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 06-Sep-2012

Model: U007M2QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 8
Approved: 10-Dec-1993
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 10-Dec-2011

Model: U007PCQT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1
Manual: 8
Approved: 10-Dec-1993
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 10-Dec-2011

Model: U007PCQT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 8
Approved: 27-Sep-1994
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Sep-2012

Model: U007PCQT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 2
Manual: 8
Approved: 27-Sep-1994
Shutoffs: vv,xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 27-Sep-2012

Model: U007PCQT
Meters:
Spare Parts Only: Yes
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1 1/2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QT
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: formerly U719QT

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QTR10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: formerly U719QT

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QTR10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 1/2
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: formerly U719QT

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QTR10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: formerly U719QT

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QTR10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: formerly U719QT

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QTR10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 04-Oct-2005
Shutoffs: (vv),xx,ooo,hhhh,pppp
Notes: formerly U719QT

Manufacturer: Watts
Orientation: VU
0.25% Pb: No
Renewed: 04-Oct-2011

Model: U719QTR10
Meters:
Spare Parts Only: No
Bypass:

Type: DC
Size: 3/4
Manual: 9
Approved: 06-Jul-2005
Shutoffs: (ii),ooo

Manufacturer: Wilkins
Orientation: H
0.25% Pb: No
Renewed: 06-Jul-2011

Model: 350
Meters:
Spare Parts Only: No
Bypass:

Type: DC	Manufacturer: Wilkins	Model: 950XLU
Size: 1 1/2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Feb-1994	Renewed: 15-Feb-2012	Bypass:
Shutoffs: (ggg),xxx		
Type: DC	Manufacturer: Wilkins	Model: 950XLU
Size: 2	Orientation: H	Meters:
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 15-Feb-1994	Renewed: 15-Feb-2012	Bypass:
Shutoffs: (ggg),xxx		
Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: H	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Dec-2009	Renewed: 04-Dec-2012	Bypass: Ames 200B 3/4" (H); Watts 719QT 3/4" (H)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Ames	Model: 3000-1SS
Size: 12	Orientation: VU	Meters: (N), H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 22-Feb-2011	Renewed:	Bypass: Ames 200B 3/4" (VU); Watts 719QT 3/4" (VU)
Shutoffs: (mm), ll		
Type: DCDA	Manufacturer: Ames	Model: 3000B
Size: 2	Orientation: H	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2012	Bypass: Ames 2000B 1/2" (H), Watts 007QT 1/2" (H)
Shutoffs: (bbb),jjjj		
Type: DCDA	Manufacturer: Ames	Model: 3000B
Size: 2	Orientation: VU	Meters: (H),A,B,C,D,E,F,G,I,J,K,L,M,N,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 16-Jun-1997	Renewed: 16-Jun-2012	Bypass: Ames 2000B 1/2" (VU), Watts 007QT 1/2" (VU)
Shutoffs: (bbb),jjjj		

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (yyy)	Manufacturer: Ames Orientation: Vu 0.25% Pb: No Renewed: 02-Mar-2013	Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)
Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2013	Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)
Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2013	Model: Maxim 300BF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)
Type: DCDA Size: 8 Manual: 9 Approved: 17-Sep-2009 Shutoffs: (yyy)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 17-Sep-2012	Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Type: DCDA Size: 8 Manual: 9 Approved: 17-Sep-2009 Shutoffs: (yyy)	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2012	Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009 Shutoffs: (yyy)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 17-Sep-2012	Model: Maxim 300BF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Type: DCDA Size: 4 Manual: 9 Approved: 02-Mar-2007 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 02-Mar-2013	Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4"(V)
Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 09-Mar-2013	Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)
Type: DCDA Size: 6 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 09-Mar-2013	Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Ames 2000BM3 3/4" (H & VU)
Type: DCDA Size: 8 Manual: 9 Approved: 17-Sep-2009 Shutoffs: (zzz)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 17-Sep-2012	Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Type: DCDA Size: 8 Manual: 9 Approved: 17-Sep-2009 Shutoffs: (zzz)	Manufacturer: Ames Orientation: VU 0.25% Pb: No Renewed: 17-Sep-2012	Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V), Ames 2000 BM3 (V)
Type: DCDA Size: 10 Manual: 9 Approved: 17-Sep-2009 Shutoffs: (zzz)	Manufacturer: Ames Orientation: H 0.25% Pb: No Renewed: 17-Sep-2012	Model: Maxim 300GV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)

Type: DCDA
Size: 2 1/2
Manual: 9
Approved: 10-Apr-2001
Shutoffs: (II),mm

Manufacturer: Apollo/Conbraco
Orientation: VUVD
0.25% Pb: No
Renewed: 10-Apr-2013

Model: 2 1/2DCDAU
Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)

Type: DCDA
Size: 3
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (II),mm

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 3DCDA
Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)

Type: DCDA
Size: 3
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (II),mm

Manufacturer: Apollo/Conbraco
Orientation: VU
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 3DCDA
Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)

Type: DCDA
Size: 3
Manual: 9
Approved: 10-Apr-2001
Shutoffs: (mm)[#1SOV],[nnn][#2SOV]

Manufacturer: Apollo/Conbraco
Orientation: H
0.25% Pb: No
Renewed: 10-Apr-2013

Model: 3DCDA6
Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo/Conbraco 1/2DC 1/2" (H), Apollo/Conbraco W432100 1/2" (H)

Type: DCDA
Size: 3
Manual: 9
Approved: 10-Apr-2001
Shutoffs: (mm)[#1SOV],[nnn][#2SOV]

Manufacturer: Apollo/Conbraco
Orientation: VU
0.25% Pb: No
Renewed: 10-Apr-2013

Model: 3DCDA6
Meters: (M),E,F,G,H,I,J,K,L,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo/Conbraco 1/2DC 1/2" (VU), Apollo/Conbraco W432100 1/2" (VU)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2011	Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)
Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2011	Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (yyy)	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2011	Model: 757DCDABF Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)
Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 23-Mar-2013	Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (yyy)	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2013	Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)
Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (yyy)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Mar-2013	Model: 757DCDABF Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA Size: 3 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2011	Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)
Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 04-Oct-2011	Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA Size: 4 Manual: 9 Approved: 04-Oct-2005 Shutoffs: (zzz)	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 04-Oct-2011	Model: 757DCDAGV Meters: (N),G,H,I,J,K,L,M,O,P,Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (V)
Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 23-Mar-2013	Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H)
Type: DCDA Size: 6 Manual: 9 Approved: 19-Mar-2007 Shutoffs: (zzz)	Manufacturer: Watts Orientation: VU 0.25% Pb: No Renewed: 23-Mar-2013	Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (VU)
Type: DCDA Size: 8 Manual: 9 Approved: 09-Mar-2007 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 09-Mar-2013	Model: 757DCDAGV Meters: (N), G, H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 007M3QT 3/4" (H & VU)

Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 3	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2011	Bypass: Watts 007M3QT 3/4" (V)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 4	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-2007	Renewed: 23-Mar-2013	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 4	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-2007	Renewed: 23-Mar-2013	Bypass: Watts 007M3QT 3/4" (VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 6	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2013	Bypass: Watts 007M3QT 3/4" (H & VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 6	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2013	Bypass: Watts 007M3QT 3/4" (H & VU)
Shutoffs: (yyy)		
Type: DCDA	Manufacturer: Watts	Model: 767DCDABF
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2012	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (yyy)		

Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 3	Orientation: VU	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 04-Oct-2005	Renewed: 04-Oct-2011	Bypass: Watts 007M3QT 3/4" (V)
Shutoffs: (zzz)		
<hr/>		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 4	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-2007	Renewed: 23-Mar-2013	Bypass: Watts 007M3QT 3/4" (H)
Shutoffs: (zzz)		
<hr/>		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 4	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 19-Mar-2007	Renewed: 23-Mar-2013	Bypass: Watts 007M3QT 3/4" (VU)
Shutoffs: (zzz)		
<hr/>		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 6	Orientation: H	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2013	Bypass: Watts 007M3QT 3/4" (H & VU)
Shutoffs: (zzz)		
<hr/>		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 6	Orientation: VU	Meters: (N), G, H, I J, K L, M, N, O, P, Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 09-Mar-2007	Renewed: 09-Mar-2013	Bypass: Watts 007M3QT 3/4" (H & VU)
Shutoffs: (zzz)		
<hr/>		
Type: DCDA	Manufacturer: Watts	Model: 767DCDAGV
Size: 8	Orientation: H	Meters: (N),G,H,I,J,K,L,M,O,P,Q
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 17-Sep-2009	Renewed: 17-Sep-2012	Bypass: Watts 007M3QT 3/4" (H), Ames 2000 BM3 (H)
Shutoffs: (zzz)		

Type: RP
Size: 1 1/2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LF919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LF919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LF919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LF919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 3/4
Manual: 9
Approved: 14-Jun-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 14-Jun-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 3/4
Manual: 9
Approved: 14-Jun-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 14-Jun-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 3/4
Manual: 9
Approved: 30-Aug-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 30-Aug-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/4
Manual: 9
Approved: 30-Aug-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 30-Aug-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/4
Manual: 9
Approved: 30-Aug-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 30-Aug-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 30-Aug-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 30-Aug-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 30-Aug-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 30-Aug-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LF919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LFU919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LFU919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LFU919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LFU919AQT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1
Manual: 9
Approved: 30-Aug-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 30-Aug-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 30-Aug-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 30-Aug-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 9
Approved: 30-Aug-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 30-Aug-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: H
0.25% Pb: No
Renewed: 12-Apr-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 12-Apr-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 12-Apr-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 30-Aug-2006
Shutoffs: (vv),xx,ooo,pppp

Manufacturer: Watts
Orientation: VD
0.25% Pb: No
Renewed: 30-Aug-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 9
Approved: 30-Aug-2006
Shutoffs: hhhh

Manufacturer: Watts
Orientation: VD
0.25% Pb: Yes
Renewed: 30-Aug-2012

Model: LFU919QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1/4
Manual: 9
Approved: 19-Dec-2001
Shutoffs: (hhh)

Manufacturer: Watts
Orientation: H
0.25% Pb: Yes
Renewed: 19-Dec-2010

Model: SS009M3QT
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/4
Manual: 8
Approved: 30-Aug-1994
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: H
0.25% Pb: No
Renewed: 30-Aug-2012

Model: 975XLMS
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1 1/2
Manual: 8
Approved: 30-Aug-1994
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: H
0.25% Pb: No
Renewed: 30-Aug-2012

Model: 975XLMS
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 2
Manual: 8
Approved: 30-Aug-1994
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: H
0.25% Pb: No
Renewed: 30-Aug-2012

Model: 975XLMS
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 3/4
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: VUVD
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 975XLSE
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 3/4
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: VUVU
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 975XLSE
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: VUVD
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 975XLSE
Meters:
Spare Parts Only: No
Bypass:

Type: RP
Size: 1
Manual: 9
Approved: 16-Oct-2000
Shutoffs: (ii),000

Manufacturer: Wilkins
Orientation: VUVU
0.25% Pb: No
Renewed: 16-Oct-2012

Model: 975XLSE
Meters:
Spare Parts Only: No
Bypass:

Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 3/4	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2013	Bypass:
Shutoffs: (ii),ooo		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 3/4	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2013	Bypass:
Shutoffs: (ii),ooo		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVD	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2013	Bypass:
Shutoffs: (ii),ooo		
Type: RP	Manufacturer: Wilkins	Model: 975XLV
Size: 1	Orientation: VUVU	Meters:
Manual: 9	0.25% Pb: No	Spare Parts Only: No
Approved: 07-Jan-2001	Renewed: 07-Jan-2013	Bypass:
Shutoffs: (ii),ooo		
Type: RPDA	Manufacturer: Ames	Model: 5000
Size: 4	Orientation: H	Meters: (M),A,B,C,D,E,F,G,H,I,J,K,L,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Dec-1989	Renewed: 20-Dec-2010	Bypass: Conbraco 4020402 3/4 (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg		
Type: RPDA	Manufacturer: Ames	Model: 5000
Size: 6	Orientation: H	Meters: (K),A,B,C,D,E,F,G,H,I,J,L,M,N,O,P,Q
Manual: 8	0.25% Pb: No	Spare Parts Only: No
Approved: 28-Dec-1989	Renewed: 20-Dec-2010	Bypass: Conbraco 4020402 3/4 (H)
Shutoffs: (uu),ee,ff,gg,hh,ll,mm,oo,pp,tt,ccc,ddd,ffff,gggg		

Type: RPDA
Size: 8
Manual: 9
Approved: 15-Nov-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed:

Model: Colt 500-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 10
Manual: 9
Approved: 27-Sep-2010
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 27-Sep-2013

Model: Colt 500-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Colt 500NBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 28-May-2009
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 28-May-2012

Model: Colt 500NBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 28-May-2009
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 28-May-2012

Model: Colt 500NBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 8
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Colt 500NBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 28-May-2009
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 28-May-2012

Model: Colt 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: Colt 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: Colt 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 15-Nov-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Colt 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 8
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Colt 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 8
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 8
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Colt 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 20-Jun-2006
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 20-Jun-2012

Model: Maxim 500-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 20-Jun-2006
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: H
0.25% Pb: No
Renewed: 20-Jun-2012

Model: Maxim 500-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Maxim 500NBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: Maxim 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: Maxim 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 15-Nov-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Maxim 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: Maxim 500NGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Maxim 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Maxim 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Maxim 500ZBF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Maxim 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Maxim 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (zzz)

Manufacturer: Ames
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: Maxim 500ZGV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 10
Approved: 24-Jun-2013
Shutoffs: (yyy), dddd, kkkk, llll, mmmm, nnnn

Manufacturer: Apollo
Orientation: H
0.25% Pb: No
Renewed:

Model: RPDALF4A
Meters: (P),G,H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA
Size: 6
Manual: 10
Approved: 24-Jun-2013
Shutoffs: (yyy), dddd, kkkk, llll, mmmm, nnnn

Manufacturer: Apollo
Orientation: H
0.25% Pb: No
Renewed:

Model: RPDALF4A
Meters: (P),G,H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Apollo RPLF4A 1/2" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 8
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 8
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 957ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: 967NRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: 967NRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 15-Nov-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: 967NRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: 967NRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: 967NRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 07-Apr-2009
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed: 07-Apr-2012

Model: 967NRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 4
Manual: 9
Approved: 15-Nov-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVD
0.25% Pb: No
Renewed:

Model: 967NRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA Size: 6 Manual: 9 Approved: 14-Jun-2013 Shutoffs: (zzz)	Manufacturer: Watts Orientation: VUVD 0.25% Pb: No Renewed:	Model: 967NRPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)
Type: RPDA Size: 2 1/2 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2012	Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)
Type: RPDA Size: 3 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2012	Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)
Type: RPDA Size: 4 Manual: 9 Approved: 20-Jun-2006 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 20-Jun-2012	Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)
Type: RPDA Size: 6 Manual: 9 Approved: 15-Nov-2013 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed:	Model: 967RPDA-GV Meters: (N),H,I,J,K,L,M,N,O,P,Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)
Type: RPDA Size: 8 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013	Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)
Type: RPDA Size: 10 Manual: 9 Approved: 27-Sep-2010 Shutoffs: (zzz)	Manufacturer: Watts Orientation: H 0.25% Pb: No Renewed: 27-Sep-2013	Model: 967RPDA-GV Meters: (N), H, I J, K L, M, N, O, P, Q Spare Parts Only: No Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 967ZRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 967ZRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (yyy)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 967ZRPDA-BF
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 2 1/2
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 967ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 3
Manual: 9
Approved: 24-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 967ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Type: RPDA
Size: 6
Manual: 9
Approved: 14-Jun-2013
Shutoffs: (zzz)

Manufacturer: Watts
Orientation: VUVU
0.25% Pb: No
Renewed:

Model: 967ZRPDA-GV
Meters: (N),H,I,J,K,L,M,N,O,P,Q
Spare Parts Only: No
Bypass: Watts 919QT 3/4" (H)

Manufactures of Approved Backflow Prevention Assemblies

Ames Fire & Waterworks - A Watts Water Technologies Company
<http://www.amesfirewater.com/>
1427 N. Market Blvd., Ste. 9
Sacramento, CA 95834
(916) 928-0123

Watts - A Watts Water Technologies Company
<http://www.wattsreg.com/>
815 Chestnut Street
North Andover, MA 01845
(978) 688-1811

Apollo/Conbraco Industries, Inc.
<http://www.apollovalves.com/>
P. O. Box 247
Matthews, NC 28105
(704) 847-9191

Wilkins Regulator Company
<http://www.zurn.com/operations/wilkins/pages/home.asp>
1747 Commerce Way
Paso Robles, CA 93446
(800) 817-8177

A.R.I. FLOW CONTROL ACCESSORIES
<http://www.arivalves.com>
Kibbutz Kfar Charuv
M.P. South Golan
ISRAEL, 12932
972-4-6761800 or 972-4-6761988

Arrowhead Brass
<http://www.arrowheadbrass.com/>
5147 Alhambra Ave.
Los Angeles, CA 90032
(323) 343-9790

Cash Acme
<http://www.cashacme.com>
2400 7th Avenue S.W.
Cullman, Alabama 35055
(256) 775-8200

Cla-Val Company
<http://www.cla-val.com/>
P. O. Box 1325
Newport Beach, CA 92659-0325
(949) 722-4800

FEBCO - A Watts Water Technologies Company
<http://www.febcoonline.com>
P. O. Box 8070
Fresno, CA 93747
(559) 252-0791

Flomatic
<http://www.flomatic.com/>
15 Pruyne's Island Dr.
Glen Falls, NY 12801-4424
(800) 833-2040

Hersey Meters
<http://www.herseymeters.com/>
10210 Statesville Blvd.
Cleveland, NC 27013
(800) 323-8584