

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
SAN FRANCISCO BAY REGION

ORDER NO. 71-3

COMPLIANCE TIME SCHEDULE
FOR
VALLEY COMMUNITY SERVICES DISTRICT
ALAMEDA COUNTY

The California Regional Water Quality Control Board, San Francisco Bay Region, finds that:

1. This Board adopted Resolution No. 70-89 prescribing revised waste discharge requirements for the Valley Community Services District into Alamo Canal on November 4, 1970.
2. This Board adopted Resolution No. 226 on October 18, 1956 stating that it shall be its policy to control waste discharges in the Alameda Creek watershed above Niles so that the quality of groundwater in certain monitoring wells at Niles will not exceed prescribed average and/or maximum concentrations of constituents.

IT IS HEREBY ORDERED, that:

1. This Regional Board adopts the following time schedule for long-term compliance with the objectives of Resolution No. 226, and to assure adequate protection of Livermore-Amador Valley groundwaters:

The Valley Community Services District, the Cities of Livermore and Pleasanton and the Alameda County Flood Control and Water Conservation District - Zone 7, shall submit by April 15, 1971, a schedule and description of a study which shall be the basis for a comprehensive water quality management program for the Alameda Creek System above Niles which is necessary to achieve the above and which is acceptable to this Board. The schedule, description, and program shall include consideration of at least the following items:

Initiation and completion of necessary studies.

Facilities necessary.

Definition of the agency or agencies which will implement the program, operate facilities, etc.

Means for securing a commitment by all agencies involved to implement the selected program, following completion of necessary studies.

In the light of presently available information the agencies named above are required to complete necessary facilities and to implement this program no later than January 1975. An earlier date may be prescribed by this Regional Board after review of additional information.

2. This Regional Board hereby prohibits waste discharges by the Valley Community Services District to Alamo Canal or any other tributary of Alameda Creek above Niles in excess of:

2.5 million gallons per day average dry weather flow for any calendar month until the Valley Community Services District has provided facilities capable of meeting the requirements of Resolution No. 70-89.

3.2 million gallons per day average dry weather flow for any calendar month until a program and time schedule as above is submitted.

4.0 million gallons per day average dry weather flow for any calendar month until the above-described program has been implemented..

I, Fred H. Dierker, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an order adopted by the California Regional Water Quality Control Board, San Francisco Bay Region, on January 28, 1971.

Executive Officer