



# California Regional Water Quality Control Board Central Valley Region

Katherine Hart, Chair



Linda S. Adams  
Secretary for  
Environmental  
Protection

11020 Sun Center Drive #200, Rancho Cordova, California 95670-6114  
Phone (916) 464-3291 • FAX (916) 464-4645  
<http://www.waterboards.ca.gov/centralvalley>

Arnold  
Schwarzenegger  
Governor

3 August 2010

Mr. Ryan Bogle  
Bogle Vineyards Old River Vineyard Site  
38045 Netherlands Road  
Clarksburg, CA 95612

CERTIFIED MAIL  
7010 0290 0000 8536 3950

**NOTICE OF APPLICABILITY (NOA); CONDITIONAL WAIVER OF WASTE DISCHARGE REQUIREMENTS FOR SMALL FOOD PROCESSORS AND SMALL WINERIES WITHIN THE CENTRAL VALLEY REGION; ORDER NO. R5-2009-0097-0022; BOGLE VINEYARDS ORV SITE; YOLO COUNTY**

Central Valley Regional Water Quality Control Board (Central Valley Water Board) staff received your application including the Report of Waste Discharge (RWD) and application fee of \$1,226 submitted for Bogle Vineyards Old River Vineyard (ORV) Site for regulatory coverage under the *Conditional Waiver of Waste Discharge Requirements for Small Food Processors and Small Wineries within the Central Valley Region, Order No. R5-2009-0097* (Order). Based on the information in the application, we have determined that the Discharger meets the required conditions for approval under this Order for your facility and the proposed waste discharge. You are hereby assigned Order No. R5-2009-0097-0022.

The Order, adopted by the Central Valley Water Board on 8 October 2009, is a conditional waiver of waste discharge requirements for small wineries and small food processors. The Order is enclosed and may be viewed on our website at [http://www.waterboards.ca.gov/centralvalley/board\\_decisions/adopted\\_orders/#Waivers](http://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/#Waivers). You are urged to familiarize yourself with the contents of the entire Order which prescribes mandatory discharge and monitoring requirements. The facility must be operated in accordance with the requirements contained in the General Order, Standard Provisions and Reporting Requirements for Waste Discharge Requirements, and with the information submitted in the RWD.

## DISCHARGE DESCRIPTION

Ryan Bogle (referred to as Discharger) owns and operates Bogle Vineyards ORV Site located at 38045 Netherlands Road, Clarksburg in Yolo County (APN 43-110-201). This facility's operations include wine storage and aging in tanks and barrels with no grape crushing occurring. Operations that do produce wastewater are tank, barrel, and floor cleaning and are done in a covered building with trench and floor drains that collect wastewater. These drains feed into two concrete vault sumps equipped with pumps where the wastewater is then pumped through a rotary screen and into a 14,000 gallon storage tank. The Discharger estimates approximately 480,000 gallons of process wastewater will be produced on an annual

**California Environmental Protection Agency**



basis. The area around the wastewater storage tank is sloped to drain to a sump. The sump is equipped with a pump that pumps the wastewater into the storage tank. Wastewater is periodically removed from the tank and hauled by truck to a municipal wastewater treatment facility (East Bay Municipal Utilities District) for treatment and disposal and therefore no wastewater will be applied to land.

Due to the nature of the operations at the facility, only a small amount of solid wastes are produced. Solids will be stored in a covered four cubic yard dumpster and hauled off for disposal therefore no solids will be applied to land.

### **MONITORING AND REPORTING**

This Order includes specific monitoring requirements that you must implement and reporting requirements you must comply with, including routine monitoring and reporting to the Central Valley Water Board. Please review the Monitoring and Reporting Program (MRP) closely and establish the appropriate record keeping system so that you are able to complete the required *Annual Monitoring Report* form, contained in the Order. The *Annual Monitoring Report* form must be submitted to our office by **1 February of each year**, even if there is no discharge during the reporting year.

### **GENERAL INFORMATION AND REQUIREMENTS**

This Order includes specific and general conditions required for your operation. In addition, you must maintain control over the discharge and operate in accordance to the information provided in your application.

Please review this Notice of Applicability carefully to ensure that it completely and accurately reflects the facility name, location, and discharge. Failure to comply with the requirements in the Order may result in an enforcement action as authorized by provisions of the California Water Code. If the discharge violates the terms or conditions above, the Central Valley Water Board may take enforcement action, including assessment of administrative civil liability which is a monetary penalty.

Discharge of waste material other than described in the application is prohibited. If the method of waste disposal changes from that described in your application, you must submit a new *Report of Waste Discharge Technical Information* form describing the new operation.

Please note that the Order will expire on 8 October 2014, at which time either (1) a new application with a filing fee will be necessary for regulatory coverage under a subsequently adopted new Order, or (2) the discharge must cease.

If you have any questions regarding submitting an updated report of waste discharge, or questions about making changes to your permitted operations, please contact Ms. Lani Andam at (916) 464-4723 or [landam@waterboards.ca.gov](mailto:landam@waterboards.ca.gov).

All compliance and enforcement questions should be directed to Mr. Brenden Kenny of the Compliance and Enforcement Section at (916) 464-4635 or [bkenny@waterboards.ca.gov](mailto:bkenny@waterboards.ca.gov). All monitoring reports should be submitted to Mr. Kenny by the compliance due date.

- Original Signed by Ken Landau for -

Pamela C. Creedon  
Executive Officer

Enclosures (Discharger Only): General Conditional Waiver, Order No. R5-2009-0097  
Electronic Copy of Annual Report Form (Compact Disc)  
Standard Provisions and Reporting Requirements for  
Waste Discharge Requirements, 1 March 1991

cc (Without Enclosure): Yolo County Environmental Health Dept., Woodland