

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION
415 Knollcrest Drive, Suite 100, Redding, California 96002

PUBLIC HEARING
concerning

*Consideration of Adoption of Waste Discharge Requirements
(National Pollutant Discharge Elimination System Permit)
and
Water Recycling Requirements
for*

**GRIZZLY RANCH COMMUNITY SERVICES DISTRICT
WASTEWATER COLLECTION, TREATMENT, AND RECYCLING FACILITY
PLUMAS COUNTY**

The Grizzly Ranch Community Services District (GRCS D) has requested waste discharge requirements and a National Pollutant Discharge Elimination System (NPDES) permit to discharge treated municipal wastewater to Big Grizzly Creek. They have also requested Water Recycling Requirements. The GRCS D owns and operates a wastewater collection and treatment facility, and provides sewage treatment service to the Grizzly Ranch development. From 16 May to 15 November of each year discharge to the receiving water, Big Grizzly Creek, is prohibited with some exceptions. During those months, the wastewater is utilized for irrigation of a golf course owned and managed by Grizzly Creek Golf LLC. Separate recycling requirements will be issued to Grizzly Creek Golf LLC for the use of recycled water on the golf course. From 16 November to 15 May discharge to Big Grizzly Creek is permitted if a minimum dilution of wastewater in Big Grizzly Creek of 100:1 can be maintained.

A public hearing concerning this matter will be held during the Regional Board meeting that is scheduled for:

DATE: 28 or 29 November 2005
TIME: 9:00 a.m.
PLACE: Regional Water Quality Control Board
11020 Sun Center Drive, #200
Rancho Cordova, CA 95670-6114

Persons wishing to comment on this noticed hearing item must submit evidence, if any, and comments in writing to the Regional Board no later than **21 November 2005**. Written evidence or comments submitted after **21 November 2005** will not be accepted and will not be incorporated into the administrative record if doing so would prejudice any party.

NOTICE OF PUBLIC HEARING
GRIZZLY RANCH COMMUNITY SERVICES DISTRICT
WASTEWATER COLLECTION, TREATMENT, AND RECYCLING FACILITY
PLUMAS COUNTY

2

All interested persons may speak at the Regional Board meeting, and are expected to orally summarize their written submittals. Oral comments will be limited in time by the Board Chair. Anyone having questions on the adoption of the NPDES permit and/or Water Recycling Requirements for the Grizzly Ranch Community Services District should contact Ronald S. Dykstra at rdykstra@waterboards.ca.gov or at (530) 224-4858. The proposed item and related documents may be inspected and copied at the Regional Board's office at 415 Knollcrest Drive, Suite 100, Redding, California, weekdays between 8:00 a.m. and 5:00 p.m. by appointment.

The procedures governing Regional Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Regional Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing http://www.swrcb.ca.gov/water_laws/index.html. Information on meeting and hearing procedures is also available on the Regional Board's website at http://www.swrcb.ca.gov/rwqcb5/board_meetings/mtgprocd.html or by contacting any one of the Regional Board's offices. Questions regarding such procedures should be directed to Ms. Janice Tanaka at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Ms. Janice Tanaka at (916) 464-4836 at least five working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

original signed by

JAMES C. PEDRI

Assistant Executive Officer

RSD: sae
10/14/05