

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION

11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114

**NOTICE OF PUBLIC HEARING**  
concerning

**RENEWAL OF WASTE DISCHARGE REQUIREMENTS  
(NPDES NO. CA0078018)  
AND  
TIME SCHEDULE ORDER**

**FOR**

**CITY OF RIO VISTA  
BEACH WASTEWATER TREATMENT FACILITY  
SOLANO COUNTY**

The City of Rio Vista Beach Wastewater Treatment Facility provides sewerage service for the City of Rio Vista community. The treatment system at the Facility consists of bar screening and grit removal, two primary clarifiers, two activated sludge reactors, two secondary clarifiers, and chlorination/dechlorination. The Facility discharges secondary level treated wastewater to the Sacramento River within the Sacramento-San Joaquin Delta, a water of the United States. Sludge is dewatered on drying beds (lined and unlined) and disposed offsite at a local landfill.

The proposed Order includes new or more stringent effluent limitations for aluminum, ammonia, arsenic, chlorine residual, pathogens, copper, chlorodibromomethane, dichlorobromomethane, salinity, iron, lead, manganese, nitrate, nitrite, and pH. The Discharger is unable to immediately comply with the new effluent limitations for iron, therefore, a tentative Time Schedule Order is proposed to provide a time schedule for compliance.

A public hearing concerning this matter will be held during the Regional Water Board meeting, which is scheduled for:

DATE: 31 July/1 August 2008  
TIME: 8:30 AM  
PLACE: Regional Water Quality Control Board, Central Valley Region  
11020 Sun Center Dr., Suite #200  
Rancho Cordova, CA 95670

The designated parties for this hearing are as follows:

- Staff of Central Valley Regional Water Board
- City of Rio Vista staff

Only designated parties will have these rights: to call and examine witnesses; to introduce exhibits; to cross-examine opposing witnesses; to impeach any witness; and to rebut the evidence against him or her. All other persons wishing to testify or provide comments are interested persons and not designated parties. Such interested persons

may request status as a designated party for purposes of this hearing by submitting such request in writing to the Regional Water Board no later than **21 July 2008**. The request must explain the basis for status as a designated party and in particular how the person is directly affected by the discharge.

The tentative Waste Discharge Requirements and Time Schedule Order were issued on **6 June 2008**. Persons wishing to comment on this noticed hearing item shall submit testimony, evidence, if any, and/or comments in writing to the Regional Water Board no later than 5:00 PM on **8 July 2008**. Written evidence or comments submitted after 5:00 PM on **8 July 2008** will not be accepted and will not be incorporated into the administrative record if doing so would prejudice any party.

All designated parties and interested persons may speak at the Regional Water Board meeting, and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Board Chair

Anyone having questions on the proposed Orders should contact Mr. James Marshall at (916) 464-4772. Interested parties may download the proposed Orders and related documents from the Regional Water Board's Internet website at <http://www.waterboards.ca.gov/centralvalley/tentative/>. Copies of these documents can also be obtained by contacting or visiting the Regional Water Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114 weekdays between 8:00 a.m. and 5:00 p.m.

The procedures governing Regional Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Regional Water Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing [http://www.waterboards.ca.gov/water\\_laws/](http://www.waterboards.ca.gov/water_laws/). Information on meeting and hearing procedures is also available on the Regional Water Board's website at [http://www.waterboards.ca.gov/centralvalley/board\\_meetings/mtgprocd.html](http://www.waterboards.ca.gov/centralvalley/board_meetings/mtgprocd.html) or by contacting any one of the Board's offices. Questions regarding such procedures should be directed to Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

---

Kenneth D. Landau, Assistant Executive Officer

6 June 2008