

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114

PUBLIC HEARING

concerning

**NPDES PERMIT NO. CAS083470
WASTE DISCHARGE REQUIREMENTS
FOR
CITY OF SACRAMENTO
AND**

**CITIES OF CITRUS HEIGHTS, ELK GROVE, FOLSOM, GALT, RANCHO CORDOVA,
SACRAMENTO, AND COUNTY OF SACRAMENTO
STORM WATER DISCHARGES FROM
MUNICIPAL SEPARATE STORM SEWER SYSTEM
SACRAMENTO COUNTY**

The Cities of Citrus Heights, Elk Grove, Folsom, Galt, Rancho Cordova, Sacramento and County of Sacramento (Permittees) are covered under a National Pollutant Discharge Elimination System (NPDES) area-wide municipal separate storm sewer system (MS4) Phase 1 permit. The permit addresses the discharge of storm water runoff from storm drains within their jurisdictions and requires the implementation of a Storm Water Management Program (SWMP). Tentative Waste Discharge Requirements (WDRs) have been developed to update existing WDRs Order No. R5-2002-0206 as part of the five-year renewal process. The permit includes a wide range of continuing, enhanced and new best management practices, control measures, performance standards, and effectiveness evaluations to be implemented during the permit period (2008-2013).

A public hearing concerning the tentative NPDES Permit will be held during the Central Valley Regional Water Quality Control Board (Regional Water Board) meeting scheduled for:

DATE: 11-12 September 2008
TIME: 8:30 a.m.
PLACE: Regional Water Board
11020 Sun Center Drive, #200
Rancho Cordova, CA 95670

The designated parties for this hearing are as follows:

- Central Valley Regional Water Board Staff
- Cities of Citrus Heights, Elk Grove, Folsom, Galt, Rancho Cordova, Sacramento, and County of Sacramento Representative(s)

Only designated parties will have the right to call and examine witnesses, introduce exhibits, cross-examine opposing witnesses, impeach any witness, and rebut the evidence against him or her. All other persons wishing to testify are interested persons and not designated parties. Such interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing to the

NOTICE OF PUBLIC HEARING
CITIES OF CITRUS HEIGHTS, ELK GROVE, FOLSOM, GALT, RANCHO CORDOVA,
SACRAMENTO AND COUNTY OF SACRAMENTO
MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4)
PHASE I NPDES PERMIT

2

Regional Water Board no later than **18 August 2008**. The request must explain the basis for status as a designated party and, in particular, how the person is directly affected by the discharge.

The comment period on the Tentative Order is now closed. Anyone having questions on the tentative Waste Discharge Requirements Order or Board Hearing should contact Kim Schwab, 916.464.4606. Interested parties may download the proposed Order and related documents from the Regional Water Board's Internet website at <http://www.waterboards.ca.gov/centralvalley/tentative/>. Copies of these documents can also be obtained by contacting or visiting the Regional Water Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114 weekdays between 8:00 a.m. and 5:00 p.m.

The procedures governing Regional Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Regional Water Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing http://www.waterboards.ca.gov/water_laws/. Information on meeting and hearing procedures is also available on the Regional Water Board's website at http://www.waterboards.ca.gov/centralvalley/board_meetings/mtgprocd.html or by contacting any one of the Regional Water Board's offices. Questions regarding such procedures should be directed to the Executive Assistant at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact the Executive Assistant at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

"original signed by"

JACK E. DEL CONTE
Assistant Executive Officer

7 August 2008