

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION

MONITORING AND REPORTING PROGRAM NO. \_\_\_  
FOR  
SACRAMENTO COUNTY AIRPORT SYSTEM  
SACRAMENTO INTERNATIONAL AIRPORT TERMINAL MODERNIZATION PROJECT  
DEWATERING DISCHARGE TO LAND  
SACRAMENTO COUNTY

This Monitoring and Reporting Program (MRP) describes requirements for monitoring reclaimed water and reclaimed water reuse areas. This MRP is issued pursuant to Water Code Section 13267. The Discharger shall not implement any changes to this MRP unless and until a revised MRP is issued by the Executive Officer.

**DESIGNATED DISCHARGE AREA MONITORING**

The Discharger shall monitor the dewatering discharge areas in accordance with the following. Monitoring shall be performed at least weekly and the results shall be included in the monthly monitoring report. Erosion, ground saturation, the effectiveness of containment berms and levees, and nuisance conditions shall be evaluated weekly and discussed in the report. The discharge shall also be monitored to estimate hydraulic loading rates.

<u>Parameter</u>	<u>Units</u>	<u>Type of Sample</u>	<u>Monitoring Frequency</u>	<u>Reporting Frequency</u>
Flow from extraction wells to each discharge area <sup>1</sup>	gallons and inches	Estimation	Daily	Monthly
Rainfall	Inches	Measurement	Daily	Monthly
Net acreage receiving the discharge <sup>1</sup>	Acres	Estimation	Daily	Monthly
Evidence of discharge outside the designated disposal area	Present or Absent		Daily	Monthly

<sup>1</sup> Specific discharge areas shall be identified on a scaled map.

**OTHER DISCHARGE AREA MONITORING**

The Discharger shall monitor use of dewatering groundwater for dust control and landscape irrigation in accordance with the following. Monitoring shall be performed daily and the results shall be included in the monthly monitoring report. Erosion, ground saturation, and runoff shall be evaluated weekly and discussed in the report. The discharge volume shall also be monitored.

<u>Parameter</u>	<u>Units</u>	<u>Type of Sample</u>	<u>Monitoring Frequency</u>	<u>Reporting Frequency</u>
Volume used for dust control	gallons	Estimation	Daily	Monthly
Volume used for landscape irrigation	gallons	Estimation	Daily	Monthly
Rainfall	inches	Measurement	Daily	Monthly
Evidence of discharge outside the use area	Present or Absent		Daily	Monthly

## REPORTING

In reporting monitoring data, the Discharger shall arrange the data in tabular form so that the date and monitoring results are readily discernible. The data shall be summarized in such a manner to clearly illustrate compliance with the conditions of Resolution No. R5-2008-0020. The results of any monitoring done more frequently than required at the locations specified in the Monitoring and Reporting Program shall be reported to the Regional Water Board.

### A. Monthly Monitoring Reports

Monthly reports shall be submitted to the Regional Water Board on the **1<sup>st</sup> day of the second month following monitoring** (i.e. the January Report is due by 1 March). At a minimum, the monthly monitoring reports shall include the results of dewatering discharge area monitoring, as specified above.

### B. Annual Report

An Annual Report shall be prepared after each year and after completion of the project. The Annual Report shall include all monitoring data required in the monthly schedule, and shall be submitted to the Regional Water Board by **1 February each year**. In addition to the data normally presented, the Annual Report shall include the following:

1. Tabular and graphical summaries of all data collected during the year.
2. An evaluation of the discharge areas and discussion of any structural or operational improvements needed for future use of these areas.
3. A discussion of compliance and the corrective action taken.
4. A discussion of any data gaps and potential deficiencies/redundancies in the monitoring system or reporting program.

MONITORING AND REPORTING PROGRAM NO. \_\_\_  
SACRAMENTO COUNTY AIRPORT SYSTEM  
SACRAMENTO INTERNATIONAL AIRPORT TERMINAL MODERNIZATION PROJECT  
SACRAMENTO COUNTY

A letter transmitting the self-monitoring reports shall accompany each report. The letter shall include a discussion of all problems found during the reporting period, and actions taken or planned for correcting them, such as operation or facility modifications. If the Dischargers have previously submitted a report describing corrective actions and/or a time schedule for implementing the corrective actions, reference to the previous correspondence will be satisfactory. The transmittal letter shall contain the penalty of perjury statement by the Discharger, or the Discharger's authorized agents, as described in the Standard Provisions General Reporting Requirements Section B.3.

The Discharger shall implement the above monitoring program as of the date of this Resolution.

Ordered by: \_\_\_\_\_  
PAMELA C. CREEDON, Executive Officer

\_\_\_\_\_  
(Date)