

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION

11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114

**NOTICE OF PUBLIC HEARING**  
concerning

TENTATIVE UPDATED WASTE DISCHARGE REQUIREMENTS  
FOR  
COUNTY OF SACRAMENTO  
DEPARTMENT OF WASTE MANAGEMENT AND RECYCLING  
ELK GROVE CLASS III LANDFILL  
POST-CLOSURE MAINTENANCE AND CORRECTIVE ACTION  
SACRAMENTO COUNTY

The waste discharge requirements (WDRs) for the Elk Grove Class III Landfill are undergoing a regular ten-year update of the current 2003 WDRs Order R5-2003-0046. The 37-acre landfill is located at near the intersection of Bond Road and Waterman Road in Elk Grove and was closed with a final cover in 1992. Groundwater investigation and corrective action requirements began in 1999 with the adoption of WDRs Order 99-104 and continued under Order R5-2003-0046 to address low levels of volatile organic compounds (VOCs) in the groundwater. The County proposed Corrective Action Program was approved in Order R5-2003-0046 and included groundwater extraction and treatment with reinjection into the unsaturated zone, injection of Hydrogen Release Compound (HRC<sup>®</sup>)/groundwater mixture into the groundwater for in-situ treatment of VOCs, and operation of a landfill gas system to control the source area in the landfill. The corrective action efforts have reduced or eliminated VOCs in some of the impacted monitoring wells; however, groundwater impacts are still present in other monitoring wells. The tentative Order includes a time schedule to continue corrective action to address the remaining impacts. Further information about the proposed final cover, the facility, and the proposed requirements can be found in the tentative WDRs that are available on the Central Valley Water Board's website at [www.waterboards.ca.gov/centralvalley/board\\_decisions/tentative\\_orders](http://www.waterboards.ca.gov/centralvalley/board_decisions/tentative_orders).

A public hearing concerning this matter will be held during the Central Valley Water Board meeting which is scheduled for:

DATE: 3/4 October 2013  
TIME: 8:30 AM  
PLACE: Regional Water Quality Control Board, Central Valley Region  
11020 Sun Center Drive #200  
Rancho Cordova, CA

The designated parties for this hearing are as follows:

- Staff of Central Valley Water Board
- Staff of the County of Sacramento Department of Waste Management and Recycling

Only designated parties will have these rights: to call and examine witnesses; to introduce exhibits; to cross-examine opposing witnesses; to impeach any witness; and to rebut the

evidence against him or her. All other persons wishing to testify or provide comments are interested persons and not designated parties. Such interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing to the Board no later than **26 August 2013**. The request must explain the basis for status as a designated party and in particular how the person is directly affected by the discharge.

Persons wishing to comment on this noticed hearing item shall submit testimony, evidence, if any, and/or comments in writing to the Central Valley Water Board no later than by noon on **26 August 2013**. Written materials submitted after noon on **26 August 2013** will not be accepted and will not be incorporated into the administrative record if doing so would prejudice any party. All designated parties and interested persons may speak at the Central Valley Water Board meeting, and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Board Chair

Anyone having questions on the proposed item should contact **Bill Brattain** at **(916) 464-4622**. Interested parties may download the proposed Order and related documents from the Central Valley Water Board's Internet website at [http://www.waterboards.ca.gov/centralvalley/board\\_decisions/tentative\\_orders/](http://www.waterboards.ca.gov/centralvalley/board_decisions/tentative_orders/). Copies of these documents can also be obtained by contacting or visiting the Central Valley Water Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114 weekdays between 8:00 a.m. and 5:00 p.m.

The procedures governing Central Valley Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Central Valley Water Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing [http://www.waterboards.ca.gov/water\\_laws/](http://www.waterboards.ca.gov/water_laws/). Information on meeting and hearing procedures is also available on the Central Valley Water Board's website at [http://www.waterboards.ca.gov/centralvalley/board\\_info/meetings/mtgprocd.shtml](http://www.waterboards.ca.gov/centralvalley/board_info/meetings/mtgprocd.shtml) or by contacting any one of the Board's offices. Questions regarding such procedures should be directed to Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

---

**Andrew Altevogt**, Assistant Executive Officer