

Quarterly Activity and Monitoring Report

January 1 – March 31, 2010

*In compliance with the “Management Agency Agreement between the
Central Valley Regional Water Quality Control Board and the United States
Bureau of Reclamation” executed on December 22, 2008*

June 4, 2010

Contents

Abbreviations and Acronyms	ii
Purpose.....	1
A. Flow Actions	1
1. New Melones Reservoir Operations – Provision of Dilution Flow	2
2. Water Acquisitions.....	3
3. DMC Recirculation – Provision of Dilution Water.....	4
B. Salt Load Reduction Actions.....	4
1. Grassland Bypass Project	4
2. Westside Regional Drainage Plan (WRDP)	5
3. Conservation Efforts	6
C. Mitigation Actions.....	7
1. RTMP – Development of Stakeholder-Driven Program	7
2. RTMP – Technical Support	8
3. Wetlands BMP Plan.....	9
4. Participation in CV-SALTS program	10
D. Central Valley Project Deliveries Load Calculation.....	10
E. Reporting Requirements	13
F. Funding Reporting	13

Abbreviations and Acronyms

Action Plan	Actions to Address the Salinity and Boron TMDL Issues for the LSJR
AF	acre-foot or acre-feet
Authority	San Luis & Delta-Mendota Water Authority
Basin Plan	Water Quality Control Plan for the Sacramento and San Joaquin River Basins, 4 th Edition
BMP	Best Management Practices
CALFED	CALFED Bay-Delta Program
CDEC	California Data Exchange Center
CDFG	California Department of Fish and Game
cfs	cubic feet per second
Corps	U.S. Army Corps of Engineers
CVO	Central Valley Operations
CVP	Central Valley Project
CVPIA	Central Valley Project Improvement Act
CVRWQCB	Central Valley Regional Water Quality Control Board
CV-SALTS	Central Valley Salinity Alternatives for Long Term Sustainability
DCRT	Data Collection and Review Team
DMC	Delta-Mendota Canal
DWR	California Department of Water Resources
EC	electrical conductivity
EIR	Environmental Impact Report
EIS	Environmental Impact Statement
Exchange Contractors	San Joaquin River Exchange Contractors Water Authority
GBP	Grassland Bypass Project
GDA	Grassland Drainage Area
GRCD	Grassland Resource Conservation District
GUI	graphical user interface
ID	irrigation district
Interior	U.S. Department of the Interior
IPO	Interim Plan of Operations
LSJR	Lower San Joaquin River
MAA	Management Agency Agreement
μS/cm	micro Siemens per centimeter
μg/L	microgram(s) per liter (parts per billion)
mg/L	milligram(s) per liter (parts per million)
NPDES	National Pollutant Discharge Elimination System
QA	Quality Assurance
QAPP	Quality Assurance Project Plan
QC	Quality Control

Reclamation RTMP	Bureau of Reclamation Real Time Management Program
Secretary Service SJR SJRIP SJRWQMG SLDMWA SWP SWRCB	Secretary of the Interior U.S. Fish and Wildlife Service San Joaquin River San Joaquin River Improvement Project San Joaquin River Water Quality Management Group San Luis and Delta Mendota Water Authority State Water Project State Water Resources Control Board
TAF TDS TMDL TPRT	thousand acre-feet total dissolved solids total maximum daily load Technical Policy and Review Team
VAMP	Vernalis Adaptive Management Plan
WAP WCFSP WDR WQO WRDP	Water Acquisition Program Water Conservation Field Service Program Waste Discharge Requirement water quality objective Westside Regional Drainage Plan
YSI	Yellow Spring Instrument

Purpose

The Central Valley Regional Water Quality Control Board's Salt and Boron Total Maximum Daily Load (TMDL) was approved and placed into effect on July 28, 2006. In response to the Salinity and Boron TMDL, the United States Bureau of Reclamation (Reclamation) developed a salinity control plan, *Actions to Address the Salinity and Boron TMDL Issues for the Lower San Joaquin River* (Action Plan) and entered into a Management Agency Agreement (MAA) with the Central Valley Regional Water Quality Control Board (CVWQCB) on December 22, 2009. The MAA describe the actions Reclamation will take to meet the obligations allocated to it by the Salinity and Boron TMDL for the lower San Joaquin River. The MAA states:

Reclamation will submit quarterly reports to the Regional Water Board by 45 days after the end of the calendar quarter. The quarterly reports will include a summary of activities conducted by Reclamation during the quarter in conjunction with each element included in their Action Plan, including activities related to developing a Real Time Management Program. In addition Reclamation will include data collected relevant to DMC load evaluation.

The "Quarterly Activity and Monitoring Report" summarizes the activities conducted by Reclamation in conjunction with each element outlined in its salinity control plan for the lower San Joaquin River. The Action Plan describes Reclamation's past, current and planned practices and procedures to mitigate and manage adverse impacts of salt and boron imported into the San Joaquin basin via the Delta Mendota Canal (DMC) in order to help achieve compliance with the objectives contained in the Regional Water Board's *Water Quality Control Plan for the Sacramento River and the San Joaquin River Basins – 4th Edition* (Basin Plan).

Organization of Quarterly Report

The quarterly report will provide a synopsis of the various activities associated with each element identified in the Action Plan. The Action Plan describes all of the actions contemplated by the MAA. Within the Action Plan, actions are divided into three major categories: Flow, Salt Load Reduction, and Mitigation. For each action a brief description and list of activities are identified. The quarterly report will include calculations of salt loads based on DMC deliveries and calculations of assimilative capacity provide through dilution flows. The calculation methods used in this report are provisional and some elements in this report do not include estimations of benefits at this time. Reclamation submitted the *Draft Compliance Monitoring and Evaluation Plan* to the CVRWQCB (October 2009) which outlines the criteria and methodology for determining DMC loads and credits.

A. Flow Actions

Reclamation has agreed to provide mitigation and dilution flows to meet the Vernalis salinity and boron objectives. Historically, Reclamation has provided dilution flows from the New Melones Project and through purchases for the Vernalis Adaptive Management Plan. Flow actions include: dilution flows from New Melones, water acquisitions, and Recirculation.

1. New Melones Reservoir Operations – Provision of Dilution Flow

Brief Description: In the Flood Control Act of October, 1962, the Congress reauthorized and expanded the New Melones project (P.L. 87-874) to a multipurpose unit to be built by the U.S. Army Corps of Engineers (Corps) and operated by the Secretary of Interior as part of the Central Valley Project (CVP), thus creating the New Melones Unit. The multipurpose objectives of the unit include flood control, irrigation, municipal and industrial water supply, power generation, fishery enhancement, water quality improvement, and recreation. Since June of 2009, New Melones has been operated to meet the National Marine Fisheries Service Biological Opinion (BO) to the Bureau of Reclamation on the effects of the continued operation of the Federal Central Valley Project (CVP) and the California State Water Project (SWP) on the various runs of Chinook salmon, Central Valley steelhead, and green sturgeon, and their designated critical habitat.

Items 12 and 13 of the Control Program for Salt and Boron Discharges into the Lower San Joaquin River of the Basin Plan Amendment states:

12. Salt loads in water discharged into the LSJR or its tributaries for the express purpose of providing dilution flow are not subject to load limits described in this control program if the discharge:

- a. complies with salinity water quality objectives for the LSJR at the Airport Way Bridge near Vernalis;
- b. is not a discharge from irrigated lands; and
- c. is not provided as a water supply to be consumptively used upstream of the San Joaquin River at the Airport Way Bridge near Vernalis.

13. Entities providing dilution flows, as described in item 12, will obtain an allocation equal to the salt load assimilative capacity provided by this flow. This dilution flow allocation can be used to:

1) offset salt loads discharged by this entity in excess of any allocation or; 2) trade, as described in item 10. The additional dilution flow allocation provided by dilution flows will be calculated as described in Table IV-8.

Activity:

- *Completed methodology to accurately depict the dilution flow allocation resulting from New Melones operations (described in Compliance Monitoring and Evaluation Plan)*
- *Began increased spring releases to comply with Biological Opinions.*

Quantification Methodology: Table IV-8 in the Basin Plan Amendment states that dilution flow allocations are calculated as follows:

$$A_{dil} = Q_{dil} * (C_{dil} - WQO) * 0.8293$$

Where:

A_{dil} = dilution flow allocation in thousand tons¹ of salt per month

Q_{dil} = dilution flow volume in thousand acre-feet per month – above base flows

C_{dil} = dilution flow electrical conductivity in $\mu\text{S}/\text{cm}$

WQO = salinity water quality objective for the LSJR at Airport Way Bridge near Vernalis in $\mu\text{S}/\text{cm}$

Table 1 lists data and monthly calculations for the past quarter. Data for flow releases from Goodwin Dam, the Stanislaus River “design flows,” and salinity at Orange Blossom Bridge are used to calculate the monthly dilution flow allocations. The water-year type is estimated based on the 75% probability of exceedance found in DWR’s Water Supply Index Forecasts (<http://cdec.water.ca.gov/cgi-progs/iodir/WSI>) for the San Joaquin Valley. The 75% exceedance forecast for April 1, 2010 is 2.9, which would make 2010 a below normal year.

Dilution Flow Allocation: WY2010 as a below normal year.

Table 1: Goodwin Dam Monthly Dilution Flow Allocation, tons

	Goodwin Dam Flow, TAF	Base Flow, TAF	Q_{dil} , TAF	WQO, $\mu\text{S}/\text{cm}$	C_{dil} (monthly average EC at Orange Blossom Bridge), $\mu\text{S}/\text{cm}$	Dilution Flow Allocation, A_{dil} , tons
Jan-10	14	9	5	1000	86	3,682
Feb-10	50	13	36	1000	100	27,154
Mar-10	17	11	6	1000	100	4,528

2. Water Acquisitions

Brief Description: The Central Valley Project Improvement Act (CVPIA) signed into law on October 30, 1992, modified priorities for managing water resources of the Central Valley Project. CVPIA altered the management of the Central Valley Project to make fish and wildlife protection, restoration, and enhancement as project purposes having equal priority with agriculture, municipal and industrial, and power uses. To meet water acquisition needs under CVPIA, the U.S. Department of the Interior (Interior) has developed a Water Acquisition Program (WAP), a joint effort by the Reclamation and the U.S. Fish and Wildlife Service (Service). The program’s purpose is to acquire water supplies to meet the habitat restoration and enhancement goals of the CVPIA and to improve the Interior’s ability to meet regulatory water quality requirements.

¹ This is a typographical error in the Basin Plan Amendment. The units are actually tons.

Activity:

- *Completed methodology to accurately depict dilution flow allocation resulting from Water Acquisition Purchases (described in Compliance Monitoring and Evaluation Plan).*

Quantification Methodology: The discussion on dilution flow allocation presented under New Melones Reservoir Operations is pertinent here as well. Table IV-8 of the Basin Plan Amendment states that dilution flow allocations are calculated as follows:

$$A_{dil} = Q_{dil} * (C_{dil} - WQO) * 0.8293$$

Where:

- A_{dil} = dilution flow allocation in thousand tons² of salt per month
- Q_{dil} = dilution flow volume in thousand acre-feet per month
- C_{dil} = dilution flow electrical conductivity in $\mu\text{S}/\text{cm}$
- WQO = salinity water quality objective for the LSJR at Airport Way Bridge near Vernalis in $\mu\text{S}/\text{cm}$

3. DMC Recirculation – Provision of Dilution Water

Brief Description: The DMC Recirculation Project is one project Reclamation is studying that could provide dilution water for salinity management. As part of the project studies, Reclamation conducted three pilot recirculation studies, in 2004, 2007, and 2008. The pilot studies pump water from the Delta at Tracy and convey it through the DMC to the Newman Wasteway, where it is then conveyed to the lower San Joaquin River.

Activity:

- *No recirculation occurred in 2009.*
- *A Preliminary Feasibility Report is scheduled to be finalized by the spring of 2010.*

B. Salt Load Reduction Actions

Reclamation is under a court order to provide drainage to its San Luis Unit, on the Westside of the lower San Joaquin River. As part of its efforts to provide drainage, Reclamation has historically supported the Westside Regional Drainage Plan (WRDP) through monetary grants and in-kind services. Reclamation recognizes there is still much to be done to implement the Westside Regional Drainage Plan. Salt Load Reduction Actions include the Grassland Bypass Project, the Westside Regional Drainage Plan, and conservation programs (Water Conservation Field Services Program, Water 2025 Grants Program, and the CALFED Water Use Efficiency Program).

1. Grassland Bypass Project

Brief Description: The Grassland Bypass Project is a multi-agency stakeholder project based upon an agreement between the Reclamation and the Authority to use a 28-mile segment of the San Luis Drain to convey agricultural subsurface drainage water from the Grassland Drainage

² *ibid*

Area (GDA) to Mud Slough, a tributary of the San Joaquin River. The purpose of the project is to separate unusable agricultural drainage water discharged from the GDA from wetland water supply conveyance channels, facilitate drainage management that maintains the viability of agriculture in the GDA, and promote continuous improvement in water quality in the San Joaquin River.

Activity:

- *On December 23, 2009, Reclamation signed a Record of Decision and executed the third San Luis Drain Use Agreement with the San Luis & Delta Mendota Water Authority that allows the GBP to continue until December 2019. The extension will allow the Grassland Area Farmers to seek funding to construct treatment facilities that will eliminate all discharges of their drainage water to the lower San Joaquin River and local wetlands water supply channels. The new Use Agreement has new salt and selenium load limits and significant financial penalties for discharge after 2015.*
- *In 2010, Reclamation has obligated more than \$750,000 to fund the GBP Compliance Monitoring Program, including flow and water quality monitoring at seven sites, peer review of data, and publication of data synthesis reports.*
- *The continuation of the GBP beyond October 1, 2010 is subject to action by the Regional Water Quality Control Board to amend the Basin Plan for the Sacramento and San Joaquin Rivers, and revision of the 2001 Waste Discharge Requirement that will terminate on September 30, 2010.*
- *The Interagency Data Collection and Review Team (DCRT) continues to implement the monitoring program that includes quarterly biota sampling at seven locations for acute and chronic four species toxicity analyses, flow and water quality monitoring, and sediment monitoring for the accumulation of selenium. The DCRT will meet in mid-2010 to revise the GBP monitoring program.*
- *The DCRT has completed the 2006-2007. A ten-year data synthesis report has been prepared by the San Francisco Estuary Institute, an independent agency. The compilation and review of data for the 2008-2009 report by the CDRT is progressing well.*

2. Westside Regional Drainage Plan (WRDP)

Brief Description: The Westside Regional Drainage Plan is a local stakeholder program developed by integrating all consistent elements of drainage management developed by government and local agencies and private partnerships. The original efforts of the WRDP focused on reducing selenium discharges to the San Joaquin River. Success of the original effort prompted a proposal to expand the WRDP to go beyond regulatory requirements and eliminate selenium, boron, and salt discharges to the San Joaquin River, while maintaining productivity of agriculture lands in the solution area and enhancing water supplies for the region.

While Reclamation lacks control of many of the resources needed to be an active participant in the WRDP, Reclamation provides annual funding to support and sustain the WRDP.

Activity:

- *2009 Grant: Reclamation executed a grant awarding \$6.4 million dollars to Panoche Drainage District on September 10, 2009 for implementation of activities identified in the*

WRDP. To date, more than \$3 million of these grant funds have been paid to the District for the following drainage reduction projects:

- *The 2009 Grant included \$4.7 million for the operation and development of the San Joaquin River Improvement Project. The SJRIP will use drainage water to irrigate more than 6,000 acres of salt tolerant crops, which will help the Grassland Drainage Area meet salt and selenium load limits specified in the Third Use Agreement. Since September 2009, Panoche Drainage District has used more than \$2 million of the 2009 WRDP Grant funds to drill four new wells to provide water for irrigation and dilution, backfill ½ mile of open ditch, and replace 1 ½ miles of open ditch with PVC pipe.*
- *The 2009 WRDP Grant included \$1 million to replace four miles of an earthen canal with a new concrete lined channel. In January 2010, these funds were used for excavation, grading, and lining of this canal.*
- *The 2009 WRDP Grant also included \$815,000 for the construction of a pump station and pipeline; this has been delayed until May 2010 due to the proximity of the site to potential habitat of the giant garter snake, a species listed as threatened under the Endangered Species Act. Design for a drainage distribution pump station and pipeline have been completed and materials for construction are being purchased.*
- *2010 Grant: Reclamation will award another \$4 million grant for the following drainage control activities:*
 - *SJRIP Land Development (\$2.85 million) to plant and germinate up to 300 acres of salt tolerant crops and install irrigation systems (including filter station, pumps, main-line, and drip lines), and*
 - *Environmental Mitigation (\$1.15 million) to convert a two-mile open ditch across the SJRIP to a closed pipeline.*
- *Reclamation has begun negotiations with Panoche Drainage District on an agreement to fund the treatment, and disposal of highly saline groundwater in six sumps that currently discharge into the DMC. The sumps are a source of contamination of CVP water delivered to local wildlife refuges. Under the 2009 Grant, Reclamation awarded \$500,000 for the design and construction of plumbing to collect the sump water. To date, this construction has not occurred.*

3. Conservation Efforts

Brief Description: The water use efficiency program element includes several grant programs which fund actions to assure efficient use of existing and any new water supplies. Efficiency actions can alter the pattern of water diversions and reduce the magnitude of diversions, providing additional benefits. Efficiency actions can also result in reduced discharge of effluent or drainage and improved water quality. Although Reclamation is unable to quantify the benefits of the various funded projects as related to salinity reduction, the following information is provided to depict the agency's water conservation efforts in the basin. Through the Water 2025, CALFED, and the WCFSP, Reclamation has awarded 59 projects in the San Joaquin Valley that require performance measures since 2006. Through the American Recovery and Reinvestment Act (ARRA), Reclamation awarded 3 grant projects and 1 contract that require performance measures. As information is collected from these projects quantifiable benefits may be determined in the future.

Activity:

Reclamation recently advertised the FY2010 CALFED Water Use Efficiency Grant Program and the WaterSMART Financial Assistance Opportunities on www.grants.gov. The CALFED program is estimated to award \$500,000 in water conservation projects the benefit the California Bay-Delta, and are anticipated to be awarded by June 2010. The WaterSMART program is estimated to award \$18,000,000 in water conservation projects throughout the western United States.

Under the 2010 Field Services Program, Reclamation awarded 7 projects within the San Joaquin basin as follows:

- Delano-Earlimart Irrigation District received \$20,200 to expand the Turnipseed groundwater recharge basin to include 80 additional acres. The total project cost is \$41,906.*
- Madera Irrigation District received \$50,000 to implement a meter replacement program for its aging open-flow propeller meters located at farm turnouts. The total project cost is \$100,000.*
- Madera Irrigation District received \$47,790 to install hand-held data recorders at flow level sensors for monitoring canal spills. The total project cost is \$95,580.*
- Madera Irrigation District received \$29,500 to develop a comprehensive geographical information system mapping program for the district's distribution and delivery system infrastructure. The total project cost is \$59,000.*
- James Irrigation District received \$50,000 to install and construct a lift pump, pipeline and appurtenances. The total project cost is \$101,879.*
- Fresno Irrigation District received \$50,000 to purchase and install canal gate actuators, measurement devices and the necessary telemetry equipment required to perform remote control and flow rate monitoring at two critical locations on the Central Canal system. The total project cost is \$101,734.*
- West Stanislaus District received \$50,000 to automate the District's main canal. The total project cost is \$100,000.*

C. Mitigation Actions

Reclamation's Action Plan identifies two mitigation actions to reduce salinity loads: a Real Time Management Program (RTMP) to maximize the removal of salt using assimilative capacity in the San Joaquin River, and a wetlands BMP plan to research and potentially develop practices to reduce salinity loading from managed wetlands. Reclamation has actively supported the development of a real time monitoring and forecasting program in the River and in managed wetlands.

1. RTMP – Development of Stakeholder-Driven Program

Brief Description: The Real Time Management Program is described in the TMDL as a stakeholder driven effort to use “real-time” water quality and flow monitoring data to support water management operations in order to maximize the use of assimilative capacity in the San

Joaquin River. The Regional Board describes this assimilative capacity as up to 85% of the load determined by Vernalis salinity objective. Reclamation is working with a facilitation firm to support the development of a stakeholder-driven program.

Activity:

- *Reclamation continues working with its consultants to facilitate stakeholder involvement in developing a Real Time Management Program (RTMP). With the Upstream Salinity Studies transferring to CV-SALTS, the RTMP team is evaluating options and opportunities for engaging stakeholders.*
- *Reclamation staff produced a draft white paper to document information regarding TMDL loading and allocation schemes for program discussion and stakeholder education.*
- *Reclamation is working with its consultants to develop a newsletter for stakeholders involved in salt related activities to inform them of opportunities to bridge their actions with RTMP.*

2. RTMP – Technical Support

Brief Description: A successful RTMP will require a real time monitoring network and a model capable of reasonably accurate forecasting of assimilative capacity. The concept behind the RTMP is to enable the use of available assimilative capacity to export salt loads from the basin or to better time the release of salinity loads into the river to times when there is greater dilution capacity, which should also reduce the times where river capacity is exceeded (to the extent that exceedances are caused by discharges and not by background or allowed loads). Development of an accurate forecast model will serve as a decision making tool to help manage salinity loads in the river without violating water quality standards. Reclamation is committed to participate in the development and support of these tools. Reclamation staff has valuable experience in both of these areas. The technical support of this program will follow the stakeholder process.

Activity:

- *Reclamation is working with its contractor on a salinity and nitrate source study in the Northwest and Grassland areas. This work will compliment the efforts of CV-SALTS.*
- *Reclamation is working with its contractor to gather the necessary information to identify general infrastructure needs to enable real time management.*
- *Reclamation is working with its contractor to provide technical support to the for the upstream salinity studies as they relate to RTMP.*

3. Wetlands BMP Plan

Brief Description: The Service, CDFG, and the Grassland Resource Conservation District (GRCD) in coordination with Reclamation are developing BMP plans to reduce the impact of discharges from managed wetlands into the San Joaquin River. Reclamation also provides resources to support the development of a real-time monitoring network (over 28 stations) and other potential BMP analysis tools within federal, state, and private managed wetlands. At present, the Plan has not been completed and released to the public.

Activity:

- *Reclamation funded the installation and upgrading of real-time flow and water quality monitoring stations within the Grasslands Ecological Area. The stations have been installed in the Grassland Water District and in the State and federal Refuges. The stations are variously employed to help characterize salt loading from key drainages in the watershed and to continue the monitoring of individual wetland impoundments, begun under a State Water Resources Board study led by Nigel Quinn.*
- *A final report on that 4 year study will be available mid-2010. The study results and the ongoing monitoring will provide the basis for the first comprehensive simulation model of wetland hydrology and water quality. This model is under development as part of Reclamation's Program to Meet Standards.*
- *Reclamation is working with the Service, CDFG, and local wetlands managers to update and finalize the BMP Plan taking into consideration the data being generated within the Basin that can provide a more quantitative characterization of wetland hydrology than has been possible in the past.*
- *Reclamation is sponsoring several groundwater conjunctive use investigations in the western San Joaquin Basin that have direct relevance to salinity management. The first project will drill and complete two production wells in the Volta Wildlife Management Area to supplement current wetland water supply. These wells will be continuously monitored for electrical conductivity and drawdown to assess long term impacts on refuge water quality and local groundwater resources. Well sites have been selected, implementation documentation is being prepared and a monitoring plan has been developed. Construction on the first well, located north of the Volta Wasteway is scheduled for completion within 6 months.*

4. Participation in CV-SALTS program

Brief Description: The Central Valley Water Board and State Water Board initiated a comprehensive effort to address salinity problems in California’s Central Valley and adopt long-term solutions that will lead to enhanced water quality and economic sustainability. The Central Valley Salinity Alternatives for Long-Term Sustainability (CV-SALTS) is a collaborative basin planning effort aimed at developing and implementing a comprehensive salinity management program. The goal of CV-SALTS is to maintain a healthy environment and a good quality of life for all Californians by protecting the state’s most essential and vulnerable resource: water.

Activity:

Reclamation continues to participate in various sub-committees of the program (Executive, Technical Advisory and Economic, and Education and Outreach). In addition:

- *Reclamation participated in development and proposal review for the Beneficial Use and Objectives Phase 1 study.*
- *Reclamation consultant MWH continued to make progress on the Westside Salt Sources Assessment, which will complement the CV-SALTS Pilot Salt Sources Study.*
- *Reclamation staff, Lisa Holm, volunteered to co-chair the Technical Advisory Committee.*

D. Central Valley Project Deliveries Load Calculation

Brief Description: The Central Valley Project (CVP) delivers water to both the Grassland and Northwest subareas (as described in the Basin Plan) through the Delta-Mendota Canal (DMC). The DMC starts at the pumping headworks in the Delta, the C.W. Jones (Jones) Pumping Plant at Tracy, California. Water is conveyed south to the San Luis Reservoir, where water is mixed with the State Water Project in O’Neill Forebay and then either pumped into San Luis Reservoir for later delivery, or conveyed further south through the DMC to the Mendota Pool. Turnouts and groundwater pump-ins occur at several locations along the DMC. “Reach 1” of the DMC includes turnouts between the Jones Pumping Plant and the San Luis Reservoir. Deliveries for Reach 1 are made through the San Luis Canal and the Cross Valley Canal, as well as directly out of the DMC. “Reach 2” of the DMC includes turnouts between the O’Neill Forebay and the Mendota Pool. “Reach 3” covers deliveries made out of the Mendota Pool. Some simplification of this system has been made for accounting purposes, as some districts take portions of their deliveries through several turnouts.

Quantification Methodology: The Basin Plan allocates a load to Reclamation for water delivered to the Grassland and Northwest side Subareas. This load allocation is calculated according to Table IV-8 Summary of Allocations and Credits:

$$LA_{DMC} = Q_{DMC} * 52 \text{ mg/L} * 0.0013599$$

Where:

LA_{DMC} = Load Allocation of salts, in tons

Q_{DMC} = monthly amount of water delivered to Grassland and Northwest side subareas, in acre feet

52 = “background” TDS of water in the San Joaquin River at Friant per the Basin Plan

0.0013599 = factor for converting units into tons

Quarterly Activity Report – 4th Qtr 2009

Actual DMC salt loads are calculated by the following equation:

$$L_{DMC} = Q_{DMC} * (C_{DMC}) * 0.0013599$$

Where:

L_{DMC} = Actual DMC Load, in tons

Q_{DMC} = monthly amount of water delivered to Grassland and Northwest side subareas, in acre feet

C_{DMC} = monthly average (arithmetic mean) of salinity of the water delivered to Grassland and Northwest Subareas, in mg/L TDS

0.0013599 = factor for converting units into tons

Each delivery reach's Q_{DMC} is calculated and then paired with the associated monthly average EC for that reach, so the equation essentially becomes:

$$L_{DMC} = 0.0013599 * \Sigma(Q_{DMC} * C_{DMC})_{Reach\ 1-3}$$

This equation is then broken into two calculations, one for each subarea. Table 2 summarizes data taken from the monthly report titled *Delta-Mendota Canal Water Quality Monitoring Program* and illustrates the excess loads from the subareas and the total excess loads from CVP deliveries.

Quarterly Activity Report – 4th Qtr 2009

Table 2. Calculation of WY 2010 DMC Allocations and Loads

	Grassland Subarea						Northwest Subarea						Total
	San Joaquin River and Mendota Pool Deliveries from CVP, load in thousand tons	Delta- Mendota Canal Deliveries from CVP, load in thousand tons	San Luis and Cross Valley Canal Deliveries from CVP, load in thousand tons	Total Flow, thousand acre-feet	Load Allocation, thousand tons	Actual Load - Load Allocation, thousand tons	San Joaquin River and Mendota Pool Deliveries from CVP, load in thousand tons	Delta- Mendota Canal Deliveries from CVP, load in thousand tons	Total Flow, thousand acre-feet	Load Allocation, thousand tons	Actual Load - Load Allocation, thousand tons	Total Excess Load from CVP Deliveries, thousand tons	
September to March Standard, 1000 uS/cm													
Oct-09	31.3	6.0	2.3	85.5	6.0	33.7	0.6	0.4	2.2	0.2	0.9	34.5	
Nov-09	11.0	5.4	1.6	39.1	2.8	15.2	0.4	0.6	2.0	0.1	0.8	16.0	
Dec-09	0	3.3	0.4	6.9	0.5	3.2	0	0.3	0.5	0	0.3	3.4	
Jan-10	1.3	3.1	0.5	7.6	0.5	4.5	0	0.1	0.2	0	0.1	4.6	
Feb-10	20.2	1.5	1.4	38.0	2.7	22.2	0.5	0.3	1.4	0.1	0.7	22.9	
Mar-10	19.6	6.2	3.4	54.2	3.8	25.3	1.7	1.2	5.3	0.4	2.5	27.8	
April to September Standard, 700 uS/cm													
Apr-10													
May-10													
Jun-10													
Jul-10													
Aug-10													
September to March Standard, 1000 uS/cm													
Sep-10													

E. Reporting Requirements

In the MAA, Reclamation agreed to provide quarterly reports to the Regional Board. Reclamation will consult with the Regional Board before proposing any changes to the sample report format. Quarterly reports are due 45 days after the end of the calendar quarter:

End of calendar quarter	Due date of Quarterly report
Dec 31, 2008	Feb 15, 2009
March 31, 2009	May 15, 2009
June 30, 2009	August 15, 2009
September 30, 2009	November 15, 2009
December 31, 2009	February 15, 2010
March 31, 2010	May 15, 2010
June 30, 2010	August 15, 2010

F. Funding Reporting

Reclamation agreed in the MAA to seek additional funding, including grant funding, to support salinity control efforts. In its quarterly reports, Reclamation will report on its efforts to support the securing of additional funding.

Activity:

- *A funding request was submitted for the 2010 budget for WSRDP.*
- *A funding request was submitted for the 2011 budget for WSRDP.*
- *A funding request was submitted for the 2011 budget for administrative coordination and activities related to the RTMP.*
- *A funding request was submitted for the 2011 budget for the administration of the Grassland Bypass Project.*
- *A Science and Technology Grant proposal was submitted to fingerprint salt sources in the San Joaquin Basin; however, this grant was not selected for funding.*
- *Reclamation is working on a contract modification to add \$4 million to the San Joaquin River Salinity Management Program grant for 2010 activities.*