

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
COLORADO RIVER BASIN REGION**

ORDER NO. 86-34

RESCISSION OF WASTE DISCHARGE REQUIREMENTS


The California Regional Water Quality Control Board, Colorado River Basin Region, finds that:

1. The below-listed Board Orders contain waste discharge requirements for wastewater disposal facilities that are no longer in use or have been changed to land disposal, or were never constructed.
2. It is desirable to rescind said below-listed Board Orders.
3. The Board forwarded timely notices by mail to persons responsible for each of the below-listed Orders, explaining the Board's considerations of rescinding the particular Order, and requesting timely comments.
4. The Board at a public meeting heard and considered all comments pertaining to the proposed rescission of the below-listed Orders.

IT IS HEREBY ORDERED, the following Orders containing waste discharge requirements are rescinded:

<u>Order</u>	<u>Name-Location</u>	<u>Date</u>
78-40	Chevron Resources Company Temperature Gradient Holes - East Mesa Area, Imperial County	5/10/78
78-60	Pacific Gas and Electric Company and Southern California Gas Company - Imperial County	7/12/78
81-1	Palm Springs Plating (nka GQI Plating) City of Palm Springs, Riverside County	1/28/81
81-74	Tract 16104 - Suncreek Estates, Ltd. - South of Desert Hot Springs, Riverside County	7/8/81
84-12	Seeley County Water District - Imperial County	7/12/78

I, Arthur Swajian, Executive Officer, do hereby certify the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, Colorado River Basin Region, on March 19, 1986.


Executive Officer

*Cancelled
1/17/90*