ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Invoice

Date	Invoice #
6/4/2015	15-13587

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
18653	Net 30	

Quantity	Description	Rate	Amount
	EFF METALS	600.00	600.00
	EPA 8081	200.00	200.00
	EPA 8260	200.00	200.00
	EPA 8270	350.00	350.00
	DIOXIN	800.00	800.00
	CHROMIUM HEXAVALENT	90.00	90.00
		Total	$2,240.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18653-1

Reported: 5-24-15

Client: Date Gardens

Received: 3-23-15

Sample:

Identification: Eff

EPA 8081A reported in ug/l

Aldrin	<0.1243
Alpha-Hexachlorocyclohexane (Alpha BHC)	<0.452
Beta Hexachlorocyclohexane (Beta BHC)	<0.0339
Gamma chlordane	<0.2825
Alpha-chlordane	<0.2825
4,4'-DDD (DDD)	<0.0678
4,4'-DDE (DDE)	<0.0565
4,4'-DDT (DDT)	<0.0676
Delta-Hexachlorocyclohexane (Delta BHC)	<0.0339
Dieldrin	<0.0678
Endosulfan I	<0.0339
Endosulfan II	<0.0678
Endosulfan sulfate	<0.0678
Endrin	<0.0678
Endrin Aldehyde	<0.1489
Endrin ketone	<0.06893
Gamma-Hexachlorocyclohexane (Gamma-BHC, Lindane_	<0.0339
Heptachlor	<0.0904
Heptachlor epoxide	<0.0565
Methoxychlor	<0.5441
Toxaphene	3.503
Chlordane, Total	0.2625

Analysis by D Tek, 15-1144 and Associated Laboratories

Linda L. Webster

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18653-2

Reported: 5-24-15

Client: Date Gardens

Received: 3-23-15

Sample: Water

Identification: Rq Eff

EPA 8082, reported in ug/l

	Result	DLR
Aroclor 1016	ND	0.565
Aroclor 1221	ND	0.565
Aroclor 1232	ND	0.565
Aroclor 1242	ND	0.565
Aroclor 1248	ND	0.565
Aroclor 1254	ND	0.565
Aroclor 1260	ND	0.565

Analysis by D Tek, 15-1144, and Associated Laboratories

Linda L. Webster
Lab supervisor

ATS Laboratories
104 S 8th Street
Brawley, Ca 92227
1-760-344-2532
Fax 1-760-344-3459

Lab no: 18653-3

Reported 5-24-15

Client: Date Gardens

Received: 3-23-15

Sample: Water

Identification: Eff

EPA 8260B reported in ug/l

Acetone	ND	5
Benzene	ND	1
Bromobenzene	ND	1
Bromochloromethane	ND	1
Bromdichloromethane	ND	1
Bromoform	ND	5
Bromomethsane	ND	3
2-Butanone	ND	5
n-Butylbenzene	ND	1
Sec-Butylbenzene	ND	1
Tert-Butylbenzene	ND	1
Carbon disulfide	ND	1
Carbon tetrachloride	ND	1
Chlorobenzene	ND	3
Chloroethane	ND	5
2-Chloroethyl vinyl ether	ND	1
Chloroform	ND	3
Chloromethane	ND	1
4-Chlorotoluene	ND	1
2-Chlorotoluene	ND	5
1,2-Dibromo-3-chloropropane	ND	1
Dibromochloromethane	ND	5
1,2-Dibromoethane	ND	1
Dibromomethane	ND	1
1,2-Dichlorobenzene	ND	1
1,3-Dichlorobenzene	ND	1
1,4-Dichlorobenzene	ND	1
Dichlorodifluoromethane	ND	3
1,1-Dichloroethane	ND	1
1,Dichloroethane	ND	1
1,1-Dichloromethene	ND	1

cis-1,2-Dichloroethene	ND	1
trans-1,2-Dichloroetrhene	ND	1
1,2-Dichloropropane	ND	1
1,3-Dichloropropane	ND	1
2-2-Dichloropane	ND	1
1,1-Dichloropropene	ND	1
cis-1,3-Dichloropropene	ND	1
trans-1,3-Dichloropropene	ND	1
Ethylbenzene	ND	1
Hexachlorobutadiene	ND	3
2-Hexanone	ND	5
Isopropylbenzene	ND	1
p-Isopropyltoluene	ND	1
MTBE	ND	2
4-Methyl-1-pentanone	ND	5
Methylene chloride	ND	5
Napthalene	ND	1
n-Propylbenzene	ND	1
Styrene	ND	1
1,1,1,2-Tetrachloroethane	ND	1
1,1,2,2-Tetrachloroethane	ND	1
Tetrachloroethene	ND	1
Toluene	ND	1
1,2,3-Trichlorobenzene	ND	1
1,2,4-Trichlorobenzene	ND	1
1,1,1-Trichloroethane	ND	1
1,1,2-Trichloroethane	ND	1
Trichloroethene	ND	1
Trichlorofluoromethane	ND	1
1,2,3-Trichloropropane	ND	1
1,2,4-Trimethylbenzene	ND	1
1,3,5-Trimethylbenzene	ND	1
Vinyl acetate	ND	5
Vinyl Chloride	ND	3
0-Xylene	ND	1
M,p-Xylene	ND	2

Analysis by D Tek 15-1144 and Associated Laboratories, copy of report enclosed

Linda L. Webster
Lab supervisor

ATS Laboratories
104 S 8th Street
Brawley, Ca 92227
1-760-344-2532
Fax 1-760-344-3459

Lab no: 18563-4 Reported: 5-24-15

Client: Date Gardens Received: 3-23-15

Sample: Eff

Identification: EPA 8270C reported in ug/l

Acenaphthene	ND	10.0
Acenaphthylene	ND	10.0
Anthracene	ND	10.0
Benz(a)anthracene	ND	10.0
Benzo(a)Pyrene	ND	10.0
Benzo(b)fluoranthene	ND	10.0
Benzo(ghi)perylene	ND	10.0
Benzo(k)fluoranthene	ND	10.0
Benzoic Acid	ND	10.0
Benzyl alcohol	ND	10.0
Bis(2-Chloromethyl)methane	ND	10.0
Bis(2-chloroethyl)ether	ND	10.0
Bis(2-chloroisopeopyl)ether	ND	10.0
Bis(2-ethylhexyl)phthalate	ND	10.0
4-Bromophenyl phenyl ether	ND	10.0
Butyl benzyl phthalate	ND	10.0
4-Chloro-3-methylphenol	ND	1.0
4-Chloroaniline	ND	10.0
2-Chloronaphthalene	ND	10.0
2-Chlorophenol	ND	1.0
4-Chlorophenyl phenyl ether	ND	10.0
Chrysene	ND	10.0
Di-n-butyl phthalate	ND	10.0
Di-n-octyl phthalate	ND	10.0
Dibenz(a,h)anthracene	ND	10.0
Dibenzofural	ND	10.0
1,3-Dichlorobenzene	ND	10.0
1,2-Dichlorobenzene	ND	10.0
1,4-Dichlorobenzene	ND	10.0
3,3'Dichlorobenzidine	ND	20.0
2,4-Dichlorophenol	ND	1.0
Diethyl phthalate	ND	10.0

2,4-Dimethylphenol	ND	1.0
2,4-Dinitrotoluene	ND	10.0
2,6-Dinitrotolueme	ND	1.0
Fluoranthene	ND	10.0
Fluorene	ND	10.0
Hexachlorobenznen	ND	10.0
Hexachlorobutadiene	ND	20.0
Hexachlorocyclopentadiene	ND	10.0
Hexachloroethane	ND	10.0
Indeno(1,2,3-cd)pyrene	ND	10.0
Isophorone	ND	10.0
2-methyl-4,6-Dinitrophenol	ND	1.0
2-Methylnaphthalene	ND	10.0
2-Methylphenol	ND	1.0
4-Methylphenol	ND	1.0
N-Nitroso-Di-n-propylamin	ND	10.0
Nitrosodiphenylaminee	ND	10.0
Naphthalene	ND	10.0
2-Nitroaniline	ND	10.0
3-Nitroaniline	ND	10.0
4-Nitroaniline	ND	10.0
Nitrobenzene	ND	10.0
2-Nitrophenol	ND	10.0
4-Nitrophenol	ND	1.0
Pentachlorophenol	ND	1.0
Phenantheene	ND	10.0
Phenol	ND	1.0
Pyrene	ND	10.0
1,2,4-Trichlorobemnzee	ND	10.0
2,4,5-Trichlorophenol	ND	1.0
2,4,6-Trichlorophenol	ND	1.0
Benzidine	ND	20

Analysis by D Tek, 15-1144 and Associated Laboratories

Linda L. Webster
Lab supervisor

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18653-5

Reported: 5-24-15

Client: Date Gardens

Received: 3-23-15

Sample: Water

Identification: Eff

Analysis	Results	Units	MDL	Date	Mwthod
2,3,7,8-TCDD	2.9	pg/l	2.27	4-1-15	1613B
Asbestos	To follow				

Analysis by Dtek Analytical 15-1144, and Ceres Laboratories, copy of report enclosed

Linda L. Webster
Lab supervisor

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18653-6

Reported: 5-24-15

Client: Date Gardens

Received: 3-23-15

Sample: Wastewater

Identification: Effluent

	Result mg/l	Method
Hexavalent Chromium	2.02 ug/l	218.6
Total Cyanide	<0.02	4500Cn-Ce
Antimony	<0.100	3120B
Arsenic	<0.20	3120B
Beryllium	<0.010	3120B
Cadmium	<0.02	3120B
Chromium III	<0.010	3120B
Copper	<0.02	3120B
Lead	<0.02	3120B
Nickel	<0.01	3120B
Selenium	<0.20	3120B
Silver	<0.01	3120B
Thallium	<0.50	3120B
Zinc	<0.02	3120B
Mercury	<0.002	3112B/245.1

Analysis by D Tek, no. 15-1144, Associated Laboratories, copy of report enclosed

Linda L. Webster
Lab supervisor

Matrix: Water
Sampled: 03/23/2015 11:00
Sample #: 354248-001

Client: D-TEK Analytical Laboratories, Inc.
Site:
Client Sample #: 15-1144

Collector: Client
Sample Type:

Analyte	Result	DF	RDL	Units	Analyzed	By	Notes
1,2-Dibromo-3-chloropropane	ND	1	5	ug/L	03/26/15	nicollez	
1,2-Dibromoethane	ND	1	5	ug/L	03/26/15	nicollez	
1,2-Dichlorobenzene	ND	1	5	ug/L	03/26/15	nicollez	
1,2-Dichloroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,2-Dichloropropane	ND	1	5	ug/L	03/26/15	nicollez	
1,3,5-Trimethylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
1,3-Dichlorobenzene	ND	1	5	ug/L	03/26/15	nicollez	
1,3-Dichloropropane	ND	1	5	ug/L	03/26/15	nicollez	
1,4-Dichlorobenzene	ND	1	5	ug/L	03/26/15	nicollez	
2,2-Dichloropropane	ND	1	5	ug/L	03/26/15	nicollez	
2-Butanone (MEK)	ND	1	100	ug/L	03/26/15	nicollez	
2-Chloroethyl Vinyl Ether	ND	1	5	ug/L	03/26/15	nicollez	
2-Chlorotoluene	ND	1	5	ug/L	03/26/15	nicollez	
4-Chlorotoluene	ND	1	5	ug/L	03/26/15	nicollez	
4-Isopropyltoluene	ND	1	5	ug/L	03/26/15	nicollez	
4-Methyl-2-pentanone (MIBK)	ND	1	5	ug/L	03/26/15	nicollez	
Acetone	ND	1	100	ug/L	03/26/15	nicollez	
Allyl Chloride	ND	1	5	ug/L	03/26/15	nicollez	
Benzene	ND	1	1	ug/L	03/26/15	nicollez	
Bromobenzene	ND	1	5	ug/L	03/26/15	nicollez	
Bromochloromethane	ND	1	5	ug/L	03/26/15	nicollez	
Bromodichloromethane	ND	1	5	ug/L	03/26/15	nicollez	
Bromoform	ND	1	5	ug/L	03/26/15	nicollez	
Bromomethane	ND	1	5	ug/L	03/26/15	nicollez	
Carbon Tetrachloride	ND	1	5	ug/L	03/26/15	nicollez	
Chlorobenzene	ND	1	5	ug/L	03/26/15	nicollez	
Chlorodibromomethane	ND	1	5	ug/L	03/26/15	nicollez	
Chloroethane	ND	1	5	ug/L	03/26/15	nicollez	
Chloroform	ND	1	5	ug/L	03/26/15	nicollez	
Chloromethane	ND	1	5	ug/L	03/26/15	nicollez	
cis-1,2-Dichloroethene	ND	1	5	ug/L	03/26/15	nicollez	
cis-1,3-dichloropropene	ND	1	5	ug/L	03/26/15	nicollez	
cis-1,4-dichloro-2-butene	ND	1	5	ug/L	03/26/15	nicollez	
Dibromomethane	ND	1	5	ug/L	03/26/15	nicollez	
Dichlorodifluoromethane	ND	1	5	ug/L	03/26/15	nicollez	
Ethylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
Hexachlorobutadiene	ND	1	5	ug/L	03/26/15	nicollez	
Isopropylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
m and p-Xylene	ND	1	5	ug/L	03/26/15	nicollez	
Methylene chloride	ND	1	5	ug/L	03/26/15	nicollez	
Methyl-t-butyl Ether (MTBE)	ND	1	1	ug/L	03/26/15	nicollez	
Naphthalene	ND	1	5	ug/L	03/26/15	nicollez	
N-butylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
N-propylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
o-Xylene	ND	1	5	ug/L	03/26/15	nicollez	
Sec-butylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
Styrene	ND	1	5	ug/L	03/26/15	nicollez	
Tert-butylbenzene	ND	1	5	ug/L	03/26/15	nicollez	
Tetrachloroethene	ND	1	5	ug/L	03/26/15	nicollez	
Toluene	ND	1	5	ug/L	03/26/15	nicollez	
trans-1,2-dichloroethene	ND	1	5	ug/L	03/26/15	nicollez	
trans-1,3-dichloropropene	ND	1	5	ug/L	03/26/15	nicollez	
trans-1,4-dichloro-2-butene	ND	1	5	ug/L	03/26/15	nicollez	

Matrix: Water
Sampled: 03/23/2015 11:00
Sample #: 354248-001

Client: D-TEK Analytical Laboratories, Inc.
Site:
Client Sample #: 15-1144

Collector: Client
Sample Type:

Analyte	Result	DF	RDL	Units	Analyzed	By	Notes
Trichloroethene	ND	1	5	ug/L	03/26/15	nicollez	
Trichlorofluoromethane	ND	1	5	ug/L	03/26/15	nicollez	
Vinyl Chloride	ND	1	5	ug/L	03/26/15	nicollez	
Xylenes (Total)	ND	1	5	ug/L	03/26/15	nicollez	

Surrogate	% Recovery	Limits	Notes
1,2-Dichloroethane-d4 (SUR)	95	70-145	
4-Bromofluorobenzene (SUR)	110	70-145	
Dibromodifluoromethane (SUR)	86	70-145	
Toluene-d8 (SUR)	97	70-145	

Method: EPA 8270C ~~PELAC~~ Prep Method: EPA 3510C QCBatchID: QC1154337

N-Nitrosodimethylamine (NDMA)	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Phenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Bis(2-chloroethyl) Ether	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2-Chlorophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
1,3-Dichlorobenzene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
1,4-Dichlorobenzene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Benzyl alcohol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
1,2-Dichlorobenzene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2-Methylphenol (o-Cresol)	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Bis(2-chloroisopropyl) Ether	ND	1.19	11.9	ug/L	03/30/15	qnguyen
4-Methylphenol (p-Cresol)	ND	1.19	11.9	ug/L	03/30/15	qnguyen
N-Nitrosodi-n-propylamine (NDPA)	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Hexachloroethane	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Nitrobenzene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Isophorone	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2-Nitrophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,4-Dimethylphenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Bis(2-chloroethoxy)methane	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Benzoic acid	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,4-Dichlorophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
1,2,4-Trichlorobenzene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Naphthalene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
4-Chloroaniline	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Hexachlorobutadiene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
4-Chloro-3-methylphenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2-Methylnaphthalene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Hexachlorocyclopentadiene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,4,6-Trichlorophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,4,5-Trichlorophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2-Chloronaphthalene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2-Nitroaniline	ND	1.19	59.5	ug/L	03/30/15	qnguyen
Dimethyl phthalate	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Acenaphthylene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,6-Dinitrotoluene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
3-Nitroaniline	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Acenaphthene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,4-Dinitrophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Dibenzofuran	ND	1.19	11.9	ug/L	03/30/15	qnguyen
4-Nitrophenol	ND	1.19	11.9	ug/L	03/30/15	qnguyen
2,4-Dinitrotoluene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Diethyl phthalate	ND	1.19	11.9	ug/L	03/30/15	qnguyen
Fluorene	ND	1.19	11.9	ug/L	03/30/15	qnguyen
4-Chlorophenyl phenyl ether	ND	1.19	11.9	ug/L	03/30/15	qnguyen

CERES Analytical Laboratory, Inc.

EPA Method 1613B

Quality Assurance Sample Method Blank Project ID: 15-1144	QC Batch #: 1308 Matrix: Drinking Water Sample Size: 1.000 L	Date Received: NA Date Extracted: 4/1/2015 ZB-5MS Analysis: 4/1/2015

Analyte	Conc. (pg/L)	Qualifiers	Labeled Standards	% R	LCL-UCL (a)	Qualifiers
2,3,7,8-TCDD	DL= 2.09		13C-2378-TCDD	96.9	31-137	
			CRS 37Cl4-2378-TCDD	66.7	35-197	

DL - Signifies Non-Detect (ND) at sample specific detection limit.
EMPC - Estimated Maximum Possible Concentration due to ion abundance ratio failure.
(a) - Lower control limit - Upper control limit

Analyst: JMH

Reviewed by: BS

D-TEK ANALYTICAL LABORATORIES, INC.
2722 Loker Ave. West, Suite B
Carlsbad, CA 92010
(760) 930-2555 FAX (760) 930-2510

ATS Laboratories
104 S. 8th St.
Brawley, CA 92227

Attn: Linda Webster

Date Reported: 04/07/15
Date Sampled: 03/23/15
Date Received: 03/24/15
Sample Type: WATER

Project ID: 18653-Date Gardens MHP WWTP

Log Number: 15-1144
Sample ID: Effluent

ANALYTICAL RESULTS

Analysis	Results	Units	Method	Analyst/Date
Total Cyanide	< 0.02	mg/L	SM4500CN-CE	JB 03/30/15
Antimony	< 0.100	mg/L	SM3120B	SD 03/27/15
Arsenic	< 0.20	mg/L	SM3120B	SD 03/27/15
Beryllium	< 0.010	mg/L	SM3120B	SD 03/27/15
Cadmium	< 0.02	mg/L	SM3120B	SD 03/27/15
Chromium	< 0.010	mg/L	SM3120B	SD 03/27/15
Copper	< 0.02	mg/L	SM3120B	SD 03/27/15
Lead	< 0.02	mg/L	SM3120B	SD 03/27/15
Nickel	< 0.01	mg/L	SM3120B	SD 03/27/15
Selenium	< 0.20	mg/L	SM3120B	SD 03/27/15
Silver	< 0.01	mg/L	SM3120B	SD 03/27/15
Thallium	< 0.50	mg/L	SM3120B	SD 03/27/15
Zinc	< 0.02	mg/L	SM3120B	SD 03/27/15
Mercury	< 0.002	mg/L	3112B/245.1	SD 04/02/15

Matrix: Water
Sampled: 03/23/2015 11:00
Sample #: 354248-001

Client: D-TEK Analytical Laboratories, Inc.
Site:
Client Sample #: 15-1144

Collector: Client
Sample Type:

Analyte	Result	DF	RDL	Units	Analyzed	By	Notes
Method: EPA 218.6	**Prep Method: EPA 218.6**						**QCBatchID: QC1154291**
Hexavalent Chromium	ND	1	1	ug/L	03/30/15	wei	T3
Method: EPA 8081A NELAC	**Prep Method: EPA 3510C**						**QCBatchID: QC1154330**
4,4'-DDD	ND	1.13	0.0678	ug/L	03/31/15	sdonovan	D1
4,4'-DDE	ND	1.13	0.0565	ug/L	03/31/15	sdonovan	D1
4,4'-DDT	ND	1.13	0.0678	ug/L	03/31/15	sdonovan	D1
a-BHC	ND	1.13	0.0452	ug/L	03/31/15	sdonovan	D1
Aldrin	ND	1.13	0.1243	ug/L	03/31/15	sdonovan	D1
b-BHC	ND	1.13	0.0339	ug/L	03/31/15	sdonovan	D1
Chlordane (technical)	ND	1.13	0.2825	ug/L	03/31/15	sdonovan	D1
d-BHC	ND	1.13	0.0339	ug/L	03/31/15	sdonovan	D1
Dieldrin	ND	1.13	0.0678	ug/L	03/31/15	sdonovan	D1
Endosulfan I	ND	1.13	0.0339	ug/L	03/31/15	sdonovan	D1
Endosulfan II	ND	1.13	0.0678	ug/L	03/31/15	sdonovan	D1
Endosulfan sulfate	ND	1.13	0.0678	ug/L	03/31/15	sdonovan	D1
Endrin	ND	1.13	0.0678	ug/L	03/31/15	sdonovan	D1
Endrin aldehyde	ND	1.13	0.1469	ug/L	03/31/15	sdonovan	D1
Endrin Ketone	ND	1.13	0.06893	ug/L	03/31/15	sdonovan	D1
Heptachlor	ND	1.13	0.0904	ug/L	03/31/15	sdonovan	D1
Heptachlor epoxide	ND	1.13	0.0565	ug/L	03/31/15	sdonovan	D1
Lindane (Gamma-BHC)	ND	1.13	0.0339	ug/L	03/31/15	sdonovan	D1
Methoxychlor	ND	1.13	0.6441	ug/L	03/31/15	sdonovan	D1
Toxaphene	ND	1.13	3.503	ug/L	03/31/15	sdonovan	D1

Surrogate	*% Recovery*	*Limits*	*Notes*
Decachlorobiphenyl DCB (SUR)	133	37-166	
Tetrachloro-m-xylene TCMX (SUR)	112	37-144	

Method: EPA 8082 NELAC	**Prep Method: EPA 3510C**						**QCBatchID: QC1154332**
PCB-1221	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1016	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1232	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1242	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1248	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1254	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1260	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1262	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1
PCB-1268	ND	1.13	0.565	ug/L	03/31/15	sdonovan	D1

Surrogate	*% Recovery*	*Limits*	*Notes*
Decachlorobiphenyl DCB (SUR)	109	23-150	

Method: EPA 8260B NELAC	**Prep Method: EPA 5030B**						**QCBatchID: QC1154233**
1,1,1,2-Tetrachloroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,1,1-Trichloroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,1,2,2-Tetrachloroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,1,2-Trichloroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,1,2-Trichlorotrifluoroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,1-Dichloroethane	ND	1	5	ug/L	03/26/15	nicollez	
1,1-Dichloroethene	ND	1	5	ug/L	03/26/15	nicollez	
1,1-Dichloropropene	ND	1	5	ug/L	03/26/15	nicollez	
1,2,3-Trichlorobenzene	ND	1	5	ug/L	03/26/15	nicollez	
1,2,3-Trichloropropane	ND	1	5	ug/L	03/26/15	nicollez	
1,2,4-Trichlorobenzene	ND	1	5	ug/L	03/26/15	nicollez	
1,2,4-Trimethylbenzene	ND	1	5	ug/L	03/26/15	nicollez	

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Invoice

Date	Invoice #
6/4/2015	15-13595

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
18846	Net 30	

Quantity	Description	Rate	Amount
	CYANIDE AMENABLE	90.00	90.00
		Total	$90.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18446 Reported: 6-2-15

Client: Date Garden Received: 5-11-15

Sample: Waste Water

Identification: Effluent

	Results	Units	MDL	Date	Mwthod
Amenable Cyanide	<0.02	mg/l	0.02	5-16-15	4500CN G

Analysis by D Tek Analytical, 15-1856, copy of report enclosed

Linda L. Webster
Lab supervisor

D-TEK ANALYTICAL LABORATORIES, INC.
2722 Loker Ave. West, Suite B
Carlsbad, CA 92010
(760) 930-2555 FAX (760) 930-2510

ATS Laboratories
104 S. 8th St.
Brawley, CA 92227

Attn: Linda Webster

Date Reported: 05/28/15
Date Sampled: 05/11/15
Date Received: 05/12/15
Sample Type: WATER

Project ID: 18446-DATE GARDENS

Log Number: 15-1856
Sample ID: EFFLUENT

ANALYTICAL RESULTS

Analysis	Results	Units	Method	Analyst/Date
Amenable Cyanide	< 0.02	mg/L	SM4500CN G	JB 05/16/15

ATS LABORATORIES
104 S. 8th St.
Brawley, CA 92227
Tel: (760) 344-2532
Fax: (760) 344-3459

CHAIN OF CUSTODY

LAB NO:	18446
DATE:	05-11-15

Client: DATE GARDENS MHP WWTP	
Address:	Phone:
	Fax:

SAMPLE INFORMATION

ID NO:	SAMPLE ID	DATE SAMPLE	MATRIX (w, dw,solid, ww, liq, soil)	SAMPLE TIME	ANALYSIS
1	EFFLUENT	05-11-15	WW	0600AM	FREE CYANIDE

Sampler's Name: MATT H	Temp in range: Yes No

Relinquished By: MATT H	Date: 05-11-15	Time: 0645AM
Received By: LINDA W	Date: 05-11-15	Time: 0645AM 23C
Relinquished By:	Date:	Time:
Received By:	Date:	Time:
Relinquished By:	Date:	Time:

Invoice

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Date	Invoice #
6/4/2015	15-13594

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
18880	Net 30	

Quantity	Description	Rate	Amount
	DISSOLVED OXYGEN	8.00	8.00
	PH	20.00	20.00
		Total	$28.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18880

Reported: 5-21-16

Client: Date Gardens

Received: 5-21-15

Sample: Waste Water

Identification: Effluent

Analysis	Results	Units	MDL	Date	Method
Temperature	22	C	NA	5-21-15	NA
pH	6.47	units	NA	5-21-15	4500HB
DO	6.6	mg/l	NA	5-21-15	SM

Analyses done on site

Linda L. Webster
Lab supervisor

ATS LABORATORIES
104 S. 8th St.
Brawley, CA 92227
Tel: (760) 344-2532
Fax: (760) 344-3459

CHAIN OF CUSTODY

LAB NO:	18880
DATE:	05-21-15

Client: DATE GARDEN	
Address:	Phone:
	Fax:

SAMPLE INFORMATION

ID NO:	SAMPLE ID	DATE SAMPLE	MATRIX (w, dw,solid, ww, liq, soil)	SAMPLE TIME	ANALYSIS
1	EFF	05-21-15	WW		
	PH-6.47 DO-6.6 T-22C				
	SAMPLED ON SITE				

Sampler's Name: JERRY B	Temp in range: Yes No

Relinquished By: JERRY B	Date: 05-21-15	Time:
Received By: THERESA MTZ	Date: 05-21-15	Time: 1100AM 25C
Relinquished By:	Date:	Time:
Received By:	Date:	Time:
Relinquished By:	Date:	Time:
Received By:	Date:	Time:

Invoice

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Date	Invoice #
6/4/2015	15-13593

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
18845	Net 30	

Quantity	Description	Rate	Amount
2	B O D EFF/INF	65.00	130.00
2	Total Suspended Solids	18.00	36.00
		Total	$166.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: 18845

Reported: 5-27-15

Client: Date Gardens Mobile

Received: 5-11-15

Sample: WasteWater

Identification: Effluent, Influent

Analysis	Effluent	Influent	Units	DLR	Date	Method
BOD	2.0	386.86	mg/l	1	5-14-15	5210B
Suspended Solids	3	792	mg/l	1	5-15-15	2540D

Linda L. Webster
Lab supervisor

ATS LABORATORIES
104 S. 8th St.
Brawley, CA 92227
Tel: (760) 344-2532
Fax: (760) 344-3459

CHAIN OF CUSTODY

LAB NO:	18445
DATE:	05-11-15

Client: DATE GARDENS MHP WWTP	
Address:	Phone:
	Fax:

SAMPLE INFORMATION

ID NO:	SAMPLE ID	DATE SAMPLE	MATRIX (w, dw,solid, ww, liq, soil)	SAMPLE TIME	ANALYSIS
1	EFFLUENT	05-11-15	WW	0600AM	BOD, TSS
2	INFLUENT	05-11-15	WW	0600AM	BOD, TSS

Sampler's Name: MATT H	Temp in range: Yes No

Relinquished By: MATT H	Date: 05-11-15	Time: 0645AM
Received By: LINDA W	Date: 05-11-15	Time: 0645AM 23C
Relinquished By:	Date:	Time:
Received By:	Date:	Time:
Relinquished By:	Date:	Time:

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Invoice

Date	Invoice #
6/4/2015	15-13592

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
M25695	Net 30	

Quantity	Description	Rate	Amount
	BACTERIA, RAW	35.00	35.00
	E COLI	45.00	45.00
	ENTEROCOCCUS	70.00	70.00
		Total	$150.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab No. M25695

Reported: 5-21-15

Client: Date Gardens

Received: 5-19-15 850AM

Sample: Raw

Identification:
Site Code: 21E
Sampled by: MH
DateTime: 5-19-15 810AM
Type of sample: Raw
Chlorine Residue: 0
Sample Site: Effluent

RESULTS

Total Coliform	Absence = < 2 mpn/100ml
Fecal Coliform	Absence = < 2 mpn/100ml
E Coli	Absence = < 1 mpn/100ml
Enterococcus	Absence = < 2 mpn/100ml

Date Start: 5-19-15
Date Completed 5-21-15
Date Reported: 5-21-15

Time Start: 900AM
Time Completed: 1000AM
Method: 9221B/E/9223B

Linda L. Webster
Lab supervisor

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Date	Invoice #
6/4/2015	15-13591

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
M25686	Net 30	

Quantity	Description	Rate	Amount
	BACTERIA, RAW	35.00	35.00
	E COLI	45.00	45.00
	ENTEROCOCCUS	70.00	70.00
		Total	$150.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab No. M25686

Reported: 5-20-15

Client: Date Gardens

Received: 5-18-15 930AM

Sample: Raw

Identification:
Site Code: 21E
Sampled by: MH
DateTime: 5-18-15 815AM
Type of sample: Raw
Chlorine Residue: 0
Sample Site: Effluent

RESULTS

Total Coliform	Absence = < 2 mpn/100ml
Fecal Coliform	Absence = < 2 mpn/100ml
E Coli	Absence = < 1 mpn/100ml
Enterococcus	Absence = < 2 mpn/100ml

Date Start: 5-18-15
Date Completed 5-20-15
Date Reported: 5-20-15

Time Start: 1000AM
Time Completed: 1100AM
Method: 9221B/E/9223B

Linda L. Webster
Lab supervisor

Invoice

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Date	Invoice #
6/4/2015	15-13590

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
M25671	Net 30	

Quantity	Description	Rate	Amount
	BACTERIA, POTABLE	24.00	24.00
	BACTERIA, RAW	35.00	35.00
	E COLI	45.00	45.00
	SAMPLING, BACTI	20.00	20.00
		Total	$124.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab No. M25671-1

Reported: 5-14-15

Client: Date Gardens

Received: 5-13-15 120PM

Sample: Potable

Identification:
Site Code: 21-1
Sampled by: VT
DateTime: 5-13-15 1100AM
Type of sample: Potable
Chlorine Residue: 1.78
Sample Site: Car Wash

RESULTS

Total Coliform	Absence

Date Start: 5-13-15
Date Completed 5-14-15
Date Reported: 5-14-15

Time Start: 130PM
Time Completed: 130PM
Method: 9223B

Linda L. Webster
Lab supervisor

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab No. M25671-2

Reported: 5-15-15

Client: Date Gardens

Received: 5-13-15 120PM

Sample: Raw

Identification:
Site Code: 21-2
Sampled by: VT
DateTime: 5-13-15 1050AM
Type of sample: Raw
Chlorine Residue: 0
Sample Site: Raw

RESULTS

Total Coliform	Presence = 900 mpn/100ml
Fecal Coliform	Presence = 900 mpn/100ml
E Coli	Presence = 6.1mpn/100ml

Date Start: 5-13-15
Date Completed 5-15-15
Date Reported: 5-15-15

Time Start: 130PM
Time Completed: 1230PM
Method: 9221B/E/9223B

Linda L. Webster
Lab supervisor

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Invoice

Date	Invoice #
6/4/2015	15-13589

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
M25652	Net 30	

Quantity	Description	Rate	Amount
	BACTERIA, RAW	35.00	35.00
	E COLI	45.00	45.00
	ENTEROCOCCUS	70.00	70.00
		Total	$150.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab No. M25652

Reported: 5-14-15

Client: Date Gardens

Received: 5-11-15 645AM

Sample: Raw

Identification:
Site Code: 21E
Sampled by: MH
DateTime: 5-11-15 600AM
Type of sample: Raw
Chlorine Residue: 0
Sample Site: Effluent

RESULTS

Total Coliform	Absence = < 2 mpn/100ml
Fecal Coliform	Absence = < 2 mpn/100ml
E Coli	Absence = < 1 mpn/100ml
Enterococcus	Absence = < 2 mpn/100ml

Date Start: 5-11-15
Date Completed 5-13-15
Date Reported: 5-14-15

Time Start: 700AM
Time Completed: 700AM
Method: 9221B/E/9223B

Linda L. Webster
Lab supervisor

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Invoice

Date	Invoice #
6/4/2015	15-13588

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
M25605	Net 30	

Quantity	Description	Rate	Amount
	BACTERIA, RAW	35.00	35.00
	E COLI	45.00	45.00
	ENTEROCOCCUS	70.00	70.00
		Total	$150.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: M25605

Reported: 5-7-15

Client: Date Gardens

Received: 5-4-15 915AM

Sample: Raw

Identification:

Site Code: 21E
Sampled by: MH
DateTime: 5-4-15 900AM
Type of sample: Raw
Chlorine Residue: 0
Sample Site: Effluent

RESULTS

Total Coliform	Absence = < 2 mpn/100ml
Fecal Coliform	Absence = < 2 mpn/100ml
E Coli	Absence = < 1 mpn/100ml
Enterococcus	Absence = < 2 mpn/100ml

Date Start: 5-4-15
Date Completed 5-7-15
Date Reported: 5-7-15

Time Start: 930AM
Time Completed: 700AM
Method: 9221B/E/9223B

Linda L. Webster

ATS Laboratories

104 S 8th Street
Brawley, Ca. 92227
Phone 760-344-2532
Fax 760-344-3459

Invoice

Date	Invoice #
6/4/2015	15-13588

Bill To
DATE01 DATE GARDENS BUSINESS OFFICE 250 E LAS PALMAS #67 PATTERSON, CA. 95363

P.O. No.	Terms	Project
M25605	Net 30	

Quantity	Description	Rate	Amount
	BACTERIA, RAW	35.00	35.00
	E COLI	45.00	45.00
	ENTEROCOCCUS	70.00	70.00
		Total	$150.00

ATS Laboratories
104 S 8th Street
Brawley, Ca. 92227
760-344-2532
Fax 760-344-3459

Lab no: M25605

Reported: 5-7-15

Client: Date Gardens

Received: 5-4-15 915AM

Sample: Raw

Identification:

Site Code: 21E
Sampled by: MH
DateTime: 5-4-15 900AM
Type of sample: Raw
Chlorine Residue: 0
Sample Site: Effluent

RESULTS

Total Coliform	Absence = < 2 mpn/100ml
Fecal Coliform	Absence = < 2 mpn/100ml
E Coli	Absence = < 1 mpn/100ml
Enterococcus	Absence = < 2 mpn/100ml

Date Start: 5-4-15
Date Completed 5-7-15
Date Reported: 5-7-15

Time Start: 930AM
Time Completed: 700AM
Method: 9221B/E/9223B

Linda L. Webster