

California Regional Water Quality Control Board
Santa Ana Region

Order No. R8-2011-0052


Rescission of Waste Discharge Requirements
for
Specific Dischargers

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The Orders listed in Attachment "A" were issued by the Board at various times to dischargers described therein. Attachment "A" is hereby made a part of this Order. The waste discharge requirements for the dischargers listed in Attachment "A" are no longer necessary because the discharge has ceased, the project has been completed, the discharge is now regulated by another appropriate Order, or the discharge poses an insignificant threat to water quality.
2. This action is based on the fact that specific discharges have ceased or the project has been completed or the discharge is now deemed an insignificant threat to water quality. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061(b)(3), Chapter 3, Title 14 of the California Code of Regulations.
3. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the Orders for the facilities listed in Attachment "A" and has provided them with an opportunity to submit written comments and recommendations.
4. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

IT IS HEREBY ORDERED that the Orders listed in Attachment "A" be rescinded.

I, Kurt V. Berchtold, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on October 28, 2011.



Kurt V. Berchtold
Executive Officer

ORDER NO. R8-2011-0052

Attachment "A"

	<u>Order No.</u>	<u>Discharger and Facility Location</u>	<u>Reason for Rescission</u>
<u>RIVERSIDE COUNTY</u>			
1	R8-2005-0051	Wasson Canyon Investments, LP, Tract 31792, Lake Elsinore	Project has been completed, WDR no longer required
2	R8-2002-0027	Jack Tuls & Sons Dairy/R & J Dairy, 38980 Record Road, San Jacinto	Discharges from this facility are now regulated under General Order No. R8-2007-0001
<u>SAN BERNARDINO COUNTY</u>			
3	82-142	Ameron Pipe Division, Southern California (Arrow Plant), Etiwanda	Discharge poses an insignificant threat to water quality
4	R8-2004-0009	San Bernardino Valley Municipal Water District, Pilot Dewatering Program, San Bernardino	Project has been completed, WDR no longer required

California Regional Water Quality Control Board
Santa Ana Region

October 28, 2011

STAFF REPORT

ITEM: *6

SUBJECT: Rescission of Waste Discharge Requirements, Order No. R8-2011-0052

DISCUSSION:

The waste discharge requirements for the dischargers listed in Attachment "A" of Order No. R8-2011-0052 are no longer necessary because the discharge has ceased, the project has been completed, the discharge is now regulated by another Order, or the discharge poses an insignificant threat to water quality.

RECOMMENDATION:

Adopt Order No. R8-2011-0052, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

Orange County Water District – Nira Yamachika
Riverside County Department of Environmental Health Services – John Watkins
Riverside County Transportation/Flood Control Department – Jason Uhley
San Bernardino County Environmental Health Services – Terri Williams
San Bernardino County Department of Public Works, Flood Control – Annesley Ignatius