

California Regional Water Quality Control Board  
Santa Ana Region

December 9, 2011

STAFF REPORT

ITEM: \*8

SUBJECT: Rescission of Waste Discharge Requirements, Order No. R8-2011-0058

DISCUSSION:

The waste discharge requirements for the dischargers listed in Attachment "A" of Order No. R8-2011-0058 are no longer necessary because the discharge has ceased, the project has been completed, or the discharge is now regulated by another Order.

RECOMMENDATION:

Adopt Order No. R8-2011-0058, as presented.

In addition to the dischargers listed in Attachment "A", comments were solicited from the following agencies:

Orange County Water District – Nira Yamachika

Riverside County Department of Environmental Health Services – John Watkins

Riverside County Transportation/Flood Control Department – Jason Uhley

San Bernardino County Environmental Health Services – Terri Williams

San Bernardino County Department of Public Works, Flood Control – Annesley Ignatius

California Regional Water Quality Control Board  
Santa Ana Region

Order No. R8-2011-0058

Rescission of Waste Discharge Requirements  
for  
Specific Dischargers

The California Regional Water Quality Control Board, Santa Ana Region (hereinafter Board), finds that:

1. The Orders listed in Attachment "A" were issued by the Board at various times to dischargers described therein. Attachment "A" is hereby made a part of this Order. The waste discharge requirements for the dischargers listed in Attachment "A" are no longer necessary because the discharge has ceased, the project has been completed, or the discharge is now regulated by another appropriate Order.
2. This action is based on the fact that specific discharges have ceased or the project has been completed or the discharge is now deemed an insignificant threat to water quality. As such, this action is exempt from the requirements of the California Environmental Quality Act in accordance with Section 15061(b)(3), Chapter 3, Title 14 of the California Code of Regulations.
3. The Board has notified the dischargers and interested agencies and persons of its intent to rescind the Orders for the facilities listed in Attachment "A" and has provided them with an opportunity to submit written comments and recommendations.
4. The Board, in a public meeting, heard and considered all comments pertaining to the rescission of waste discharge requirements.

**IT IS HEREBY ORDERED** that the Orders listed in Attachment "A" be rescinded.

I, Kurt V. Berchtold, Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Santa Ana Region, on December 9, 2011.



---

Kurt V. Berchtold  
Executive Officer

**ORDER NO. R8-2011-0058**

**Attachment "A"**

	<b><u>Order No.</u></b>	<b><u>Discharger and Facility Location</u></b>	<b><u>Reason for Rescission</u></b>
1	R8-2003-0006	Army Corps of Engineers, Lower Newport Bay Maintenance Dredging	Discharges for this project are now regulated under Order No. R8-2011-0050
2	R8-2004-0063	Lillo Service Station, 11095 Magnolia Ave, Riverside	Project not constructed, WDR no longer required
3	95-074	General Waste Discharge Requirements for Fixed-Site Soil Treatment Facilities which receive Petroleum Hydrocarbon Contaminated Soil	WDR is outdated and no longer utilized