

ITEM NO. 6

October 23, 2009

ERRATA SHEET

Revision of Waste Discharge Requirements for Orange County Waste & Recycling,
Olinda Alpha Landfill, Order No.R8-2009-0047

(Language added is underlined)
(Language deleted is ~~strike-out~~)

1. Order No. R8-2009-0047, Staff Report, make the following changes:

The discharger is currently regulated under Waste Discharge Requirements Order No. 99-33. On December 4, 2008, the Discharger submitted a complete Joint Technical Document (JTD) requesting a waiver from the liner requirements for a 33-acre expansion area on the northeast northwest side of OAL. The footprint of the entire expanded landfill will cover approximately 45386 acres. The landfill site has a present capacity of approximately 123.1448.8 million cubic yards of MSW. The planned lateral and vertical expansion phases will accommodate an ultimate capacity of 148.874.5 million cubic yards by the planned closure date of December of 2021. The landfill expansion will be constructed in accordance with the liner waiver requirements specified in Title 27 and Resolution 93-62. The Discharger believes that the rationale for this request for a waiver of liner requirements is essentially identical to the previously requested liner waivers, both of which were approved by the Regional Board with the adoption of WDR Order Nos. 97-55 and 99-33.

2. Order No. R8-2009-0047, Page 7 of 40, Item 6, Liner Waiver, make the following changes:

6. **LINER WAIVER:**

Waiver of liner requirements - The Discharger has demonstrated that the waiver of liner requirements for Title 27, §§ 20310, 20320, 20323, 20324, 20330 and 20340 is appropriate based on information reviewed by Board staff. For the approximate 33-acre expansion area northeast of the Olinda Alpha fill area, the following shall apply:

ITEM NO. 7

October 23, 2009

ERRATA SHEET

Resolution No. R8-2009-0028
Conditional Waiver of Statutory Requirements
to File a Report of Waste Discharge and
to Adopt Waste Discharge Requirements for the Use of Compost Products
for Erosion Control Application on Fire- or Disaster-Impacted Lands
Within the Santa Ana Region

(Language added is underlined)

(Language deleted is ~~strike-out~~)

1. Resolution No. R8-2009-0028, Page 5 of 12, Attachment A, make the following changes:

“**Food waste** consists of or contains only pre-process and post-process waste derived from plants, or foods processed or produced at commercial or institutional food facilities such as restaurants, ~~food processors,~~ grocery stores; cafeterias (such as prisons, schools, and hospitals); and other facilities as defined in Health and Safety Code Section 113789 and its amendments thereafter; ~~grocery stores; institutional cafeterias (such as prisons, schools, and hospitals);~~ or residential food scrap collection.”

2. Resolution No. R8-2009-0028, Page 7 of 12, Item 6 of Attachment B, make the following changes:

"6. No raw organic materials (such as raw greenwaste and sewage sludge) shall be utilized in the disaster-impacted areas. Only fully-composted organic materials (mature compost) meeting the minimum required environmental health standards of Title 14, California Code of Regulations, Division 7, Chapter 3.1, Article 7, and the United States Composting Council's (USCC) Seal of Testing Assurance (STA) program shall be used for erosion control application in the fire-impacted or disaster-stricken areas. Stricter standards may be required by the RA."

Item 8
Clean Water Act Section 303(d) and 305 (b) Integrated Report

ERRATA SHEET

CATEGORY 2 – PROPOSED LIST OF WATERBODIES WITH SOME USES FULLY SUPPORTED, BUT INSUFFICIENT DATA TO ASSESS ALL USES (STAFF REPORT TABLE 1)

- Add Santa Ana River, Reach 1 for fecal coliform

CATEGORY 5, PROPOSED SECTION 303(d) LIST OF IMPAIRED WATERS (STAFF REPORT TABLE 4)

- Remove Newport Beach - proposed listing for enterococcus, fecal coliform