



California Regional Water Quality Control Board

Santa Ana Region



Linda S. Adams
Acting Secretary for
Environmental Protection

3737 Main Street, Suite 500, Riverside, California 92501-3348
(951) 782-4130 • Fax (951) 781-6288
<http://www.waterboards.ca.gov/santaana>

Edmund G. Brown Jr.
Governor

ADDENDUM TO AGENDA ANNOUNCEMENT

REGIONAL BOARD MEETING
Friday, April 22, 2011
Orange County Water District
18700 Ward Street
Fountain Valley, CA 92708

NOTICE

Changes and postponements that may occur to this agenda will be placed on our website and automatically forwarded to those who subscribe to our electronic mailing list. Anyone wishing to subscribe to our electronic agenda mailing list may do so, as follows: go to www.waterboards.ca.gov/santaana/ and choose "Subscribe to Electronic Mailing Lists" from the homepage. Those who are not subscribers should visit our website prior to the board meeting date.

Supporting documents for agenda items are now posted on our website at least 7 days prior to the scheduled meeting. To view or download the documentation, go to www.waterboards.ca.gov/santaana/ and select the item of interest.

The following item has been added:

- *11a. [Resolution Regarding Funding from the State Water Resources Control Board \(SWRCB\) Emergency, Abandoned and Recalcitrant Site Account](#) – The Board will consider a resolution supporting the acceptance of funds for underground storage tank sites from the SWRCB Emergency, Abandoned and Recalcitrant Site Account.
{Kenneth Williams 951/782-4496 kwilliams@waterboards.ca.gov} Resolution No. R8-2011-0029





California Regional Water Quality Control Board

Santa Ana Region



Linda S. Adams
Acting Secretary for
Environmental Protection

3737 Main Street, Suite 500, Riverside, California 92501-3348
(951) 782-4130 • Fax (951) 781-6288
<http://www.waterboards.ca.gov/santaana>

Edmund G. Brown Jr.
Governor

AGENDA ANNOUNCEMENT

REGIONAL BOARD MEETING

Friday, April 22, 2011

9:00 A.M.

Orange County Water District

18700 Ward Street

Fountain Valley, CA 92708

NOTICE

Changes and postponements that may occur to this agenda will be placed on our website and automatically forwarded to those who subscribe to our electronic mailing list. Anyone wishing to subscribe to our electronic agenda mailing list may do so, as follows: go to www.waterboards.ca.gov/santaana/ and choose "Email Subscriptions" from the homepage. Those who are not subscribers should visit our website prior to the board meeting date to view any changes to the agenda.

Supporting documents for agenda items are now posted on our website at least 7 days prior to the scheduled meeting. To view or download the documentation, go to www.waterboards.ca.gov/santaana/ and select the "Public Notices" page.

1. **Introductions**
2. **Public Forum** - Any person may address the Board at the commencement of the meeting on any matter within the Regional Board's jurisdiction and not related to an item that is to be considered separately. The Regional Board Chair requests that each person addressing the Regional Board observe a three-minute time limit.
3. **State Water Resources Control Board Liaison Report** - This item is for information only. No public testimony will be allowed, and the Regional Board will take no formal action.
4. **[Approval of the Minutes of the Regular Board Meeting on March 4, 2011.](#)**
{Felipa Carrillo 951/782-3285 fcarrillo@waterboards.ca.gov}
5. **Consideration of Consent Calendar Items** - Items marked with an asterisk (*) are expected to be routine and non-controversial. The Regional Board will be asked to consider these items at one time without discussion. If any interested party, Board Member or staff requests that an item be removed from the consent calendar, it will be taken up in the order shown.
- *6. **[Appeal of Staff's Denial of an Exemption from the Minimum Lot Size Requirement](#)** - Mario Magdaleno, 5509 Dodd Street, Mira Loma, Riverside County - APN 161-091-001.
{Gary Stewart 951/782-4379 gstewart@waterboards.ca.gov}

- *7. [Appeal of Staff's Denial of an Exemption from the Minimum Lot Size Requirement](#) - Robert and Kathy Nielsen, 420 West 26th Street, Upland, San Bernardino County - APN 1003-341-25. {Gary Stewart 951/782-4379 gstewart@waterboards.ca.gov}
- *8. [Appeal of Staff's Denial of an Exemption from the Minimum Lot Size Requirement](#) - Nancy Ortega, 4029 N. First Avenue, San Bernardino, San Bernardino County - APN 0271-011-22. {Gary Stewart 951/782-4379 gstewart@waterboards.ca.gov}
- *9. [Revised Waste Discharge and Producer / User Reclamation Requirements for the City of Corona, Department of Water & Power, Water Reclamation Facility No. 2](#) - The proposed order will revise the waste discharge requirements for the City of Corona's Water Reclamation Facility No. 2 to recognize the proposed production and distribution of up to 1 mgd of recycled water from the facility, as well as to modify effluent limitations for discharges to the ponds to be consistent with Time Schedule Order No. 2009-0039. {Gary Stewart 951/782-4379 gstewart@waterboards.ca.gov} Order No. R8-2011-0015
- *10. [Revised Waste Discharge Requirements for General Electric Company \(GE\), Francis Street Water Treatment Plant](#) - The proposed order will revise the waste discharge requirements for the discharge of treated wastewater from groundwater cleanup activities associated with GE's former manufacturing facility in Ontario, San Bernardino County. {Gary Stewart 951/782-4379 gstewart@waterboards.ca.gov} Order No. R8-2011-0019
- *11. [Revised Waste Discharge Requirements for USA Waste of California, Inc., El Sobrante Sanitary Landfill \(ESL\), Riverside County](#) - The proposed order will revise the waste discharge requirements for ESL to reflect a change in the previously approved design of the bottom liner for current and future expansions at ESL. {Cindy Li 951-782-4906 cli@waterboards.ca.gov} Order No. R8-2011-0014
- 12. [Consideration of the Model Water Quality Management Plan \(WQMP\) and Technical Guidance Document, County of Orange, Orange County Flood Control District and the Incorporated Cities of Orange County](#) - The Board will take public comment on the draft Model Water Quality Management Plan (WQMP) and Technical Guidance Document (TGD) that have been submitted by the permittees in accordance with the Areawide Urban Storm Water Runoff Permit (R8-2009-0030, as modified by Order No. R8-2010-0062). The Board may direct the Executive Officer to approve or disapprove these documents after the closure of the comment period. The WQMP and TGD identify procedures used in selecting storm water pollution control measures at new development and significant re-development projects in Orange County. {Mark Smythe 951/782-4998 [msmythe@waterboards.ca.gov](mailto:m Smythe@waterboards.ca.gov)}
- 13. [Regional Board Member and Executive Officer Communications](#) - Board Members and the Executive Officer may discuss meetings, communications, correspondence, or other items of general interest relating to matters within the Regional Board's jurisdiction. There will be no voting or formal action taken.

- 14.. **Closed Session** - At any time during the regular session, the Regional Board may adjourn to a closed session to:
- a. consider evidence received in an adjudicatory hearing and deliberate on a decision to be reached based on that evidence (Gov. Code Section 11126(c)(3));
 - b. consider the appointment, employment, evaluation of performance, or dismissal of a public employee or to hear complaints or charges brought against a public employee (Gov. Code Section 11126(a)(1));
 - c. discuss significant exposure to litigation (Gov. Code Section 11126(e)(2)(B)(i));
 - d. discuss whether to initiate litigation (Gov. Code Section 11126(e)(2)(C)(i)); and
 - e. discuss pending litigation in the following matters (Gov. Code, § 11126, subd.(e)):
 - (1) US EPA, Santa Ana Region v. Orange County Sanitation District (U.S. Dist. Ct., CD Cal.);
 - (2) Goodrich Corporation v. California State Water Resources Control Board et al. (Los Angeles Sup. Ct. Case No. BS 110389, [consolidated with BS 110390 and BS 110391].);
 - (3) In re Petitions of Kwikset Locks, Inc. (SWRCB/OCC File Nos. A-1732, 1732(a), 1732(b), 1732(c), and 1732(d));
 - (4) In re Own Motion Review of Rialto-Area Perchlorate Contamination (SWRCB/OCC File No. A-1824).
15. **Adjournment** to the regular meeting of Friday, June 3, 2011 at 9:00 a.m., City of Loma Linda, Council Chambers, 25541 Barton Road, Loma Linda, CA 92354

NOTICES

Any person who has a disability and requires reasonable accommodation to participate in this Regional Board Meeting should contact Felipa Carrillo at fcarrillo@waterboards.ca.gov, or at 951/782-3285, no later than ten (10) days prior to the meeting.

Any person interested in obtaining information and/or providing input regarding pending applications for Water Quality Standards Certification under Section 401 of the Federal Clean Water Act may do so by contacting Mark G. Adelson at 951/782-3234.