34009 ALVARADO-NILES ROAD
UNION CITY, CALIFORNIA 94587
(510) 471-3232

September 15, 2010

Ms. Selina Louie
California Regional Water Quality Control Board
San Francisco Bay Region
1515 Clay Street, Suite 1400,
Oakland, California 94612

Subject: Clean Water Program – Annual Report
NPDES Permit No. CAS612008

Dear Ms. Louie,

Attached for your review, please find a copy of the subject Annual Report for the Union City Clean Water Program.

I certify under penalty of law that this document and all attachments are prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who managed the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Date: Sept 15, 2010

Mintze Cheng, PE
Public Works Director

Attachment

FISCAL YEAR 2009-10 ANNUAL REPORT

(JULY 1, 2009 THROUGH JUNE 30, 2010)

The Clean Water Program

City of Union City
Department of Public Works

34009 Alvarado-Niles Road
Union City, CA 94587

September 15, 2010

FY 2009-2010 Annual Report
Permittee Name: City of Union City

Table of Contents

Section **Page**

Section 1 – Permittee Information 1-1
Section 2 – Provision C.2 Municipal Operations 2-1
Section 3 – Provision C.3 New Development and Redevelopment 3-1
Section 4 – Provision C.4 Industrial and Commercial Site Controls 4-1
Section 5 – Provision C.5 Illicit Discharge Detection and Elimination 5-1
Section 6 – Provision C.6 Construction Site Controls 6-1
Section 7 – Provision C.7 Public Information and Outreach 7-1
Section 8 – Provision C.8 Water Quality Monitoring 8-1
Section 9 – Provision C.9 Pesticides Toxicity Controls 9-1
Section 10 – Provision C.10 Trash Load Reduction 10-1
Section 11 – Provision C.11 Mercury Controls 11-1
Section 12 – Provision C.12 PCBs Controls 12-1
Section 13 – Provision C.13 Copper Controls 13-1
Section 14 – Provision C.14 PBDE, Legacy Pesticides and Selenium Controls 14-1
Section 15 – Provision C.15 Exempted and Conditionally Exempted Discharges 15-1

FY 2009-2010 Annual Report
Permittee Name: City of Union City

Section 1 – Permittee Information

Background Information					
Permittee Name:	City of Union City				
Population:	75,054				
NPDES Permit No.:	CAS612008				
Order Number:	R2-2009-0074				
Reporting Time Period (month/year):	July 1, 2009 through June 30, 2010				
Name of the Responsible Authority:	Larry Cheeves			**Title:**	City Manager
Mailing Address:	34009 Alvarado Niles Road				
City: Union City		**Zip Code:**	94587	**County:**	Alameda
Telephone Number:	510.675.5344		**Fax Number:**		510.489.9468
E-mail Address:	LCheeves@unioncity.org				
Name of the Designated Stormwater Management Program Contact (if different from above):	Henry Louie			**Title:**	City Engineer
Department:	Public Works				
Mailing Address:	34009 Alvarado Niles Road				
City: Union City		**Zip Code:**	94587	**County:**	Alameda
Telephone Number:	510.675.5301		**Fax Number:**		510.489.9468
E-mail Address:	hlouie@unioncity.org				

Section 2 - Provision C.2 Reporting Municipal Operations

Program Highlights and Evaluation
Highlight/summarize activities for reporting year:

Summary: *The City completed the evaluation of the MRP permit and requirement. The City has developed various tools to effective plan and implement all maintenance procedures and policy ensuring they are meeting with MRP Requirement.*

C.2.a. ▶Street and Road Repair and Maintenance

Place an **X** in the boxes next to implemented BMPs to indicate that these BMPs were implemented in applicable instances. If not applicable, type **NA** in the box. If one or more of these BMPs were not adequately implemented during the reporting fiscal year then indicate so and provide explanation in the comments section below.

X	Control of debris and waste materials during road and parking lot installation, repaving or repair maintenance activities from polluting stormwater
X	Control of concrete slurry and wastewater, asphalt, pavement cutting, and other street and road maintenance materials and wastewater from discharging to storm drains from work sites.
X	Sweeping and/or vacuuming and other dry methods to remove debris, concrete, or sediment residues from work sites upon completion of work.

Comments:

C.2.b. ▶Sidewalk/Plaza Maintenance and Pavement Washing

Place an **X** in the boxes next to implemented BMPs to indicate that these BMPs were implemented in applicable instances. If not applicable, type **NA** in the box. If one or more of these BMPs were not adequately implemented during the reporting fiscal year then indicate so and explain in the comments section below:

X	Control of wash water from pavement washing, mobile cleaning, pressure wash operations at parking lots, garages, trash areas, gas station fueling areas, and sidewalk and plaza cleaning activities from polluting stormwater
X	Implementation of the BASMAA Mobile Surface Cleaner Program BMPs

Comments:

C.2.c. ▶Bridge and Structure Maintenance and Graffiti Removal

Place an **X** in the boxes next to implemented BMPs to indicate that these BMPs were implemented in applicable instances. If not applicable, type **NA** in the box. If one or more of these BMPs were not adequately implemented during the reporting fiscal year then indicate so and explain in the comments section below:

X	Control of discharges from bridge and structural maintenance activities directly over water or into storm drains
X	Control of discharges from graffiti removal activities
X	Proper disposal for wastes generated from bridge and structure maintenance and graffiti removal activities
X	Implementation of the BASMAA Mobile Surface Cleaner Program BMPs for graffiti removal

Comments:

C.2.d. ▶Stormwater Pump Stations

Does your municipality own stormwater pump stations: [ ] **Yes** [X] **No**

If your answer is **No** then skip to **C.2.e.**

(For FY 10-11Annual Report only) Complete the following table for dry weather DO monitoring and inspection data for pump stations[1] (add more rows for additional pump stations):

Pump Station Name and Location	First Inspection Dry Weather DO Data		Second Inspection Dry Weather DO Data	
	Date	mg/L	Date	mg/L

(For FY 10-11Annual Report only) Summarize corrective actions as needed for DO monitoring at or below 3 mg/L. Attach inspection records of additional DO monitoring for corrective actions:

Summary:

Attachments:

[1] Pump stations that pump stormwater into stormwater collection systems or infiltrate into a dry creek immediately downstream are exempt from DO monitoring.

(For FY 10-11Annual Report only) Complete the following table for wet weather inspection data for pump stations (add more rows for additional pump stations):

Pump Station Name and Location	**Date** (2x/year required)	**Presence of Trash** (Cubic Yards)	**Presence of Odor** (Yes or No)	**Presence of Color** (Yes or No)	**Presence of Turbidity** (Yes or No)	**Presence of Floating Hydrocarbons** (Yes or No)

C.2.e. ▶ Rural Public Works Construction and Maintenance				
Does your municipality own/maintain rural[2] roads:		Yes	X	No
If your answer is **No** then skip to **C.2.f.**				
Place an **X** in the boxes next to implemented BMPs to indicate that these BMPs were implemented in applicable instances. If not applicable, type **NA** in the box. If one or more of the BMPs were not adequately implemented during the reporting fiscal year then indicate so and explain in the comments section below:				
	Control of road-related erosion and sediment transport from road design, construction, maintenance, and repairs in rural areas			
	Identification and prioritization of rural road maintenance based on soil erosion potential, slope steepness, and stream habitat resources			
	No impact to creek functions including migratory fish passage during construction of roads and culverts			
	Inspection of rural roads for structural integrity and prevention of impact on water quality			
	Maintenance of rural roads adjacent to streams and riparian habitat to reduce erosion, replace damaging shotgun culverts and excessive erosion			
	Re-grading of unpaved rural roads to slope outward where consistent with road engineering safety standards, and installation of water bars as appropriate			
	Inclusion of measures to reduce erosion, provide fish passage, and maintain natural stream geomorphology when replacing culverts or design of new culverts or bridge crossings			
Comments including listing increased maintenance in priority areas:				

[2] Rural means any watershed or portion thereof that is developed with large lot home-sites, such as one acre or larger, or with primarily agricultural, grazing or open space uses.

C.2.f. ▶Corporation Yard BMP Implementation

Place an **X** in the boxes below that apply to your corporation yard(s):

	We do not have a corporation yard
	Our corporation yard is a filed NOI facility and regulated by the California State Industrial Stormwater NPDES General Permit
X	We certify that we have a current **Stormwater Pollution Prevention Plan (SWPPP)** for the Corporation Yard(s)

Place an **X** in the boxes below next to implemented SWPPP BMPs to indicate that these BMPs were implemented in applicable instances. If not applicable, type **NA** in the box. If one or more of the BMPs were not adequately implemented during the reporting fiscal year then indicate so and explain in the comments section below:

X	Control of pollutant discharges to storm drains such as wash waters from cleaning vehicles and equipment
X	Routine inspection prior to the rainy seasons of corporation yard(s) to ensure non-stormwater discharges have not entered the storm drain system
X	Containment of all vehicle and equipment wash areas through plumbing to sanitary or another collection method
X	Use of dry cleanup methods when cleaning debris and spills from corporation yard(s) or collection of all wash water and disposing of wash water to sanitary or other location where it does not impact surface or groundwater when wet cleanup methods are used
X	Cover and/or berm outdoor storage areas containing waste pollutants

Comments:

If you have a corporation yard(s) that is not an NOI facility, complete the following table for inspection results for your corporation yard(s) or attach a summary including the following information:

Corporation Yard Name	**Inspection Date** (1x/year required)	**Inspection Findings/Results**	**Follow-up Actions**
City Corp Yard	3 times/year	Small debris found along the swale and existing wattles needs to replace.	Work orders created

Section 3 - Provision C.3 Reporting New Development and Redevelopment

C.3.a. ▶New Development and Redevelopment Performance Standard Implementation Summary Report

(For FY 10-11Annual Report only) Provide a brief summary of the methods of implementation of Provisions C.3.a.i.(1)-(8).

Summary: *The City has been distributing the updated versions of flyers such as "Changes to Stormwater Quality Control Requirements" and "Hydromodification Management Requirements" to applicants and applying the updated Condition of Approval and MRP Requirement to the development projects.*

C.3.b. ▶Green Streets Status Report

(All projects to be completed by December 1, 2014)

On an annual basis (if applicable), report on the status of any pilot green street projects within your jurisdiction. For each completed project, report the capital costs, operation and maintenance costs, legal and procedural arrangements in place to address operation and maintenance and its associated costs, and the sustainable landscape measures incorporated in the project including, if relevant, the score from the Bay-Friendly Landscape Scorecard. [Note: this applies only to agencies planning to implement pilot green streets projects. If you are planning a pilot green streets project, summarize project status.]

Summary:

C.3.b.v.(1) ▶Regulated Projects Reporting Table

Fill in attached table **C.3.b.v.(1)** or attach your own table including the same information

C.3.h.iv. ▶ Installed Stormwater Treatment Systems Operation and Maintenance Verification Inspection Program Reporting
(1) Fill in attached table **C.3.h.iv.(1)** or attach your own table including the same information
(2) On an annual basis, provide a discussion of the inspection findings for the year and any common problems encountered with various types of treatment systems and/or HM controls. This discussion should include a general comparison to the inspection findings from the previous year.
Summary: The common types of trash and debris found in these systems are plastic bottles, tree leaves, papers. The City encountered same types of problems comparing to previous year.
(3) On an annual basis, provide a discussion of the effectiveness of the O&M Program and any proposed changes to improve the O&M Program (e.g., changes in prioritization plan or frequency of O&M inspections, other changes to improve effectiveness program).
Summary: The City has planned to increase the inspect frequency by inspecting all systems three times per year. The City believe that the inspections and notified all systems owners in advance will help to minimize the problems.

FY 2009-2010 Annual Report
Permittee Name: City of Union City

C.3.b.v.(1) ▶Regulated Projects Reporting Table (part 1) – Projects Approved During the Fiscal Year Reporting Period

Project Name Project No.	Project Location[3], Street Address	Name of Developer	Project Phase No.[4]	Project Type & Description[5]	Project Watershed[6]	Total Site Area (Acres)	Total Area of Land Disturbed (Acres)	Total New and/or Replaced Impervious Surface Area[7] (ft^2)	Total Pre-Project Impervious Surface Area[8] (ft^2)	Total Post-Project Impervious Surface Area[9] (ft^2)
Private Projects										
The Wedge at Union Landing	Courthouse Drive, Union City	Papas Investments	Design	Building		0.39	0.39	17,045	17,045	17,045
Public Projects										
Union City Boulevard Improvement Phase I	Union City Boulevard	City	Design	Roadway Improvement		1.13	1.13	49,100	40,500	49,100

[3] Include cross streets.
[4] If a project is being constructed in phases, use a separate row entry for each phase.
[5] Project Type is the type of development (i.e., new and/or redevelopment). Example descriptions of development are: 5-story office building, residential with 160 single-family homes with five 4-story buildings to contain 200 condominiums, 100 unit 2-story shopping mall, mixed use retail and residential development (apartments), industrial warehouse.
[6] State the watershed(s) that the Regulated Project drains to. Optional but recommended: Also state the downstream watershed(s).
[7] State both the total new impervious surface area and the total replaced impervious surface area, as applicable.
[8] For redevelopment projects, state the pre-project impervious surface area.
[9] For redevelopment projects, state the post-project impervious surface area.

FY 2009-2010 Annual Report
Permittee Name: City of Union City

C.3.b.v.(1) ▶Regulated Projects Reporting Table (part 2) – Projects Approved During the Fiscal Year Reporting Period

Project Name Project No.	Status of Project[10]	Source Control Measures[11]	Site Design Measures[12]	Treatment Systems Approved[13]	Operation & Maintenance Responsibility Mechanism[14]	Hydraulic Sizing Criteria[15]	Alternative Compliance Measures[16/17]	Alternative Certification[18]	HM Controls[19/20]
Private Projects									
The Wedge at Union Landing	Application submitted on 1/22/08 and approved1/12/10			TBD	Private Landowner	TBD			
Public Projects									
Union City Boulevard Improvement Phase I	Approved as CIP Projects for FY 2009-10, the construction scheduled in 2011			Combination of tree well filters, bioretention area, and vegetated swales.	City	Flow Hydraulic Design Basis			

[10] For private projects, state project application submittal date; application deemed complete date; and, final discretionary approval date. For public projects, state plans and specifications approval date.
[11] List source control measures approved for the project. Examples include: properly designed trash storage areas; storm drain stenciling or signage; efficient landscape irrigation systems; etc.
[12] List site design measures approved for the project. Examples include: minimize impervious surfaces; conserve natural areas, including existing trees or other vegetation, and soils; construct sidewalks, walkways, and/or patios with permeable surfaces, etc.
[13] List all approved stormwater treatment system(s) to be installed onsite or at a joint stormwater treatment facility (e.g., flow through planter, bioretention facility, infiltration basin, etc.).
[14] List the legal mechanism(s) (e.g., O&M agreement with private landowner; O&M agreement with homeowners' association; O&M by public entity, etc...) that have been or will be used to assign responsibility for the maintenance of the post-construction stormwater treatment systems.
[15] See Provision C.3.d. "Numeric Sizing Criteria for Stormwater Treatment Systems" for list of hydraulic sizing design criteria (i.e., 1.a., 1.b., 2.a., 2.b., 2.c., or 3)
[16] For Alternative Compliance at an offsite location in accordance with Provision C.3.e.i.(1), on a separate page, give a discussion of the alternative compliance site including the information specified in Provision C.3.b.v.(1)(m)(i) for the offsite project.
[17] For Alternative Compliance by paying in-lieu fees in accordance with Provision C.3.e.i.(2), on a separate page, provide the information specified in Provision C.3.b.v.(1)(m)(ii) for the Regional Project.
[18] Note whether a third party was used to certify the project design complies with Provision C.3.d.
[19] If HM control is not required, state why not.
[20] If HM control is required, state control method used (e.g., method to design and size device(s) or method(s) used to meet the HM Standard, and description of device(s) or method(s) used, such as detention basin(s), biodetention unit(s), regional detention basin, or in-stream control).

FY 2009-2010 Annual Report
Permittee Name: City of Union City

C.3.h.iv. ▶Installed Stormwater Treatment Systems Operation and Maintenance Verification Inspection Program Reporting

Fill in table **below** or attach your own table including the same information.

Facility/Site Inspected and Location	Party Responsible[21] For Maintenance	Date of Inspection	Type of Inspection[22]	Type of Treatment/HM Control(s) Inspected[23]	Inspection Findings or Results[24]	Enforcement Action Taken[25]	Comments
1169 Platinum	City	8/24/09	Annual	CDS	Small amount of debris found	None	Cleaning task created and completed
11th St/Aquamarine	City	8/24/09	Annual	CDS	Small amount of tree leaves	None	Cleaning task created and completed
32108 Condor Dr	City	8/24/09	Annual	CDS	Small amount of silt and paper	None	Cleaning task created and completed
31224 Union City Blvd	City	8/24/09	Annual	CDS	Small amount of tree leaves	None	Cleaning task created and completed
32811 Orick St	City	8/24/09	Annual	CDS	Small amount of tree leaves and few plastic bottles	None	Cleaning task created and completed
34199 Governo Dr.	City	8/24/09	Annual	CDS	Small amount of tree leaves	None	Cleaning task created and completed
22942 Seven St	City	8/24/09	Annual	CDS	Very clean , no debris found	None	
Union Landing Shopping Center	Private landowner	8/24/09	Annual	CDS	Small amount of tree leaves, paper and water bottles	None	Verbally notified Sywest, Property Management Co. and informed them that they need to clean systems prior to October 1, 2009.

[21] State the responsible operator for installed stormwater treatment systems and HM controls.
[22] State the type of inspection (e.g., annual, follow-up, spot, etc.).
[23] State the type(s) of treatment systems inspected (e.g., bioretention facility, flow-through planter, infiltration basin, etc…) and the type(s) of HM controls inspected, and indicate whether the treatment system is an onsite, joint, or offsite system.
[24] State the inspection findings or results (e.g., proper installation, improper installation, proper O&M, immediate maintenance needed, etc.).
[25] State the enforcement action(s) taken, if any, as appropriate and consistent with your municipality's Enforcement Response Plan.

Section 4 – Provision C.4 Industrial and Commercial Site Controls

C.4.a.ii ▶ Legal Authority

(For FY 09-10 Annual Report only) Do you have adequate legal authority to obtain effective stormwater pollutant control on industrial sites? [X] Yes [ ] No

If **No**, explain:

C.4.c.ii.(5) ▶ Enforcement Response Plan

(For FY 09-10 Annual Report only) Have you developed and implemented an Enforcement Response Plan by April 1, 2010? [X] Yes [ ] No

If **No**, explain:

Program Highlights

Provide background information, highlights, trends, etc. For FY 09-10 Annual Report describe steps taken to revise your program to meet new data tracking and reporting requirements.

The City is using Envision Connect database to track inspections and data elements. We are working to include all of the new reporting requirements in our database to be able to readily retrieve this information. We have provided in-house training to the CUPA inspectors to ensure that clean water inspections are being conducted consistently and new data elements are being tracked.

C.4.b.i. ▶ Business Inspection Plan

(For FY 09-10 Annual Report only) Do you have a Business Inspection Plan? [X] Yes [ ] No

If No, explain:

C.4.b.iii.(1) ▶ Potential Facilities List

List below or attach your list of industrial and commercial facilities in your Inspection Plan to inspect that could reasonably be considered to cause or contribute to pollution of stormwater runoff.

See Attachment C.4.b.iii

C.4.b.iii.(2) ▶ Facilities Scheduled for Inspection

List below or attach your list of facilities scheduled for inspection during the current fiscal year.

See Attachment C.4.b.iii

C.4.c.iii.(1) ▶ Facility Inspections

Fill out the following table or attach a summary of the following information.

	Number	Percent
Number of businesses inspected (if known)	49	
Total number of inspections conducted	49	
Violations issued (excluding verbal warnings)	0	
Sites inspected in violation	0	n/a
Violations[1] resolved within 10 working days or otherwise deemed resolved in a longer but still timely manner	0	n/a

[1] Total number of violations equals the number of initial enforcement actions (i.e. one violation issued for several problems during an inspection at a site). It does not equal the total number of enforcement actions because one violation issued at a site may have a second enforcement action for the same violation at the next inspection if it is not corrected.

C.4.c.iii.(2) ▶ Frequency and Types/Categories of Violations Observed

Fill out the following table or attach a summary of the following information. (See Attachment C.4.c.iii. (2))

Type/Category of Violations Observed	Number of Violations
Actual discharge (e.g. non-stormwater discharge)	0
Potential discharge (e.g. BMPs not in place or ineffective)	0

C.4.c.iii.(2) ▶Frequency and Type of Enforcement Conducted

Fill out the following table or attach a summary of the following information.

	Enforcement Action (as listed in ERP)[1]	Number of Enforcement Actions Taken	% of Enforcement Actions Taken[2]
Level 1	0	0	
Level 2	0	0	
Level 3	0	0	
Level 4	0	0	
Total	**0**	0	

Notes:
[1]Agencies to list specific enforcement actions as defined in their ERPs.
[2]Percentage calculated as number of each type of enforcement action divided by the total number of enforcement actions.

C.4.c.iii.(3) ▶Types of Violations Noted by Business Category

Fill out the following table or attach a summary of the following information.

Business Category[1]	Actual Discharge Violations	Potential Discharge Violations

Notes:
[1] List your Program's standard business categories.

C.4.c.iii.(4) ▶ Non-Filers

List below or attach a list of the facilities required to have coverage under the Industrial General Permit but have not filed for coverage:

None.

C.4.d.iii ▶ Staff Training Summary

Training Name	Training Dates	Topics Covered	No. of Inspectors in Attendance	Percent of Inspectors in Attendance
Clean Water Program Inspector Training for Businesses and Illicit Discharges	October 15, 2009	Urban runoff pollution prevention, Inspection procedures, and Illicit Discharge Detection, Elimination and follow-up.	3	75%

Section 5 – Provision C.5 Illicit Discharge Detection and Elimination

C.5.a.ii ► Legal Authority				
(For FY 09-10 Annual Report only) Do you have adequate legal authority to prohibit and control illicit discharges and escalate stricter enforcement to achieve expedient compliance?	X	Yes		No
If **No**, explain:				

C.5.b.ii.(4) ► Enforcement Response Plan				
(For FY 09-10 Annual Report only) Have you developed and implemented an Enforcement Response Plan by April 1, 2010?	X	Yes		No
If **No**, explain:				

Program Highlights
Provide background information, highlights, trends, etc. For FY 09-10 Annual Report describe steps taken to revise your program to meet new data tracking and reporting requirements.
The City is using the forms and spreadsheet developed by the ACCWP to track the complaint/spill/discharge cases and activities. The City is working with Union Sanitary District on updating City's Program and sharing the any facilities that may have potential violations of MRP permit.

C.5.c.iii ►Complaint and Spill Response Phone Number and Spill Contact List

List below or attach your complaint and spill response phone number and spill contact list.

Contact	Description	Phone Number
PSC Environmental	**Emergency (Large or Toxic) Spills**	**877.577.2669**
	Routine	**408.588.1791**

C.5.d.iii ▶Evaluation of Mobile Business Program

Describe implementation of minimum standards and BMPs for mobile businesses and your enforcement strategy. This may include participation in the BASMAA Mobile Surface Cleaners regional program or local activities.

Description: See Clean Water Program FY 2009/10 Report. See BASMAA FY 2009/10 report on mobile surface cleaners program.

C.5.e.iii ▶Evaluation of Collection System Screening Program

Provide a summary or attach a summary of your collection screening program, a summary of problems found during collection system screening and any changes to the screening program this FY.

Description: *The City has developed a spreadsheet identifying and evaluating all collection systems and outfall locations. The City has developed a hot spot list of the illegal dumping and debris found in the City limits including locations maintaining by Alameda County Flood Control District.*

C.5.f.iii.(1), (2), (3) ▶Spill and Discharge Complaint Tracking

Spill and Discharge Complaint Tracking (fill out the following table or include an attachment of the following information)

	Number	Percentage
Discharges reported (C.5.f.iii.(1))	1	
Discharges reaching storm drains and/or receiving waters (C.5.f.iii.(2))	0	
Discharges resolved in a timely manner (C.5.f.iii.(3))	1	100%

C.5.f.iii.(4) ▶Summary of major types of discharges and complaints

Provide a narrative or attach a table and/or graph.

The City did not receive any major types of discharges and complaints in the reported fiscal year.

Section 6 – Provision C.6 Construction Site Controls

C.6.a.iii ▶ Legal Authority

(For FY 09-10 Annual Report only) Is your agency's legal authority adequate for C.6 compliance?	X	Yes		No

If **No**, explain:

C.6.b.ii.(3) ▶ Enforcement Response Plan

(For FY 09-10 Annual Report only) Was your Enforcement Response Plan developed and implemented by April 1, 2010?	X	Yes		No

If **No**, explain:

C.6.e.iii.1.a, b, c ▶Site/Inspection Totals

Number of sites disturbing < 1 acre of soil requiring storm water runoff quality inspection (i.e. High Priority) (C.6.e.iii.1.a)	**Number of sites disturbing ≥ 1 acre of soil** (C.6.e.iii.1.b)	**Total number of storm water runoff quality inspections conducted** (C.6.e.iii.1.c)
2	3	5

C.6.e.iii.1.d ▶Construction Activities Storm Water Violations		
BMP Category	**Number of Violations[1]**	**% of Total Violations[2]**
Erosion Control		0
Run-on and Run-off Control		0
Sediment Control		0
Active Treatment Systems		0
Good Site Management		0
Non Stormwater Management		0
Total		**0%**

Notes:
[1]Count one violation in a category for each site and inspection regardless of how many violations/problems occurred in the BMP category.
[2]Percentage calculated as number of violations in each category divided by total number of violations in all six categories.

C.6.e.iii.1.e ▶Construction related storm water enforcement actions			
	Enforcement Action (as listed in ERP)[1]	**Number Enforcement Actions Taken**	**% Enforcement Actions Taken[2]**
Level 1	0		
Level 2	0		
Level 3	0		
Level 4	0		
Total	**0**		**n/a**

Notes:
[1]Agencies should list the specific enforcement actions as defined in their ERPs.
[2]Percentage calculated as number of each type of enforcement action divided by the total number of enforcement actions.

C.6.e.iii.1.f, g ▶Illicit Discharges	
	Number
Number of illicit discharges, actual and those inferred through evidence (C.6.e.iii.1.f)	0
Number of sites with discharges, actual and those inferred through evidence (C.6.e.iii.1.g)	0

C.6.e.iii.1.h, i ▶Violation Correction Times

	Number	Percent
Violations fully corrected within 10 business days after violations are discovered or otherwise considered corrected in a timely period (C.6.e.iii.1.h)	0	%[2]
Violations not fully corrected within 30 days after violations are discovered (C.6.e.iii.1.i)	0	%[3]
Total number of violations for the reporting year[1]	0	n/a

Notes:

[1]Total number of violations equals the number of initial enforcement actions (i.e. one violation issued for several problems during an inspection at a site). It does not equal the total number of enforcement actions because one violation issued at a site may have a second enforcement action for the same violation at the next inspection if it is not corrected.

[2]Calculated as number of violations fully corrected in a timely period after the violations are discovered divided by the total number of violations for the reporting year.

[3]Calculated as number of violations not fully corrected within 30 days after the violations are discovered divided by the total number of violations for the reporting year.

C.6.e.iii.(2) ▶Evaluation of Inspection Data

Describe your evaluation of the tracking data and data summaries and provide information on the evaluation results (e.g., data trends, typical BMP performance issues, comparisons to previous years, etc.).

Description: *The City has been using the spreadsheet developed by the ACCWP to track the construction sites. The spreadsheet has listed the importance of MRP requirements in the checklist which is very helpful to our inspectors.*

C.6.e.iii.(2) ▶Evaluation of Inspection Program Effectiveness

Describe what appear to be your program's strengths and weaknesses, and identify needed improvements, including education and outreach.

Description: As a part of City's Inspection Program, the City is now required all City's construction projects to review their erosion controls, storm water controls, and SWPPP plans at the project weekly construction meetings. These requirements have reminded all contractors, construction managers and Inspectors the importance of meeting the new MRP requirements. The City shall distribute more educational program materials to private contractors and operators when additional funding is available.

C.6.f ▶ Staff Training Summary

Training Name	Training Dates	Topics Covered	No. of Inspectors in Attendance	Percent of Inspectors in Attendance
Clean Water Program Training the Trainers Session on MRP Construction Site Inspection Requirements	March 9, 2010	Permit requirements, ERP requirements, tools for construction site inspections and tracking	3	100%

Section 7 – Provision C.7. Public Information and Outreach

C.7.b.ii.1 ▶Advertising Campaign

Summarize advertising efforts. Include details such as messages, creative developed, and outreach media used. The detailed advertising report may be included as an attachment. If advertising is being done by participation in a countywide or regional program, refer to the separate countywide or regional Annual Report.

Summary: See BASMAA FY 2009/10 report on the BASMAA Regional Advertising Campaign.

C.7.b.iii.1 ▶Pre-Campaign Survey

(For the FY 10-11 Annual Report only) Summarize survey information such as sample size, type of survey (telephone survey, interviews etc.). Attach a survey report that includes the following information. If survey was done regionally, refer to a regional submittal that contains the following information:

- Summary of how the survey was implemented.
- Analysis of the survey results.
- Discussion of the outreach strategies based on the survey results.
- Discussion of planned or future advertising campaigns to influence awareness and behavior changes regarding trash/litter and pesticides.

Place an **X** in the appropriate box below:

NA	Survey report attached
NA	Reference to regional submittal:

C.7.c ▶Media Relations

Summarize the media relations effort. Include the following details for each media pitch in the space below, AND/OR refer to a regional report that includes these details:

- Topic and content of pitch
- Medium (TV, radio, print, online)
- Date of publication/broadcast

Summary: See BASMAA FY 2009/10 report on the Regional Media Relations effort.

C.7.d ▶Stormwater Point of Contact

(For FY 09-10 Annual Report only, unless changes made) Provide details of website or phone number used as the point of contact. Report on how the point of contact is publicized and maintained. If any change occurs in this contact, report in a subsequent Annual Report.
Contact Summary: See BASMAA FY 2009/10 report on the Regional point of contact. See Clean Water Program FY 2009/10 Report for details on countywide point of contact. The Point of Contact for the City of Union City is Mr. Henry Louie, City Engineer at 510.675.5301.

C.7.e ▶Public Outreach Events

Describe general approach to event selection. Provide a list of outreach materials and giveaways distributed.
Use the following table for reporting and evaluating public outreach events

Event Details	**Description** (messages, audience)	**Evaluation of Effectiveness**
Provide event name, date, and location. Indicate if event is local, countywide or regional.	Identify type of event (e.g., school fair, farmers market etc.), type of audience (school children, gardeners, homeowners etc.) and outreach messages (e.g., Enviroscape presentation, pesticides, stormwater awareness)	Provide general staff feedback on the event (e.g., success at reaching a broad spectrum of the community, well attended, good opportunity to talk to gardeners etc.). Provide other details such as: • Estimated overall attendance at the event. • Number of people that visited the booth, comparison with previous years • Number of brochures and giveaways distributed • Results of any spot surveys conducted
Clean Water Program exhibit at the Alameda County Fair (countywide event).	See Clean Water Program FY 2009/10 Report.	See Clean Water Program FY 2009/10 Report.
Earth Days, Arbor Day, Public Works Week, Make a difference Day	Educating the general public about the local creeks, storm water systems, water conservation and landscaping plants and trees	The City received lots of positive comments from the public.

C.7.f. ▶Watershed Stewardship Collaborative Efforts

Summarize watershed stewardship collaborative efforts and/or refer to a regional report that provides details. Describe the level of effort and support given (e.g., funding only, active participation etc.). State efforts undertaken and the results of these efforts. If this activity is done regionally refer to a regional report.

Evaluate effectiveness by describing the following:

- Efforts undertaken
- Major accomplishments

Summary: See Alameda County Clean Water Program FY 2009/10 Report.

C.7.g. ▶Citizen Involvement Events

List the types of events conducted (e.g., creek clean up, storm drain inlet marking, native gardening etc.). Use the following table for reporting and evaluating citizen involvement events.

Event Details	Description	Evaluation of effectiveness
Provide event name, date, and location. Indicate if event is local, countywide or regional	Describe activity (e.g., creek clean-up, storm drain marking etc.)	Provide general staff feedback on the event. Provide other evaluation details such as: • Number of participants. Any change in participation from previous years. • Distance of creek or water body cleaned • Quantity of trash/recyclables collected (weight or volume). • Number of inlets marked. • Data trends
Community Stewardship Grants	See Clean Water Program FY 2009/10 Report.	See Clean Water Program FY 2009/10 Report.
Earth Days, Arbor Day, Public Works Week, Make a difference Day	Educating the general public about the local creeks, storm water systems, water conservation and landscaping plants and trees and landscaping plants and trees	The City received lots of positive comments from the public.

C.7.h. ▶School-Age Children Outreach

Summarize school-age children outreach programs implemented. A detailed report may be included as an attachment.
Use the following table for reporting school-age children outreach efforts.

Program Details	Focus & Short Description	Number of Students/Teachers reached	Evaluation of Effectiveness
Provide the following information: Name Grade or level (elementary/ middle/ high)	Brief description, messages, methods of outreach used	Provide number or participants	Provide agency staff feedback. Report any other evaluation methods used (quiz, teacher feedback etc.). Attach evaluation summary if applicable.
Educational Services	See Clean Water Program FY 2009/10 Report.		
Earth Day (4/19/2010)	Public Outreach: Educating the students and kids about the local creeks, storm water systems, water conservation and landscaping plants and trees	1800	The City received lots of positive comments from the public for this event.
Arbor Day (5/22/2010)	Public Outreach: Educating the students and kids about the local creeks, storm water systems, water conservation and landscaping plants and trees	120	The City received lots of positive comments from the public for this event.
Make a Difference Day (10/29/2010)	Public Outreach: Educating the students and kids about the creeks, storm water systems, water conservation and landscaping plants and trees	120	The City received lots of positive comments from the public for this event.
Public Works Week at Pioneer Elementary School (5/21/2010)	Public Outreach: Educating the students and kids about the local creeks, storm water systems, water conservation and landscaping plants and trees	650	The City received lots of positive comments from the teachers.

Section 8 - Provision C.8 Water Quality Monitoring

C.8 ▶Water Quality Monitoring
State below if information is reported in a separate regional report. Municipalities can also describe below any Water Quality Monitoring activities in which they participate directly, e.g. participation in RMP workgroups, fieldwork within their jurisdictions, etc.
Summary: See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

Section 9 – Provision C.9 Pesticides Toxicity Controls

C.9.a ▶Adopt an Integrated Pest Management (IPM) Policy or Ordinance				
(For FY 09-10 Annual Report only) Attach a copy of your individual IPM ordinance or policy.	X	**Attached**		**Not attached,** explain below
If **Not attached**, explain:				

C.9.b ▶Implement IPM Policy or Ordinance
Report implementation of IPM BMPs by showing trends in quantities and types of pesticides used, and suggest reasons for increases in use of pesticides that threaten water quality, specifically organophosphorous pesticides, pyrethroids, carbaryl, and fipronil. A separate report can be attached as evidence of your implementation.
Summary: *Landscaped areas are being mulched to minimize use of herbicides. All pesticides are category 3 (minimal toxic) and are selectively used.*

C.9.c ▶Train Municipal Employees	
Enter the number of employees that applied or used pesticides (including herbicides) within the scope of their duties this reporting year.	13
Enter the number of these employees who received training on your IPM policy and IPM standard operating procedures within the last 3 years.	13
Enter the percentage of municipal employees who apply pesticides who have received training in the IPM policy and IPM standard operating procedures within the last three years.	60%

C.9.d ▶Require Contractors to Implement IPM

Did your municipality contract with any pesticide service provider in the reporting year?		Yes	X	No

If yes, attach one of the following:

- [ ] Contract specifications that require adherence to your IPM policy and standard operating procedures, OR
- [ ] Copy(ies) of the contractors' IPM certification(s) or equivalent, OR
- [ ] Equivalent documentation.

If not attached, explain:

C.9.e ▶Track and Participate in Relevant Regulatory Processes

Summarize participation efforts, information submitted, and how regulatory actions were affected **OR** reference a regional report that summarizes regional participation efforts, information submitted, and how regulatory actions were affected.

Summary: See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

C.9.f ▶Interface with County Agricultural Commissioners

Provide a summary of improper pesticide usage reported to County Agricultural Commissioners and follow-up actions to correct violations, if any. A separate report can be attached as your summary.

Summary: The Alameda County Inspector has performed the site inspection during the reported year. No violation was issued.

C.9.h.ii ▶Public Outreach: Point of Purchase

Provide a summary of public outreach at point of purchase, and any measurable awareness and behavior changes resulting from outreach (here or in a separate report); **OR** reference a report of a regional effort for public outreach in which your agency participates.

Summary: See description of Our Water Our World activities in the Clean Water Program FY 2009/10 Report. See BASMAA FY 2009/10 report on the Our Water Our World program.

C.9.h.vi ▶ Public Outreach: Pest Control Operators
Provide a summary of public outreach to pest control operators and landscapers and reduced pesticide use (here or in a separate report); **OR** reference a report of a regional effort for outreach to pest control operators and landscapers in which your agency participates.
Summary: See Alameda County Clean Water Program FY 2009/10 Report.

Section 10 - Provision C.10 Trash Load Reduction

C.10.a.i ▶Short-Term Trash Loading Reduction Plan

(For FY 10-11 Annual Report only) Provide description of actions/tasks initiated/conducted/completed in developing a Short-Term Trash Loading Reduction Plan (due February 1, 2012).

Description: *The City has completed the evaluation of street sweeping programs and collection data of all potential illegal dumping sites. The initial steps the City is proposed to increase street sweeping activities and to develop an outreach program to the public if budget allowed.*

C.10.a.ii ▶Baseline Trash Load and Trash Load Reduction Tracking Method

(For FY 10-11 Annual Report only) Provide description of actions/tasks initiated/conducted/completed to gather trash loading data and develop a Baseline Trash Load and Trash Load Reduction Tracking Method (due February 1, 2012).

Description: *The City will be used the collection data such as illegal dumping, street sweeping and other trash loading data provided by the Waste Management (AlliedWaste) to establish the baseline trash load and trash load reduction tracking method.*

C.10.a.iii ▶Minimum Full Trash Capture

(For FY 10-11 Annual Report and Each Annual Report Thereafter) Provide a description of actions/tasks initiated/conducted/completed in implementing Minimum Full Trash Capture Devices (due July 1, 2014) within individual jurisdictions. Include information on Full Trash Capture Devices installed under Bay-area Wide Trash Capture Demonstration Project administered by San Francisco Estuary Partnership.

Description: *The City has completed the evaluation of all potential trash/debris collection sites and storm water outfall locations. The City has been working with ABAG and tentatively proposed two locations for installation of the trash capture devices.*

C.10.b.iii ▶Trash Hot Spot Assessment

(For FY 10-11 Annual Report and Each Annual Report Thereafter) Provide volume of material removed from each Trash Hot Spot cleanup, and the dominant types of trash (e.g., glass, plastics, paper) removed and their sources to the extent possible. Provide required photo documentation.

Fill out the following table or attach a summary of the following information.

Trash Hot Spot	Cleanup Date	Volume of Material Removed	Dominant Type of Trash	Trash Sources (where possible)
See attached Attachment C.10b.iii				

C.10.d ▶Summary of Trash Load Reduction Actions

Provide summary of new trash load reduction actions or increased levels of implementation of existing actions that were implemented after adoption of the MRP (control measures and best management practices) including the types of actions and levels of implementation, and the total trash loads and dominant types of trash removed from each type of action.

Suggested trash load reduction actions to track and report may include:

- Anti-litter Campaigns
- Anti-litter/Dumping Enforcement Activities
- Curbside Recycling Programs
- Education and Outreach Efforts
- Free Trash Pickup/Dropoff Days
- County HHW Program Activities
- Improved Trash Bin Management
- Inspection/Maintenance of Storm Drain Outfalls
- Litter Pickup and Control
- Removal of Homeless Encampments
- Solid Waste Recycling Efforts
- Source Controls/Bans/Prohibitions
- Storm Drain Operation and Maintenance
- Storm Drain Signage/Marking
- Street Sweeping Activities
- Trash Removal from Receptacles
- Volunteer Creek Cleanups

Type of Trash Load Reduction Action	Date of First Implementation	Level of Implementation (specify if level was increased after MRP adoption)	Total Trash Load Removed by Action	Dominant Types of Trash Removed by Action
Education and Outreach Efforts			n/a	Various Types
Solid Waste Recycling Efforts			77 CY	Various Types
Storm Drain Signage/Marking	April 2010		n/a	

Section 11 - Provision C.11 Mercury Controls

C.11.a.i ▶Mercury Recycling Efforts
List below or attach lists of efforts to promote, facilitate, and/or participate in collection and recycling of mercury containing devices and equipment at the consumer level (e.g., thermometers, thermostats, switches, bulbs).
The CUPA inspections include the inspection of universal wastes. We ask how universal wastes are collected and properly disposed of and ask for documentation of proper disposal/recycling. We also distribute Fact Sheets from DTSC (Department of Toxic Substances Control) on identifying universal waste and requirements for collection and disposal/recycling.

C.11.a.ii ▶Mercury Collection
Provide an estimate of the mass of mercury collected through these efforts, or provide a reference to a report containing this estimate.
Amount collected: N/A

C.11.b ▶Monitor Methylmercury
C.11.c ▶Pilot Projects to Investigate and Abate Mercury Sources in Drainages
C.11.d ▶Pilot Projects to Evaluate and Enhance Municipal Sediment Removal and Management Practices
C.11.e ▶Conduct Pilot Projects to Evaluate On-Site Stormwater Treatment via Retrofit
C.11.f ▶Diversion of Dry Weather and First Flush Flows to POTWs
C.11.g ▶Monitor Stormwater Mercury Pollutant Loads and Loads Reduced
C.11.h ▶Fate and Transport Study of Mercury In Urban Runoff
C.11.i ▶Development of a Risk Reduction Program Implemented Throughout the Region
C.11.j ▶Develop Allocation Sharing Scheme with Caltrans

State below if information is reported in a separate regional report. Municipalities that participate directly in regional activities to can provide descriptions below.

Summary: See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

Section 12 - Provision C.12 PCBs Controls

C.12.a.i,iii ►Municipal Inspectors Training

(For FY 09-10 Annual Report only) List below or attach description of results of training municipal industrial inspectors to identify, in the course of their existing inspections, PCBs or PCB-containing equipment.

Description: See Clean Water Program FY 2009/10 Report. The CUPA inspections include the inspection of universal wastes. We ask how universal wastes are collected and properly disposed of and ask for documentation of proper disposal/recycling. We also distribute Fact Sheets from DTSC (Department of Toxic Substances Control) on identifying universal waste and requirements for collection and disposal/recycling.

C.12.a.ii,iii ►Ongoing Training

(For FY 10-11 Annual Report and Each Annual Report Thereafter) List below or attach description of ongoing training development and inspections for PCB identification, including documentation and referral to appropriate regulatory agencies (e.g. county health departments, Department of Toxic Substances Control, California Department of Public Health, and the Water Board) as necessary.

Description: A training was held in April 2010 on the requirements for facilities storing petroleum products including equipment holding PCBs to prepare a Spill Prevention Control and Countermeasure Plan. As part of the training and CUPA inspections, we review the Hazardous Materials Inventory Statements of businesses that have PCB containing equipment on-site and verify that the equipment is being stored properly and there is no leakage.

FY 2009-2010 Annual Report
Permittee Name: City of Union City

C.12.b ▶Conduct Pilot Projects to Evaluate Managing PCB-Containing Materials and Wastes during Building Demolition and Renovation Activities
C.12.c ▶Pilot Projects to Investigate and Abate On-land Locations with Elevated PCB Concentrations
C.12.d ▶Conduct Pilot Projects to Evaluate and Enhance Municipal Sediment Removal and Management Practices
C.12.e ▶Conduct Pilot Projects to Evaluate On-Site Stormwater Treatment via Retrofit
C.12.f ▶Diversion of Dry Weather and First Flush Flows to POTWs
C.12.g ▶Monitor Stormwater PCB Pollutant Loads and Loads Reduced
C.12.h ▶Fate and Transport Study of PCBs In Urban Runoff
C.12.i ▶Development of a Risk Reduction Program Implemented Throughout the Region

State below if information is reported in a separate regional report. Municipalities that participate directly in regional activities to can provide descriptions below.

Summary: See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

Section 13 - Provision C.13 Copper Controls

C.13.a.i and iii ► Legal Authority: Architectural Copper

(For FY 10-11 Annual Report only) Do you have adequate legal authority to prohibit discharge of wastewater to storm drains generated from the installation, cleaning, treating, and washing of the surface of copper architectural features, including copper roofs to storm drains?	X	Yes		No

If **No**, explain and provide schedule for obtaining authority within 1 year:

C.13.b.i and iii ► Legal Authority: Pools, Spas, and Fountains

(For FY10-11 Annual Report only) Do you have adequate legal authority to prohibit discharges to storm drains from pools, spas, and fountains that contain copper-based chemicals?	X	Yes		No

If **No**, explain and provide schedule for obtaining authority within 1 year:

C.13.c ►Vehicle Brake Pads

See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

C.13.d.iii ►Industrial Sources Copper Reduction Results

List below or attach annotated lists or tables from your Industrial and Commercial Site Controls portion of this report, that highlight copper reduction results among the facilities identified as potential users or sources of copper, facilities inspected, and BMPs addressed. For FY09-10 describe below or highlight in the C.4 Evaluation portion (if provided) of this report the steps taken to revise your program to meet new data tracking and reporting requirements for implementation levels described in C.13.d.ii.

Summary: See Union Sanitary District report.

C.13.e ▶Studies to Reduce Copper Pollutant Impact Uncertainties

Revised. Description reads "State below if information is reported in a separate regional report. Municipalities that participate directly in regional activities to can provide descriptions below."

Summary: See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

Section 14 - Provision C.14 PBDE, Legacy Pesticides and Selenium Controls

C.14.a ▶Control Programs for PBDEs, Legacy Pesticides and Selenium Controls
Revised. Description reads "State below if information is reported in a separate regional report. Municipalities that participate directly in regional activities to can provide descriptions below."
Summary: See BASMAA MRP Regional Supplement for POCs and Monitoring Annual Reporting for FY 2009/2010.

Section 15 - Provision C.15 Exempted and Conditionally Exempted Discharges

C.15.b.iii.(1), C.15.b.iii.(2) ► Planned and Unplanned Discharges of Potable Water

Is your agency a water purveyor?		Yes	X	No
If **No**, skip to C.15.b.vi.(2):				
If **Yes**, Complete the attached reporting tables or attach your own table with the same information. Describe program highlights below. For FY 09-10 only, describe steps taken to revise your program to meet new monitoring, data tracking and reporting requirements.				
Summary:				

C.15.b.vi.(2) ► Irrigation Water, Landscape Irrigation, and Lawn or Garden Watering

Provide implementation summaries of the required BMPs to promote measures that minimize runoff and pollutant loading from excess irrigation. Generally the categories are:

- Promote conservation programs
- Promote outreach for less toxic pest control and landscape management
- Promote use of drought tolerant and native vegetation
- Promote outreach messages to encourage appropriate watering/irrigation practices
- Implement Illicit Discharge Enforcement Response Plan for ongoing, large volume landscape irrigation runoff.

Summary:

C.15.b.iii.(1) ▶Planned Discharges of the Potable Water System

Site/ Location	Discharge Type	Receiving Waterbody(ies)	Date of Discharge	Duration of Discharge (military time)	Estimated Volume (gallons)	Estimated Flow Rate (gallons/day)	Chlorine Residual (mg/L)	pH (standard units)	Discharge Turbidity[1] (NTU)	Implemented BMPs & Corrective Actions

Notes:
[1] Monitor the receiving water for turbidity if necessary and feasible. Include data in this column if available.

C.15.b.III.(2) ▶Unplanned Discharges of the Potable Water System

Site/ Location	Discharge Type	Receiving Waterbody(ies)	Date of Discharge	Discharge Duration (military time)	Estimated Volume (gallons)	Estimated Flow Rate (gallons/day)	Chlorine Residual[2] (mg/L)	pH[2] (standard units)	Discharge Turbidity (Visual)[2,]	Implemented BMPs & Corrective Actions	Time of discharge discovery	Regulatory Agency Notification Time[4]	Inspector arrival time	Responding crew arrival time

Notes:

1. This table contains all of the unplanned discharges that occurred in this FY.

2. Monitoring data is only required for 10% of the unplanned discharges. If you monitored more than 10% of your unplanned discharges report all of the data collected.

4. Notification to Water Board staff is required for unplanned discharges where the chlorine residual is >0.05 mg/L and total volume is ≥ 50,000 gallons. Notification to State Office of Emergency Services is required after becoming aware of aquatic impacts as a result of unplanned discharge or when the discharge might endanger or compromise public health and safety.

ATTACHMENT C.4.b.iii

City of Union City

CWP Annual Report -2009-10

PRIORITY LIST FOR FACILITY INSPECTION

(Annual Inspection Required - City of Union City)

OWNER CONTACT	OWNER PHONE	SITE NAME	SITE LOCATION	CITY, STATE, ZIP	SITE CONTACT	SITE PHONE	SIZE	UNIT	SIC1
Dioni Araza	510-441-5865	US Pipe & Foundry Co Inc	1295 Whipple Rd	Union City, CA 94587	Dioni Araza	510-441-5865	70	Acres	3321
		Fed Ex	32900 Alvarado Niles Rd	Union City, CA 94587	Bill Gebhart	901-434-8457	2000	Sq. Feet	4513
Bill Fuson	510-494-2122	Orcon Corp	1570 Alantic St	Union City, CA 94587	Bill Fuson	510-476-2122	445,000	Acres	3999
Randy Hill	510-429-3800	Bayline Paper Supply Co	1600 Atlantic St	Union City, CA 94587	Randy Hill	510-429-3800	9	Acres	2653
Jack Chostner	510-429-4216	Air Liquide America	700 Decoto Rd	Union City, CA 94587	Chad Beauchamp	510-429-4216	6	Acres	2813
Darrell Chapman	510-487-1211	Mercury Container	33463 Western Ave	Union City, CA 94587	Gil Pesqueira	510-487-1211	196,000	Sq. Feet	2653
Robert Green	510-489-0515	Right Away Redy Mix	30100 Union City Blvd	Union City, CA 94587	Ronald Green	510-489-0515	42,525	Acres	3273
Ed Kubiak	510-471-6555	Star Pac Inc	1205 Atlantic St	Union City, CA 94587	Ed Kubiak	510-471-6555	1	Acres	2841
Dan Freitas	510-429-7920	Quality Distributing	2850 Volpey Way	Union City, CA 94587	Dan Freitas	510-429-7920	3	Acres	4212
Jim Conklin	510-489-5500	Conklin & Conklin	34201 7th St	Union City, CA 94587			55,000	Sq. Feet	3315
Daniel Maher	510-471-3850	Tri-Ced Community Recycling	33377 Western Ave	Union City, CA 94587	Heysell Otero	510-471-3850	5	Acres	5093
Chris Jennings	916-983-9366	Closed Turk Island Landfill Co	32505 Union City Blvd	Union City, CA 94587	Chris Jennings	916-983-9366	50	Acres	4953
Jack Shade	925-426-2254	CEMEX Construction	900 Whipple Rd	Union City, CA 94587	Rob Aldenhuysen	925-426-2261	6	Acres	3273
Ann MacDonald	213-278-2600	Coca Cola Bottling Co	1551 Atlantic St	Union City, CA 94587	Facility Manager	714-937-1243	10	Acres	4213
Scott Gregory	847-375-0408	LSI Ingredients	1610 Whipple Rd	Union City, CA 94587	Dave Ashcroft	510-471-3832	93,000	Acres	2046
Robert A Sick	510-476-1840	Electrochem Solutions LLC	32500 Central Ave	Union City, CA 94587	Robert A Sick	510-476-1840	21,150	Sq. Feet	3471
Ed Silva	510-487-5500	American Licorice Co	2477 Liston Way	Union City, CA 94587	Ed Silva	510-487-5500	519,404	Sq. Feet	2064
Tammi Jones	510-487-7445	SA CFR Union City	33210 Western Ave	Union City, CA 94587	Tammi Jones	510-487-7445	3	Acres	5093

Scheduled Inspection List- City of Union City

Facility ID	Name	Site Address	Internal Status	Account Holder Name	Verified Last Inspected	Year
FA0000117	32420 Central Ave.	32420 Central AVE	Inactive	Jenson Mechanical		0
FA0000343	Cadona, Inc	33401 Central AVE	Inactive			0
FA0000326	El Mercado	1767 Decoto RD	Active	El Mercado LLC		0
FA0000327	Mathews Mechanical	33480 Western AVE	Active	Mathews Mechanical		0
FA0000340	Miramar Granite & Marble	1147 Atlantic ST Unit D	Active	Miramar Granite & Marble		0
FA0000331	Omnicable	2915 Whipple RD	Active	Omnicable		0
FA0000338	Penske Truck Leasing CO., LP	1550 Pacific AVE	Active	San Francisco Chronicle		0
FA0000341	The Printer Works, Inc.	33300 Dowe AVE	Inactive	The Printer Works		0
FA0000332	ThyssenKrupp	30311 Whipple RD Blg M	Inactive	ThyssenKrupp		0
FA0000346	Tri-ed Distribution Inc	2807 Whipple	Inactive	Tri-ed Distribution Inc		0
FA0000173	Union Int'l Food Co.	33035 Transit AVE	Active	Union Int'l Food Co.	4/7/200	5
FA0000302	Verizon Wireless	33467 Western AVE B	Active	Verizon Wireless	7/28/200	5
FA0000132	AAA Fire Protection Services	30113 Union City BLVD	Active	AAA Fire Protection Services	7/17/200	6
FA0000162	Ajax Custom Mfg	34585 7th ST	Active	Ajax Custom Mfg	8/17/200	6
FA0000003	Am-Pac Tire North	29987 Ahern AVE	Active	Am-Pac Tire North	8/10/200	6
FA0000011	Anixter	30061 Ahern AVE	Active	Anixter	8/3/200	6
FA0000149	Autowise Automotive	35194 Alvarado-Niles RD	Active	Autowise Automotive	10/17/200	6
FA0000029	Bakemark	32621 Central AVE	Active	Bakemark	11/28/200	6
FA0000052	Barnard White Middle School #220	725 Whipple RD	Active	Barnard White Middle School #220	8/28/200	6

Scheduled Inspection List- City of Union City

FA0000078	Blommers Chocolate	33377 Transit AVE	Active	Blommers Chocolate	9/29/200	6
FA0000278	Bond Blacktop	2828 Faber ST # A	Active	Bond Blacktop	8/31/200	6
FA0000070	Carter Industries	950 Whipple RD	Active	Carter Industries	8/21/200	6
FA0000310	CEMEX Construction Materials Pacific, LLC	900 Whipple RD	Active	CEMEX Construction Materials Pacific, LL	10/31/200	6
FA0000200	Cesar Chavez Middle School	2801 Hop Ranch RD	Active	Cesar Chavez Middle School	9/6/200	6
FA0000217	Chili's #624 Union City	32120 Dyer ST	Active	Chili's #624 Union City	7/19/200	6
FA0000305	Clearwater Environmental	1220 Whipple RD	Active	Clearwater Environmental	8/17/200	6
FA0000250	Coinmach	32910 Alvarado-Niles RD STE 150	Active	Coinmach	4/20/200	6
FA0000121	Cold Storage	740 Bradford ST	Active	Cold Storage	3/14/200	6
FA0000049	Criterion	2913 Whipple RD	Active	Criterion	4/11/200	6
FA0000334	Crown Worldwide Moving Storage/Keeco?	33001 Dowe AVE	Active	Crown Worldwide Moving Storage	4/26/200	6
FA0000195	Dr. Anna Guo	29300 Kohoutek WY 100	Active	Dr. Anna Guo	9/6/200	6
FA0000158	Eleanor Pulido, DMD	33404 Alvarado-Niles RD	Active	Eleanor Pulido, DMD	9/29/200	6
FA0000219	Extended Stay America #8594	31950 Dyer ST	Active	Extended Stay America #8594	10/4/200	6
FA0000152	Family Dental Center	34399 Alvarado-Niles RD	Active	Family Dental Center	10/24/200	6
FA0000128	Felt's Printing & Copy	30502 Union City BLVD	Active	Felt's Printing & Copy	11/1/200	6
FA0000109	Hard Copy Printing	33363 Croatian WY	Active	Hard Copy Printing	3/22/200	6
FA0000134	Hartung Glass	700 Bradford ST	Active	Hartung Glass	8/24/200	6
FA0000190	IRD	1604 Whipple RD	Active	IRD	11/15/200	6
FA0000244	Island Pacific Supermarket	4122 Dyer ST	Active	Island Pacific Supermarket	8/14/200	6
FA0000306	Jatco, Inc	725 Zwissig WY	Active	Jatco, Inc	7/19/200	6

Scheduled Inspection List- City of Union City

FA0000307	Jatco, Inc	34343 Zwissig WY	Active	Jatco, Inc	1/25/200	6
FA0000213	Jollibee Restaurant	32460 Dyer ST	Active	Jollibee Restaurant	8/4/200	6
FA0000279	Kaiser permanente	30116 Eigenbrodt WY	Active	Kaiser Permanente	9/15/200	6
FA0000157	Kimura Dental	33408 Alvarado-Niles RD	Active	Kimura Dental	11/5/200	6
FA0000214	Krispy Kreme	32450 Dyer ST	Active	Krispy Kreme	5/9/200	6
FA0000191	LSI / Ingredients International	1610 Whipple RD	Active	LSI / Ingredients International	11/15/200	6
FA0000216	Lucky Store #782	32300 Dyer ST	Active	Save Mart Supermarkets	4/12/200	6
FA0000165	M.L. Burr, DDS	2701 Decoto RD 5	Active	M.L. Burr, DDS	8/1/200	6
FA0000093	Marina Foods	1791 Decoto RD	Active	Marina Foods	11/20/200	6
FA0000123	NorCal Hobbies	30600 Union City BLVD	Active	NorCal Hobbies	8/2/200	6
FA0000113	Northwood Proline, LLC	33233 Central AVE	Active	Northwood Proline, LLC	11/27/200	6
FA0000004	OSI	30031 Ahern AVE A	Active	OSI	8/2/200	6
FA0000047	Pacific Flooring Manufacture, Inc.	2975 Whipple RD	Active	Pacific Flooring Manufacture, Inc.	1/5/200	6
FA0000106	PG & E Jarvis Substation	900 Decoto RD	Active	PG & E Jarvis Substation	2/27/200	6
FA0000079	PTR Manufacturing Inc.	33390 Transit AVE	Active	PTR Manufacturing Inc.	2/15/200	6
FA0000231	Raja Sweets & Indian Cuisine	31851 Alvarado BLVD	Active	Raja Sweets & Indian Cuisine	10/18/200	6
FA0000242	Randhawa Dental Corp	4138 Dyer ST Ste 1	Active	Randhawa Dental Corp	9/20/200	6
FA0000318	Riddell	32920 Alvarado-Niles RD Ste 240	Active	Riddell	7/22/200	6
FA0000206	Riley Striping, Inc.	2828 Faber ST	Active	Riley Striping, Inc.	8/31/200	6
FA0000022	Rite Aid	1650 Decoto RD	Active	Rite Aid 5943	10/26/200	6
FA0000235	Rite Aid #5942	31836 Alvarado BLVD	Active	Rite Aid #5942	7/5/200	6

Scheduled Inspection List- City of Union City

FA0000086	Safeway #1197	1790 Decoto RD	Active	Safeway #1197	1/24/200	6
FA0000077	Scott's Mobile Trailer Repair	1220 Whipple RD # B	Active	Scott's Mobile Trailer Repair	10/24/200	6
FA0000254	Sparkle Dental Care	32631 Alvarado BLVD	Active	Sparkle Dental Care	3/13/200	6
FA0000014	Star Stainless Screw Inc.	30150 Ahern AVE	Active	Star Stainless Screw Inc.	4/28/200	6
FA0000220	T.G.I. Fridays Restauramt #1946	31900 Dyer ST	Active	T.G.I. Fridays Restauramt #1946	9/1/200	6
FA0000239	Terminex International	32980 Alvarado-Niles RD # 826	Active	Terminex International	8/10/200	6
FA0000007	Union City Teen Workshop	33623 Mission BLVD	Active	City of Union City	9/21/200	6
FA0000100	Union Square Family Dentist	1320 Decoto RD	Active	Union Square Family Dentist	11/1/200	6
FA0000023	Air Liquide America	700 Decoto RD	Active	Air Liquide America	2/13/200	7
FA0000221	Applebee's Restaurant	30980 Dyer ST	Active	Applebee's Restaurant	9/20/200	7
FA0000006	Auto Parts Source	30055 Ahern AVE	Active	Auto Parts Source	9/20/200	7
FA0000225	Bay Central Printing	33401 Central AVE	Active	Bay Central Printing	1/17/200	7
FA0000145	Bay Star Auto	1275 Atlantic ST	Active	Bay Star Auto	6/7/200	7
FA0000039	Beaulieu Group Inc.	4005 Whipple RD	Active	Beaulieu Group Inc.	4/24/200	7
FA0000237	Bexel Pharmaceuticals	32990 Alvarado-Niles RD Ste 910	Active	Bexel Pharmaceuticals	9/26/200	7
FA0000186	Bronco Billy's Pizza	3936 Smith ST	Active	Bronco Billy's Pizza	8/29/200	7
FA0000085	Burger King	1801 Decoto RD	Active	Burger King	12/5/200	7
FA0000042	Chetak, Inc.	4000 Whipple RD	Active	Chetak, Inc.	1/10/200	7
FA0000298	Coca Cola	1551 Atlantic ST	Active	Coca Cola	7/3/200	7
FA0000248	Comcast Cable	33467 Western AVE ste A	Active	Comcast Cable	3/6/200	7
FA0000122	Connolly's Fine Furniture	701 Bradford ST	Active	Connolly's Fine Furniture	10/29/200	7

Scheduled Inspection List- City of Union City

FA0000234	Dr. Eddon Duran DDS	4138 Dyer ST Ste 2	Active	Dr. Eddon Duran DDS	9/20/200	7
FA0000255	Dr. M. Arafiles-Reyes	32025 Alvarado BLVD	Active	Dr. M. Arafiles-Reyes	10/11/200	7
FA0000147	East Bay Landscaping	1147 Atlantic ST	Active	East Bay Landscaping	6/6/200	7
FA0000035	Eden Foods, Inc.	30451 Whipple RD	Active	Eden Foods, Inc.	10/24/200	7
FA0000245	Edwin P. Reyes, D.M.D.	32138 Alvarado-Niles RD	Active	Edwin P. Reyes, D.M.D.	10/15/200	7
FA0000075	Elegant Marble & Granite	33100 Transit AVE	Active	Elegant Marble & Granite	5/17/200	7
FA0000069	Epoxy Coating	33500 Western	Active	Epoxy Coating	7/19/200	7
FA0000197	FOOD MAXX #463	30073 Industrial PKWY	Active	Save Mart Accounting Dept.	11/26/200	7
FA0000300	Fricke-Parks Press inc.	33250 Transit AVE	Active	Fricke-Parks Press inc.	2/6/200	7
FA0000059	Fuddrucker's	32175 Union Landing	Active	Fuddrucker's	8/29/200	7
FA0000082	Full Function Technology	1260 Pacific ST	Active	Full Function Technology	5/9/200	7
FA0000183	Garland-White & Co.	4500 Tara CT	Active	Garland-White & Co.	12/11/200	7
FA0000294	Hertz Equipment Rental	1333 Atlantic ST	Active	Hertz Equipment Rental	1/31/200	7
FA0000262	Holiday Inn Express	31140 Alvarado-Niles RD	Active	Holiday Inn Express	9/26/200	7
FA0000068	Hughes Supply Inc	34151 Zwissig WY	Active	Hughes Supply Inc	1/17/200	7
FA0000037	Interior Components Inc.	30311 Whipple RD	Inactive	ThyssenKrupp Industrial Services NA	11/28/200	7
FA0000189	Iron Mountain	29555 Kohoutek WY	Active	Iron Mountain	9/25/200	7
FA0000026	Jiro Japanese Resturant	34533 Alvarado-Niles RD	Active	Jiro Japanese Resturant	1/1/200	7
FA0000285	Kaiser Permanente	3555 Whipple RD	Active	Kaiser Safety Office	12/27/200	7
FA0000041	Keebler-Kellogs's	4001 Whipple RD	Active	Keebler-Kellogs's	1/30/200	7
FA0000192	L & E Custom Machining	33483 Western	Active	L & E Custom Machining	6/6/200	7

Scheduled Inspection List- City of Union City

FA0000224	Leland P. Grant, DDS	4138 Dyer ST Ste 4	Active	Leland P. Grant, DDS	9/25/200	7
FA0000140	Lian Hwa Foods (USA) Inc.	1500 Atlantic ST	Active	Lian Hwa Foods (USA) Inc.	10/9/200	7
FA0000172	McDonald's	27 Union Square	Active	McDonald's	12/5/200	7
FA0000124	Medoza Cutting Service	30550 Union City BLVD	Active	Medoza Cutting Service	11/20/200	7
FA0000304	Mercury Container	33463 Western AVE	Active	Mercury Container	1/23/200	7
FA0000021	Mexico Lindo	33306 Alvarado-Niles RD	Active	Mexico Lindo	9/19/200	7
FA0000144	Mitsu Auto Repair	1277 Atlantic ST	Active	Mitsu Auto Repair	5/30/200	7
FA0000272	Monarch Leasing	29899 Union City BLVD	Active	Monarch Leasing	11/27/200	7
FA0000143	One-Stop Auto Service	1279 Atlantic ST	Active	One-Stop Auto Service	10/25/200	7
FA0000139	Orcon	1570 Atlantic ST	Active	Orcon	4/7/200	7
FA0000169	Pacific Lee Auto	33090 Mission BLVD	Active	Pacific Lee Auto	4/23/200	7
FA0000048	Packaging Results	2931 Whipple RD	Active	Packaging Results	5/2/200	7
FA0000222	Party America	30761 Dyer ST	Active	Party America	8/28/200	7
FA0000329	Quality Distributing	2850 Volpey WY	Active	Quality Distributing	8/29/200	7
FA0000002	Rapak Inc.	29959 Ahern AVE	Active	Rapak Inc.	2/13/200	7
FA0000108	Real Mex Foods	33508 Central AVE	Active	Real Mex Foods	6/7/200	7
FA0000133	Right Away Redy Mix	30100 Union City BLVD	Active	Right Away Redy Mix	10/16/200	7
FA0000028	Rose Garden Restaurant	33348 Alvarado-Niles RD	Active	Rose Garden Restaurant	9/10/200	7
FA0000098	Round Table Pizza	1744 Decoto RD	Active	Round Table Pizza	12/4/200	7
FA0000182	Selway Machine & Tool	29250 Union City BLVD	Active	Selway Machine & Tool	2/28/200	7
FA0000040	Shaw Industries Inc.	4025 Whipple RD	Active	Shaw Industries Inc.	10/15/200	7

Scheduled Inspection List- City of Union City

FA0000309	Sheedy Hoist	34301 7th ST	Active	Sheedy Hoist	6/7/200	7
FA0000209	Sports Authority	31200 Courthouse DR	Active	TSA Stores, inc. DBA Sports Authority	1/5/200	7
FA0000226	Sposeto Engineering	4301 Bettencourt WY	Active	Sposeto Engineering	2/27/200	7
FA0000045	Telogy	3200 Whipple RD	Active	Telogy	2/7/200	7
FA0000198	The Home Depot #635	30065 Industrial PKWY	Active	3E Company c/o Home Depot #635	2/16/200	7
FA0000050	The Leather Factory	2825 Whipple RD	Active	The Leather Factory	2/2/200	7
FA0000102	Tire Dealer's Warehouse	33375 Central AVE	Active	Tire Dealer's Warehouse	6/7/200	7
FA0000063	Tony Roma's	32135 Union Landing BLVD	Active	Tony Roma's	12/18/200	7
FA0000257	Tri-City Dentistry	31874 Alvarado BLVD	Active	Tri-City Dentistry	1/30/200	7
FA0000126	Trimetric Specialties, Inc.	30540 Union City BLVD	Active	Trimetric Specialties, Inc.	1/22/200	7
FA0000142	Union City Brake & Clutch	1281 Atlantic ST	Active	Union City Brake & Clutch	10/31/200	7
FA0000215	Union Landing Dental Center	32364 Dyer ST	Active	Union Landing Dental Center	9/13/200	7
FA0000088	University of the Pacific Dental	1203 J ST	Active	University of the Pacific Dental	5/17/200	7
FA0000277	Verizon Wireless	2931 Faber ST	Active	Verizon Wireless	1/4/200	7
FA0000223		30600 Dyer ST	Active	Wal*Mart Store #2031	12/9/200	7
FA0000168	Westerm Foam Packaging Products	33200 Lewis AVE	Active	Westerm Foam Packaging Products	7/24/200	7
FA0000135	Young's Market Co	1701 Atlantic CT	Active	Young's Market Co	7/31/200	7
FA0000303	10 Minute Oil Change Center 6	2601 Decoto RD	Active	10 Minute Oil Change Center 6	6/6/200	8
FA0000284	Abaxis	3240 Whipple RD	Active	Abaxis	1/8/200	8
FA0000230	ABC Dental	31780 Alvarado BLVD	Active	ABC Dental	3/26/200	8
FA0000252	Alco Pump Station - Westview	32110 Alvarado-Niles RD	Active	Alco Pump Station - Westview	1/16/200	8

Scheduled Inspection List- City of Union City

FA0000280	AlCo Pump Station-Eden Shores	2690 Eden Park PL	Active	AlCo Pump Station-Eden Shores	1/15/200	8
FA0000316	Alliance Packaging	1600 Pacific ST	Active	Alliance Packaging	12/18/200	8
FA0000120	Alpine Awards	32408 Central AVE	Active	Alpine Awards	10/23/200	8
FA0000125	Alvarado Dye & Knitting Mill	30542 Union City BLVD	Active	Alvarado Dye & Knitting Mill	7/22/200	8
FA0000229	Alvarado Middle School #210	31604 Alvarado BLVD	Active	Alvarado Middle School #210	9/11/200	8
FA0000188	American Licorice Company	2477 Liston AVE	Active	American Licorice Company	4/10/200	8
FA0000159	Antonio Naguiat Jr. & Olivia Magno DMD, Inc	33378 A-N RD	Active	Antonio Naguiat Jr. & Olivia Magno DMD, Inc	7/31/200	8
FA0000015	Applied Industrial Technologies	30077 Ahern AVE	Active	Applied Industrial Technologies - CA, LLC	6/10/200	8
FA0000247	AT & T Mobility	33467 Western AVE C	Active	AT & T Mobility	7/16/200	8
FA0000074	ATE Group	33442 Western AVE	Active	ATE Group	9/3/200	8
FA0000249	AutoZone #3338	32100 Alvarado BLVD	Active	AutoZone #3338	7/31/200	8
FA0000114	Axygen	33210 Central AVE	Active	Axygen	8/19/200	8
FA0000092	Baldie's Cafe	2649 Decoto RD	Active	Baldie's Café	5/12/200	8
FA0000203	Best Label	2900 Faber ST #1	Active	Best Label	12/11/200	8
FA0000301	Blommers Chocolates	1515 Pacific ST	Active	Blommers Chocolates	9/29/200	8
FA0000103	Bonami French Country Bakery, Inc.	33580 Central AVE	Active	Bonami French Country Bakery, Inc.	5/7/200	8
FA0000174	Buffalo Marketing	1624 Pacific ST	Active	Buffalo Marketing	10/25/200	8
FA0000263	Burger King #13768	31361 Alvarado-Niles RD	Active	Burger King #13768	9/25/200	8
FA0000091	C.R. Laurence	33200 Dowe AVE	Active	C.R. Laurence	7/21/200	8
FA0000056	California Supply	2855 Volpey WY	Active	California Supply	1/18/200	8
FA0000246	Cam Image, Mfg, Inc	33360 Dowe AVE	Active	Cam Image, Mfg, Inc	1/7/200	8

Scheduled Inspection List- City of Union City

FA0000053	Caravan Bakery	33300 Western AVE	Active	Caravan Bakery	2/20/200	8
FA0000187	Central Park West	2500 Parkside DR	Active	Central Park West	1/8/200	8
FA0000295	Chapel of the Chimes	32992 Mission BLVD	Active	Chapel of the Chimes	12/5/200	8
FA0000210	Chevy's Fresh Mex Restaurant	31100 Courthouse DR	Active	Chevy's Resturants	1/14/200	8
FA0000101	Clabo North America LLC	33300 Central AVE	Active	Clabo North America LLC	4/1/200	8
FA0000345	Coach Automotive	30017 Ahern AVE	Active	Coach Automotive	6/26/200	8
FA0000253	Crown Plaza	32083 Alarado-Niles RD	Active	Crown Plaza	4/4/200	8
FA0000097	Cybelle Tran, DDS	1755 Decoto RD	Active	Cybelle Tran, DDS	8/26/200	8
FA0000241	Da Vita Union City Dialysis Center	32930 Alvarado-Niles RD # 300	Active	Da Vita Union City Dialysis Center	6/3/200	8
FA0000115	Delta Pacific Products, Inc.	33170 Central AVE	Active	Delta Pacific Products, Inc.	10/1/200	8
FA0000236	Dr. Sheldon Salins, DMD	32990 Alvarado-Niles RD Ste 950	Active	Dr. Sheldon Salins, DMD	6/3/200	8
FA0000260	Electrochem Solutions, LLC	32500 Central AVE	Active	Electrochem Solutions, LLC	6/1/200	8
FA0000104	Elsa M. Ronquillo, DMD	1762 Decoto RD	Active	Elsa M. Ronquillo, DMD	1/23/200	8
FA0000131	Emerald Packaging	30300 Union City BLVD	Active	Emerald Packaging	9/3/200	8
FA0000080	Emerald Packaging Inc	33050 Western AVE	Active	Emerald Packaging Inc	9/4/200	8
FA0000202	Empire Today, LLC	2900 Faber ST #2	Active	Empire Today, LLC	10/2/200	8
FA0000013	Enersys	30071 Ahern AVE	Active	Enersys	4/3/200	8
FA0000012	Enersys Inc.	30069 Ahern AVE	Active	Enersys Inc.	4/3/200	8
FA0000344	Gary Nazarfno, DMD	32900 Alvarado-Niles RD	Active	Gary Nazarfno, DMD	6/3/200	8
FA0000156	Hidemi, Oka, DMD, MD, MS, Inc.	33800 Alvarado-Niles RD St 4	Active	Hidemi, Oka, DMD, MD, MS, Inc.	5/15/200	8
FA0000138	Hoshizaki Western DC, Inc.	29340 Union City BLVD	Active	Hoshizaki Western DC, Inc.	7/22/200	8

Scheduled Inspection List- City of Union City

FA0000218	IHop Restaurant #1724	32010 Dyer ST	Active	IHop Restaurant #1724	1/14/200	8
FA0000096	Ingersoll Rand	33261 Central AVE	Active	Ingersoll Rand	8/27/200	8
FA0000153	Inner Mongolia	34396 Alvarado-Niles RD	Active	Inner Mongolia	5/9/200	8
FA0000066	In-N-Out Burger	32060 Union Landing BLVD	Active	In-N-Out Burger #156	1/14/200	8
FA0000095	Joong ANG Daily News San Francisco, Inc.	33288 Central AVE	Active	Joong ANG Daily News San Francisco, Inc.	10/14/200	8
FA0000176	Kerrock Counter Top	33220 Western AVE	Active	Kerrock Counter Top	7/21/200	8
FA0000211	King Wai Trading Co.	30098 Eigenbrodt WY	Active	King Wai Trading Co.	10/2/200	8
FA0000136	Kumetrix	29524 Union City BLVD	Active	Kumetrix	1/3/200	8
FA0000286	Lagasse sweet Inc.	4100 Whipple RD # A	Active	Lagasse sweet Inc.	10/16/200	8
FA0000199	Lally Truck Trailer Repair & Paint Service	4600 Horner ST	Active	Lally Truck Trailer Repair & Paint Service	7/17/200	8
FA0000112	Leo's Finishing and Refinishing	33238 Central AVE	Active	Leo's Finishing and Refinishing	5/21/200	8
FA0000228	Le's Alvarado Dental	31820 Alvarado BLVD	Active	Le's Alvarado Dental	3/6/200	8
FA0000238	Macusight, INC.	32980 Alvarado-Niles RD STE 846	Active	Macusight, INC.	1/2/200	8
FA0000062	Mercado Latino, Inc	33430 Western AVE	Active	Mercado Latino, Inc	7/30/200	8
FA0000315	Mission-Whipple Shell	33365 Mission BLVD	Active	Gilbarco Inc	3/1/200	8
FA0000034	Moving Star	30461 Whipple RD	Active	Moving Star	9/25/200	8
FA0000205	NHUSD Central Kitchen	2831 Faber ST	Active	NHUSD Central Kitchen	9/11/200	8
FA0000087	Nor Cal Steel	33353 Lewis AVE	Active	Nor Cal Steel	10/21/200	8
FA0000107	NuC02 - Hayward Depot	700 Decoto RD B	Active	NuC02 - Hayward Depot	9/16/200	8
FA0000009	Oakridge Industries	1130 Pacific ST	Active	Oakridge Industries	4/7/200	8
FA0000288	Pacific Materials Handling	30361 Whipple RD	Active	Pacific Materials Handling	6/12/200	8

Scheduled Inspection List- City of Union City

FA0000010	Pen Bullet UC	1143 Pacific ST # A	Active	Pen Bullet UC	9/4/200	8
FA0000240	Penta Biotechnology	32930 Alvarado-Niles RD # 350	Active	Penta Biotechnology	5/5/200	8
FA0000276	Pep Boys #816	30085 Industrial PKWY	Active	Pep Boys #816	1/9/200	8
FA0000208	Prism Team Services	33300 Dowe AVE	Active	Prism Team Services	8/28/200	8
FA0000166	Quattro Manufacturing Co.	33370 Dowe AVE	Active	Quattro Manufacturing Co.	8/25/200	8
FA0000184	R.J. Chase Co.	4000 Tara CT	Active	R.J. Chase Co.	9/25/200	8
FA0000233	Ricardo & Olga Morales Dental	4138 Dyer ST	Active	Ricardo & Olga Morales Dental	3/6/200	8
FA0000111	RKI Instruments	33248 Central AVE	Active	RKI Instruments	9/30/200	8
FA0000036	Safelite Auto Glass	30410 Whipple RD	Active	Safelite Auto Glass	8/14/200	8
FA0000170	San Francisco Chronicle	1550 Pacific ST	Active	San Francisco Chronicle	9/26/200	8
FA0000084	San Marino Plastering	33363 Lewis AVE	Active	San Marino Plastering	7/16/200	8
FA0000025	Save On Cleaners	34375 Alvarado-Niles RD	Active	Save On Cleaners	9/22/200	8
FA0000017	Sky 2C Freight, Inc.	30091 Ahern AVE	Active	Sky 2C Freight Systems, Inc.	3/26/200	8
FA0000299	Southern Wine & Spirits	1555 Atlantic ST	Active	Southern Wine & Spirits	7/23/200	8
FA0000127	Spanish Colonial Iron	30516 Union City BLVD	Active	Spanish Colonial Iron	10/9/200	8
FA0000055	Spanish Tradition	33949 10th ST A	Active	Spanish Tradition	12/4/200	8
FA0000207	Spicers Paper, Inc.	30108 Eigenbrodt	Active	Spicers Paper, Inc.	1/4/200	8
FA0000038	Staples Contract and Commercial	30310 Whipple RD	Active	Staples Contract and Commercial	1/21/200	8
FA0000146	Star Pacific	1205 Atlantic ST	Active	Star Pacific	10/1/200	8
FA0000105	T & L Muffler	1007 Decoto RD	Active	T & L Muffler	8/7/200	8
FA0000024	Taco Bell	34525 Alvarado-Niles RD	Active	Taco Bell #4373	4/2/200	8

Scheduled Inspection List- City of Union City

FA0000256	Taco Bell #2194	32002 Alvarado BLVD	Active	Taco Bell # 2194	7/10/200	8
FA0000130	Tatum Janitorial	31022 Union City BLVD	Active	Tatum Janitorial	7/31/200	8
FA0000137	Temple Inland, dba Bayline Paper	1600 Atlantic ST	Active	Temple Inland, dba Bayline Paper	4/2/200	8
FA0000094	Thai Golden Spice	33297 Central AVE	Active	Thai Golden Spice	5/20/200	8
FA0000019	The Tropics	33000 Almaden BLVD	Active	Millenium Housing of California	1/7/200	8
FA0000312	Tri-Ced	33377 Western AVE	Active	Tri-Ced	9/17/200	8
FA0000212	TTM Technologies	30000 Eigenbrodt WY	Active	TTM Technologies	1/8/200	8
FA0000018	Union City Auto Body	1250 Pacific ST	Active	Union City Auto Body	9/17/200	8
FA0000291	Union City Fire Station #1	33555 Central AVE	Active	Union City Fire Station #1	7/17/200	8
FA0000281	Union City Fire Station #4	35000 Eastin CT	Active	UC Fire Department	7/17/200	8
FA0000044	United Building Maintenance	3261 Whipple RD	Active	United Building Maintenance	3/17/200	8
FA0000067	USK Manufacturing, Inc.	720 Zwissig WY	Active	USK Manufacturing, Inc	8/20/200	8
FA0000148	V.E.M. Engineering	35218 Alvarado-Niles RD	Active	V.E.M. Engineering	7/12/200	8
FA0000160	West Coast Cleaners	33366 A-N ST	Active	West Coast Cleaners	1/24/200	8
FA0000016	Westland Giftware	30180 Ahern AVE	Active	Westland Giftware	1/9/200	8
FA0000275	WHC Plumbing Supply Co.	2900 Volpey WY	Active	WHC Plumbing Supply Co.	9/25/200	8
FA0000046	Winward Silks	3089 Whipple RD	Active	Winward Silks	8/14/200	8
FA0000273	A&H Truck Repair	30319 Union City BLVD	Active	A&H Truck Repair	9/1/200	9
FA0000150	All About Pets	34664 Alvarado-Niles RD	Active	All About Pets	2/9/200	9
FA0000033	Atlantis Food Services Corp	30470 Whipple RD	Active	Atlantis Food Services Corp.	6/23/200	9
FA0000155	Barr & Poindexter DDS	33800 Alvarado-Niles RD #6	Active	Barr & Poindexter DDS	2/24/200	9

Scheduled Inspection List- City of Union City

FA0000180	Besco Products, Inc.	1250 Whipple RD	Active	Besco Products, Inc.	2/12/200	9
FA0000243	Blue Sky Cleaners	32920 Alvarado-Niles RD # 200	Active	Blue Sky Cleaners	11/12/200	9
FA0000064	Century Theaters, Inc.	32100 Union Landing BLVD	Active	Century Theaters, Inc.	4/14/200	9
FA0000154	China Villa	34308 Alvarado-Niles RD	Active	China Villa	5/5/200	9
FA0000317	Cocoa Services West	29975 Ahern AVE	Active	Cocoa Services West	1/15/200	9
FA0000081	Commercial Filter Recycling	33210 Western	Active	Commercial Filter Recycling	2/4/200	9
FA0000057	Conklin & Conklin Inc	34201 7th ST	Active	Conklin & Conklin Inc	3/16/200	9
FA0000185	Dan Oden Swim Center	33901 Syracuse AVE	Active	Dan Oden Swim Center	9/9/200	9
FA0000204	Dawn Food Products Inc.	2845 Faber ST	Active	Dawn Food Products Inc.	9/2/200	9
FA0000164	Decoto Family Dentist	2701 Decoto RD Ste 4	Active	Decoto Family Dentist	2/17/200	9
FA0000296	Dental Offices of A.Woo & K.Chen	33341 Alvarado-Niles RD A	Active	Dental Offices of A.Woo & K.Chen	2/25/200	9
FA0000163	Dr. Mock, DDS	2701 Decoto RD 1	Active	Dr. Mock, DDS	8/17/200	9
FA0000073	E3 Systems, Inc	1220 Whipple RD	Active	E3 Systems, Inc	5/14/200	9
FA0000119	Eoff Manufacturing	32410 Central AVE	Active	Eoff Manufacturing	4/22/200	9
FA0000089	Escutia's Auto	967 H ST	Active	Escutia's Auto	5/6/200	9
FA0000161	Federal Express / HWD	32900 A-N RD	Active	Federal Express / HWD	2/23/200	9
FA0000031	Finelite	30500 Whipple RD	Active	Finelite	3/7/200	9
FA0000065	Fresh Choice Restaurant	32155 Union Landing BLVD	Active	Fresh Choice Restaurant	7/12/200	9
FA0000141	GCM Medical and OEM Division, Inc	1350 Atlantic ST	Active	GCM Medical and OEM Division, Inc	3/3/200	9
FA0000083	Heco - Pacific Mfg	1510 Pacific	Active	Heco - Pacific Mfg	6/19/200	9
FA0000181	Integrated Services	1550 Whipple RD	Active	Integrated Services	5/26/200	9

Scheduled Inspection List- City of Union City

FA0000201	James Logan High School	1800 H ST	Active	James Logan High School	9/9/200	9
FA0000232	Jeanette C. Guerrero, DMD	31857 Alvarado BLVD	Active	Jeanette C. Guerrero, DMD	7/29/200	9
FA0000118	Jenson Mechanical	32420 Central	Active	Jenson Mechanical	4/22/200	9
FA0000171	Kerry Ingredients	33063 Western AVE	Active	Kerry Ingredients	5/18/200	9
FA0000194	Knorr Brake System	29471 Kohoutek WY	Active	Knorr Brake System	1/22/200	9
FA0000099	Kragen #263	1601 Decoto RD	Active	Kragen #263	2/9/200	9
FA0000196	Lehigh Heidelberg Cement Group	30101 Industrial PKWY	Active	Lehigh Heidelberg Cement Group	4/10/200	9
FA0000179	LLI Manufacturing, LLC	33450 Western AVE Ste A	Active	LLI Manufacturing, LLC	2/16/200	9
FA0000227	Louis Evans DDS	33351 Alvarado-Niles RD	Active	Louis Evans DDS	3/25/200	9
FA0000129	Lowe's	32040 Union Landing BLVD	Active	Lowe's	7/8/200	9
FA0000072	Macy's Logistics, Inc	1200 Whipple RD	Active	Macy's Logistics, Inc	5/8/200	9
FA0000175	MET Laboratories	33439 Western AVE	Active	MET Laboratories	5/14/200	9
FA0000177	Mostek Machine	33206 Western AVE	Active	Mostek Machine	1/20/200	9
FA0000178	New Horizon Foods	33440 Western AVE	Active	New Horizon Foods	3/2/200	9
FA0000292	Pacific Awards Metals	1000 Whipple RD	Active	Pacific Awards Metals	4/29/200	9
FA0000258	Quality Cleaners	31864 Alvarado BLVD	Active	Quality Cleaners	11/17/200	9
FA0000167	Rapid Displays	33195 Lewis AVE	Active	Rapid Displays	4/21/200	9
FA0000314	Reliance Metal Center	33201 Western AVE	Active	Reliance Metal Center	2/13/200	9
FA0000116	Restoration Management Co.	32550 Central AVE	Active	Restoration Management Co.	5/18/200	9
FA0000193	RYSS Laboratory	29540 Kohoutek WY	Active	RYSS Laboratory	11/25/200	9
FA0000071	Safety Environmental Control	1480 Whipple RD	Active	Safety Environmental Control	5/13/200	9

Scheduled Inspection List- City of Union City

FA0000061	The Imagery Group	3245 Whipple RD	Active	The Imagery Group	7/7/200	9
FA0000110	Tricor Braun	33277 Central AVE	Active	Tricor Braun	4/7/200	9
FA0000020	U.S. Cleaners	34584 Alvarado-Niles RD	Active	U.S. Cleaners	7/6/200	9
FA0000151	Union Dental Center	34608 Alvarado-Niles RD	Active	Union Dental Center	5/27/200	9
FA0000287	UPS Supply Chain Solutions	30336 Whipple RD	Active	UPS Supply Chain Solutions	8/19/200	9
FA0000283	US Cold Storage	33400 Dowe AVE	Active	US Cold Storage	6/28/200	9
FA0000051	Whipple Road Family Dental care	1794 Whipple RD	Active	Whipple Road Family Dental care	8/25/200	9
FA0000265	William Asai, DDS	33341 Alvarado-Niles RD B	Active	William Asai, DDS	3/9/200	9
FA0000322	Shell Station (136197)	2001 Decoto	Active	Able Maintenance Inc	2/9/2020	10
FA0000313	Penske Truck Leasing	1550 Pacific ST B	Active	Penske Truck Leasing	9/24/200	08 UST TEMP
FA0000251	Alvarado Niles Shell	32187 Alvarado-Niles RD	Active	Alvarado Niles Shell	10/27/200	09 UST
FA0000270	Alvarado Shell Auto Care #13619	31889 Alvarado BLVD	Active	Gilbarco Inc. Attn: CMS Mailstop F-76	2/17/200	09 UST
FA0000297	Chevron Station	1990 Decoto RD	Active	Chevron Products, Inc	4/9/200	09 UST
FA0000266	Deol Shell #136198	31301 Alvarado-Niles RD	Active	Gilbarco Inc.	4/13/200	09 UST
FA0000259	New Haven Unified School District Corp. Yard	3636 Smith ST	Active	New Haven Unified School District Corp Yard	11/18/200	09 UST
FA0000323	Shell Station (136198)	31301 Alvarado Niles RD	Active	Able Maintenance Inc.	4/13/200	09 UST
FA0000324	Shell Station (136199)	31889 Alvarado BLVD	Active	Able Maintenance Inc	2/17/200	09 UST
FA0000325	Shell Station (136201)	32187 Alvarado Niles RD	Active	Able Maintenance	10/27/200	09 UST
FA0000264	Union 76	31300 Alvarado-Niles RD	Active	Conoco-Phillips	4/30/200	09 UST
FA0000290	Union City Civic Center	34009 Alvarado-Niles RD	Active	Union City Civic Center	8/24/200	09 UST
FA0000289	Union City Public Works Maintenance Facility	34650 7th ST	Active	Union City Public Works Maintenance Facility	4/24/200	09 UST

Scheduled Inspection List- City of Union City

FA0000269	Union City Valero	31890 Alvarado BLVD	Active	Bedrock Oil	7/22/200	09 UST
FA0000261	Union Sanitary District	5072 Benson RD	Active	Union Sanitary District	6/5/200	09 UST
FA0000308	US Pipe & Foundry	1295 Whipple RD	Active	US Pipe & Foundry	11/17/200	09 UST
FA0000321	Mission-Whipple Shell	33365 Mission BLVD	Active	Service Statiion Systems, Inc	4/6/200	09 UST TEMP CL
FA0000268	AlCo Pump Station J-2	4588 Delores DR	Active	AlCo Pump Station J-2	6/9/200	8 UST
FA0000320	Alvarado Valero	31890 Alvarado BLVD	Active	Dresser Inc	7/22/200	8 UST
FA0000311	Beacon	33090 Mission BLVD A	Active	Beacon	12/18/200	8 UST?
FA0000005	California Equipment Distributors	30049 Ahern AVE A	Active	California Equipment Distributors	12/10/200	9 - CLOS
FA0000274	AlCo Pump Station J-3	32000 Union City BLVD	Active	AlCo Pump Station J-3	12/15/200	9 UST
FA0000267	Alvarado 76	31901 Alvarado BLVD	Active	Conoco Phillips	4/14/200	9 UST
FA0000282	AT&T	118 "E" ST P 5006	Active	AT&T	3/26/200	9 UST
FA0000043	Kaiser Permanente	3553 Whipple RD	Active	Kaiser Permanente	4/23/200	9 UST
FA0000090	Southern Wine & Spirits (Vendor No. 326718)	33321 Dowe AVE	Active	Southern Wine & Spirits (Vendor No. 326718)	8/20/200	9 UST
FA0000293	Civic Center Shell	2001 Decoto RD	Active	Gilbarco Inc	2/19/200	O9 UST
FA0000008	Masonic Homes	34400 Mission BLVD	Active	Masonic Homes	10/21/200	UST 09

ATTACHMENT C.4.b.iii (2)

City of Union City

CWP Annual Report -2009-10

Inspection List

Date	Facility Name	Inspector	Reason	Enforcement Action *	Facility Closed	Comments
6/24/2010	Union City Civic Center	Larry Monette	Routine Inspection		No	All on-site storm drains - drains to pond on site.
6/24/2010	UNION CITY CORP YARD	Larry Monette	First Inspection	v.	No	Provide screens/filter pads to keep trash out of storm
6/3/2010	Alco Pump Station J-2	Larry Monette	Routine Inspection		No	
5/26/2010	Hartune Glass	Larry Monette	Routine Inspection		No	
5/12/2010	IRD	Larry Monette	Routine Inspection		No	
5/10/2010	CE Mex	Larry Monette	Routine Inspection		No	Facility not currently in operation
5/3/2010	Carter Industries	Larry Monette	Routine Inspection		No	Cover carwash with drain to sanitary.
4/29/2010	Chili's Restaurant	Larry Monette	Routine Inspection		No	
4/21/2010	UNION 76	Larry Monette	Routine Inspection		No	
4/20/2010	Bond Blacktop, Inc.	Larry Monette	Routine Inspection		No	
4/12/2010	Auto Wise Car Care	Larry Monette	Routine Inspection		No	
4/12/2010	BLOMMER CHOCOLATE	Larry Monette	Routine Inspection		No	
4/8/2010	Orthopedic Systems, Inc.	Larry Monette	Routine Inspection		No	
4/6/2010	Anixter	Larry Monette	Routine Inspection		No	Only hazmat is sulfuric acid in storage batteries on for
3/25/2010	Chevron Station (Riojas)	Larry Monette	Routine Inspection		No	Hazardous waste storm outside but covered with plast
3/18/2010	AT & T	Larry Monette	Routine Inspection		No	
3/16/2010	Ajax Custom MFE	Larry Monette	Routine Inspection		No	Clean up oil spills under trash compactor on rear loadi
2/9/2010	DECOTO SHELL STATION	Larry Monette	Routine Inspection		No	
1/20/2010	Alvarado Shell Autocar	Larry Monotte	Routine Inspection		No	
1/11/2010	ABE (Former AMI) PETROLEUM	Larry Monette	Routine Inspection		No	Remove trash around dumpster. Identify 10-gallon pai
11/25/2009	Crown Worldwide Moving & Storag	Larry Monette	Routine Inspection		No	
11/25/2009	Ryss Laboratory	Larry Monette	Routine Inspection		No	Cover dumpster outside. Two drums of hazardous wa
11/12/2009	Blue Sky Cleaners	Larry Monotte	Routine Inspection	v.	No	Remove drum on recessed loading dock, close to stor
11/12/2009	Office Source	Larry Monette	Routine Inspection		No	
11/4/2009	BUFFALO MARKETING	Larry Monette	Routine Inspection	v.	No	Remove trash around dumpster in loading dock. No h
10/27/2009	Alvarado-Niles Shell Station	Larry Monette	Routine Inspection		No	Indoor car wash.
9/25/2009	Moving Star	Larry Monotte	Routine Inspection		No	Propane is only hazadrous material for fork lifts

** v - verbal notice; w - warning notice; a - administration action; p - administration penalty; f - formal violation; l - legal action*

Date	Facility Name	Inspector	Reason	Enforcement Action *	Facility Closed	Comments
9/9/2009	Logan High School	Lorenzo Perez	Routine Inspection		No	This is a routine inspection with a low potential for poll
9/2/2009	Atlantis Food Services Corp	Lorenzo Perez	Routine Inspection		No	This facility has a low potential for a pollution discharg
9/1/2009	A & H TRUCK REPAIR	Lorenzo Perez	Routine Inspection		No	This facility is an automotive repair operation with goo
9/1/2009	DAWN FOOD PRODUCTS	Lorenzo Perez	Routine Inspection		No	This facility has a low potential for a pollution discharg
8/31/2009	Century Theater, Inc.	Lorenzo Perez	Routine Inspection		No	This facility has a low potential for a pollution discharg
8/25/2009	Whipple Road Family Dental	Lorenzo Perez	Routine Inspection		No	
8/18/2009	UPS Supply Chain Solution	Lorenzo Perez	Routine Inspection		No	This facility has no potential for a pollution discharge
8/18/2009	UPS Supply Chain Solution	Lorenzo Perez	Routine Inspection		No	This facility has no potential for a pollution discharge
8/17/2009	Anthony Mock D.D.S.	Lorenzo Perez	Routine Inspection		No	This facility is a dental office w/BMP's in place and a l
8/17/2009	Decoto Family Dentistry	Lorenzo Perez	Routine Inspection		No	This facility is a dental office with BMP's in place and
7/29/2009	U.C. Dental - Jeanette Guerrero	Lorenzo Perez	Routine Inspection		No	
7/29/2009	U.C. Dental - Jeanette Guerrero	Lorenzo Perez	Routine Inspection		No	
7/21/2009	Fine Lite Inc	Lorenzo Perez	First Inspection		No	This facility has a low potential for a pollution discharg
7/17/2009	Crown Worldwide Moving & Storag	Lorenzo Perez	First Inspection		No	This facility is a storage moving company with propan
7/16/2009	US Cold Storage	Lorenzo Perez	Routine Inspection		No	This facility is an ammonia refrigeration cold storage
7/13/2009	Fresh Choice Restaurant	Lorenzo Perez	Routine Inspection		No	
7/9/2009	Lowes	Lorenzo Perez	Routine Inspection		No	BMP's are in place.
7/7/2009	The Imagery Group	Lorenzo Perez	Routine Inspection		No	This facility has low potential for a pollution for dischar
7/6/2009	U. S. Cleaners	Lorenzo Perez	Routine Inspection		No	This facility is a dry cleaning operation with BMP's in p

** v - verbal notice; w - warning notice; a - administration action; p - administration penalty; f - formal violation; l - legal action*

ATTACHMENT C.9.a

City of Union City

CWP Annual Report -2009-10

City of Union City
Pest Management Policy

This pest management policy shall apply to all pest control and pesticide use within Union City, by the City Union seeks to implement effective and appropriate pest management programs throughout the community, which minimize and/or eliminates the use of pesticides. City contractors, community agencies receiving funding from the City and all persons are encouraged to voluntarily follow the City's Pesticide Management Policy when engaged in pest control and pesticide use within the City.

Definitions:

Terms	Definition
Pest	Any organism which adversely interfere with aesthetic, health, or economic goals of humans.
Pesticide	Any substance or mixture of substances which is used to kill, repel, suppress, or mitigate any pest. Pesticides shall be assumed to be hazardous. Reasonably available non-pesticide alternatives should be used preferentially.

For all pest problems the ***Integrated Pest Management (IPM)*** scheme outlined below should be followed with non-chemical management tactics used first:

1. Design and construct indoor and outdoor areas to reduce and eliminate pest habitats.

2. Modify management practices including watering, waste management, and food storage.

3. Modify pest ecosystem to reduce food and living space.

4. Use physical controls such as hand weeding, traps, and barriers.

5. Use biological controls--introducing or enhancing pest natural enemies.

6. The use of chemicals shall be considered as a last resort and selected and used by a licensed Pest Control Operator in accordance with pesticide selection criteria as stated below.

The hazard (risk of harm) associated with a pesticide use is primarily a function of the chemical's intrinsic toxicity and the extent and frequency of its use. Except for the control of a pest which threatens the public health or where hazard and exposure to people, wildlife or the environment is expected to be minimal, any pesticide determined to have evidence of causation of cancer, birth defects, mutations, or other severe chronic health effects is banned from use.

ATTACHMENT C.10.b.iii

City of Union City

CWP Annual Report -2009-10

ATTACHMENT C.106.iii

Trash Hot Spot	Cleanup date	Volume of material removed	Dominant type of trash	Trash Source
Lewis St	7/2/2009	2 CY	furniture, tires, waste oil, paint	illegal dumping
Zwissig St	7/7/2009	2 CY		
Lewis St	7/9/2009	2 CY		
Zwissig St	7/16/2009	2 CY		
Lewis St	7/23/2009	2 CY		
Zwissig St	7/30/2009	2 CY		
Lewis St	8/6/2009	2 CY		
Zwissig St	8/13/2009	2 CY		
Lewis St	8/20/2009	2 CY		
Zwissig St	8/27/2009	2 CY		
Lewis St	9/3/2009	2 CY		
Zwissig St	9/10/2009	2 CY		
Lewis St	9/17/2009	2 CY		
Zwissig St	9/24/2009	2 CY		
Lewis St	10/1/2009	2 CY		
Zwissig St	10/8/2009	2 CY		
Lewis St	10/15/2009	2 CY		
Zwissig St	10/22/2009	2 CY		
Lewis St	10/29/2009	2 CY		
Zwissig St	11/5/2009	2 CY		
Lewis St	11/12/2009	2 CY		
Zwissig St	11/19/2009	2 CY		
Lewis St	11/26/2009	2 CY		
Zwissig St	12/3/2009	2 CY		
Lewis St	12/10/2009	2 CY		
Zwissig St	12/17/2009	2 CY		
Lewis St	12/24/2009	2 CY		
Zwissig St	12/31/2009	2 CY		
Lewis St	1/7/2010	2 CY		
Zwissig St	1/14/2010	2 CY		
Lewis St	1/21/2010	2 CY		
Zwissig St	1/28/2010	2 CY		
Lewis St	2/4/2010	2 CY		
Zwissig St	2/11/2010	2 CY		
Lewis St	2/18/2010	2 CY		
Zwissig St	2/25/2010	2 CY		
Lewis St	3/4/2010	2 CY		
Zwissig St	3/11/2010	2 CY		
Lewis St	3/18/2010	2 CY		
Zwissig St	3/25/2010	2 CY		
Lewis St	4/1/2010	2 CY		
Zwissig St	4/8/2010	2 CY		
Lewis St	4/15/2010	2 CY		
Zwissig St	4/22/2010	2 CY		
Lewis St	4/29/2010	2 CY		
Zwissig St	5/6/2010	2 CY		
Lewis St	5/13/2010	2 CY		
Zwissig St	5/20/2010	2 CY		
Lewis St	5/27/2010	2 CY		
Zwissig St	6/3/2010	2 CY		
Lewis St	6/10/2010	2 CY		
Zwissig St	6/17/2010	2 CY		
Lewis St	6/24/2010	2 CY		
Zwissig St	7/1/2010	2 CY		
	Total	108 CY		