

**Summary Report of Hazardous Waste and Sewage Spill Incidents  
per Water Code Section 13271**

**I. Petroleum Products**

<b>Discharger</b>	<b>Address</b>	<b>City</b>	<b>County</b>	<b>Report Date*</b>
HARTWELL CORPORATION	900 S. RICHFIELD RD	PLACENTIA	ORANGE	10/18/2007
KOKO'S ARCO (FORMER)	9300 JURUPA RD	RIVERSIDE	RIVERSIDE	5/31/2007
RIVERSIDE COUNTY LOP TEST #2	9876 TEST ST	CORONA	RIVERSIDE	11/06/2007
SHELL #12072	30107 ANTELOPE ROAD	MENIFEE	RIVERSIDE	5/02/2007
SHELL ALESSANDRO	401 E ALESSANDRO BLVD	RIVERSIDE	RIVERSIDE	4/26/2007
SHELL HIDDEN VALLEY PKWY	125 HIDDEN VALLEY PARKWAY	NORCO	RIVERSIDE	5/01/2007
SHELL MISSION BLVD	10171 MISSION BLVD	RIVERSIDE	RIVERSIDE	5/14/2007
TARGET T-191	1881 LINCOLN AVENUE, W.	ANAHEIM	ORANGE	3/23/2007

\*Report date is the date on the Unauthorized Release Report which is filled out by the local agency or the discharger. This report may not contain an accurate listing of all the new cases due to the ongoing reconciliation between the Geotracker/GEIMS, DOD, and Local Agency databases. This report includes new cases for the 2nd and 3rd quarter 2007 that were not included in the 2nd and 3rd Qtr 2007 Spill Incident Reports.