
Santa Ana Regional Water Quality Control Board

July 24, 2013

Jonathan Claudio
City of Huntington Beach
2000 Main Street
Huntington Beach, CA 92648

**CLEAN WATER ACT SECTION 401 WATER QUALITY STANDARDS
CERTIFICATION FOR THE WARNER AVENUE BRIDGE PREVENTIVE
MAINTENANCE PROJECT, COUNTY OF ORANGE, CALIFORNIA (ACOE
REFERENCE NO. NOT AVAILABLE) (SARWQCB PROJECT NO. 302013-13)**

Dear Mr. Claudio:

On May 29, 2013, we received an application for Clean Water Act Section 401 Water Quality Standards Certification ("Certification") from the City of Huntington Beach for a project to repair deterioration and maintain bridge structure to prevent public safety hazards. This letter responds to your request for certification that the proposed project, described in your application and summarized below, will comply with State water quality standards outlined in the Water Quality Control Plan for the Santa Ana River Basin (1995) (Basin Plan) and subsequent Basin Plan amendments:

Project Description: The proposed project consists of the following maintenance activities as they relate to water quality:

To prevent further embankment erosion, missing rock slope protection will be restored to the original design and limits. Approximately 310 cubic yards of rock slope protection is missing from the channel embankment area below the south side of the bridge. To restore the original rock slope protection in this embankment area, 85 cubic yards of remaining debris and rock along the channel embankment toe must be removed by excavation and/or dredge methods; 310 square yards of rock slope protection fabric will be placed over the area, and finally, 310 cubic yards of one-quarter-ton rocks, 3 feet thick will be placed over the area.

The work will take place within Section 30 of Township 5 South, Range 11 West, of the U.S. Geological Survey *Seal Beach* quadrangle map (33.711660° N/ -118.060296° W).

Receiving water:
Bolsa Chica Channel

Fill area:

Temporary impact to Riparian Habitat	0.005 acre	70 linear feet
Permanent impact to Ocean Habitat	0.005 acre	31 linear feet
Temporary impact to Ocean Habitat	0.414 acre	488 linear feet

Dredge/Fill volume:

Dredge Volume	310 cubic yards
---------------	-----------------

Federal permit: U.S. Army Corps of Engineers Nationwide Permit Nos. 3 & 14

You have proposed to mitigate water quality impacts as described in your Certification application. The proposed mitigation is summarized below:

Onsite Water Quality Standards Mitigation Proposed:

- Standard water quality related best management practices (BMPs) will be employed during construction activities.

Offsite Water Quality Standards Mitigation Proposed:

- Extensive efforts to identify in-kind compensatory mitigation areas close to the project site were futile. Therefore, the compensatory mitigation proposed through payment into the Riverside-Corona Resource Conservation District In-lieu Fee Program. Compensatory mitigation will be provided at the following ratio.

0.005 acre of temporary impact to riparian habitat	mitigated at 3:1	0.015 acre restored
--	------------------	---------------------

Should the proposed project impact state- or federally-listed endangered species or their habitat, implementation of measures identified in consultation with U.S. Fish and Wildlife Service and the California Department of Fish and Wildlife will ensure those impacts are mitigated to an acceptable level. Appropriate BMPs will be implemented to reduce construction-related impacts to Waters of the State according to the requirements of Order No. R8-2009-0030 (NPDES Permit No. CAS618030), commonly known as the Orange County Municipal Storm Water Permit, and subsequent iterations thereof. Order No. R8-2009-0030 requires that you substantially comply with the requirements of State Water Resources Control Board's General Permit for Storm Water Discharges Associated with Construction Activity.

Pursuant to California Code of Regulations, Title 14, Chapter 3, Section 15096, as a responsible agency, the Regional Board is required to consider an Environmental Impact Report (EIR) or Negative Declaration (ND) prepared by the lead agency in determining whether to approve a project. A responsible agency has responsibility for mitigating and avoiding only the direct and indirect environmental effects of those parts of the project which it decides to carry out, finance, or approve. Further, the responsible agency must make findings as required by Sections 15091 and, if necessary, 15093, for each and every significant impact of the project.

As required by Section 15096, the Regional Board has considered the Mitigated Negative Declaration filed by the City of Huntington Beach on September 6, 2012, and information provided subsequently in the application, in approving this Certification.

This 401 Certification is contingent upon the execution of the following conditions:

- 1) The applicant must comply with the requirements of the applicable Clean Water Act section 404 permit.
- 2) Proposed mitigation shall be timely implemented. Materials documenting the purchase of necessary mitigation credits shall be provided to this office prior to the discharge of fill to, or the dredging or excavation of material from, waters of the state.
- 3) All materials generated from construction activities associated with this project shall be managed appropriately. This shall include identifying all potential pollution sources within the scope of work of this project, and incorporating all necessary pollution prevention BMPs as they relate to each potential pollution source identified.
- 4) The project proponent shall utilize BMPs during project construction to minimize the controllable discharges of sediment and other wastes to drainage systems or other waters of the state and of the United States.

- 5) Substances resulting from project-related activities that could be harmful to aquatic life, including, but not limited to, petroleum lubricants and fuels, cured and uncured cements, epoxies, paints and other protective coating materials, portland cement concrete or asphalt concrete, and washings and cuttings thereof, shall not be discharged to soils or waters of the state. All waste concrete shall be removed.
- 6) Motorized equipment shall not be maintained or parked within or near any stream crossing, channel or lake margin in such a manner that petroleum products or other pollutants from the equipment may enter these areas under any flow conditions. Vehicles shall not be driven or equipment operated in waters of the state on-site, except as necessary to complete the proposed project. No equipment shall be operated in areas of flowing water.
- 7) This Water Quality Certification is subject to the acquisition of all local, regional, state, and federal permits and approvals as required by law. Failure to meet any conditions contained herein or any the conditions contained in any other permit or approval issued by the State of California or any subdivision thereof may result in the revocation of this Certification and civil or criminal liability.
- 8) Best management practices to stabilize disturbed soils must include the use of native plant species whenever feasible.
- 9) Applicant shall follow all procedures and policies specified within the project's HMMP, specifically in respect to the restoration of impacts associated with state and federal waters within the project area.
- 10) Construction de-watering discharges, including temporary stream diversions necessary for project construction may be regulated under Regional Board Order No. R8-2009-0003, General Waste Discharge Requirements for Discharges to Surface Waters that Pose an Insignificant (De Minimus) Threat to Water Quality. For more information, please review Order No. R8-2009-0003 at www.waterboards.ca.gov/santaana/
- 11) Applicant shall ensure that all fees associated with this project shall be paid to each respective agency prior to conducting any on-site construction activities.

Under California Water Code, Section 1058, and Pursuant to 23 CCR §3860, the following shall be included as conditions of all water quality certification actions:

- (a) Every certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to Section §13330 of the Water Code and Article 6 (commencing with Section 3867) of this Chapter.

(b) Certification is not intended and shall not be construed to apply to any activity involving a hydroelectric facility and requiring a FERC license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to Subsection §3855(b) of this Chapter and that application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.

(c) Certification is conditioned upon total payment of any fee required under this Chapter and owed by the applicant.

If the above stated conditions are changed, any of the criteria or conditions as previously described are not met, or new information becomes available that indicates a water quality problem, the Regional Board may require the applicant to submit a report of waste discharge and obtain Waste Discharge Requirements.

In the event of any violation or threatened violation of the conditions of this certification, the holder of any permit or license subject to this certification shall be subject to any remedies, penalties, process or sanctions as provided for under state law. For purposes of section 401(d) of the Clean Water Act, the applicability of any state law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this certification. Violations of the conditions of this certification may subject the applicant to civil liability pursuant to Water Code section 13350 and/or 13385.

This letter constitutes a Water Quality Standards Certification issued pursuant to Clean Water Act Section 401. I hereby issue an order certifying that any discharge from the referenced project will comply with the applicable provisions of Sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law. This discharge is also regulated under State Water Resources Control Board Order No. 2003-0017-DWQ (Order No. 2003-0017-DWQ), "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received Water Quality Certification" which requires compliance with all conditions of this Water Quality Standards Certification. Order No. 2003-0017-DWQ is available at:
www.waterboards.ca.gov/board_decisions/adopted_orders/water_quality/2003/wqo/wqo_2003-0017.pdf

Jonathan Claudio
City of Huntington Beach
401 Certification No. 302013-13

- 6 -

July 24, 2013

Should there be any questions, please contact Marc Brown at (951) 321-4584, or Mark Adelson at (951) 782-3234.

Sincerely,



Kurt V. Berchtold
Executive Officer
Santa Ana Regional Water Quality Control Board

cc (via electronic mail):

UltraSystems Environmental Inc. – Michelle Tollett, mtollett@ultrasystems.com
U.S. Army Corps of Engineers, Los Angeles Office - Stephen Estes
State Water Resources Control Board, OCC - David Rice
California Department of Fish and Wildlife – Russell M. Barabe
SWRCB, DWQ-Water Quality Certification Unit - Bill Orme